



Erosion and sediment control installation and maintenance



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

CSA W208:20, Erosion and sediment control installation and maintenance

| |
|---|
| Administrative update — December 2020 |
| Cover: SCC logo added National Standard of Canada page: French version now available Title page: ICS number revised |

Currently in preview, click buy full version

Standards Update Service

CSA W208:20

November 2020

Title: *Erosion and sediment control installation and maintenance*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24285.0**

If you require assistance, please e-mail techsupport@csagroup.org or call 410-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

**A trademark of the Canadian Standards Association, operating as “CSA Group”*

National Standard of Canada

CSA W208:20

***Erosion and sediment control
installation and maintenance***



®A trademark of the Canadian Standards Association,
operating as "CSA Group."



*Published in November 2020 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

ICS 93.010
ISBN 978-1-4883-3199-2

© 2020 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.

Contents

| | |
|---|-----------|
| Technical Committee on Erosion and Sediment Control | 4 |
| Subcommittee on Erosion and Sediment Control Installation and Maintenance | 6 |
| Preface | 8 |
| 0 Introduction | 10 |
| 1 Scope | 11 |
| 1.1 General | 11 |
| 1.2 Application | 11 |
| 1.3 Structure | 11 |
| 1.4 Users | 11 |
| 1.5 Terminology | 11 |
| 2 Reference publications | 12 |
| 3 Definitions and abbreviations | 12 |
| 3.1 Definitions | 12 |
| 3.2 Abbreviations | 12 |
| 4 General requirements | 13 |
| 4.1 General | 13 |
| 4.2 Product-specific installation and maintenance requirements | 14 |
| 4.3 Adaptive management | 14 |
| 5 ESC measure reference guide | 14 |
| 5.1 General | 14 |
| 5.2 ESC measure reference guide | 14 |
| 6 Installation and maintenance requirements | 18 |
| 6.1 General | 18 |
| 6.2 Catch basin protections | 18 |
| 6.2.1 General | 18 |
| 6.2.2 Installation | 18 |
| 6.2.3 Maintenance | 18 |
| 6.3 Check dam | 19 |
| 6.3.1 General | 19 |
| 6.3.2 Installation | 19 |
| 6.3.3 Maintenance | 19 |
| 6.4 Cofferdam | 19 |
| 6.4.1 General | 19 |
| 6.4.2 Installation | 20 |
| 6.4.3 Maintenance | 20 |
| 6.5 Filter berm | 20 |
| 6.5.1 General | 20 |
| 6.5.2 Installation | 20 |

| | | |
|--------|--|----|
| 6.5.3 | Maintenance | 21 |
| 6.6 | Filter sock | 21 |
| 6.6.1 | General | 21 |
| 6.6.2 | Installation | 21 |
| 6.6.3 | Maintenance | 21 |
| 6.7 | Flocculants | 21 |
| 6.7.1 | General | 21 |
| 6.7.2 | Installation | 22 |
| 6.7.3 | Maintenance | 22 |
| 6.8 | Growth sock | 22 |
| 6.8.1 | General | 22 |
| 6.8.2 | Installation | 22 |
| 6.8.3 | Maintenance | 23 |
| 6.9 | Hydraulically applied measures | 23 |
| 6.9.1 | General | 23 |
| 6.9.2 | Installation | 23 |
| 6.9.3 | Maintenance | 23 |
| 6.10 | Mud mat | 23 |
| 6.10.1 | General | 23 |
| 6.10.2 | Installation | 24 |
| 6.10.3 | Maintenance | 24 |
| 6.11 | Pneumatically applied erosion control blankets | 24 |
| 6.11.1 | General | 24 |
| 6.11.2 | Installation | 24 |
| 6.11.3 | Maintenance | 24 |
| 6.12 | Retaining structures | 25 |
| 6.12.1 | General | 25 |
| 6.12.2 | Installation | 25 |
| 6.12.3 | Maintenance | 25 |
| 6.13 | Revet (gabion) mattresses | 25 |
| 6.13.1 | General | 25 |
| 6.13.2 | Installation | 25 |
| 6.13.3 | Maintenance | 26 |
| 6.14 | Rigid liners | 26 |
| 6.14.1 | General | 26 |
| 6.14.2 | Installation | 26 |
| 6.14.3 | Maintenance | 26 |
| 6.15 | Riprap | 26 |
| 6.15.1 | General | 26 |
| 6.15.2 | Installation | 26 |
| 6.15.3 | Maintenance | 27 |
| 6.16 | Reeled erosion control blankets | 27 |
| 6.16.1 | General | 27 |
| 6.16.2 | Installation | 27 |
| 6.16.3 | Maintenance | 27 |
| 6.17 | Sediment bag | 27 |
| 6.17.1 | General | 27 |
| 6.17.2 | Installation | 28 |
| 6.17.3 | Maintenance | 28 |

| | | |
|--------|----------------------------|----|
| 6.18 | Sediment pond | 28 |
| 6.18.1 | General | 28 |
| 6.18.2 | Installation | 28 |
| 6.18.3 | Maintenance | 28 |
| 6.19 | Sediment trap | 29 |
| 6.19.1 | General | 29 |
| 6.19.2 | Installation | 29 |
| 6.19.3 | Maintenance | 29 |
| 6.20 | Silt fence | 29 |
| 6.20.1 | General | 29 |
| 6.20.2 | Installation | 29 |
| 6.20.3 | Maintenance | 29 |
| 6.21 | Slope drain | 30 |
| 6.21.1 | General | 30 |
| 6.21.2 | Installation | 30 |
| 6.21.3 | Maintenance | 30 |
| 6.22 | Surface texturing | 30 |
| 6.22.1 | General | 30 |
| 6.22.2 | Installation | 31 |
| 6.22.3 | Maintenance | 31 |
| 6.23 | Tied concrete block mats | 31 |
| 6.23.1 | General | 31 |
| 6.23.2 | Installation | 31 |
| 6.23.3 | Maintenance | 31 |
| 6.24 | Turbidity curtain | 31 |
| 6.24.1 | General | 31 |
| 6.24.2 | Installation | 32 |
| 6.24.3 | Maintenance | 32 |
| 6.25 | Turf reinforcement matting | 32 |
| 6.25.1 | General | 32 |
| 6.25.2 | Installation | 32 |
| 6.25.3 | Maintenance | 33 |
| 6.26 | Vegetative filter strip | 33 |
| 6.26.1 | General | 33 |
| 6.26.2 | Installation | 33 |
| 6.26.3 | Maintenance | 33 |
| 6.27 | Wattles | 33 |
| 6.27.1 | General | 33 |
| 6.27.2 | Installation | 34 |
| 6.27.3 | Maintenance | 34 |
| 6.28 | Weir tank | 34 |
| 6.28.1 | General | 34 |
| 6.28.2 | Installation | 34 |
| 6.28.3 | Maintenance | 34 |
| 6.29 | Wheel wash stations | 34 |
| 6.29.1 | General | 34 |
| 6.29.2 | Installation | 35 |
| 6.29.3 | Maintenance | 35 |

Preface

This is the first edition of CSA W208, *Erosion and sediment control installation and maintenance*.

The purpose of this Standard is to provide requirements and recommendations for the installation and maintenance of erosion and sediment control (ESC) measures on construction sites. Compliance with this Standard will allow users to demonstrate that implementation of erosion and sediment control measures was completed using best practices and in accordance with the site-specific erosion and sediment control plan (ESCP). The Standard further supports an open dialogue between those installing and maintaining ESC measures and those who own or regulate the project, as well as the designer of the ESCP. This Standard pulls from industry expertise and best practices in Canada and internationally to help bring forward the key installation and maintenance activities that can support effective application and functionality of commonly used ESC measures.

Users of this Standard are reminded that additional and site-specific requirements might be specified by a federal, provincial/territorial, municipal, or other authority, or by a project owner. This Standard should not be considered a replacement for the requirements contained in any:

- a) applicable federal/territorial, or provincial statute;
- b) regulation, license, or permit issued pursuant to an applicable statute, or
- c) contract that an owner has with a contractor

CSA Group gratefully acknowledges the generous support of the Canadian Chapter of the International Erosion Control Association (CAN-IECA) in making possible the development of this Standard.

This Standard was prepared by the Subcommittee on Erosion and Sediment Control Installation and Maintenance under the jurisdiction of the Technical Committee on Erosion and Sediment Control and the Strategic Steering Committee on Natural Resources, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csa-group.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:*
- a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA W208:20

Erosion and sediment control installation and maintenance

0 Introduction

Almost all construction activities will disturb the ground surface in one way or another. Mitigating the impact of erosion of disturbed ground and sedimentation of watercourses during construction is critical for the protection of existing infrastructure like sewers, catch-basins and stormwater management ponds, fish and wildlife habitat, people, and property.

Controlling erosion and managing sediment during construction is achieved through the application of erosion and sediment control (ESC) measures according to a project-specific erosion and sediment control plan (ESCP). Some ESC measures are applied before disturbing the ground, while others are implemented during construction. Regardless of when an ESC measure is installed, all ESC measures need to be actively maintained until earthworks are complete and the project site is stabilized by establishing vegetative cover or installation of a permanent erosion resistant surface.

Erosion, and generation of sediment, at an active construction project is common. However, when properly managed, erosion and sediment will not cause harm to people, or damage property or habitat. When it isn't managed, the release of sediment from a construction site will likely cause or contribute to harm of people, property, and habitat (the environment).

Existing federal, provincial, and municipal environmental legislation is designed to protect people, property, and the natural environment. In general, legislation prohibits release of any material, including sediment, which could cause an adverse effect to people, property, or the environment.

The ESC industry is made up of specialists, including erosion and sediment control plan designers, installers, inspectors, and civil construction and earthworks contractors. The industry has never had clear, repeatable guidance on what information or instructions, relative to installing and maintaining ESC measures, are required in an ESCP. This is necessary to ensure the measures installed to control the release of sediment are installed and maintained correctly and are appropriate for the site and conditions from jurisdiction to jurisdiction across the country.

This Standard provides a framework that describes the key success factors for installation and maintenance of ESC measures that ESCP designers typically include in plans.

The Standard is laid out to facilitate open communication across the ESC industry, contractors, approval authorities, and project owners.

The purpose of the Standard is to provide consistency in what and how ESC measures are installed and maintained at construction projects across the country. This will help protect the environment from impairment by providing approval authorities with the confidence that specified ESC measures are effectively preventing adverse effects on people, property, and the environment.

The ESC measures included in this Standard are presented in a series of matrices, organized by function and intended application for quick reference.

1 Scope

1.1 General

This Standard outlines installation and maintenance requirements associated with a number of commonly used ESC measures. In addition, this Standard provides general best practice guidance for installing and maintaining ESC measures in conjunction with construction activity, including standardized guidance with respect to adhering to product manufacturer instructions. This Standard further provides guidance for evaluating and selecting ESC measures based on intended functionality and site-specific applications.

1.2 Application

The requirements provided in this Standard apply to construction projects or related activities that result in disturbed ground, including vegetation removal, excavations, grading, and development related activities. This Standard also applies where ESC measures are required by contract, permit, approval, regulation, or other authorization.

The installation of ESC measures is conducted with oversight by a qualified individual according to the details contained in the erosion and sediment control plan. Once ESC measures have been installed, maintenance of the measures are performed to maintain their integrity until such time that stabilization goals have been achieved at the completion of a project phase.

This Standard applies to the installation and maintenance of ESC measures during soil disturbing activities including

- a) earth works (e.g., stripping and grading, clearing and grubbing);
- b) construction of structures (including but not limited to housing subdivisions and commercial centres);
- c) construction of infrastructure (including but not limited to roads, bridges, utilities, sewers, and watermains); and
- d) expansion or rehabilitation of any of these facilities or structures.

1.3 Structure

This Standard consists of three parts. The first part provides general requirements for installing and maintaining ESC measures. Secondly, the Standard provides a quick reference guide, arranged by functional need and appropriate application, for a number of commonly applied ESC measures and processes. Finally, for each of the measures and processes covered in the reference table (see Table [1](#)), installation and maintenance requirements are provided.

1.4 Users

This Standard is intended for use by those with a vested interest in ESC elements of construction projects. Stakeholders might include project owners, regulatory authorities, design professionals, qualified erosion and sediment control inspectors, contractors, contract administrators, and other persons interested in the successful installation and maintenance of ESC measures.

In general, this Standard is also intended for use where applicable standards aren't currently available.

1.5 Terminology

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that

which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the editions listed below.

CSA Group

CAN/CSA-W202-18

Erosion and sediment control inspection and monitoring

CCME (Canadian Council of Ministers of the Environment)

Guidelines for Compost Quality, 2005

MOE (Ontario Ministry of the Environment, Waste Management Policy Branch)

Ontario Compost Quality Standards, 2012

3 Definitions and abbreviations

3.1 Definitions

The following definitions shall apply in this Standard.

Erosion controls — controls that impede the detachment of soil particles by wind or water.

Sediment controls — controls that promote the deposition of detached soil particles.

3.2 Abbreviations

The following abbreviations shall apply in this Standard.

ESC — erosion and sediment control

ESCP — erosion and sediment control plan

TRM — turf reinforcement matting