




**CSA
Group**

W59-13

Welded steel construction (metal arc welding)



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its content, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

W59-13

October 2013

Title: *Welded steel construction (metal arc welding)*

Pagination: **449 pages** (xiv preliminary and 435 text), each dated **October 2013**

To register for e-mail notification about any updates to this publication

- go to **shop.csa.ca**
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2422632**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at csagroup.org/legal to find out how we protect your personal information.

Currently in preview, click buy full version

W59-13

Welded steel construction (metal arc welding)



**CSA
Group**

™A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in October 2013 by CSA Group
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at shop.csa.ca



CSA Group prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase standards and related publications, visit our Online Store at shop.csa.ca or call toll-free 1-800-461-6727 or 416-747-4044.

ISSN 1978-1-77139-281-5

© 2013 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Welding of Bridges, Buildings, and Machinery x

Offshore Welding Task Group (Annex U) xii

Preface xiii

1 Scope 1

2 Definitions and reference publications 2

2.1 Definitions 2

2.2 Reference publications 3

3 General requirements 8

3.1 Qualification requirements 8

3.1.1 Contractor 8

3.1.2 Welding processes 8

3.1.3 Welding procedures — Conditions of prequalification 8

3.1.4 Selection of type of groove and welding procedures 9

3.2 Base metal 9

3.2.1 General 9

3.2.2 CSA G40.21 9

3.2.3 ASTM Standards 9

3.3 Welding terminology 10

3.4 Symbols 10

4 Design of welded connections 10

4.1 General requirements 10

4.1.1 Drawings 10

4.1.2 Lamellar tearing 12

4.1.3 Requirements for welds 12

4.2 Design values 13

4.3 Effective weld area, length, throat and fillet size 13

4.3.1 Groove welds 13

4.3.2 Fillet welds 16

4.3.3 Plug and slot welds 17

4.3.4 Minimum groove depth for partial joint penetration groove welds and minimum length and size of fillet welds 17

4.4 Details of fillet, plug, and slot welds 18

4.4.1 Fillet weld details 18

4.4.2 Plug and slot weld details 18

4.5 Welds on skewed joints 19

4.6 Fillers 20

4.7 Seal welds 20

5 Electrodes, workmanship, and technique 28

5.1 General 28

5.2 Electrodes 29

5.2.1 General 29

5.2.2 Electrodes for shielded metal arc welding (SMAW) 30

5.2.3 Electrodes and fluxes for submerged arc welding (SAW) 32

5.2.4	Electrodes and shielding gas for gas metal arc welding, gas tungsten arc welding, metal-cored arc welding, and flux-cored arc welding (GMAW, GTAW, MCAW, and FCAW)	32
5.2.5	Electrodes, fluxes, and gases for electroslag welding and electrogas welding (ESW and EGW)	33
5.3	Preparation of material	34
5.3.1	Surface conditions	34
5.3.2	Joint preparation	34
5.3.3	Roughness requirements	34
5.3.4	Notch limitations	34
5.3.5	Inspection and repair of planar edge discontinuities	34
5.3.6	Re-entrant corners	35
5.3.7	Beam copes and weld access holes	36
5.3.8	Weld access hole dimensions	36
5.3.9	Group 4 and 5 shapes	36
5.3.10	Camber	36
5.3.11	Correction of camber	36
5.4	Assembly	36
5.4.1	Fillet weld assembly	36
5.4.2	Faying surfaces	36
5.4.3	PJP groove weld assembly	37
5.4.4	Groove weld assembly	37
5.4.5	Workmanship tolerances	37
5.4.6	Alignment	37
5.4.7	Tack welds	37
5.4.8	Temporary welds	38
5.4.9	Backing	38
5.4.10	Seal welds	38
5.5	Details of welding procedures	38
5.5.1	General	38
5.5.2	Shielded metal arc welding (SMAW)	39
5.5.3	Submerged arc welding (SAW)	39
5.5.4	Gas metal arc welding (GMAW), gas tungsten arc welding (GTAW), metal-cored arc welding (MCAW), and flux-cored arc welding (FCAW)	41
5.5.5	Electroslag welding (ESW) and electrogas welding (EGW)	41
5.6	Control of distortion and shrinkage stresses	42
5.7	Preheat, interpass temperature, and heat input control	43
5.7.1	Preheat and interpass temperature	43
5.7.2	Reduction of preheat temperatures	43
5.8	Dimensional tolerances	44
5.9	Profile of welds	45
5.10	Corrections	46
5.11	Peening	46
5.12	Stress-relief heat treatment	47
5.13	Cleaning of welds	48
5.14	Arc strike	48
5.15	Heat shocking	48
6	Stud welding	59
6.1	Scope	59
6.2	General requirements	59
6.3	Stud application qualification requirements	59
6.3.6	Bend tests (nonthreaded studs)	60
6.3.7	Bend tests (threaded studs)	60
6.3.8	Torque tests (threaded studs)	60
6.4	Technique and workmanship	61

- 6.5 Procedural control 62
- 6.6 Inspection requirements and repair procedures 64

7 Welding inspection 67

- 7.1 General 67
 - 7.1.1 Contractor's inspector 67
 - 7.1.2 Third-party inspection 67
- 7.2 Inspection of materials 67
- 7.3 Obligations of the Contractor 68
- 7.4 Nondestructive examination 68

8 Radiographic and ultrasonic examination of welds 69

- 8.1 Radiographic examination of welds 69
 - 8.1.1 General 69
 - 8.1.2 Extent of examination 69
 - 8.1.3 Radiographic procedure 70
 - 8.1.4 Acceptability of welds 73
 - 8.1.5 Examination, reporting, and disposition of radiographs 73
 - 8.1.6 Alternative radiation imaging systems 74
- 8.2 Ultrasonic examination of groove welds 75
 - 8.2.1 General 75
 - 8.2.2 Extent of examination 75
 - 8.2.3 Personnel qualification 76
 - 8.2.4 Ultrasonic equipment 76
 - 8.2.5 Calibration standards 77
 - 8.2.6 Equipment calibration 77
 - 8.2.7 Calibration for examination 78
 - 8.2.8 Testing procedure 78
 - 8.2.9 Preparation and disposition of reports 80
 - 8.2.10 Calibration of the ultrasonic unit with the IIW or other approved calibration blocks 80
 - 8.2.11 Scanning patterns for ultrasonic examination 82
 - 8.2.12 Alternative ultrasonic systems 82

9 Strengthening and repair of existing structures 104

- 9.1 General 104
- 9.2 Materials 104
- 9.3 Design 104
- 9.4 Workmanship 105
- 9.5 Fatigue life enhancement 105
 - 9.5.1 Methods 105
 - 9.5.2 Stress range increase 105
- 9.6 Quality 105
 - 9.6.1 Visual inspection 105
 - 9.6.2 Nondestructive testing 105

10 Details and welding procedure requirements for prequalified joints 106

- 10.1 General 106
 - 10.1.1 Prequalified complete joint penetration groove welds 106
 - 10.1.2 Prequalified partial joint penetration groove welds 106
 - 10.1.3 Requirements for prequalification of joints 106
 - 10.1.4 Joint and weld designations 107
 - 10.1.5 Postweld heat treatment 108
 - 10.1.6 Filler metals tested in the as-welded condition 108
- 10.2 Shielded metal arc welding (SMAW) 108

10.2.1	Prequalified complete joint penetration groove welds made by SMAW	108
10.2.2	Prequalified partial joint penetration groove welds made by SMAW	109
10.2.3	Procedures for SMAW	109
10.3	Submerged arc welding (SAW)	109
10.3.1	Prequalified complete joint penetration groove welds made by SAW	109
10.3.2	Prequalified partial joint penetration groove welds made by SAW	110
10.3.3	Parameter limitations for prequalified complete and partial joint penetrations welds	110
10.3.4	Prequalified fillet welds made by submerged arc welding	111
10.4	Flux-cored arc and metal-cored arc welding (FCAW, MCAW)	112
10.4.1	Prequalified complete joint penetration groove welds made by FCAW and MCAW	112
10.4.2	Prequalified partial joint penetration groove welds made by FCAW and MCAW	112
10.4.3	Procedures for FCAW and MCAW with single electrodes	112
10.5	Gas metal arc welding spray transfer (GMAW-SP) and pulsed transfer (GMAW-P)	113
10.5.1	Prequalified complete joint penetration groove welds made by GMAW	113
10.5.2	Prequalified partial joint penetration groove welds made by GMAW	113
10.5.3	Procedures for GMAW with single electrodes	113
10.6	Gas tungsten arc welding (GTAW)	114
10.6.1	Prequalified complete joint penetration groove welds made by GTAW	114
10.6.2	Prequalified partial joint penetration groove welds made by GTAW	115
10.6.3	Procedures for GTAW with single electrodes	115

11 Statically-loaded structures — Design and construction 155

11.1	Scope	155
11.2	Base metal	155
11.3	Design provisions	155
11.3.1	Symbols	155
11.3.2	Design values	156
11.3.3	Base metal and matching electrode classification	156
11.4	Structural details	156
11.4.1	General	156
11.4.2	Combination of welds	156
11.4.3	Welds in combination with bolts	156
11.4.4	Strength under temporary loads	157
11.4.5	Eccentricity of connections	157
11.4.6	Fillet weld details	157
11.4.7	Lap joints	157
11.4.8	Transition of thickness or width	157
11.4.9	Beams and girders	158
11.4.10	Splices in compression members	158
11.4.11	Splices in tension members	158
11.4.12	T- and corner joints	158
11.4.13	Connection of components of built-up members	159
11.5	Workmanship	159
11.5.1	Termination of groove welds	159
11.5.2	Groove weld backing	159
11.5.3	Dimensional tolerances	160
11.5.4	Quality of welds	160

12 Dynamically-loaded structures — Design and construction 173

12.1	Scope	173
12.2	Base metal	173
12.3	Design provisions	174
12.3.1	Symbols	174
12.3.2	Design values	174

12.3.3	Base metal and matching electrode classification	175
12.3.4	Fatigue stress provisions	175
12.4	Structural details	177
12.4.1	General	177
12.4.2	Combination of welds	177
12.4.3	Welds in combination with bolts	177
12.4.4	Strength under temporary loads	177
12.4.5	Eccentricity of connections	178
12.4.6	Fillet weld details	178
12.4.7	Lap joints	178
12.4.8	Transition of thickness or widths	178
12.4.9	Beams and girders	179
12.4.10	Splices in compression members	179
12.4.11	Splices in tension members	179
12.4.12	T- and corner joints	179
12.4.13	Connections of components of built-up members	179
12.4.14	Prohibited types of joints and welds	180
12.5	Workmanship	181
12.5.1	Termination of groove welds	181
12.5.2	Groove weld backing	181
12.5.3	Dimensional tolerances	181
12.5.4	Quality of welds	182
12.5.5	Temporary welds	183

Annexes

A (informative)	— Typical prequalified partial joint penetration groove welded joints with SMAW, FCAW, MCAW, and GMAW	206
B (informative)	— Plug and slot welds	208
C (informative)	— Prevention of cracks	209
D (informative)	— Welding symbols	211
E (informative)	— Welding definitions	217
F (informative)	— Geometric unsharpness and suggested report forms for examination of welds	260
G (informative)	— Example of weld quality requirements	263
H (normative)	— Material requirements for studs and stud base qualification requirements	264
I (informative)	— Flatness of girder webs — Clause 11	272
J (informative)	— Flatness of girder webs — Clause 12	275
K (informative)	— Arc spot welds	281
L (informative)	— Hollow structural section (HSS) connections	282
M (informative)	— Strength of welds	287
N (informative)	— Gas metal arc welding (GMAW)	290
P (informative)	— Guideline and commentary on alternative methods for determining preheat	296
Q (informative)	— Lamellar tearing	321
R (informative)	— The fatigue life of structures and postweld methods of fatigue life enhancement	326
S (informative)	— Allowable Stress Design	334
T (informative)	— Description and intended use of electrodes for gas metal arc welding	342
U (normative)	— Welding of fixed steel offshore structures	344
V (informative)	— Electrode classification cross-reference	435

Tables

4.1	— Effective throats of flare groove welds filled flush	20
4.2	— Minimum effective throats of flare groove welds	21
4.3	— Minimum groove depth for partial joint penetration groove welds (not combined with fillet welds)	21
4.4	— Minimum fillet weld size	22

- 5.1** — Filler-metal requirements for exposed bare applications of CSA G40.21 350A, 350AT, 400A, 400AT (50A, 50AT, 60A, 60AT) and ASTM A242 and A588 steels 49
- 5.2** — Limits of acceptability and repair of edge discontinuities 50
- 5.3** — Minimum preheat and interpass temperatures 51
- 5.4** — Minimum single-pass fillet weld sizes to eliminate preheat (SAW only) 55
- 5.5** — Workmanship tolerance for groove welds 55
- 6.1** — Required torque for testing threaded studs 65
- 6.2** — Minimum fillet weld size for small diameter studs 66
- 8.1** — Hole-type image quality indicator (IQI) requirements 84
- 8.2** — Wire image quality indicator (IQI) requirements 85
- 8.3** — Procedure chart 86
- 10.1** — Maximum criteria for prequalified joints using the shielded metal arc welding process (SMAW) 116
- 10.2** — Criteria for prequalified joints using the flux cored arc welding (FCAW) and metal cored arc welding (MCAW) processes 117
- 11.1** — Base metals and matching electrode classification for statically-loaded structures 162
- 11.2** — Factored resistances of welds for statically-loaded structures 167
- 11.3** — Ultrasonic acceptance criteria for statically-loaded structures 170
- 12.1** — Base metals and matching electrode classification for cyclically-loaded structures 184
- 12.2** — Factored resistances of welds for cyclically-loaded structures 189
- 12.3** — Fatigue constants and F_{sr} for various detail categories 192
- 12.4** — Detail categories for load-induced fatigue 193
- 12.5** — Ultrasonic acceptance criteria for cyclically-loaded structures 197

Figures

- 4.1** — Preferred preparation for single bevel and J-grooves in corner joints 22
- 4.2** — Complete joint penetration flare bevel groove weld in a butt joint 23
- 4.3** — Partial joint penetration flare bevel groove in a butt joint 23
- 4.4** — Flare bevel fillet weld in a T-joint 24
- 4.5** — Partial joint penetration flare bevel groove weld in a T-joint 24
- 4.6** — Partial joint penetration flare V-groove weld in a butt joint 25
- 4.7** — Partial joint penetration flare V-groove weld in a butt joint 25
- 4.8** — Geometric relationships for welds in skewed joints 26
- 4.9** — Details for representation of skewed joints 27
- 4.10** — Fillers 6 mm (1/4 in) or less in thickness 27
- 4.11** — Fillers over 6 mm (1/4 in) in thickness 28
- 5.1** — Weld access hole dimensions 56
- 5.2** — Depth, width, and width of face in welds 57
- 5.3** — Acceptable and unacceptable weld profiles 58
- 6.1** — Torque testing arrangement 66
- 8.1** — Penetrameter designs 88
- 8.2** — Image quality indicator (wire penetrameter sizes) 89
- 8.3** — Radiograph identification and penetrameter location on approximately equal thickness joints 255 mm (10 in) and greater in length 90
- 8.4** — Radiograph identification and penetrameter location on approximately equal thickness joints less than 255 mm (10 in) in length 91
- 8.5** — Radiograph identification and penetrameter location on transition joints 255 mm (10 in) and greater in length 92
- 8.6** — Radiograph identification and penetrameter location on transition joints less than 255 mm (10 in) in length 93
- 8.7** — Convention for dimensioning transducer crystals 93
- 8.8** — International institute of welding (IIW) ultrasonic reference block (SI) 94
- 8.9** — International institute of welding (IIW) ultrasonic reference block (Imperial) 95
- 8.10** — Distance calibration blocks 96

- 8.11** — Sensitivity calibration block 97
- 8.12** — Distance and sensitivity calibration block (SI) 98
- 8.13** — Distance and sensitivity calibration block (Imperial) 99
- 8.14** — Resolution test block (SI) 100
- 8.15** — Resolution test block (Imperial) 101
- 8.16** — Transducer positions (Typical) 102
- 8.17** — Scanning patterns for ultrasonic examination 103
- 10.1** — Prequalified complete joint penetration groove welds for the shielded metal arc welding process (SMAW) 119
- 10.2** — Prequalified partial joint penetration groove welds for the shielded metal arc welding process (SMAW) 122
- 10.3** — Prequalified complete joint penetration groove welds for the submerged arc welding process (SAW) 125
- 10.4** — Prequalified partial joint penetration groove welds for the submerged arc welding process (SAW) 130
- 10.5** — Prequalified complete joint penetration groove welds for the flux-cored arc welding process (FCAW) 131
- 10.6** — Prequalified partial joint penetration groove welds for the flux-cored arc welding process (FCAW) 133
- 10.7** — Prequalified complete joint penetration groove welds for the gas metal arc welding process (GMAW-SP) spray transfer mode 135
- 10.8** — Prequalified partial joint penetration groove welds for the gas metal arc welding process (GMAW-SP) spray transfer mode 138
- 10.9** — Prequalified complete joint penetration groove welds for the metal-cored arc welding process (MCAW) spray transfer mode 141
- 10.10** — Prequalified partial joint penetration groove welds for the metal-cored arc welding process (MCAW) spray transfer mode 143
- 10.11** — Prequalified complete joint penetration groove welds for the gas metal arc welding process (GMAW-P) pulsed transfer mode 145
- 10.12** — Prequalified partial joint penetration groove welds for the gas metal arc welding process (GMAW-P) pulsed transfer mode 148
- 10.13** — Prequalified complete joint penetration groove welds for the gas tungsten arc welding process (GTAW) 151
- 10.14** — Prequalified partial joint penetration groove welds for the gas tungsten arc welding process (GTAW) 153
- 11.1** — Double fillet weld lap joint — Statically-loaded structures 171
- 11.2** — Lap joints using fillet welds on opposite sides of a common plane — Statically-loaded structures 171
- 11.3** — Transition of thickness and widths for tension members 172
- 11.4** — Permissible undercut values 173
- 12.1** — Illustrative examples of various details representing stress range categories 198
- 12.2** — Double fillet welded lap joint — Cyclically-loaded structures 202
- 12.3** — Lap joints using fillet welds on opposite sides of a common plane — Cyclically-loaded structures 202
- 12.4** — Transition in width and thickness 203
- 12.5** — Weld quality requirements for discontinuities occurring in tension welds for cyclic loading (limitation of porosity and fusion-type discontinuities) 204
- 12.6** — Weld quality requirements for discontinuities occurring in compression welds for cyclic loading (limitation of porosity and fusion-type discontinuities) 205

Technical Committee on Welding of Bridges, Buildings, and Machinery

J.C. Martin	CWB Group, Milton, Ontario	<i>Chair</i>
A. McCartney	Omniweld Integrated Solutions, Division of Air Liquide Canada Inc., Burlington, Ontario	<i>Vice-Chair</i>
T. Verhey	Walters Incorporated, Hamilton, Ontario	<i>Vice-Chair</i>
N. Carrington	TSE Steel Ltd., Calgary, Alberta	
K. Chessman	M&G Steel Ltd., Oakville, Ontario	
T. Culliton	Fleetway Inc., Saint John, New Brunswick	<i>Associate</i>
M.I. Gilmor	Cast Connex Corporation, Toronto, Ontario	
R. Grant	Grantec Engineering Consultants Inc., Halifax, Nova Scotia	<i>Associate</i>
P.O. Hébert	Ministère des Transports, Saint-Jérôme, Québec	
J. Hobbs	Hobbs Material Engineering Ltd, Dartmouth, Nova Scotia	<i>Associate</i>
W. Jaxa-Rozen	Bombardier Transport, St-Bruno, Québec	
K. Kerluke	KMK & Associates Inc., Erin, Ontario	
G.J. McMillan	EXP Services Inc., London, Ontario	
J.S. Mitchell	Canadian Natural Resources Limited, Calgary, Alberta	
J.W. Olson	POW Technologies, Ingersoll, Ontario	
J.A. Packer	University of Toronto, Department of Civil Engineering, Toronto, Ontario	<i>Associate</i>

N. Paolini	ProWeld Engineering, Toronto, Ontario	
R. Sanfaçon	SGS Canada Inc., Québec, Québec	
S. Scola	CN Rail, Homewood, Illinois, USA	
R.E. Southward	Southward Consultants Limited, Hamilton, Ontario	
T. Van Loon	Select Arc Inc., Green Valley, Ontario	
R. Wright	Waiward Steel Fabricators Ltd., Edmonton, Alberta	
J. Fisher	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

In addition to the members of the Technical Committee, the following people made a valuable contribution to the development of this Standard:

R. Roy	Consultant, South River, Ontario	
D. St-Laurent (Deceased)	DSL Engineering, Moncton, New Brunswick	

Offshore Welding Task Group (Annex U)

R. Grant	Grantec Engineering Consultants Inc. Halifax, Nova Scotia	<i>Chair</i>
R. Bursey	Bursey Engineering Inc., Conception Bay South, Newfoundland and Labrador	
I. Campbell	AMEC Black & McDonald, Dartmouth, Nova Scotia	
F. Feng	Novelis Global Technology Centre, Kingston, Ontario	
R. Frederking	National Research Council Canada, Ottawa, Ontario	
J. Hobbs	Hobbs Material Engineering Ltd., Dartmouth, Nova Scotia	
D. Luciani	CWB Group, Milton, Ontario	
A. McCartney	Omniweld Integrated Solutions, Burlington, Ontario	
N. Paolini	ProWeld Engineering, Mississauga, Ontario	
D. Robertson	Modular Fabrication Limited, Miramichi, New Brunswick	
P. Rogers	Suncor, St. John's, Newfoundland and Labrador	
J. Fisher	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the ninth edition of CSA W59, *Welded steel construction (metal arc welding)*. It supersedes the previous editions published in 2003, 1989, 1984, 1982, 1977, 1970, 1946, and 1940.

The following is a brief description of some of the most significant changes to the current edition of CSA W59:

- The Scope now acknowledges that provisions gas tungsten arc welding are now included in the Standard.
- [Clause 3](#) has been revised to add requirements for the welding of prequalified joints with multiple welding processes. [Clause 3](#) also acknowledges that joints welded by either gas tungsten arc or pulsed gas metal arc welding processes can now be deemed as prequalified. Several steels have been added to the prequalified list.
- In [Clause 4](#), references to allowable stress design for welds have been deleted from the main body of the standard and moved to a non-mandatory annex (see [Annex S](#)).
- [Clause 5](#) has been updated to include reference to gas tungsten arc welding and clarification on the requirements related to hydrogen designators. The section on stud welding has been reworked and moved to [Clause 6](#).
- [Clause 6](#) now contains requirements for stud welding; these requirements were previously in Clause 5.5.6.
- [Clause 7](#) has been reworked to provide clarity on roles and responsibilities for welding inspection.
- In [Clause 8](#), allowances for the use of alternative ultrasonic methods and alternative radiation imaging systems have been added.
- In [Clause 10](#), all the figures have been reviewed for consistency. A major inclusion is the prequalified joint geometries for the gas tungsten arc welding process and the pulsed gas metal arc welding process.
- [Clause 11](#), for statically loaded structures, has been changed in two ways. The first change is to remove the allowable stress design (ASD) design provisions from this Clause (see [Annex S](#)). The second change is to make the design provisions for fillet weld connections consistent with CSA S16-09. The changes to fillet weld design are as follows: the base metal check is no longer required; and there is now a method for designing joints combining longitudinal and transverse fillet welds (or any weld orientation in between). The materials tables have also been updated to reflect additional materials in use.
- In [Clause 12](#), for cyclically loaded structures, the changes are similar to those made in [Clause 11](#); ASD design provisions have been deleted (see [Annex S](#)) and design provisions for the ultimate strength of fillet welds have been made consistent with CSA S16-09. The materials tables have also been updated to reflect additional materials in use.

As CSA W59 contains no commentary, various non-mandatory annexes have been included to generate a better understanding of certain aspects of welded steel construction. The annexes of the previous edition of W59 have generally been reviewed for clarity:

- [Annex N](#) has been revised to include additional information on the relationship between voltage and wire feed speed
- [Annex P](#) has been updated to alternative preheat determination methodologies.
- [Annex R](#) has been updated to add reference to Ultrasonic Impact Technology as a possible method of fatigue life enhancement.
- [Annex S](#) has been added to reference design provisions for allowable stress design from the previous edition of CSA W59.
- [Annex T](#) has been added to provide a description and intended use of electrodes for gas metal arc welding in consideration of the classification system of CAN/CSA-ISO 14341.
- [Annex U](#) has been added to provide welding requirements for fixed steel offshore structures previously contained in CSA S473, which has been withdrawn following the adoption of ISO 19902 as a National Standard of Canada (CAN/CSA-Z19902). The provisions of this Annex supersede the provisions for the welding of offshore structures contained in CSA S473.

- **Annex V** has been added to provide a comparison chart for previous electrode classifications used in the CSA W48 series of standards.

This Standard was prepared by the Technical Committee on Welding of Bridges, Buildings, and Machinery and the Offshore Welding Task Group, under the jurisdiction of the Strategic Steering Committee on Construction and Civil Infrastructure, and has been formally approved by the Technical Committee.

Notes:

- (1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- (2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- (3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- (4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - provide an explanation of circumstances surrounding the actual field condition; and*
 - where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- (5) *This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - Standard designation (number);*
 - relevant clause, table, and/or figure number;*
 - wording of the proposed change; and*
 - rationale for the change.*

W59-13

Welded steel construction (metal arc welding)

1 Scope

1.1

This Standard covers welding requirements for carbon and low-alloy welded steel construction, with the exception of those types listed in [Clause 1.2](#).

Requirements that are essentially common to all such structures are covered in [Clauses 3 to 10](#), while provisions applying specifically to statically-loaded structures and to cyclically-loaded structures are included in [Clauses 11 and 12](#), respectively.

1.2

This Standard is not intended to apply to pressure vessels or to structures governed by special codes such as those of the American Petroleum Institute, the American Society of Mechanical Engineers, or the American Water Works Association.

1.3

This Standard includes provisions for the following:

- (a) shielded metal arc welding (SMAW);
- (b) submerged arc welding (SAW);
- (c) gas metal arc welding (GMAW);
- (d) gas tungsten arc welding (GTAW);
- (e) flux-cored arc welding (FCAW);
- (f) metal-cored arc welding (MCAW);
- (g) electroslag welding (ESW);
- (h) electrogas welding (EGW); and
- (i) stud welding (SW) processes.

1.4

The provisions of this Standard are not intended for use with steels having a specified minimum yield strength over 700 MPa (100 000 psi).

1.5

This Standard applies to the welding of base metals 3 mm (1/8 in) and thicker. In cases where base metals less than 3 mm (1/8 in) thick are to be welded to base metals 3 mm (1/8 in) and thicker, the requirements of AWS D1.3/AWS D1.3M and this Standard apply. In the case of any conflict between AWS D1.3/AWS D1.3M and this Standard, the requirements of this Standard govern.

Note: *In cases where base metals less than 3 mm (1/8 in) thick are to be welded to base metals less than 3 mm (1/8 in), the requirements of AWS D1.3/AWS D1.3M may be appropriate.*

1.6

This Standard does not address safety problems associated with welding and welding practices.

Note: *CSA W117.2 addresses safety in welding, cutting, and allied processes, and should be followed in addition to any applicable workplace health and safety legislation in effect. It is the responsibility of the user of this Standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations prior to use.*