



Z240 MH Series-09

Manufactured homes



Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS
ASSOCIATION

CSA Standards Update Service

Z240 MH Series-09

July 2009

Title: *Manufactured homes*

Pagination: **96 pages** (xiii preliminary and 83 text), each dated **July 2009**

Automatic notifications about any updates to this publication are available.

- To register for e-mail notifications, and/or to download any existing updates in PDF, enter the Online Store at **www.ShopCSA.ca** and click on **My Account** on the navigation bar.

The **List ID** for this document is **2020028**.

- To receive printed updates, please complete and return the attached card.



Name _____

Organization _____

Address _____

City _____

Province/State _____

Country _____ Postal/Zip Code _____

E-mail _____

I consent to CSA collecting and using the above information to send me updates relating to this publication.

Visit CSA's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Z240 MH Series-09

Currently in preview, click buy full version

**ASSOCIATION CANADIENNE DE
NORMALISATION**

BUREAU CENTRAL DE L'INFORMATION
5060, SPECTRUM WAY, BUREAU 100
MISSISSAUGA ON L4W 5N6
CANADA

**CANADIAN STANDARDS
ASSOCIATION**

CONSOLIDATED MAILING LIST
5060 SPECTRUM WAY, SUITE 100
MISSISSAUGA ON L4W 5N6
CANADA

Affranchir suffisamment
Place Stamp Here

CSA Standards

Z240 MH Series-09
Manufactured homes



**CANADIAN STANDARDS
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in July 2009 by Canadian Standards Association
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at www.ShopCSA.ca



The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase CSA Standards and related publications, visit CSA's Online Store at www.ShopCSA.ca or call toll free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-55436-345-2

Technical Editor: Vanessa Mitchell

© Canadian Standards Association — 2009

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Factory Certification of Buildings *xi*

Preface *xiii*

Z240.0.1-09, General requirements for manufactured homes

- 1 Scope** 3
- 2 Reference publications** 3
- 3 Definitions** 3
- 4 General requirements** 4
- 5 Equivalency of performance** 4
- 6 Markings** 4
- 7 Provision of set-up instructions** 5

Z240.1.1-09, Vehicular requirements for manufactured homes

- 1 Scope** 9
- 2 Reference publications** 9
- 3 Definitions** 9
- 4 Couplings, tongues, and A-frames** 10
 - 4.1 Couplings 10
 - 4.1.1 General 10
 - 4.1.2 Disengagement prevention 10
 - 4.1.3 Strength 10
 - 4.1.4 Marking 10
 - 4.2 Tongue or A-frame 11
 - 4.2.1 Dimensions 11
 - 4.2.2 Tongue load 11
 - 4.2.3 Strength 11
 - 4.3 Attachment 11
- 5 Running gear** 11
 - 5.1 General 11
 - 5.2 Tire load 11
 - 5.3 Axles 11
 - 5.4 Breakaway device 11
 - 5.5 Hydraulic brakes 12
 - 5.6 Electric brakes 12
 - 5.7 Wiring for vehicular lighting 12
 - 5.8 Preshipment testing 12
 - 5.8.1 General 12
 - 5.8.2 Brake adjustment 12
 - 5.8.3 Electrical current 12

Tables

- 1** — Wire requirements for Figure 3(b) 12

Figures

- 1** — Shortest allowable tongue or A-frame 13
2 — Ball or pindle coupling test loads and fixtures 14
3 — Brake wiring diagram 15
4 — Brake solenoid and wiring tester 16

Z240.2.1-09, Structural requirements for manufactured homes**1 Scope** 19**2 Reference publications** 19**3 Definitions** 21**4 General requirements** 21

- 4.1 Equivalence 21
 4.2 Minimum requirements 22
 4.3 Construction methods and quality of work 22
 4.4 Lumber 22
 4.4.1 Grading 22
 4.4.2 Remanufactured lumber 22
 4.4.3 Trusses 22

5 Structural design 22

- 5.1 General 22
 5.1.1 Design and construction 22
 5.1.2 Structural members and their connections 23
 5.1.3 Equivalency of performance 23
 5.2 Loads 23
 5.2.1 Floor loads 23
 5.2.2 Specified snow loads 23
 5.2.3 Wind loads 23
 5.2.4 Component fastening 23
 5.3 Deflections 24
 5.3.1 General 24
 5.3.2 Cantilever assemblies 24
 5.4 Anchorage of home 24
 5.5 Floors 25
 5.5.1 Modules up to 4.3 m wide 25
 5.5.2 Modules more than 4.3 m wide 25
 5.6 Walls 25
 5.6.1 General 25
 5.6.2 Framing for openings 25
 5.6.3 Framings over openings 25
 5.6.4 Stud wall top plates 26
 5.6.5 Stud wall bottom plate 26
 5.7 Nailing of wood framing 26
 5.8 Adhesives used in structural assemblies 26
 5.9 Interior partitions 26
 5.10 Subflooring 26
 5.11 Roof sheathing 26

- 5.12 Wall sheathing 26
- 5.13 Wall sheathing membrane 26

6 Construction 27

- 6.1 Roofing 27
- 6.2 Siding 27
- 6.3 Air leakage and condensation control 27
- 6.4 Thermal insulation 27
 - 6.4.1 General 27
 - 6.4.2 Installation 27
 - 6.4.3 Access hatches 27
 - 6.4.4 Soffit vents 27
 - 6.4.5 Fire protection 27
- 6.5 Interior surfaces 28
 - 6.5.1 Wall and ceiling finishes 28
 - 6.5.2 Fire protection around fuel-fired furnaces and water heaters 28
 - 6.5.3 Fire protection around gas and electric ranges 28
 - 6.5.4 Floor coverings 29
- 6.6 Rodents 29
- 6.7 Light and ventilation 29
 - 6.7.1 Windows 29
 - 6.7.2 Ventilation and mechanical air change installations 29
 - 6.7.3 Attic ventilation 29
- 6.8 Rooms, hallways, and spaces 30
 - 6.8.1 Measurement 30
 - 6.8.2 Heights of rooms and spaces 30
 - 6.8.3 Hallway width 30
- 6.9 Doors 30
 - 6.9.1 General 30
 - 6.9.2 Exterior doors 30
 - 6.9.3 Door hardware 31
 - 6.9.4 Glass in doors 32
- 6.10 Exits 32
- 6.11 Bedroom windows 32
- 6.12 Smoke alarms 32
- 6.13 Underfloor sheathing 32
- 6.14 Installation of solid-fuel-fired appliances 32
 - 6.14.1 General 32
 - 6.14.2 Fireplaces 33
 - 6.14.3 Space heaters 33

7 Roof trusses test 32

- 7.1 General 32
- 7.2 Acceptance criteria 33
 - 7.2.1 General 33
 - 7.2.2 Failure criteria — Single trusses 33
 - 7.2.3 Failure criteria — Truss pairs 33

8 Floor assemblies test 33

- 8.1 General 33
- 8.2 Test set-up 34
- 8.3 Testing procedure 34
 - 8.3.1 Centre span procedure 34
 - 8.3.2 Cantilever span procedure 34
- 8.4 Acceptance criteria 35

9 Deformation resistance test 35

- 9.1 Test procedure 35
- 9.2 Acceptance criteria 35

10 Markings and set-up instructions 35

- 10.1 Markings 35
- 10.2 Set-up instructions 35

Tables

- 1** — Minimum lumber grades for specific end uses 36
- 2** — Connection of floor to support frame 36
- 3** — Size and spacing of studs 37
- 4** — Wood lintel spans 37
- 5** — Nailing for wood framing 38
- 6** — Minimum thermal resistance of insulation (RSI value) 40
- 7** — Minimum thickness of interior plywood finish, mm 40
- 8** — Minimum ceiling heights 41
- 9** — Minimum door sizes, mm 41

Figures

- 1** — Examples of allowable lumber defects 42
- 2** — Loading for floor assemblies test 43

Z240.4.1-09, Installation requirements for gas-burning appliances in manufactured homes**1 Scope 47****2 Reference publications 47****3 Definitions 48****4 General requirements 49****5 Electrical wiring and connections 49****6 Specific appliances 49**

- 6.1 Ranges 49
- 6.2 Gas clothes dryers 49
- 6.3 Furnaces 49
- 6.4 Water heaters 49
- 6.5 Space-heating and water-heating appliances 49
- 6.6 Appliance installation 49
 - 6.6.1 General 49
 - 6.6.2 Mounting 49
- 6.7 Accessibility 50
 - 6.7.1 General 50
 - 6.7.2 Sufficient room for burner 50
 - 6.7.3 External access 50
 - 6.7.4 Internal access 50
- 6.8 Clearances 50
- 6.9 Location 50
 - 6.9.1 General 50
 - 6.9.2 Location of non-direct vent gas-fired appliances 50
- 6.10 Appliance operating instructions 50

7 Air supply for non-direct vent appliances 51

- 7.1 Combustion and ventilation air for furnaces and hot water appliances 51
- 7.2 Combustion air for appliances other than furnaces and hot water appliances 51
- 7.3 Replacement air for gas-fired clothes dryers 51

8 Venting 51

- 8.1 General 51
 - 8.1.1 Outlet site 51
 - 8.1.2 Installation 51
 - 8.1.3 Joints 51
 - 8.1.4 Flue gas vents 51
 - 8.1.5 Single-wall metal vent 51
- 8.2 Roof jack extension 52
- 8.3 Cooking appliances 52
 - 8.3.1 Ventilation 52
 - 8.3.2 Gravity or mechanical ventilation 52
 - 8.3.3 Ducts 52

9 Piping, tubing, and fittings 52

- 9.1 General 52
- 9.2 Materials 52
 - 9.2.1 Steel piping 52
 - 9.2.2 Fittings 52
 - 9.2.3 Schedule 40 piping 52
 - 9.2.4 Tubing 52
 - 9.2.5 Tubing fittings 53
 - 9.2.6 Corrosion protection 53
 - 9.2.7 Flexible connectors 53
 - 9.2.8 Shut-off valve 53
- 9.3 Joints and connections 53
 - 9.3.1 General 53
 - 9.3.2 Threading 53
 - 9.3.3 Joints 53
 - 9.3.4 Flare nuts 53
 - 9.3.5 Jointing compounds 53
 - 9.3.6 Gasket material 53
- 9.4 Piping and tubing size 53
 - 9.4.1 General 53
 - 9.4.2 Heating appliances 53
 - 9.4.3 Loss of pressure 54

10 Installation piping 54

- 10.1 General 54
- 10.2 Appliances 54
- 10.3 Disconnection for shipment 54
- 10.4 Piping projection 54
- 10.5 Prohibited gas line locations 54
- 10.6 Gas line installation through chassis 54
- 10.7 Gas line protection 54
- 10.8 Location of piping and tubing 54
- 10.9 Branch lines 54
- 10.10 Location of piping and tubing joints 55
- 10.11 Furnace gas supply line 55
- 10.12 Securement 55
- 10.13 Gas-tight outlet 55

- 10.14 Shut-off valves 55
- 10.15 Leak testing 55
- 10.16 Piping support 55
- 10.17 Defective material 55
- 10.18 Burrs and defects 55
- 10.19 Installation of piping 55
- 10.20 Gas supply inlet 56
- 10.21 Expansion and contraction 56
- 10.22 Dirt and dust 56

11 Leak testing of piping and tubing 56

- 11.1 Pressure test 56
- 11.2 Leakage test 56
- 11.3 Test gases 56
- 11.4 Locating of leaks 56
- 11.5 On-site testing 56

12 Markings 56

- 12.1 General 56
- 12.2 Ventilation warning label 57
- 12.3 Warning label for gas supply systems 57
- 12.4 Warning label for roof jack extension 57
- 12.5 Warning label for indoor access panel 57

13 Gas supply piping instructions 57

Tables

- 1** — Pipe and pipe fitting threads 58
- 2** — Maximum capacity of natural gas in thousands of Btuh for Schedule 40 pipe and plastic pipe, including fittings, for pressures of less than 7 in w.c. based on a pressure drop of 0.5 in w.c. 59
- 3** — Maximum capacity of natural gas in thousands of Btuh for copper tubing, including fittings, for pressures of less than 7 in w.c. based on a pressure drop of 0.5 in w.c. 61

Figures

- 1** — Sample warning label 63

Z240.5.1-09, Installation requirements for oil-fired appliances in manufactured homes

1 Scope 67

2 Reference publications 67

3 Definitions 68

4 General requirements 69

- 4.1 Compliance with CSA B140 series of Standards 69
- 4.2 Approval 69
- 4.3 Construction and quality of work 69
- 4.4 Installation 69
- 4.5 Installation and operating instructions 70
- 4.6 Mounting 70
- 4.7 Electrical wiring and connections 70
- 4.8 Accessibility 70
 - 4.8.1 General 70

- 4.8.2 Flame zone 70
- 4.8.3 Aisle installation 70
- 4.9 Clearances 70
- 4.10 Location 70
- 4.11 Conversion 71

5 Combustion air 71

- 5.1 Combustion air for heating and hot water appliances 71
- 5.2 Combustion air for appliances other than heating and hot water appliances 71
- 5.3 Built-in surface oil-fired cooking units 71

6 Venting 71

7 Oil tanks and piping systems 72

- 7.1 On-site installation 72
- 7.2 Access 72

8 Ducting 72

- 8.1 Air ducts 72
 - 8.1.1 Material 72
 - 8.1.2 Sizing of ducts 72
 - 8.1.3 Joints and seams 72
 - 8.1.4 Airtightness of supply duct systems 73
 - 8.1.5 Supports 73
- 8.2 Circulating air 73
 - 8.2.1 Return air openings 73
 - 8.2.2 Return air ducts 73
 - 8.2.3 Permanent unclosable openings 73

Tables

- 1** — Minimum thickness for sheet metal ducts 74
- 2** — Maximum allowable static pressures in duct systems 74

Z240.9.1-09, Load calculation and duct design requirements for heating and cooling of manufactured homes

1 Scope 77

2 Reference publications 77

3 Definitions 78

4 General requirements 78

5 Heat loss and heat gain 78

- 5.1 Heat loss 78
- 5.2 Heating capacity 78
- 5.3 Ventilation or makeup air 78

6 General requirements for duct systems design 79

- 6.1 Materials 79
 - 6.1.1 Sheet metal 79
 - 6.1.2 Non-metallic ducts 79
- 6.2 Supply air ducts 79
 - 6.2.1 General 79

- 6.2.2 Clearance 79
- 6.3 Return air ducts 79
 - 6.3.1 General 79
 - 6.3.2 Design heat loss 79
 - 6.3.3 Furnace connection 80
 - 6.3.4 Area not served by duct inlet 80
 - 6.3.5 Lining material 80

7 Fabrication of ducts 80

- 7.1 Supports 80
- 7.2 Joints and seams 80
- 7.3 Diffusers and registers 80
- 7.4 Openings 80
- 7.5 Foreign material or obstructions 80

8 Airtightness of supply air duct systems 81

- 8.1 General 81
- 8.2 Testing 81
 - 8.2.1 Apparatus 81
 - 8.2.2 Procedure 81

9 Insulation of ducts 81

- 9.1 General 81
- 9.2 Interconnecting ducts 81
- 9.3 Attic spaces 81

10 Registers, diffusers, and grilles 82

- 10.1 Air outlets 82
- 10.2 Air inlets 82

Tables

- 1** — Minimum thickness for sheet metal ducts 82

Figures

- 1** — Static pressure measured in the furnace casing 82
- 2** — Static pressure measured in the duct system 83

Preface

This is the third edition of the CSA Z240 MH Series of Standards, *Manufactured homes*. It supersedes the previous editions, published in 1992 and 1986 under the title *Mobile Homes*.

Significant changes since the previous edition include the following:

- (a) In CSA Z240.0.1, *General requirements for manufactured homes* (previously published under the title *Definitions and General Requirements for Mobile Homes*):
 - (i) limitation of applicability to single-storey dwellings;
 - (ii) addition of a requirement that plumbing services are to be installed in accordance with the *National Plumbing Code of Canada, 2005* (this Series of Standards no longer includes a Standard on plumbing requirements); and
 - (iii) removal of the exterior markings requirement.
- (b) In CSA Z240.1.1, *Vehicular requirements for manufactured homes*: inclusion of pindle coupling.
- (c) In CSA Z240.2.1, *Structural requirements for manufactured homes*: alignment of structural requirements to comply with the *National Building Code of Canada, 2005*.
- (d) CSA Z240.3.1, *Plumbing requirements* has been replaced with a direct reference to NPC 2005.
- (e) In CSA Z240.4.1, *Installation requirements for gas-burning appliances in manufactured homes*: removal of Clause 4.2 on gas-fired furnaces (covered by the *Canadian Electrical Code, Part I*).

These Standards are considered suitable for use for conformity assessment within the stated scopes of the Standards.

These Standards were prepared by the Technical Committee on Factory Certification of Buildings, under the jurisdiction of the Strategic Steering Committee on Building Products and Systems, and have been formally approved by the Technical Committee.

July 2009

Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.

Requests for interpretation should

 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) be phrased where possible to permit a specific “yes” or “no” answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical Info Update, which is available on the CSA Web site at www.csa.ca.