




**CSA  
Group**

**Z741-12**

# Geological storage of carbon dioxide



# Legal Notice for Standards

Canadian Standards Association and CSA America, Inc. (operating as “CSA Group”) develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document online;
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make any electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

***Z741-12***

***October 2012***

**Title:** *Geological storage of carbon dioxide*

**Pagination:** **73 pages** (x preliminary and 63 text), each dated **October 2012**

To register for e-mail notification about any updates to this publication

- go to **shop.csa.ca**
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2421962**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.

Currently in preview, click buy full version

Z741-12  
***Geological storage of carbon dioxide***



™A trade-mark of the Canadian Standards Association, operating as CSA Group™

Published in October 2012 by CSA Group  
A not-for-profit private sector organization  
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6  
1-800-463-6727 • 416-777-0444

Visit our Online Store at [shop.csa.ca](http://shop.csa.ca)



October 16, 2012  
American National Standards Institute, Inc.



CSA Group prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase standards and related publications, visit our Online Store at [shop.csa.ca](http://shop.csa.ca) or call toll-free 1-800-461-6727 or 416-747-4044.

ISSN 1978-1-55491-992-5

© 2012 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

# Contents

Technical Committee on Geological Storage of Carbon Dioxide vi

Preface ix

## 1 Scope 1

## 2 Reference publications 3

## 3 Definitions 7

## 4 Management systems 11

4.1 Scope of activities 11

4.1.1 General 11

4.1.2 Project operator's roles and responsibilities 12

4.1.3 Continuous improvement 12

4.1.4 Project stakeholders 13

4.1.5 Project definition 13

4.2 Project boundaries 14

4.2.1 Responsibility 14

4.2.2 Organizational boundaries 14

4.2.3 Operational boundaries 14

4.2.4 Physical boundaries 14

4.3 Management commitment to principles 14

4.3.1 General 14

4.3.2 Internal principles 14

4.3.3 External principles 15

4.3.4 Health, safety, and environmental principles 15

4.4 Planning and decision making 15

4.4.1 General 15

4.4.2 Intellectual property 15

4.5 Resources 15

4.5.1 General 15

4.5.2 Competence of personnel 15

4.5.3 Equipment management 16

4.6 Communications 15

4.6.1 General 16

4.6.2 Public communications 16

4.6.3 Internal communications 16

4.7 Documentation 15

4.7.1 General 17

4.7.2 Information management 17

4.7.3 Knowledge and information management systems 17

## 5 Site screening, selection, and characterization 17

5.1 General 17

5.2 Site screening 18

5.3 Site selection 19

5.4 Site characterization and assessment 20

5.4.1 General 20

5.4.2 Geological and hydrogeological characterization of the storage unit 20

5.4.3 Characterization of confining strata 21

5.4.4	Baseline geochemical characterization	22
5.4.5	Baseline geomechanical characterization	22
5.4.6	Well characterization	23
5.5	Modelling for characterization	24
5.5.1	General	24
5.5.2	Geological static model	24
5.5.3	Flow modelling	25
5.5.4	Geochemical modelling	26
5.5.5	Geomechanical modelling	28
<b>6</b>	<b>Risk management</b>	<b>29</b>
6.1	General	29
6.2	Objectives	29
6.3	Process	29
6.4	Context	30
6.4.1	General	30
6.4.2	Elements of concern	30
6.4.3	System model	30
6.4.4	Identification of context	30
6.5	Risk management plan	31
6.6	Risk assessment	32
6.6.1	General	32
6.6.2	Risk identification	33
6.6.3	Risk analysis	33
6.6.4	Risk evaluation	34
6.7	Planning and review of risk treatment	34
6.8	Review and documentation	35
6.8.1	Review	35
6.8.2	Documentation	35
6.9	Risk communication and consultation	36
6.9.1	General	36
6.9.2	Objectives	36
6.9.3	Performance metrics	36
6.9.4	Scope of risk communication and consultation activities	36
<b>7</b>	<b>Well infrastructure development</b>	<b>37</b>
7.1	Materials	37
7.1.1	General	37
7.1.2	Material qualification categories	37
7.1.3	Use of materials	37
7.1.4	Material stress levels	37
7.1.5	Materials selection	38
7.1.6	Steel fitting, flanges, and valves	39
7.1.7	Design temperatures	39
7.1.8	Electrical and instrumentation components	39
7.1.9	Piping	39
7.1.10	Wellbore	40
7.2	Design	41
7.2.1	Safety	41
7.2.2	Wellsite	41
7.2.3	Drilling	42
7.2.4	Completion	45
7.2.5	Recompletion of existing wells	47
7.3	Construction	48

7.3.1	General	48
7.3.2	Safety plan	48
7.3.3	Well site	49
7.3.4	Drilling	49
7.3.5	Completions	51
7.3.6	Workover procedures	52
7.3.7	Abandonment and restoration	53
7.4	Corrosion control	54
7.4.1	General	54
7.4.2	Design considerations	54
7.4.3	Cathodic protection systems	54
7.5	Operation and maintenance	54
7.5.1	General	54
7.5.2	Operation constraints and limitations	54
7.5.3	Operating and maintenance procedure audits	55
7.5.4	Design and operations records	55
7.5.5	Measurement of injected CO <sub>2</sub>	55
7.5.6	Recording management of change	55

## **8 Monitoring and verification** 55

8.1	Purpose	55
8.2	M&V program periods	55
8.2.1	General	55
8.2.2	Pre-injection period monitoring	56
8.2.3	Injection period monitoring	56
8.2.4	Closure period monitoring	56
8.2.5	Post-closure period monitoring	56
8.3	M&V program objectives	56
8.4	M&V program design	57
8.4.1	M&V program procedures and practices	57
8.4.2	M&V program required specifications	57
8.4.3	M&V program recommended specifications	59
8.4.4	M&V program contingency monitoring	59

## **9 Closure** 60

9.1	General	60
9.2	Activities	60
9.3	Closure period plan	60
9.4	Post-injection and closure period qualification process	61
9.4.1	Requirements	61
9.4.2	Process	62
9.5	Decommissioning	62
9.5.1	Preparation	62
9.5.2	Wells	63
9.5.3	Surface facilities	63
9.6	Post-closure stewardship	63

---

## **Figures**

<b>1</b>	— Entities involved in the storage project life cycle	2
<b>2</b>	— Schematic of risk management process for CO <sub>2</sub> geological storage projects	30

# Technical Committee on Geological Storage of Carbon Dioxide

<b>R. Chalaturnyk</b>	University of Alberta, Edmonton, Alberta	<i>Chair</i>
<b>S. Forbes</b>	World Resources Institute, Washington, DC	<i>Vice-Chair</i>
<b>J. Aarnes</b>	DNV Cleaner Energy Canada, Calgary, Alberta	
<b>S. Anderson</b>	Environmental Defense Fund, Austin, Texas	<i>Associate</i>
<b>S. Bachu</b>	Alberta Innovates — Technology Futures (ATF), Edmonton, Alberta	
<b>R. Baker</b>	Epic Consulting (Baker Hughes), Calgary, Alberta	
<b>M. Blincow</b>	Denbury Resources Inc., Plano, Texas	
<b>D. Boyler</b>	Energy Resources Conservation Board of Alberta (ERCB), Calgary, Alberta	
<b>S. Carpenter</b>	Advanced Resource International, Inc., Batavia, Ohio	
<b>M. Celia</b>	Princeton University, Princeton, New Jersey	
<b>O. Cicchini</b>	Cicchini Projects Ltd., Spenwood Park, Alberta	<i>Associate</i>
<b>I. Duncan</b>	University of Texas at Austin, Austin, Texas	
<b>K. Durocher</b>	ConocoPhillips Ltd., Milton, Australia	
<b>R. Esposito</b>	Southern Company, Birmingham, Alabama	
<b>M. Fernandez</b>	Alberta Energy, Edmonton, Alberta	
<b>J. Greeves</b>	Cenovus Energy Inc., Calgary, Alberta	

<b>W. Gunter</b>	G BACH Enterprises Incorporated, Edmonton, Alberta	
<b>K. Heal</b>	North West Redwater Partnership, Calgary, Alberta	<i>Associate</i>
<b>W. Hillier</b>	Husky Energy Inc., Calgary, Alberta	
<b>K. Hnottavange-Telleen</b>	Schlumberger Carbon Services, Cambridge, Massachusetts	
<b>S. Imbus</b>	Chevron Energy Technology Co., Houston, Texas	
<b>J. Kelly</b>	Alabama Department of Environmental Management, Montgomery, Alabama	
<b>J. Kirksey</b>	Schlumberger Carbon Services, Champaign, Illinois	<i>Associate</i>
<b>H. Longworth</b>	Amulet Solutions Ltd., Calgary, Alberta	<i>Associate</i>
<b>M. McCormick</b>	Pew Center on Global Climate Change, Arlington, Virginia	
<b>S. McCoy</b>	International Energy Agency, Paris, France	
<b>S. McLellan</b>	SaskPower, Regina, Saskatchewan	
<b>M. Nasehi</b>	IPAC-CO2 Research Inc, Regina, Saskatchewan	<i>Associate</i>
<b>M. Nickolaus</b>	Ground Water Protection Council, Oklahoma City, Oklahoma	
<b>R. Page</b>	University of Calgary, Calgary, Alberta	
<b>N. Ripepi</b>	Virginia Tech, Blacksburg, Virginia	<i>Associate</i>
<b>R. Slocomb</b>	BC Oil & Gas Commission, Victoria, British Columbia	
<b>J. Sparks</b>	Mississippi Department of Environmental Quality, Jackson, Mississippi	
<b>R. Sweatman</b>	Halliburton, Houston, Texas	
<b>C. Voss</b>	Golder Associates Inc., Redmond, Washington	

<b>P. Warwick</b>	U.S. Geological Survey, Reston, Virginia	<i>Associate</i>
<b>S. Whittaker</b>	Global CCS Institute, Canberra, Australia	
<b>M. Leering</b>	CSA Group, Ottawa, Ontario	<i>Project Manager</i>
<b>J. Walker</b>	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

# Preface

This is the first edition of CSA Z741, *Geological storage of carbon dioxide*.

It should be noted that this Standard, by itself, does not have the force of law unless it is officially adopted by a regulatory authority. Since regulatory authorities can adopt the Standard with certain exceptions or additional requirements, it is recommended that the regulatory authority of the relevant jurisdiction be consulted in order to establish the extent to which this Standard has been adopted. Where this Standard conflicts with regulatory requirements, the regulatory requirements will take precedence.

This Standard was prepared by the Technical Committee on Geological Storage of Carbon Dioxide, which is a joint Canada — USA Technical Committee, under the jurisdiction of the Strategic Steering Committee on Business Management and Sustainability, and has been formally approved by the Technical Committee.

## Notes:

- (1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- (2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- (3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- (4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - (a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - (b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - (c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*
- (5) *This Standard is subject to periodic review, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:*
  - (a) *Standard designation (number);*
  - (b) *relevant clause, table, and/or figure number;*
  - (c) *wording of the proposed change; and*
  - (d) *rationale for the change.*

# *Acknowledgement*

CSA Group gratefully acknowledges the generous support of IPAC-CO2 Research Inc., the International Performance Assessment Centre for geologic storage of Carbon Dioxide, in making possible the development of this Standard.



# Z741-12

## Geological storage of carbon dioxide

### 1 Scope

#### 1.1

This Standard

- (a) establishes requirements and recommendations for the geological storage of carbon dioxide. The purpose of these requirements is to promote environmentally safe and long-term containment of carbon dioxide in a way that minimizes risks to the environment and human health.
- (b) is primarily applicable to saline aquifers and depleted hydrocarbon reservoirs and does not preclude its application to storage associated with hydrocarbon recovery.
- (c) includes, but is not limited to, the safe design, construction, operation, maintenance, and closure of storage sites.
- (d) provides recommendations for the development of management documents, community engagement, risk assessment, and risk communication.

**Notes:**

- (1) *This Standard recognizes that site selection and management are unique for each project and that intrinsic engineering risk(s) and uncertainties will be dealt with on a site-specific basis.*
- (2) *With reference to not precluding storage associated with hydrocarbon recovery, it is explicit that this Standard does not establish requirements or recommendations associated with enhanced hydrocarbon recovery using CO<sub>2</sub>. While not specifically intended to cover storage associated with enhanced hydrocarbon recovery operations, aspects of this Standard could be used for projects considering the long term storage of CO<sub>2</sub> that occurs as an incident of routine enhanced recovery operations.*

#### 1.2

This Standard applies to the storage of carbon dioxide (CO<sub>2</sub>) streams in geological media as defined in [Clause 1.1](#).

**Note:** *Depending on the storage unit, the stream could include impurities for which health, environmental, and safety risks require proper evaluation. This Standard does not allow waste and other matter to be added for the purpose of disposing of the added waste or other matter. However, a CO<sub>2</sub> stream can contain incidental associated substances from the source, capture, or injection process and/or trace substances added to assist in CO<sub>2</sub> migration detection.*

#### 1.3

The project life cycle covers all aspects, periods, and stages of the storage project, beginning with those necessary to initiate the project (including site screening, selection, characterization, assessment, engineering, permitting, and construction), that lead to the start of injection and proceeding through subsequent operations until cessation of injection; and culminating in the post-injection period, which can include a closure period and a post-closure period. This Standard does not specify post-closure period requirements. [Figure 1](#) illustrates the confines, limits, and boundaries of this Standard.

**Note:** *This Standard specifies that the post-closure period occurs only if a transfer of responsibility to a designated authority or other responsible entity takes place. If a transfer does not occur, the project remains in the closure period and formal site closure does not occur.*