

Deconstruction of buildings and their related parts



Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS
ASSOCIATION

CSA Standards Update Service

Z783-12

March 2012

Title: *Deconstruction of buildings and their related parts*

Pagination: **45 pages** (ix preliminary and 36 text), each dated **March 2012**

To register for e-mail notification about any updates to this publication

- go on-line to **shop.csa.ca**
- click on **E-mail Services** under **MY ACCOUNT**
- click on **CSA Standards Update Service**

The **List ID** that you will need to register for updates to this publication is **2421781**.

If you require assistance, please e-mail techsupport@csa.ca or call 416-747-2233.

Visit CSA's policy on privacy at csagroup.org/legal to find out how we protect your personal information.

Currently in preview, click buy full version

CSA Standard

Z783-12

***Deconstruction of buildings and
their related parts***



**CANADIAN STANDARDS
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in March 2012 by Canadian Standards Association
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at shop.csa.ca



The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase CSA Standards and related publications, visit CSA's Online Store at shop.csa.ca or call toll-free 1-800-463-6727 or 416-747-4044.

ISSN 1978-1-55491-708-2

© Canadian Standards Association — 2012

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Sustainable Construction Practices v

Subcommittee on Deconstruction vii

Preface viii

0 Introduction 1

- 0.1 Deconstruction 1
- 0.2 Reasons for deconstruction 1
- 0.3 Sustainable use of building stock 1
- 0.4 Markets for materials 2
- 0.5 Economic benefits 2
- 0.6 Design for disassembly 2

1 Scope 2

2 Reference publications 3

3 Definitions and abbreviations 4

- 3.1 Definitions 4
- 3.2 Abbreviations 5

4 Deconstruction planning 5

- 4.1 General 5
- 4.2 Establishing the scope of a deconstruction project 5
- 4.3 Planning and procurement 6
 - 4.3.1 General 6
 - 4.3.2 Contract document development 6
 - 4.3.3 Deconstruction plan 6
 - 4.3.4 Suitability of materials and components for reuse 8

5 Site issues and deconstruction 8

- 5.1 Goods, substances, and materials requiring special management 8
- 5.2 Contamination 9
- 5.3 Deconstruction process 9

6 Project management and oversight 9

- 6.1 General 9
- 6.2 Management 9
- 6.3 Records 10
- 6.4 Final report 10

Annexes

- A** (informative) — Greenhouse gas reduction 18
- B** (informative) — Deconstruction specifications 19
- C** (informative) — Typical deconstruction procedures 21
- D** (informative) — Benefits of deconstruction 32
- E** (informative) — Deconstruction feasibility assessment 34

Figures

- 1** — Flow of resources, materials, and components used in the construction and deconstruction of buildings 11
- 2** — Deconstruction planning and quantification form 12

Technical Committee on Sustainable Construction Practices

S. Foo	Public Works and Government Services Canada, Gatineau, Québec	<i>Chair</i>
V. Catalli	Golder Associates Ltd., Ottawa, Ontario	<i>Vice-Chair</i>
M. Axmith	Canadian Plastics Industry Association, Mississauga, Ontario	
F. Bidin	City of Ottawa, Nepean, Ontario	
H. Boyle	Public Works and Government Services Canada, Ottawa, Ontario	<i>Associate</i>
R. Burak	Canadian Precast/Prestressed Concrete Institute, Ottawa, Ontario	<i>Associate</i>
D. Chang	Defence Construction Canada, Toronto, Ontario	
M. Clapham	Natural Resources Canada, Ottawa, Ontario	
L. De Meo	ArcelorMittal, Hamilton, Ontario	
K. de Souza	Design for Durability & Maintenance, Hamilton, Ontario	
M. Even-Har	Building Owners and Managers Association of Canada, Toronto, Ontario	
R. Gratton	PC Integration, Garp, Ontario	
J. Hillard	Consumer Interest Alliance Inc., Winnipeg, Manitoba	
W. Johnstone	City of Vancouver, Vancouver, British Columbia	
S. Kaprielian	Canadian Copper and Brass Development Association, Toronto, Ontario	
B. Kyles	XTN Sustainable Life-cycle Asset Management Consulting Ltd., Orléans, Ontario	

N. Larsson	International Initiative for a Sustainable Built Environment, Ottawa, Ontario	<i>Associate</i>
T. Lee	University of Calgary, Calgary, Alberta	
R. McGrath	Cement Association of Canada, Ottawa, Ontario	
J. McKay	Morrison Hershfield Limited, Ottawa, Ontario	
R. McPhee	Canadian Wood Council, Ottawa, Ontario	
S. Pecman	Royal Canadian Mounted Police, Ottawa, Ontario	
R. Priestly	Priestly Demolition Inc., Kettleby, Ontario	
J. Quadir	Sustainability Edge Solutions, Mississauga, Ontario	
J. Skopek	Jones Lang LaSalle, Toronto, Ontario	<i>Associate</i>
V. Straka	Ryerson University, Toronto, Ontario	
J. Tomchyshyn	Ontario Ministry of the Environment, Toronto, Ontario	
W. Trusty	Wayne B. Trusty & Associates Limited, Merrickville, Ontario	
M. Webster	Simpson Gumpertz & Heger Inc., Waltham, Ontario	<i>Associate</i>
D. Whitfield	Alberta Environment, Calgary, Alberta	
D. Torrey	Canadian Standards Association, Mississauga, Ontario	<i>Project Manager</i>

Subcommittee on Deconstruction

V. Catalli	Golder Associates Ltd., Kanata, Ontario	<i>Chair</i>
M. Axmith	Canadian Plastics Industry, Mississauga, Ontario	
R. Burak	Canadian Precast/Prestressed Concrete Institute, Ottawa, Ontario	
M. Clapham	Natural Resources Canada, Ottawa, Ontario	
K. de Souza	Design for Durability & Maintenance, Hamilton, Ontario	
S. Foo	Public Works & Government Services Canada, Gatineau, Ontario	
R. Gratton	RG Integration, Carp, Ontario	
B. Guy	The Catholic University of America, Washington, DC, USA	
W. Johnston	City of Vancouver, Vancouver, British Columbia	
T. Lee	The University of Calgary, Calgary, Alberta	
R. Priestly	Priestly Demolition Inc., Kettleby, Ontario	
V. Straka	Ryerson University, Toronto, Ontario	
D. Torrey	Canadian Standards Association, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the first edition of CSA Z783, *Deconstruction of buildings and their related parts*.

This Standard has been developed to provide a consistent approach to deconstruction methodologies for those involved in the deconstruction of buildings, including but not limited to contractors, consultants, consumers, designers, building owners, regulators, and material supply and value chain organizations.

Issues addressed in this Standard include

- (a) contractual obligations;
- (b) deconstruction processes, procedures, and methods; and
- (c) recording the source and destination of materials, components, products, and systems resulting from deconstruction.

Users should be aware that the authority having jurisdiction might have additional approval requirements for deconstruction procedures, including procedures related to approvals, safe operation, and material handling, that are outside the scope of this Standard. This Standard may be referenced by governments to increase recoverable material flows away from waste disposal sites such as landfills by regulating the processes and procedures for the deconstruction of buildings.

The objectives of this Standard are to

- (a) provide minimum requirements for efficiently deconstructing buildings;
- (b) highlight methods and processes for directing materials, components, products, and systems from deconstruction into useful and economically beneficial applications; and
- (c) improve the capacity of the building industry to contribute to the sustainable use of natural resources, reduce greenhouse gases, and reduce products and materials entering waste disposal sites such as landfills.

Remarks on greenhouse gas reduction, deconstruction specifications, typical deconstruction procedures, the benefits of deconstruction, and deconstruction feasibility assessment are found in [Annexes A to E](#).

CSA gratefully acknowledges the financial support provided for the development of this Standard by the Canadian Construction Association (CCA), Canadian Copper and Brass Development Association (CCBDA), Canadian Institute for Steel Construction (CISC), Canadian Precast/Prestressed Concrete Institute (CPCI), Canadian Sheet Steel Building Institute (CSSBI), Natural Resources Canada (NRCan), and Public Works and Government Services Canada (PWGSC).

This Standard was prepared by the Subcommittee on Deconstruction, under the jurisdiction of the Technical Committee on Sustainable Construction Practices and the Strategic Steering Committee on Building Products and Systems, and has been formally approved by the Technical Committee.

March 2012

Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) To submit a request for interpretation of CSA Standards, please send the following information to inquiries@csa.ca and include “Request for interpretation” in the subject line:
 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA’s Current Standard Activities, which is available on the CSA website at standardsactivities.csa.ca.

- (5)** *CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee. To submit a proposal for change to CSA Standards, please send the following information to inquiries@csa.ca and include "Proposal for change" in the subject line:*
- (a) Standard designation (number);*
 - (b) relevant clause, table, and/or figure number;*
 - (c) wording of the proposed change; and*
 - (d) rationale for the change.*

Z783-12

Deconstruction of buildings and their related parts

0 Introduction

0.1 Deconstruction

This Standard deals with the deconstruction of buildings. Construction of buildings has a wide spectrum of direct and indirect effects on human health, communities, and the environment. According to CCA 81, in Canada approximately 40% of annual national resource expenditures can be attributed to the construction industry. While the reuse of the building should be considered as the first option, it is recognized that recovery of materials can be accomplished through demolition. Deconstruction during the demolition phase facilitates the reuse of materials without further processing through recovery of materials, components, products, and systems at the end of a building's life or when it is undergoing renovations or alterations.

0.2 Reasons for deconstruction

Construction, renovation, and demolition waste accounts for up to 25% of municipal solid waste measured by weight.* Resource planning and management of waste contribute significantly to the nature and extent of the environmental impacts.

Great potential exists in the deconstruction of building components to contribute to sound stewardship and conservation of the environment. Direct and indirect environmental benefits can include

- (a) reduced stress on waste disposal sites, e.g., landfills;
- (b) reduced raw material use;
- (c) energy conservation in the raw material acquisition, manufacturing, and transportation phases; and
- (d) reduced greenhouse gas emissions (see [Annex A](#)).

A detailed description of potential benefits is provided in [Annex D](#).

*Taken from *Statistics Canada (2002)*.

0.3 Sustainable use of building stock

The following options should be considered for future use of building stock:

- (a) reuse of the building or space;
- (b) reuse of materials, components, products, or systems on site;
- (c) reuse of materials, components, products, or systems off site;
- (d) recycling of materials, components, products, or systems on site (e.g., chip wood for landscaping);
- (e) recycling of materials, components, products, or systems off site (e.g., recycled concrete as aggregates in new concrete or as road base material); and
- (f) recovery of materials for waste to energy.

Emphasis is placed on reuse, recycling, and recovery to reduce waste, thus increasing material efficiency and reducing the extraction of natural resources.

Notes:

- (1) See [Figure 1](#) for a chart illustrating the flow of resources, materials, and components used in the construction and deconstruction of buildings.
- (2) Reuse of materials or components in many cases requires an assessment to determine suitability for future uses. See [Clause 4.3.4](#) on suitability of materials and components for reuse.

0.4 Markets for materials

There is a growing awareness that it is possible to recover, for sale, reuse, or recycling, significant quantities of materials, components, products, and systems from buildings at the end of life. These materials, components, products, and systems are often seen as waste generated in a demolition project. For many years, many industries have been implementing recovery processes. However, the options and markets for reuse and recycling are always evolving along with their respective processes and technologies. This Standard can provide assistance in increasing the economic value of end-of-life building components and materials.

0.5 Economic benefits

Provincial/territorial and municipal jurisdictions and industries have recognized that material recovery strategies and practices can result in a number of economic benefits that include, but are not limited to,

- (a) reduced haulage and tipping fees at waste disposal sites, e.g., landfills;
- (b) a reduction in new material costs from reuse; and
- (c) the potential to create revenue from the sale of used equipment and materials.

0.6 Design for disassembly

To simplify the deconstruction process, it is possible to incorporate features during the design and construction phase. CSA Z782 is a voluntary guidance document that provides a framework for reducing building construction waste during the design phase.

Design for disassembly and adaptability (DfD/A) is an approach to sustainability that can reduce the environmental footprint of the building industry by

- (a) reducing waste generation;
- (b) improving building longevity; and
- (c) reducing energy consumption by intelligent design.

The disassembly component of CSA Z782 seeks to address DfD/A by making it easier to take products and assemblies apart in order to reuse or recycle materials. The adaptability component of CSA Z782 focuses on enabling the building to continue to be used beyond its original intent by readily accommodating substantial change within an existing physical asset.

CSA Z782 includes a conceptual framework for DfD/A as well as specific principles. CSA Z782 reviews quantifiable metrics for each DfD/A principle that, after further development, can be assembled into a matrix or checklist to guide users in the direction of disassembly criteria design.

1 Scope

1.1

This Standard specifies minimum requirements for processes and procedures connected with the deconstruction of buildings. It is intended for use by contractors, consultants, designers, building owners, regulators, and material supply and value chain organizations involved in deconstruction of a building that is at the end of its life or when it is undergoing renovations or alterations.

1.2

This Standard applies to existing buildings where deconstruction is to be considered as a means to reconfigure, remove, or partially remove an existing building.

Note: See *Clause 4.2.1* for typical materials, components, products, and systems included in the scope of deconstruction projects.

1.3

This Standard does not specifically address

- (a) landscaping (e.g., trees and other plantings, soils, and surface toppings);
- (b) civil structures and works not attached to the building (e.g., roads, surface parking lots, runways, bridges, docks, transmission towers, water towers, cranes, and gantries);