

# Code of practice for access scaffold



# Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS  
ASSOCIATION

# ***Standards Update Service***

***Z797-09***

***March 2009***

**Title:** *Code of practice for access scaffold*

**Pagination:** **101 pages** (ix preliminary and 92 text), each dated **March 2009**

To register for e-mail notification about any updates to this publication

- go to **shop.csa.ca**
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2020140**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.

Currently in preview, click buy full version

*Blank page*

*CSA Standard*

*Z797-09*

***Code of practice for access scaffold***



**CANADIAN STANDARDS  
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in March 2009 by Canadian Standards Association  
A not-for-profit private sector organization  
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6  
1-800-463-6727 • 416-747-4044*

**Visit our Online Store at [www.ShopCSA.ca](http://www.ShopCSA.ca)**



The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase CSA Standards and related publications, visit CSA's Online Store at [www.ShopCSA.ca](http://www.ShopCSA.ca) or call toll free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-55436-703-0

**Technical Editor:** Walter Dick

© Canadian Standards Association — 2009

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

# Contents

Technical Committee on Scaffold Code of Practice *vii*

Preface *ix*

## 1 Scope 1

- 1.1 Scope 1
- 1.2 Purpose 1
- 1.3 Equipment not covered 1
- 1.4 Terminology 1
- 1.5 Measurement 1

## 2 Reference publications 2

## 3 Definitions 3

## 4 Work planning 7

- 4.1 Hazard awareness 7
- 4.2 Considerations for selection of scaffold and planning of work 7

## 5 Erection and moving of scaffold 7

- 5.1 Qualification of personnel 7
  - 5.1.1 Supervisor 7
  - 5.1.2 Workers 7
- 5.2 General 7
- 5.3 Electrical hazards 8
  - 5.3.1 Minimum safe approach distance from energized electrical conductors 8
  - 5.3.2 Induced electrical charge 9
- 5.4 Inspection of components prior to and during scaffold erection 9
- 5.5 Corrective measures 9
- 5.6 Foundations and sills 9
  - 5.6.1 General 9
  - 5.6.2 Hard surfaces 9
  - 5.6.3 Soil surfaces 9
  - 5.6.4 Sills 10
  - 5.6.5 Sloping surfaces 10
- 5.7 Base plates and screw jacks 12
- 5.8 Assembly 13
  - 5.8.1 Level and plumb 13
  - 5.8.2 Bracing 13
  - 5.8.3 Sequencing 14
  - 5.8.4 Additional assembly requirements for hanging scaffold 15
  - 5.8.5 Additional assembly requirements for rolling scaffold 16
  - 5.8.6 Additional assembly requirements for timber scaffold 17
  - 5.8.7 Additional assembly requirements for tube-and-clamp and system scaffold 17
- 5.9 Scaffold stability 20
  - 5.9.1 Free-standing or rolling scaffold 20
  - 5.9.2 Tied or guyed scaffold 22
- 5.10 Bridge sections 23
- 5.11 Scaffold platforms 24
  - 5.11.1 General 24
  - 5.11.2 Duty rating categories 25

5.11.3	Sawn lumber scaffold planks	26
5.11.4	Laminated lumber scaffold planks	26
5.11.5	Manufactured scaffold planks or decks made partly or entirely of metal or reinforced plastic	27
5.11.6	Configuration	27
5.11.7	Gaps or openings in platforms	27
5.11.8	Cantilever platforms supported by end or side brackets	27
5.11.9	Platform support	28
5.11.10	Restraint of sawn lumber scaffold planks	28
5.11.11	Restraint of manufactured scaffold planks	28
5.11.12	Restraint of manufactured scaffold decks	29
5.11.13	Additional platform requirements for rolling scaffold	29
5.12	Guardrails	29
5.12.1	General	29
5.12.2	Guardrail removal	29
5.12.3	Guardrail components	29
5.12.4	Guardrail loads	30
5.13	Access and egress	30
5.13.1	General	30
5.13.2	Vertical ladders	30
5.13.3	Portable ladders	34
5.13.4	Stairs	35
5.13.5	Ramps	36
5.13.6	Maximum gap for direct access	36
5.14	Scaffold enclosures	36
5.15	Engineered scaffold	36
5.15.1	Criteria	36
5.15.2	Design drawings	36
5.15.3	Inspection of engineered scaffold	37
5.16	Hoisting loads	37
5.16.1	Controlled access	37
5.16.2	Communication and hand signalling	37
5.16.3	Manual hoisting	37
5.16.4	Powered hoisting	38
5.16.5	Storage of scaffold components on platforms	38
5.17	Falling object protection	38
5.18	Alteration of scaffold	39
5.18.1	Non-engineered scaffold	39
5.18.2	Engineered scaffold	39
5.19	Moving of assembled scaffold	39
5.20	Dismantling	39
<b>6</b>	<b>Fall protection</b>	<b>39</b>
6.1	General	39
6.2	Application	40
6.3	Principles	40
6.4	Elimination or minimization of fall hazards	40
6.5	Planning and selection of fall protection systems	40
6.6	Training and instruction for fall protection systems	40
6.7	Passive fall protection	40
6.7.1	General	40
6.7.2	Guardrail	40
6.7.3	Safety net	40
6.7.4	Advanced guardrail system	41
6.8	Active fall protection	42

- 6.8.1 General 42
- 6.8.2 Personal fall arrest systems 43
- 6.8.3 Travel restraint system 46

## **7 Safe-use practices 47**

- 7.1 General 47
  - 7.1.1 Supervisor 47
  - 7.1.2 Workers 47
- 7.2 Inspection by user 47
  - 7.2.1 Inspection schedule 47
  - 7.2.2 Scaffold status 47
  - 7.2.3 Communication of scaffold status 47
  - 7.2.4 Corrective action 47
- 7.3 Scaffold tagging 48
  - 7.3.1 General 48
  - 7.3.2 Placement of tags 48
  - 7.3.3 Use of tags 48
  - 7.3.4 Responses to scaffold tags 48
- 7.4 Allowable platform loads 49
  - 7.4.1 Communication of duty rating to user 49
  - 7.4.2 Loading and material handling 49
- 7.5 Special requirements 49
- 7.6 Alteration of scaffold 49
  - 7.6.1 Qualifications of personnel 49
  - 7.6.2 Care and safety 50
- 7.7 Electrical hazards 50
- 7.8 Access/egress 50
- 7.9 Housekeeping 50
- 7.10 Equipment on scaffold 50
- 7.11 Change of use of scaffold 50
- 7.12 Additional safe-use practices for rolling scaffold 51

## **8 Inspection 51**

- 8.1 Inspection of components prior to and during scaffold erection 51
- 8.2 Inspection of engineered scaffold 51
- 8.3 Inspection by user before use 51
- 8.4 Periodic inspection 52
- 8.5 Action following an inspection 52
- 8.6 Documentation and recordkeeping 52

## **9 Training 52**

- 9.1 Objective of training 52
- 9.2 Knowledge and practical training for scaffold erectors 52
  - 9.2.1 General 52
  - 9.2.2 Theory 52
  - 9.2.3 Knowledge verification 53
  - 9.2.4 Practical training 53
  - 9.2.5 Practical evaluation 53
  - 9.2.6 Evaluation and continuing training 53
- 9.3 User instruction 53
  - 9.3.1 Qualifications of the training instructor 53
    - 9.4.1 Knowledge, skill, and experience 53
    - 9.4.2 Instructional skills and abilities 54
  - 9.3.2 Recordkeeping 54

**Annexes**

- A** (informative) — Scaffold configurations 55  
**B** (informative) — Scaffold types 62  
**C** (normative) — Additional assembly requirements for timber scaffold 68  
**D** (normative) — Inspection, storage, and disposal of sawn lumber scaffold planks 74  
**E** (informative) — Maximum loads on sawn lumber scaffold planks 81  
**F** (normative) — Inspection, storage, and disposal of laminated lumber scaffold planks 83  
**G** (normative) — Inspection, storage, and disposal of manufactured scaffold planks and decks 86  
**H** (informative) — Hand signals 88

**Tables**

- 1** — Minimum safe approach distance from live electric powerlines 8  
**2** — CSA fall protection Standards 43

**Figures**

- 1** — Sills for a frame scaffold set back from slope or embankment 10  
**2** — Providing level support surface on sloping ground 11  
**3** — Illustration of proper levelling of sloping ground to support sill 11  
**4** — Examples of means to provide lateral support on sloped hard surfaces 12  
**5** — Scaffold base plates 13  
**6** — Screw jack and screw jack with integral base plate 13  
**7** — Examples of scaffold bracing 14  
**8** — Examples of connecting devices for frame scaffold frames 15  
**9** — Examples of connecting devices for frame scaffold braces 15  
**10** — Examples of bracing arrangements for a tube-and-clamp, and a system scaffold 19  
**11** — Installation of bolt clamp to support horizontal member 20  
**12** — Example of stability ratio 21  
**13** — Determining lateral base dimension for unequal outrigger stabilizer extension 22  
**14** — Examples of ties 23  
**15** — Examples of trusses and girders used for bridges in system scaffold 24  
**16** — Examples of scaffold platform components 25  
**17** — Examples of guardrails on scaffold platforms 31  
**18** — Example of a vertical ladder mounted on system scaffold 33  
**19** — Example of a vertical ladder with ladder cage 34  
**20** — Example of a stair tower — frame scaffold components 35  
**21** — Example of using an advanced temporary guardrail for system scaffold 41  
**22** — Example of advanced guardrail system for frame scaffold 42  
**23** — Components of personal fall arrest systems 44  
**24** — Example of using fall arrest system with vertical lifeline 45  
**25** — Maximum offset to limit swing fall 46  
**26** — Illustration of 3-point contact while climbing vertical ladder 50

# ***Technical Committee on Scaffold Code of Practice***

<b>J. Brasil</b>	Etobicoke Ironworks Ltd., Toronto, Ontario	<i>Chair</i>
<b>W. Donnelly</b>	New Heights Industries, Winnipeg, Manitoba	<i>Vice-Chair</i>
<b>V. Bodnar</b>	Carpenters' District Council of Ontario, Mississauga, Ontario	
<b>T. Bourque</b>	Total Support Services, Sarnia, Ontario	
<b>A. Ciupa</b>	Syncrude Canada Ltd., Fort McMurray, Alberta	
<b>N. Elgohary</b>	Ontario Ministry of Labour, Mississauga, Ontario	
<b>R. Fabbro</b>	Laborers' International Union of America, Local 1081, Cambridge, Ontario	
<b>D. Fiorini</b>	Construction Safety Association of Ontario, Toronto, Ontario	
<b>Q. Gillard</b>	As Per Safety & Rescue, Edmonton, Alberta	
<b>B. Humphrey</b>	Bruce Power, Tiverton, Ontario	
<b>D. Kappeler</b>	Kappeler Masonry, Waterloo, Ontario	
<b>G. LeBlanc</b>	GA Masonry, Breslau, Ontario	
<b>N. Legault</b>	Aluma System, Laval, Québec <i>Representing Association Québécoise de l'industrie de l'échafaudage</i>	
<b>R. Lubinski</b>	Mills Products, Inglewood, Ontario	
<b>G. Mansour</b>	Ontario Ministry of Labour, Toronto, Ontario	<i>Associate</i>
<b>G. Matheson</b>	WorkSafeBC, Vancouver, British Columbia	

<b>I. Morton</b>	Crossby-Dewar Projects Inc., Pickering, Ontario	<i>Associate</i>
<b>B. Rice</b>	Port Elgin, Ontario	
<b>D. Robinson</b>	Bruce Power, Tiverton, Ontario	
<b>J. Rosenthal</b>	Dunn-Wright Engineering, Bolton, Ontario	
<b>B. Saravanabawan</b>	Human Resources and Skills Development Canada, Ottawa, Ontario	
<b>R. Sculthorpe</b>	Form Tech ICF Products, Cobourg, Ontario	<i>Associate</i>
<b>M. Simard</b>	Nouvelle Hauteur Inc., Brossard, Québec	<i>Associate</i>
<b>L. Verville</b>	Commission de la santé et de la sécurité du travail du Québec, St-Jean-sur-Richelieu, Québec	
<b>W. Dick</b>	Canadian Standards Association, Mississauga, Ontario	<i>Project Manager</i>

*In addition to the Technical Committee, the following persons made valuable contributions to the development of this Standard:*

- H. Forbes**
- B. Nasralla**
- A. Squires**

# Preface

This is the first edition of CSA Z797, *Code of practice for access scaffold*. The purpose of this Standard is to provide criteria for the safe erection (in this Standard, this term includes assembling, altering, and dismantling) and use of the various types of scaffold.

Portions of the Construction Safety Association of Ontario (CSAO) publication M029, *Construction Health and Safety Manual*, are reprinted with permission from CSAO. All rights reserved. Portions of the Scaffold Industry Association (SIA) publications, *A Pocket Handbook Guide on Solid Sawn Wood Scaffold Plank*, *A Pocket Handbook Guide on Inspection and Repair of Metal Scaffold Platforms*, and *A Pocket Handbook Guide on Laminated Veneer Lumber Scaffold Plank* are reprinted with permission from SIA. All rights reserved.

This Standard was prepared by the Technical Committee on Scaffold Code of Practice, under the jurisdiction of the Strategic Steering Committee on Occupational Health and Safety, and has been formally approved by the Technical Committee. It will be submitted to the Standards Council of Canada for approval as a National Standard of Canada.

March 2009

## Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.  
Requests for interpretation should
  - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
  - (b) provide an explanation of circumstances surrounding the actual field condition; and
  - (c) be phrased where possible to permit a specific “yes” or “no” answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA’s periodical Info Update, which is available on the CSA Web site at [www.csa.ca](http://www.csa.ca).



# Z797-09

## ***Code of practice for access scaffold***

### **1 Scope**

#### **1.1 Scope**

This Standard applies to the erection and use of access scaffold that is

- (a) supported on a surface;
- (b) hung from multiple points, but is not capable of moving vertically or horizontally; or
- (c) mounted on wheels.

This Standard addresses key hazards, including fall hazards, structural instability, platform failures, and material handling problems.

**Note:** *In this Standard, the term “erection” refers to the assembling, altering, or dismantling of a scaffold.*

#### **1.2 Purpose**

The purpose of this Standard is to provide criteria for the erection, use, and inspection of scaffold and for the training of erectors and users of such equipment to prevent personal injuries and accidents.

#### **1.3 Equipment not covered**

This Standard does not apply to the following equipment:

- (a) falsework for construction purposes, as covered in CSA S269.1;
- (b) formwork, as covered in CAN/CSA-S269.3;
- (c) suspended access equipment, as covered in CAN/CSA-Z91 and CAN/CSA-Z271;
- (d) mechanical elevating work platforms, as covered in CAN/CSA-B354.1, CAN/CSA-B354.2, and CAN/CSA-B354.4;
- (e) manual or powered mast-climbing work platforms, such as a pump jack scaffold or equipment covered in CAN/CSA-B354.5; and
- (f) centre-pole scaffolds.

#### **1.4 Terminology**

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; “may” is used to express an option or that which is permissible within the limits of the standard; and “can” is used to express possibility or capability. Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material. Notes to tables and figures are considered part of the table or figure and may be written as requirements. Legends to equations and figures are considered requirements. Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

#### **1.5 Measurement**

The values given in SI (metric) units are the standard. The values given in parentheses are for information only.