

## High-visibility safety apparel



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Revision History***

**Z96-15, High-visibility safety apparel**

<b>Errata — February 2016</b>	<b>Revision symbol (in margin)</b>
Clause <a href="#">5.2.1</a>	Δ

Currently in preview, click buy full version

# ***Standards Update Service***

***Z96-15***

***November 2015***

**Title:** *High-visibility safety apparel*

To register for e-mail notification about any updates to this publication

- go to [store.csagroup.org](http://store.csagroup.org)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24238**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 410-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

Z96-15  
***High-visibility safety apparel***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in November 2015 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [store.csagroup.org](http://store.csagroup.org)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-0005-9

© 2015 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.

# Contents

Technical Committee on High Visibility Apparel	3
Preface	7
<b>1 Scope</b>	<b>9</b>
<b>2 Reference publications</b>	<b>10</b>
<b>3 Definitions</b>	<b>13</b>
<b>4 Garment class and design</b>	<b>14</b>
4.1 Classes of high-visibility safety apparel (HVSA)	14
4.2 Garment design	15
4.2.1 Retroreflective or combined-performance stripes/bands	15
4.2.2 Coloured stripes/bands — Configurations	16
4.2.3 Background material	16
4.2.4 Optional ID patches and lettering	16
4.2.5 Tear-away capability	17
4.3 Apparel design considerations for emergency first-responder HVSA	17
4.4 Special allowances for FR garment design	17
4.4.1 FR-application background material	17
4.4.2 FR-application stripes/bands	17
<b>5 Requirements for background and combined-performance retroreflective materials</b>	<b>18</b>
5.1 Colour of background and combined-performance materials	18
5.2 Colourfastness properties for background materials	18
5.2.1 Colourfastness to light (Xenon)	18
5.2.2 Colourfastness to crocking	18
5.2.3 Colourfastness to perspiration	18
5.2.4 Colourfastness properties related to care labeling	18
5.3 Dimensional change for background materials	18
5.4 Mechanical properties of background materials	19
5.4.1 Bursting strength of knitted and other nonwoven materials	19
5.4.2 Tear resistance of woven materials (uncoated, coated, or laminated)	19
5.5 Performance under wet conditions	19
5.5.1 Water repellency	19
5.5.2 Water resistance	19
5.5.3 Water penetration	19
5.6 Water vapour permeability for background materials classified as breathable	19
5.7 Ergonomics	20
<b>6 Photometric and physical performance requirements for retroreflective materials</b>	<b>20</b>
6.1 Performance of retroreflective material prior to test exposures	20
6.2 Performance of retroreflective material after test exposures	21
<b>7 Test methods</b>	<b>21</b>
7.1 Sampling and conditioning	21

7.2	Determination of colour	21
7.3	Determination of retroreflective photometric performance	22
7.4	Retroreflection after test exposures	22
7.4.1	Abrasion	22
7.4.2	Flexing	22
7.4.3	Folding at cold temperatures	22
7.4.4	Exposure to temperature variation	22
7.4.5	Washing and dry cleaning	23
7.4.6	Washing according to care label	23
7.4.7	Dry cleaning according to care label	23
7.4.8	Retroreflective performance under wet conditions	23

**8 Care labelling** 25

**9 Marking** 25

**10 Instructions for use** 26

---

Annex A (informative)	— Selection, use, and care guidelines	33
Annex B (informative)	— Examples of CSA Z96-compliant apparel	40
Annex C (informative)	— Sample CSA Z96 compliance self-declaration forms	48

# Preface

This is the third edition of CSA Z96, *High-visibility safety apparel*. It supersedes the previous editions published in 2009 and 2002. This edition incorporates advice on selection, use, and care of high-visibility safety material taken from the CSA Z96.1 Guideline (see Annex A). It is designed to be in technical harmony with ANSI/ISEA 107 and ISO 20471.

The focus of this Standard is on the performance of retroreflective and background materials incorporated into garments intended to provide the wearer with increased conspicuity under both well-illuminated and low-light or dark work environmental conditions. It sets out levels of retroreflective performance (i.e., light reflected from vehicle headlights as viewed by the vehicle operator), the colours and luminosity of background materials, and the human body coverage of the high-visibility components. Three classes of garments have been defined based on body coverage of bright or fluorescent-coloured materials, and two levels of performance have been specified for retroreflective materials. In addition, special allowances have been made for garments that are primarily intended to provide flame protection.

**Note:** *The criteria on special allowances for flame-protective apparel have been moved from clause Z in the previous edition to Clause 4.4 in this edition.*

This Standard recommends that a hazard assessment be carried out on each job to determine the risk to workers of being struck by moving vehicles and the environmental conditions under which work is performed. For this purpose, Annex A provides advice for the application of high-visibility safety apparel (HVSA) to specific risk categories and job types. This guidance material recognizes that the first line of defence against personal injury accidents is to control the design of the workplace and the exposure of workers to moving vehicles (e.g., through the use of physical barriers). Improved conspicuity of workers through the use of HVSA is a second line of defence, providing a greater cushion of warning to vehicle operators so that they might avoid endangering workers on foot.

As an aid to users of this Standard, examples of compliant apparel designs are shown in Annex B. Purchasers of HVSA should seek proof that the materials used and the design of the garment meet the requirements of this Standard. As an aid to this process, examples of manufacturers' compliance self-declaration forms have been added in Annex C.

This Standard was prepared by the Technical Committee on High Visibility Apparel, under the jurisdiction of the Strategic Steering Committee on Occupational Health and Safety, and has been formally approved by the Technical Committee.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).

- 5) This Standard is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include "Proposal for change" in the subject line:
- a) Standard designation (number);
  - b) relevant clause, table, and/or figure number;
  - c) wording of the proposed change; and
  - d) rationale for the change.

# Z96-15

## High-visibility safety apparel

### 1 Scope

#### 1.1

This Standard specifies requirements for occupational apparel that is

- a) capable of signalling the user's presence visually; and
- b) intended to provide the user with conspicuity in hazardous situations under any light conditions and under illumination by vehicle headlights.

#### 1.2

Performance requirements are included for colour, retroreflection, and minimum areas as well as for the configuration of the materials. Performance requirements are also provided for the physical properties of background materials used in the construction of high-visibility safety apparel (referred to as "HVSA" in this Standard). Test methods are provided in the Standard to ensure that a minimum level of visibility is maintained when garments are subjected to ongoing care procedures.

#### 1.3

This Standard provides performance requirements for conspicuous materials to be used in HVSA and specifies classes of garments, minimum areas, and placement of these materials.

**Note:** *Conspicuity is enhanced by high contrast between clothing and the work environment against which it is seen.*

#### 1.4

This Standard specifies minimum amounts of retroreflective materials, together with colour and requirements for placement of materials, for apparel used to enhance the visibility and safety of workers.

Categories of high-visibility garments are identified and appropriate markings for apparel are recommended.

#### 1.5

The values given in SI units are the units of record for the purposes of this Standard. Where values are given in parentheses they are for information and comparison only.

#### 1.6

In this Standard, "shall" is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; "should" is used to express a recommendation or that which is advised but not required; and "may" is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.