

STANDARD FOR RESIDENTIAL CONSTRUCTION IN HIGH-WIND REGIONS

ICC 600-2008
American National Standard

International Code Council
500 New Jersey Avenue, NW, 6th Floor
Washington, DC 20001

Approved August 6, 2008

American National Standards Institute
25 West 43rd Street
New York, NY 10036



ICC Standard for Residential Construction in High-Wind Regions-2008
(ICC 600-2008 IS-HRC)

First Printing: September 2008

ISBN:978-1-58001-747-3

Copyright © 2008

by
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This ICC *Standard for Residential Construction in High-Wind Regions-2008* (ICC-600) is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: "ICC," the "International Code Council" logo and "*Standard for Residential Construction in High-Wind Regions*" (ICC-600-2008) are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer.

Consensus is established when in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their solution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he or she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Currently in preview, click buy full version

FOREWORD

[The information contained in this foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. This foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to this standard.]

Introduction

In 2002, upon direction from the International Code Council (ICC) Board of Directors, the ICC Standards Council appointed a consensus committee to write a standard for the design and construction of residential buildings in high wind regions. The scope of the standard is to specify prescriptive methods to provide wind-resistant designs and construction details for residential buildings constructed in high-wind regions.

Development

This is the first edition of ICC-600, *Standard for Residential Construction in High-Wind Regions*. This standard was developed by the ICC Consensus Committee on Hurricane Resistant Construction (IS-HRC) that operates under ANSI's approved ICC Consensus Procedures for the Development of ICC Standards. The consensus process of ICC for promulgating standards is accredited by ANSI. The IS-HRC Committee is a balanced committee formed and operated in accordance with ICC rules and procedures.

The meetings of the IS-HRC Committee were open to the public and interested individuals and organizations from across the country participated. The technical content of currently published documents on residential construction in high wind regions, including hurricane prone regions, was reviewed and considered by the committee. The information from these documents helped form a basis for the regulations provided in ICC-600, but the exact provisions adopted by the committee were determined based upon the scope and intent of ICC-600. The requirements of ICC-600 are based on the intent to establish provisions consistent with the scope of the ICC family of codes and standards that are written to adequately protect public health, safety and welfare; provisions that do not necessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Adoption

ICC-600, *Standard for Residential Construction in High-Wind Regions* is available for adoption and use by any jurisdiction. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the jurisdiction.

Formal Interpretations

Requests for Formal Interpretations on the provisions of ICC 600-2008 should be addressed to: ICC, Chicago District Office, 4051 West Flossmoor Road, Country Club Hills, IL 60308.

Maintenance – Submittal of Proposals

All ICC standards are revised as required by ANSI. Proposals for revising this edition are welcome. Please visit the ICC website at www.iccsafe.org for the official "Call for Proposals" announcement. A proposal form and instructions can also be downloaded from www.iccsafe.org.

ICC, its members and those participating in the development of ICC 600-2008 do not accept any liability resulting from compliance or noncompliance with the provisions of ICC 600-2008. ICC does not have the power or authority to police or enforce compliance with the contents of this standard. Only the governmental body that enacts this standard into law has such authority.

International Code Council Consensus Committee on Hurricane Resistant Construction (IS-HRC)

Consensus Committee Scope: The Consensus Committee (CC) on Hurricane Resistant Construction (IS-HRC) shall have primary responsibility for minimum requirements to safeguard the public health, safety and general welfare through requirements for buildings and other structures sited in high-wind regions.

This standard was processed and approved for submittal to ANSI by the ICC Consensus Committee on Hurricane Resistant Construction (IS-HRC). Committee approval of the standard does not necessarily imply that all committee members voted for its approval.

Representatives on the Consensus Committee are classified in one of three voting interest categories. The committee has been formed to achieve consensus as required by ANSI Essential Requirements. At the time it approved this standard, the IS-HRC Consensus Committee consisted of the following members:

General Interest (G) - User Interest (U) - Producer Interest (P)

Charles Anderson (P), Simonton Windows, Pennsboro, WV

FOREWORD

Shelia W. Blake, CBO, MBA (G), City of Houston, Houston, TX
Charles B. Clark, Jr. (Alternate P), National Concrete Masonry Association, Reston, VA
Kelly Cobeen (U), Self, Lafayette, CA
Ralph Dorio (U), Insurance Services Office, Jersey City, NJ
Bradford K. Douglas, P.E. (P), American Forest & Paper Association, Washington, DC
Nader Elhadj (P), National Association of Home Builders, Upper Marlboro, MD
Charles Everly (P), PGT Industries, Sarasota, FL
Fayez Y. Fanik, P.E. (G), State of New Jersey, West Windsor, NJ
Jeffrey K. Feid (Alternate U), State Farm Insurance, Bloomington, IL
Dennis W. Graber (P), National Concrete Masonry Association, Herndon, VA
Dale T. Greiner (G), Lake County, Tavares, FL
Eric Haefli (U), State Farm Insurance, Bloomington, IL
Brad R. Harrison (Alternate U), Structural Engineers Association of Alabama, Birmingham, AL
Marcelino Iglesias (G), State of New Jersey, Trenton, NJ
Medard Kopczynski, Chair (G), City of Keene, Keene, NH
Said Larbi-Cherif (G), City of El Paso, El Paso, TX
Jay Larson (Alternate P), American Iron & Steel Institute, Bethlehem, PA
Mo Madani (G), Florida Department of Community Affairs, Tallahassee, FL
Joseph J. Messersmith, Jr. (Alternate P), Portland Cement Association, Rockville, VA
James A. Rossberg (P), Self, Reston, VA
James A. Russell (U), Structural Engineers Association of Alabama, Mobile, AL
John A. Scott, P.E. (U), Outside of the Box Engineering Solutions, Los Angeles, CA
Stephen V. Skalko, P.E. Vice-Chair (P), Portland Cement Association, Macon, GA
T. Eric Stafford, P.E. (U), Institute for Business and Home Safety, Birmingham, AL
Jeffrey B. Stone, Ph.D., C.B.O. (Alternate P), American Forest & Paper Association, St. Pete Beach, FL
Raymond W. Stone, P.E. (U), South Texas Engineers, Corpus Christi, TX
Edgar Sutton, P.E. (Alternate P), National Association of Home Builders, Washington, DC
Peter J. Vickery (U), Self, Raleigh, NC
Gary W. Walker, P.E. (P), Tile Roofing Institute, Birmingham, AL
George J. Wiggins (G), City of Winter Park, Winter Park, FL
Robert J. Willis (P), American Iron & Steel Institute, Birmingham, AL
Frank Zuloaga, RRC (G), Miami-Dade County, Miami, FL
Committee Secretary, **Larry Franks, P.E., C.B.O.**, Senior Staff Engineer, Codes and Standards, International Code Council, Birmingham, AL

Voting Membership in Each Category

Category	Number
General (G)	9
User (U)	8
Producer (P)	9
TOTAL	26

Interest Categories

General Interest: Individuals assigned to the General Interest category are those who represent the interests of an entity, including an association of such entities, representing the general public, or entities that promulgate or enforce the provisions within the committee scope. These entities include consumers and government regulatory agencies.

User Interest: Individuals assigned to the User Interest category are those who represent the interests of an entity, including an association of such entities, which is subject to the provisions or voluntarily uses provisions within the committee scope. These entities include academia, applied research laboratory, building owner, design professional, government nonregulatory agency, insurance company, private inspection agency and product certification/evaluation agency.

Producer Interest: Individuals assigned to the Producer Interest category are those who represent the interests of an entity, including an association of such entities, which produces, installs or maintains a product, assembly or system subject to the provisions within the committee scope. These entities include builder, contractor, distributor, labor, manufacturer, material association, standards promulgator, testing laboratory and utility.

NOTE — Multiple Interests: Individuals representing entities in more than one of the above interest categories, one of which is a Producer Interest, are assigned to Producer Interest. Individuals representing entities in the General Interest and User Interest categories are assigned to the User Interest.

Currently in preview, click buy full version

PREFACE

Most regions in the United States face windstorm threats. Hurricanes strike the Gulf and Atlantic coastal states one or more times per year, with a single storm capable of causing billions of dollars in damage. The 2005 Atlantic hurricane season produced a record-breaking 27 named tropical storms including a record 15 hurricanes. Of these, a record four reached Category 5 strength, the highest categorization for hurricanes on the Saffir-Simpson Hurricane Scale. Five of the fifteen were major landfall hurricanes causing damages in Cuba, Mexico and the US States of Florida, Alabama, Mississippi, Louisiana and Texas. Currently, the average wind damage to constructed facilities exceeds \$3 billion yearly and is rising with accelerated coastal development and the migration of people to the hurricane prone coastlines. In 2004 and 2005 wind related damage exceeded \$20 billion each year. Much of this damage can be attributed to the inadequate resistance of nonengineered buildings to high winds.

In 1983, two of the world's prominent wind researchers, G. R. Walker (Australia) and K.J. Eaton (United Kingdom), expressed their frustration concerning the inadequate performance of residential construction on a global scale:

“Basically, society has considered that housing does not warrant engineering analysis and design.”

If property damage is to be mitigated in the high wind regions of this country, increased engineering attention must be given to residential construction. During the 1990s and first half of the 2000s, material associations including wood, masonry and steel, together with academics, product producers, engineers and code officials, were engaged in developing guidelines and standards that applied engineering knowledge and analysis to housing.

The International Code Council legacy standard SSTD 10-99 and its predecessors were the first US standards for high wind construction of residential structures. The ICC SSTD 10 document was based on the *Standard Building Code* wind loads and used fast-mile wind speeds. The SSTD 10 standard was well received by builders and building officials in many parts of the country.

In 2001, both wood and steel associations published construction manuals and standards, respectively, that deal with high wind design with their materials. These are based on the ASCE 7 Wind Loads that are now the basis for defining wind loads in the *International Building Code* (IBC) and *International Residential Code* (IRC).

This standard provides a set of specifications that is consistent with the *International Building Code* and ASCE 7 wind loads, wind speed maps and conventions. See Appendix A for design load assumptions.

The primary focus of the update effort has been to provide a contemporary set of prescriptive requirements that supplement the *International Residential Code* provisions. The prescriptive requirements contained herein are based on the latest engineering knowledge and are intended to provide minimum requirements to improve structural integrity and improve building envelope performance within the limitations in building geometry, materials and wind climate specified.

Currently recognized within the IBC and IRC family of codes, the AF&PA Wood Frame Construction Manual (WFCM) and the AISI Standard for Cold-Formed Steel Framing – Prescriptive Method for One- and Two-Family Dwellings (ANSI/AISI S230) are consensus documents that provide design guidance for wood frame and cold-formed steel-framed buildings, respectively. These documents are adopted by reference in Chapter 3 for design of light-framed construction of wood or cold-formed steel.

The committee responsible for developing this standard recognized that a large number of alternatives are available to a designer or builder for providing wind resistance. The provisions given are not intended to prevent the use of alternate materials or methods permitted by Section 104.11 of the 2006 *International Building Code* and *International Residential Code*. Neither the ICC nor any of the reviewers make any representation or warranty of any kind, whether expressed or implied, concerning the accuracy, completeness and utility of any information provided in this publication and assumes no liability for use of the information. This information should not be used without obtaining competent advice concerning its suitability for the application under consideration. Anyone using this information assumes all liability arising from its use.

Currently in preview, click buy full version

TABLE OF CONTENTS

CHAPTER 1 GENERAL REQUIREMENTS 1	404 Cold-formed Steel Framing above Concrete, Masonry or ICF Walls. 113
Section	
101 General 1	CHAPTER 5 ROOF ASSEMBLIES 115
102 Design Parameters 1	Section
103 Definitions 4	501 General 115
104 Design Criteria 6	502 Weather Protection 116
105 Nonrectangular Buildings 12	503 Materials 117
	504 Requirements for Roof Coverings 117
	505 Other Roof Coverings 127
CHAPTER 2 BUILDINGS WITH CONCRETE OR MASONRY EXTERIOR WALLS 13	CHAPTER 6 FENESTRATION 129
Section	Section
201 Scope 13	601 Scope 129
202 General 13	602 Windows, Unit Skylights, Garage Doors, Sliding Glass Doors, Glass Patio Doors and Entry Doors Installed in Wall/Roof Systems 129
203 Footings and Foundations 15	603 Windborne Debris 132
204 Floor Systems 18	CHAPTER 7 EXTERIOR WALL COVERING .. 135
205 Masonry Wall Systems 21	Section
206 Attic Floor or Ceiling Systems 55	701 General 135
207 Roof Systems 55	702 Wood, Hardboard and Wood Structural Panel Siding/Sheathing 135
208 Open Structures 60	703 Stucco 135
209 ICF and Flat Panel Concrete Wall Systems 62	704 Brick Veneer 139
	705 Vinyl Siding 141
CHAPTER 3 BUILDINGS WITH WOOD OR STEEL LIGHT-FRAMED EXTERIOR WALLS 91	706 Exterior Insulation Finish Systems, General 141
Section	707 Fiber Cement Siding 141
301 Scope 91	708 Metal Veneers 141
302 General 91	709 Drained Assembly Wall Over Mass Assembly Wall. 141
303 Light-framed Construction 91	CHAPTER 8 REFERENCED STANDARDS 143
304 Fasteners and Connectors 91	APPENDIX A DESIGN LOAD ASSUMPTIONS 147
305 Footings and Foundations 91	APPENDIX B FLOOD-RESISTANT FOUNDATIONS FOR RESIDENTIAL BUILDINGS WITH WOOD FOR LIGHT- STEEL FRAMED WALLS 149
306 Slab-on-grade Floor Systems 108	APPENDIX C ICC-600 DESIGN CHECKLIST ... 155
307 Special Provisions for Wood Structural Panel Wall Sheathing or Siding 108	APPENDIX D DIMENSIONS OF NAILS DESCRIBED BY PENNY- WEIGHT SYSTEM 185
308 Open Structures 109	
CHAPTER 4 COMBINED EXTERIOR WALL CONSTRUCTION 113	
Section	
401 Scope 113	
402 Concrete, Masonry or ICF First Story; Wood Frame Second Story 113	
403 Wood Frame Gable Endwalls above Concrete, Masonry or ICF Walls 113	