

2018 IBC® Code and Commentary—Volume 1

First Printing: May 2018

ISBN: 978-1-60983-765-5 (soft-cover edition)

COPYRIGHT © 2018

INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2018 IBC® Code and Commentary—Volume 1 is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on use, rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone: 1-800-ICC-SAFE (422-7233).

Trademarks. “International Code Council,” the “International Code Council” logo, “ICC,” the “ICC” logo, “International Building Code,” “IBC” and other names and trademarks appearing in this book are trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

PRINTED IN THE U.S.A.

PREFACE

The principal purpose of the Commentary is to provide a basic volume of knowledge and facts relating to building construction as it pertains to the regulations set forth in the 2018 *International Building Code*. The person who is serious about effectively designing, constructing and regulating buildings and structures will find the Commentary to be a reliable data source and reference to almost all components of the built environment.

As a follow-up to the *International Building Code*, we offer a companion document, the *IBC® Code and Commentary—Volume 1*. Volume 1 covers Chapters 1 through 15 of the 2018 *International Building Code*. The basic appeal of the Commentary is thus: it provides in a small package and at a reasonable cost thorough coverage of many issues likely to be dealt with when using the *International Building Code*—and then supplements that coverage with historical and technical background. Reference lists, information sources and bibliographies are also included.

Throughout all of this, effort has been made to keep the vast quantity of material accessible and its method of presentation useful. With a comprehensive yet concise summary of each section, the Commentary provides a convenient reference for regulations applicable to the construction of buildings and structures. In the chapters that follow, discussions focus on the full meaning and implications of the code text. Guidelines suggest the most effective method of application, and the consequences of not adhering to the code text. Illustrations are provided to aid understanding; they do not necessarily illustrate the only methods of achieving code compliance.

The format of the Commentary includes the full text of each section, table and figure in the code, followed immediately by the commentary applicable to that text. At the time of printing, the Commentary reflects the most up-to-date text of the 2018 *International Building Code*. As stated in the preface to the *International Building Code*, the content of sections in the code that begin with a letter designation (i.e., Section [F]307.1) are maintained by another code development committee. Each section's narrative includes a statement of its objective and intent, and usually includes a discussion about why the requirement commands the conditions set forth. Code text and commentary text are easily distinguished from each other. All code text is shown as it appears in the *International Building Code*, and all commentary is indented below the code text and begins with the symbol ❖.

Readers should note that the Commentary is to be used in conjunction with the *International Building Code* and not as a substitute for the code. The Commentary is advisory only; the code official alone possesses the authority and responsibility for interpreting the code.

Comments and recommendations are encouraged, for through your input, we can improve future editions. Please direct your comments to the Codes and Standards Development Department at the Chicago District Office.

The International Code Council would like to extend its thanks to the following individuals for their contributions to the technical content of this commentary:

| | |
|-------------------|---------------------|
| Brian Black | Kevin Brinkman |
| John Woestman | Gregory Cahanin |
| David Cooper | Rebecca Quinn |
| Dave Collins | Joann Surmar |
| Vickie Lovell | James Milke |
| John Valiulis | Richard Walke |
| Marcelo Hirschler | Dave Frable |
| Jeff Hugo | Elley Klausbruckner |
| Dick Bukowski | |

S.I. CONVERSION CHART FOR ENGLISH UNITS

| English Unit | Metric Equivalent |
|----------------------------------|---|
| 1 inch (in.) | 25.4 millimeters (mm) |
| 1 foot (ft.) | 304.8 millimeters (mm) |
| 1 square inch (in ²) | 645.2 square millimeters (mm ²) |
| 1 square foot (ft ²) | 0.093 square meters (m ²) |
| 1 cubic foot (ft ³) | 0.028 cubic meters (m ³) |
| 1 gallon (gal.) | .00379 cubic meters (m ³) |
| 1 gallon (gal.) | 3.79 liters (L) |
| 1 pound (lb.) | 0.454 kilograms (kg) |
| 1 ton (T) | 0.907 metric ton |
| 1 ton (T) | 907.2 kilograms (kg) |
| 1 pound per square inch (psi) | 6.894 kilopascals (kPa) |
| 1 pound per square inch (psi) | .0703 kilogram force per square centimeter |
| 1 pound per square foot (psf) | 47.88 Pascals (Pa) |
| 1 pound per square foot (psf) | 47.88 Newton per square meter (N/m ²) |
| 1 foot candle | 10.76 lux |
| 1 inch water column | 248.84 Pascal |
| 1 degree | 0.01745 radian |
| 1 Btu/hr | 0.2931 Watt |
| Temperature degrees Fahrenheit | 1.8 × degrees C + 32 |

TABLE OF CONTENTS

| | | |
|-------------------|---|---------------------------|
| CHAPTER 1 | SCOPE AND ADMINISTRATION | 1-1 – 1-28 |
| | PART 1—SCOPE AND APPLICATION | 1-2 – 1-6 |
| | PART 2—ADMINISTRATION AND ENFORCEMENT | 1-6 – 1-28 |
| CHAPTER 2 | DEFINITIONS | 2-1 – 2-112 |
| CHAPTER 3 | OCCUPANCY CLASSIFICATION AND USE | 3-1 – 3-46 |
| CHAPTER 4 | SPECIAL DETAILED REQUIREMENTS BASED ON OCCUPANCY AND USE | 4-1 – 4-152 |
| CHAPTER 5 | GENERAL BUILDING HEIGHTS AND AREAS | 5-1 – 5-58 |
| CHAPTER 6 | TYPES OF CONSTRUCTION | 6-1 – 6-12 |
| CHAPTER 7 | FIRE AND SMOKE PROTECTION FEATURES | 7-1 – 7-200 |
| CHAPTER 8 | INTERIOR FINISHES | 8-1 – 8-16 |
| CHAPTER 9 | FIRE PROTECTION AND LIFE SAFETY SYSTEMS | 9-1 – 9-142 |
| CHAPTER 10 | MEANS OF EGRESS | 10-1 – 10-220 |
| CHAPTER 11 | ACCESSIBILITY | 11-1 – 11-82 |
| CHAPTER 12 | INTERIOR ENVIRONMENT | 12-1 – 12-20 |
| CHAPTER 13 | ENERGY EFFICIENCY | 13-1 – 13-2 |
| CHAPTER 14 | EXTERIOR WALLS | 14-1 – 14-50 |
| CHAPTER 15 | ROOF ASSEMBLIES AND ROOFTOP STRUCTURES | 15-1 – 15-38 |
| INDEX | | INDEX-1 – INDEX-40 |

2018 IBC® Code and Commentary—Volume 2

First Printing: April 2018

ISBN: 978-1-60983-766-2 (soft-cover edition)

COPYRIGHT © 2018

INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2018 *IBC® Code and Commentary—Volume 2* is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on use, rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone: 1-800-ICC-SAFE (422-7233).

Trademarks. “International Code Council,” the “International Code Council” logo, “ICC,” the “ICC” logo, “International Building Code,” “IBC” and other names and trademarks appearing in this book are trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

PRINTED IN THE U.S.A.

PREFACE

The principal purpose of the Commentary is to provide a basic volume of knowledge and facts relating to building construction as it pertains to the regulations set forth in the 2018 *International Building Code*. The person who is serious about effectively designing, constructing and regulating buildings and structures will find the Commentary to be a reliable data source and reference to almost all components of the built environment.

As a follow-up to the *International Building Code*, we offer a companion document, the *IBC® Code and Commentary—Volume 2*. Volume 2 covers Chapters 16 through 35 of the 2018 *International Building Code*. The basic appeal of the Commentary is thus: it provides in a small package and at a reasonable cost thorough coverage of many issues likely to be dealt with when using the *International Building Code*—and then supplements that coverage with historical and technical background. Reference lists, information sources and bibliographies are also included.

Throughout all of this, effort has been made to keep the vast quantity of material accessible and its method of presentation useful. With a comprehensive yet concise summary of each section, the Commentary provides a convenient reference for regulations applicable to the construction of buildings and structures. In the chapters that follow, discussions focus on the full meaning and implications of the code text. Guidelines suggest the most effective method of application, and the consequences of not adhering to the code text. Illustrations are provided to aid understanding; they do not necessarily illustrate the only methods of achieving code compliance.

The format of the Commentary includes the full text of each section, table and figure in the code, followed immediately by the commentary applicable to that text. At the time of printing, the Commentary reflects the most up-to-date text of the 2018 *International Building Code*. As stated in the preface to the *International Building Code*, the content of sections in the code that begin with a letter designation (i.e., Section [F]307.1) are maintained by another code development committee. Each section's narrative includes a statement of its objective and intent, and usually includes a discussion about why the requirement commands the conditions set forth. Code text and commentary text are easily distinguished from each other. All code text is shown as it appears in the *International Building Code*, and all commentary is indented below the code text and begins with the symbol ❖.

Readers should note that the Commentary is to be used in conjunction with the *International Building Code* and not as a substitute for the code. The Commentary is advisory only; the code official alone possesses the authority and responsibility for interpreting the code.

Comments and recommendations are encouraged, for through your input, we can improve future editions. Please direct your comments to the Codes and Standards Development Department at the Chicago District Office.

The International Code Council would like to extend its thanks to the following individuals for their contributions to the technical content of this commentary:

| | |
|-------------------|---------------------|
| Brian Black | Kevin Brinkman |
| John Woestman | Gregory Cahanin |
| David Cooper | Rebecca Quinn |
| Dave Collins | Joann Surmar |
| Vickie Lovell | James Milke |
| John Valiulis | Richard Walke |
| Marcelo Hirschler | Dave Frable |
| Jeff Hugo | Elley Klausbruckner |
| Dick Bukowski | |

S.I. CONVERSION CHART FOR ENGLISH UNITS

| English Unit | Metric Equivalent |
|----------------------------------|---|
| 1 inch (in.) | 25.4 millimeters (mm) |
| 1 foot (ft.) | 304.8 millimeters (mm) |
| 1 square inch (in ²) | 645.2 square millimeters (mm ²) |
| 1 square foot (ft ²) | 0.093 square meters (m ²) |
| 1 cubic foot (ft ³) | 0.028 cubic meters (m ³) |
| 1 gallon (gal.) | .00379 cubic meters (m ³) |
| 1 gallon (gal.) | 3.79 liters (L) |
| 1 pound (lb.) | 0.454 kilograms (kg) |
| 1 ton (T) | 0.907 metric ton |
| 1 ton (T) | 907.2 kilograms (kg) |
| 1 pound per square inch (psi) | 6.894 kilopascals (kPa) |
| 1 pound per square inch (psi) | .0703 kilogram force per square centimeter |
| 1 pound per square foot (psf) | 47.88 Pascals (Pa) |
| 1 pound per square foot (psf) | 47.88 Newton per square meter (N/m ²) |
| 1 foot candle | 10.76 lux |
| 1 inch water column | 248.84 Pascal |
| 1 degree | 0.01745 radian |
| 1 Btu/hr | 0.2931 Watt |
| Temperature degrees Fahrenheit | 1.8 × degrees C + 32 |

TABLE OF CONTENTS

| | | |
|------------|--|---------------|
| CHAPTER 16 | STRUCTURAL DESIGN | 16-1 – 16-92 |
| CHAPTER 17 | SPECIAL INSPECTIONS AND TESTS..... | 17-1 – 17-28 |
| CHAPTER 18 | SOILS AND FOUNDATIONS | 18-1 – 18-27 |
| CHAPTER 19 | CONCRETE..... | 19-1 – 19-20 |
| CHAPTER 20 | ALUMINUM | 20-1 – 20-2 |
| CHAPTER 21 | MASONRY..... | 21-1 – 21-38 |
| CHAPTER 22 | STEEL..... | 22-1 – 22-8 |
| CHAPTER 23 | WOOD | 23-1 – 23-120 |
| CHAPTER 24 | GLASS AND GLAZING..... | 24-1 – 24-28 |
| CHAPTER 25 | GYPSUM BOARD, GYPSUM PANEL PRODUCTS AND PLASTER..... | 25-1 – 25-26 |
| CHAPTER 26 | PLASTIC | 26-1 – 26-32 |
| CHAPTER 27 | ELECTRICAL..... | 27-1 – 27-6 |
| CHAPTER 28 | MECHANICAL SYSTEMS | 28-1 – 28-2 |
| CHAPTER 29 | PLUMBING SYSTEMS | 29-1 – 29-20 |
| CHAPTER 30 | ELEVATORS AND CONVEYING SYSTEMS | 30-1 – 30-28 |
| CHAPTER 31 | SPECIAL CONSTRUCTION..... | 31-1 – 31-22 |
| CHAPTER 32 | ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY..... | 32-1 – 32-6 |
| CHAPTER 33 | SAFEGUARDS DURING CONSTRUCTION | 33-1 – 33-8 |
| CHAPTER 34 | RESERVED | 34-1 – 34-2 |
| CHAPTER 35 | REFERENCED STANDARDS..... | 35-1 – 35-32 |
| APPENDIX A | EMPLOYEE QUALIFICATIONS | A-1 – A-2 |
| APPENDIX B | BOARD OF APPEALS..... | B-1 – B-4 |
| APPENDIX C | GROUP U—AGRICULTURAL BUILDINGS..... | C-1 – C-4 |

TABLE OF CONTENTS

APPENDIX D FIRE DISTRICTS D-1 – D-8

APPENDIX E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS E-1 – E-12

APPENDIX F RODENTPROOFING.....F-1 – F-2

APPENDIX G FLOOD-RESISTANT CONSTRUCTION G-1 – G-18

APPENDIX H SIGNS H-1 – H-4

APPENDIX I PATIO COVERS I-1 – I-2

APPENDIX J GRADING J-1 – J-8

APPENDIX K ADMINISTRATIVE PROVISIONS K-1 – K-4

APPENDIX L EARTHQUAKE RECORDING INSTRUMENTATION L-1 – L-2

APPENDIX M TSUNAMI-GENERATED FLOOD HAZARD M-1 – M-4

APPENDIX N REPLICABLE BUILDINGS N-1 – N-4

INDEX INDEX-1 – INDEX-40