

2021 International Building Code®

Date of First Publication: October 23, 2020

First Printing: October 2020

ISBN: 978-1-60983-955-0 (soft cover edition)  
ISBN: 978-1-60983-956-7 (loose-leaf edition)

COPYRIGHT © 2020  
by  
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2021 *International Building Code*® is a copyrighted work owned by the International Code Council, Inc. (“ICC”). Without advance written permission from the ICC, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFF (422-7253).

Trademarks: “International Code Council,” the “International Code Council” logo, “ICC,” the “ICC” logo, “International Building Code,” “IBC” and other names and trademarks appearing in this book are trademarks of the International Code Council, Inc., and/or licensors (as applicable), and may not be used without permission.

# PREFACE

## Introduction

The *International Building Code*® (IBC®) establishes minimum requirements for building systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2021 edition is fully compatible with all of the International Codes® (I-Codes®) published by the International Code Council® (ICC®), including the *International Energy Conservation Code*® (IECC®), *International Existing Building Code*® (IEBC®), *International Fire Code*® (IFC®), *International Fuel Gas Code*® (IFGC®), *International Green Construction Code*® (IgCC®), *International Mechanical Code*® (IMC®), *International Plumbing Code*® (IPC®), *International Private Sewage Disposal Code*® (IPSDC®), *International Property Maintenance Code*® (IPMC®), *International Residential Code*® (IRC®), *International Swimming Pool and Spa Code*® (ISPSIC®), *International Wildland-Urban Interface Code*® (IWUIC®), *International Zoning Code*® (IZC®) and *International Code Council Performance Code*® (ICPC®).

In addition to the codes themselves, the code development process brings together building professionals on a regular basis. It provides an international forum for discussion and deliberation about building design, construction methods, safety, performance requirements, technological advances and innovative products.

The I-Codes, including the IBC, are used in a variety of ways in both the public and private sectors. Most industry professionals are familiar with the I-Codes as the basis of laws and regulations in communities across the US and in other countries. However, the impact of the codes extends well beyond the regulatory arena, as they are used in a variety of non-regulatory settings, including:

- Voluntary compliance programs such as those promoting sustainability, energy efficiency and disaster resistance.
- The insurance industry, to estimate and manage risk, and as a tool in underwriting and rate decisions.
- Certification and credentialing of individuals involved in the fields of building design, construction and safety.
- Certification of building and construction-related products.
- US federal agencies, to guide construction in an array of government-owned properties.
- Facilities management.
- “Best practices” benchmarks for designers and builders, including those who are engaged in projects in jurisdictions that do not have a formal regulatory system or a governmental enforcement mechanism.
- College, university and professional school textbooks and curricula.
- Reference works related to building design and construction.

In addition to the codes themselves, the code development process brings together building professionals on a regular basis. It provides an international forum for discussion and deliberation about building design, construction methods, safety, performance requirements, technological advances and innovative products.

## Development

This 2021 edition presents the code as originally issued, with changes reflected in the 2003 through 2018 editions and further changes approved by the ICC Code Development Process through 2019. A new edition such as this is promulgated every 3 years.

This code is intended to establish provisions that adequately protect public health, safety and welfare; that do not unnecessarily increase construction costs; that do not restrict the use of new materials, products or methods of construction; and that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

## Maintenance

The IBC is kept up to date through the review of proposed changes submitted by code enforcement officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The ICC Code Development Process reflects principles of openness, transparency, balance, due process and consensus, the principles embodied in OMB Circular A-119, which governs the federal government's use of private-sector standards. The ICC process is open to anyone; there is no cost to participate and people can participate without travel cost through the ICC's cloud-based app, cdpAccess®. A broad cross section of interests are represented in the ICC Code Development Process. The codes, which are updated regularly, include safeguards that allow for emergency action when required for health and safety reasons.

In order to ensure that organizations with a direct and material interest in the codes have a voice in the process, the ICC has developed partnerships with key industry segments that support the ICC's important public safety mission. Some code development committee members were nominated by the following industry partners and approved by the ICC Board:

- American Institute of Architects (AIA)
- National Association of Home Builders (NAHB)
- National Association of State Fire Marshals (NASFM)

The code development committees evaluate and make recommendations regarding proposed changes to the codes. Their recommendations are the subject to public comment and council-wide votes. The ICC's governmental members—public safety officials who have no financial or business interest in the outcome—cast the final votes on proposed changes.

The contents of this work are subject to change through the code development cycles and by any governmental entity that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the ICC.

While the I-Code development procedure is thorough and comprehensive, the ICC, its members and those participating in the development of the codes disclaim any liability resulting from the publication or use of the I-Codes, or from compliance or noncompliance with their provisions. The ICC does not have the power or authority to police or enforce compliance with the contents of this code.

## IBC Primary Code Development Committees

In each code development cycle, code change proposals to this code are considered at the Committee Action Hearings by 11 different code development committees. Four of these committees have primary responsibility for designated chapters and appendices as shown in the following table:

**IBC CODE COMMITTEES**

IBC—Egress Code Development Committee [BE]:	Chapters 10, 11, Appendix E
IBC—Fire Safety Code Development Committee [BF]:	Chapters 7, 8, 9, 14, 26
IBC—General Code Development Committee [BG]:	Chapters 2, 3, 4, 5, 6, 12, 27, 28, 29, 30, 31, 32, 33, Appendices A, B, C, D, K, N, O
IBC—Structural Code Development Committee [BS]:	Chapters 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, Appendices F, G, H, I, J, L, M

## Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)

As mentioned in the preceding material, in each code development cycle, code change proposals to this code are considered at the Committee Action Hearings by 11 different code development committees.

Code change proposals to sections of the code that are preceded by a bracketed letter designation, such as [A], will be considered by a committee other than the building code committee listed for the chapter or appendix on the preceding page. For example, proposed code changes to Section 307.1.1 will be considered by the International Fire Code Development Committee during the Committee Action Hearing in the 2021 (Group A) code development cycle.

The bracketed letter designations for committees responsible for portions of the code are as follows:

- [A] = Administrative Code Development Committee
- [BE] = IBC—Egress Code Development Committee
- [BF] = IBC—Fire Safety Code Development Committee
- [BG] = IBC—General Code Development Committee
- [BS] = IBC—Structural Code Development Committee
- [E] = International Commercial Energy Conservation Code Development Committee or International Residential Energy Conservation Code Development Committee
- [EB] = International Existing Building Code Development Committee
- [F] = International Fire Code Development Committee
- [FG] = International Fuel Gas Code Development Committee
- [M] = International Mechanical Code Development Committee
- [P] = International Plumbing Code Development Committee

For the development of the 2024 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years, as shown in the following Code Development Hearings Table.

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees hold Committee Action Hearings in different years, proposals for the IBC will be heard by committees in both the 2021 (Group A) and the 2022 (Group B) code development cycles.

For instance, every section of Chapter 16 is the responsibility of the IBC—Structural Code Development Committee. As noted in the preceding table, that committee will hold its Committee Action Hearings in 2022 to consider code change proposals for the chapters for which it is responsible. Therefore any proposals received for Chapter 16 of this code will be assigned to the IBC—Structural Code Development Committee and will be considered in 2022, during the Group B code change cycle.

It is very important that anyone submitting code change proposals understands which code development committee is responsible for the section of the code that is the subject of the code change proposal. For further information on the Code Development Committee responsibilities, please visit the ICC website at [www.iccsafe.org/current-code-development-cycle](http://www.iccsafe.org/current-code-development-cycle).

**CODE DEVELOPMENT HEARINGS**

<b>Group A Codes (Heard in 2021, Code Change Proposals Deadline: January 11, 2021)</b>	<b>Group B Codes (Heard in 2022, Code Change Proposals Deadline: January 10, 2022)</b>
<b>International Building Code</b> – Egress (Chapters 10, 11, Appendix E) – Fire Safety (Chapters 7, 8, 9, 14, 26) – General (Chapters 2–6, 12, 27–33, Appendices A, B, C, D, K, N)	Administrative Provisions (Chapter 1 of all codes except IECC, IRC and IgCC; IBC Appendix O; the appendices titled “Board of Appeals” for all codes except IECC, IRC, IgCC, ICCPC and IZC; administrative updates to currently referenced standards; and designated definitions)
<b>International Fire Code</b>	<b>International Building Code</b> – Structural (Chapters 15–25, Appendices F, G, H, I, J, L, M)
<b>International Fuel Gas Code</b>	<b>International Existing Building Code</b>
<b>International Mechanical Code</b>	<b>International Energy Conservation Code—Commercial</b>
<b>International Plumbing Code</b>	<b>International Energy Conservation Code—Residential</b> – IECC—Residential – IRC—Energy (Chapter 11)
<b>International Property Maintenance Code</b>	<b>International Green Construction Code (Chapter 1)</b>
<b>International Private Sewage Disposal Code</b>	<b>International Residential Code</b> – IRC—Building (Chapters 1–10, Appendices AE, AF, AH, AJ, AK, AL, AM, AO, AQ, AR, AS, AT, AU, AV, AW)
<b>International Residential Code</b> – IRC—Mechanical (Chapters 11–13) – IRC—Plumbing (Chapters 25–33, Appendices AC, AD, AN, AP)	
<b>International Swimming Pool and Spa Code</b>	
<b>International Wildland-Urban Interface Code</b>	
<b>International Zoning Code</b>	

Note: Proposed changes to the ICCPC will be heard by the code development committee noted in brackets in the text of the ICCPC.

**Marginal Markings**

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2018 edition. Deletion indicators in the form of an arrow (➡) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a row of a table has been deleted.

A single asterisk [\*] placed in the margin indicates that text or a table has been relocated within the code. A double asterisk [\*\*] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2021 edition of the IBC.

**RELOCATIONS**

<b>2021 LOCATION</b>	<b>2018 LOCATION</b>
508.5–508.5.11	419.1–419.9
904.12	904.14
904.13	904.12
904.14	904.13
1010.2	1010.1.9
1010.2.1	1010.1.9.6
1010.2.2	1010.1.9.1
1010.2.3	1010.1.9.2
1010.2.4	1010.1.9.4
1010.2.5	1010.1.9.5
1010.2.6	1010.1.9.6.1
1010.2.7	1010.1.9.12
1010.2.8	1010.1.4.4
1010.2.9	1010.1.10
1010.2.9.3	1010.1.10.1
1010.2.9.4	1010.1.10.2
1010.2.10	1010.1.9.3
1010.2.11	1010.1.9.10
1010.2.12	1010.1.9.9
1010.2.13	1010.1.9.8
1010.2.13.1	1010.1.9.8.1
1010.2.14	1010.1.9.7
1010.2.15	1010.1.9.11
1010.3	1010.1.4
1010.3.1	1010.1.4.1
Table 1010.3.1(1)	Table 1010.1.4.1(1)
Table 1010.3.1(2)	Table 1010.1.4.1(2)
1010.3.1.1	1010.1.4.1.1
1010.3.1.2	1010.1.4.1.2
1010.3.2	1010.1.4.2
1010.3.3	1010.1.4.3
1029.1	1028.4
1029.2	1028.4.2
1029.3	1028.4.2

*(continued)*

## RELOCATIONS—continued

2021 LOCATION	2018 LOCATION
1107.3	1109.14
1110.14	1109.12.1
1605.2	605.3.2
1607.14.2.2	1607.13.3
1607.14.4.3	1607.13.5.2.1
2304.12.2.6	2304.12.3
2304.12.2.6.1	2304.12.3.1
2304.12.2.7	2304.12.4
2304.12.2.8	2304.12.5
3301.2.1	1511.2

## Coordination of the International Codes

The coordination of technical provisions is one of the strengths of the ICC family of model codes. The codes can be used as a complete set of complementary documents, which will provide users with full integration and coordination of technical provisions. Individual codes can also be used in subsets or as stand-alone documents. To make sure that each individual code is as complete as possible, some technical provisions that are relevant to more than one subject area are duplicated in some of the model codes. This allows users maximum flexibility in the application of the I-Codes.

## Italicized Terms

Terms italicized in code text, other than document titles, are defined in Chapter 2. The terms selected to be italicized have definitions that the user should read carefully to better understand the code. Where italicized, the Chapter 2 definition applies. If not italicized, common-use definitions apply.

**Note:** In Sections 1903 through 1905, italics indicate provisions that differ from ACI 318.

## Adoption

The International Code Council maintains a copyright in all of its codes and standards. Maintaining copyright allows the ICC to fund its mission through sales of books, in both print and electronic formats. The ICC welcomes adoption of its codes by jurisdictions that recognize and acknowledge the ICC's copyright in the code, and further acknowledge the substantial shared value of the public/private partnership for code development between jurisdictions and the ICC.

The ICC also recognizes the need for jurisdictions to make laws available to the public. All I-Codes and I-Standards, along with the laws of many jurisdictions, are available for free in a nondownloadable form on the ICC's website. Jurisdictions should contact the ICC at [adoptions@iccsafe.org](mailto:adoptions@iccsafe.org) to learn how to adopt and distribute laws based on the IBC in a manner that provides necessary access, while maintaining the ICC's copyright.

To facilitate adoption, several sections of this code contain blanks for fill-in information that needs to be supplied by the adopting jurisdiction as part of the adoption legislation. For this code, please see:

Section 101.1. Insert: [NAME OF JURISDICTION]

Section 103.1. Insert: [NAME OF DEPARTMENT]

Section 1612.3. Insert: [NAME OF JURISDICTION]

Section 1612.3. Insert: [DATE OF ISSUANCE]

Currently in preview, click buy full version

# ARRANGEMENT AND FORMAT OF THE 2021 IBC

Before applying the requirements of the IBC, it is beneficial to understand its arrangement and format. The IBC, like other codes published by ICC, is arranged and organized to follow sequential steps that generally occur during a plan review or inspection.

The following table shows how the IBC is divided. The three tables following that show IBC requirements that are correlated with other I-Codes. Lastly, the ensuing chapter-by-chapter synopsis details the scope and intent of the provisions of the IBC.

## CHAPTER TOPICS

Chapters	Subjects
1–2	Administration and definitions
3	Use and occupancy classifications
4, 31	Special requirements for specific occupancies or elements
5–6	Height and area limitations based on type of construction
7–9	Fire resistance and protection requirements
10	Requirements for evacuation
11	Specific requirements to allow use and access to a building for persons with disabilities
12–13, 27–30	Building systems—such as lighting, HVAC, plumbing fixtures, elevators
14–26	Structural components—performance and stability
32	Encroachment outside of property lines
33	Safeguards during construction
35	Referenced standards
Appendices A–O	Appendices

## IFC Correlated Topics

The IBC requirements for hazardous materials, fire-resistance-rated construction, interior finish, fire protection systems, means of egress, emergency and standby power, and temporary structures are directly correlated with the requirements of the IFC. The following table shows chapters/sections of the IBC that are correlated with the IFC:

## IBC/IFC CORRELATED TOPICS

IBC Chapter/Section	IFC Chapter/Section	Subject
Sections 307, 414, 415	Chapters 50–67	Hazardous materials and Group H requirements
Chapter 7	Chapter 7	Fire-resistance-rated construction (fire and smoke protection features in the IFC)
Chapter 8	Chapter 8	Interior finish, decorative materials and furnishings
Chapter 9	Chapter 9	Fire protection systems
Chapter 10	Chapter 10	Means of egress
Chapter 27	Section 604	Standby and emergency power
Section 3103	Chapter 31	Temporary structures

## IMC Correlated Topics

The IBC requirements for smoke control systems, and smoke and fire dampers are directly correlated to the requirements of the IMC. IBC Chapter 28 is a reference to the IMC and the IFGC for chimneys, fireplaces and barbecues, and all aspects of mechanical systems. The following table shows chapters/sections of the IBC that are correlated with the IMC:

**IBC/IMC CORRELATED TOPICS**

IBC Chapter/Section	IMC Chapter/Section	Subject
Section 717	Section 607	Smoke and fire dampers
Section 909	Section 513	Smoke control

## IPC Correlated Topics

The IBC requirements for plumbing fixtures and toilet rooms are directly correlated to the requirements of the IPC. The following table shows chapters/sections of the IBC that are correlated with the IPC:

**IBC/IPC CORRELATED TOPICS**

IBC Chapter/Section	IPC Chapter/Section	Subject
Chapter 29	Chapters 3 & 4	Plumbing fixtures and facilities

## Chapter 1 Scope and Administration

Chapter 1 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. Chapter 1 is in two parts, Part 1—Scope and Application (Sections 101-102) and Part 2—Administration and Enforcement (Sections 103-116). Section 101 identifies which buildings and structures come under its purview and references other I-Codes as applicable. Standards and codes are scoped to the extent referenced in Section 102.4).

The building code is intended to be adopted as a legally enforceable document and it cannot be effective without adequate provisions for its administration and enforcement. The provisions of Chapter 1 establish the authority and duties of the building official appointed by the authority having jurisdiction and also establish the rights and privileges of the design professional, contractor and property owner.

## Chapter 2 Definitions

All terms that are defined in the code are listed alphabetically in Chapter 2. While a defined term may be used in one chapter or another, the meaning provided in Chapter 2 is applicable throughout the code.

Where understanding a term's definition is especially key to or necessary for understanding a particular code provision, the term is shown in italics. This is true only for those terms that have a meaning that is unique to the code. In other words, the generally understood meaning of a term or phrase might not be sufficient or consistent with the meaning prescribed by the code; therefore, it is essential that the code-defined meaning be known.

Guidance regarding tense, gender and plurality of defined terms as well as guidance regarding terms not defined in this code is provided.

## Chapter 3 Occupancy Classification and Use

Chapter 3 provides for the classification of buildings, structures and parts thereof based on the purpose or purposes for which they are used. Section 302 identifies the groups into which all buildings,

structures and parts thereof must be classified. Sections 303 through 312 identify the occupancy characteristics of each group classification. In some sections, specific group classifications having requirements in common are collectively organized such that one term applies to all. For example, Groups A-1, A-2, A-3, A-4 and A-5 are individual groups for assembly-type buildings. The general term “Group A,” however, includes each of these individual groups. Other groups include Business (B), Educational (E), Factory (F-1, F-2), High Hazard (H-1, H-2, H-3, H-4, H-5), Institutional (I-1, I-2, I-3, I-4), Mercantile (M), Residential (R-1, R-2, R-3, R-4), Storage (S-1, S-2) and Utility (U). In some occupancies, the smaller number means a higher hazard, but that is not always the case.

Defining the use of the buildings is very important as it sets the tone for the remaining chapters of the code. Occupancy works with the height, area and construction type requirements in Chapters 5 and 6, as well as the special provisions in Chapter 4, to determine “equivalent risk,” or providing a reasonable level of protection or life safety for building occupants. The determination of equivalent risk involves three interdependent considerations: (1) the level of fire hazard associated with the specific occupancy of the facility; (2) the reduction of fire hazard by limiting the floor area and the height of the building based on the fuel load (combustible contents and burnable building components); and (3) the level of overall fire resistance provided by the type of construction used for the building. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Occupancy classification also plays a key part in organizing and prescribing the appropriate protection measures. As such, threshold requirements for fire protection and means of egress systems are based on occupancy classification (see Chapters 9 and 10). Other sections of the code also contain requirements respective to the classification of building groups. For example, Section 706 specifies requirements for fire wall fire-resistance ratings that are tied to the occupancy classification of a building and Section 803.11 contains interior finish requirements that are dependent upon the occupancy classification. The use of the space, rather than the occupancy of the building, is utilized for determining occupant loading (Section 1004) and live loading (Section 1607).

Over the useful life of a building, the activities in the building will evolve and change. Where the provisions of the code address uses differently, moving from one activity to another or from one level of activity to another is, by definition, a change of occupancy. The new occupancy must be in compliance with the applicable provisions.

## **Chapter 4 Special Detailed Requirements Based on Occupancy and Use**

Chapter 4 contains the requirements for protecting special uses and occupancies, which are supplemental to the remainder of the code. Chapter 4 contains provisions that may alter requirements found elsewhere in the code; however, the general requirements of the code still apply unless modified within the chapter. For example, the height and area limitations established in Chapter 5 apply to all special occupancies unless Chapter 4 contains height and area limitations. In this case, the limitations in Chapter 4 supersede those in other sections. An example of this is the height and area limitations for open parking garages given in Section 406.5.4, which supersede the limitations given in Sections 504 and 506.

In some instances, it may not be necessary to apply the provisions of Chapter 4. For example, if a covered mall building complies with the provisions of the code for Group M, Section 402 does not apply; however, other sections that address a use, process or operation must be applied to that specific occupancy, such as stages and platforms, special amusement buildings and hazardous materials (Sections 410, 411 and 414).

The chapter includes requirements for buildings and conditions that apply to one or more groups, such as high-rise buildings, underground buildings or atriums. Special uses may also imply specific occupancies and operations, such as for Group H, hazardous materials, application of flammable finishes, drying rooms, organic coatings and combustible storage or hydrogen fuel gas rooms, all of which are coordinated with the IFC. Unique consideration is taken for special use areas, such as covered mall buildings, motor-vehicle-related occupancies, special amusement buildings and aircraft-related occupancies. Special facilities within other occupancies are considered, such as stages and platforms, motion picture projection rooms, children’s play structures and storm shelters. Finally, in order that the overall package of protection features can be easily understood, unique considerations for specific occupancies are addressed: Groups I-1, I-2, I-3, R-1, R-2, R-3 and R-4; and ambulatory care facilities and live/work units.

## Chapter 5 General Building Heights and Areas

Chapter 5 contains the provisions that regulate the minimum type of construction for area limits and height limits based on the occupancy of the building. Height and area increases (including allowances for basements, mezzanines and equipment platforms) are permitted based on open frontage for fire department access, separation and the type of sprinkler protection provided (Sections 503-506, 510). These thresholds are reduced for buildings over three stories in height in accordance with Sections 506.2.1 and 506.2.2. Provisions include the protection and/or separation of incidental uses (Table 509.1), accessory occupancies (Section 508.2) and mixed uses in the same building (Sections 506.2.2, 508.3, 508.4 and 510). Unlimited area buildings are permitted in certain occupancies when they meet special provisions (Section 507). Live/work units are provided for in Section 508.5.

Tables 504.3, 504.4 and 506.2 are the keystones in setting thresholds for building size based on the building's use and the materials with which it is constructed. If one then looks at Tables 504.3, 504.4 and 506.2, the relationship among group classification, allowable heights and areas and types of construction becomes apparent. Respective to each group classification, the greater the fire-resistance rating of structural elements, as represented by the type of construction, the greater the floor area and height allowances. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Starting in the 2015 edition, the table that once contained both height and area has been separated and these three new tables address the topics individually. In addition, the tables list criteria for buildings with and without automatic sprinkler systems.

## Chapter 6 Types of Construction

The interdependence of these fire safety considerations can be seen by first looking at Tables 601 and 705.5, which show the fire-resistance ratings of the principal structural elements comprising a building in relation to the five classifications for types of construction. Type I construction is the classification that generally requires the highest fire-resistance ratings for structural elements, whereas Type V construction, which is designated as a combustible type of construction, generally requires the least amount of fire-resistance-rated structural elements. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Section 603 includes a list of combustible elements that can be part of a noncombustible building (Types I and II construction).

## Chapter 7 Fire and Smoke Protection Features

The provisions of Chapter 7 present the fundamental concepts of fire performance that all buildings are expected to achieve in some form. This chapter identifies the acceptable materials, techniques and methods by which proposed construction can be designed and evaluated against to determine a building's ability to limit the impact of fire. The fire-resistance-rated construction requirements within Chapter 7 provide passive resistance to the spread and effects of fire. Types of separations addressed include fire walls, fire barriers, fire partitions, horizontal assemblies, smoke barriers and smoke partitions. A fire produces heat that can weaken structural components and smoke products that cause property damage and place occupants at risk. The requirements of Chapter 7 work in unison with height and area requirements (Chapter 5), active fire detection and suppression systems (Chapter 9) and occupant egress requirements (Chapter 10) to contain a fire should it occur while helping ensure occupants are able to safely exit.

## Chapter 8 Interior Finishes

This chapter contains the performance requirements for controlling fire growth within buildings by restricting interior finish and decorative materials. Past fire experience has shown that interior finish and decorative materials are key elements in the development and spread of fire. The provisions of Chapter 8 require materials used as interior finishes and decorations to meet certain flame-spread index or flame-propagation criteria based on the relative fire hazard associated with the occupancy. As smoke is also a hazard associated with fire, this chapter contains limits on the smoke development characteristics of interior finishes. The performance of the material is evaluated based on test standards.

## Chapter 9 Fire Protection and Life Safety Systems

Chapter 9 prescribes the minimum requirements for active systems of fire protection equipment to perform the following functions: detect a fire; alert the occupants or fire department of a fire emergency; and control smoke and control or extinguish the fire. Generally, the requirements are based on the occupancy, the height and the area of the building, because these are the factors that most affect fire-fighting capabilities and the relative hazard of a specific building or portion thereof. This chapter parallels and is substantially duplicated in Chapter 9 of the IFC; however, the IFC Chapter 9 also contains periodic testing criteria that are not contained in the IBC. In addition, the special fire protection system requirements based on use and occupancy found in IBC Chapter 4 are duplicated in IFC Chapter 9 as a user convenience.

## Chapter 10 Means of Egress

The general criteria set forth in Chapter 10 regulating the design of the means of egress are established as the primary method for protection of people in buildings by allowing timely relocation or evacuation of building occupants. Both prescriptive and performance language is utilized in this chapter to provide for a basic approach in the determination of a safe exiting system for all occupancies. It addresses all portions of the egress system (i.e., exit access, exits and exit discharge) and includes design requirements as well as provisions regulating individual components. The requirements detail the size, arrangement, number and protection of means of egress components. Functional and operational characteristics also are specified for the components that will permit their safe use without special knowledge or effort. The means of egress protection requirements work in coordination with other sections of the code, such as protection of vertical openings (see Chapter 7), interior finish (see Chapter 8), fire suppression and detection systems (see Chapter 9) and numerous others, all having an impact on life safety. Chapter 10 of the IBC is duplicated in Chapter 10 of the IFC; however, the IFC contains one additional section on the means of egress system in existing buildings.

## Chapter 11 Accessibility

Chapter 11 contains provisions that set forth requirements for accessibility of buildings and their associated sites and facilities for people with physical disabilities. The fundamental philosophy of the code on the subject of accessibility is that everything is required to be accessible. This is reflected in the basic applicability requirement (see Section 1103.1). The code's scoping requirements then address the conditions under which accessibility is not required in terms of exceptions to this general mandate. While the IBC contains scoping provisions for accessibility (for example, what, where and how many), ICC A117.1, *Accessible and Usable Buildings and Facilities*, is the referenced standard for the technical provisions (in other words, how).

There are many accessibility issues that not only benefit people with disabilities, but also provide a tangible benefit to people without disabilities. This type of requirement can be set forth in the code as generally applicable without necessarily identifying it specifically as an accessibility-related issue. Such a requirement would then be considered as having been "mainstreamed." For example, visible alarms are located in Chapter 9 and accessible means of egress and ramp requirements are addressed in Chapter 10.

Accessibility criteria for existing buildings are addressed in the IEBC.

Appendix E is supplemental information included in the code to address accessibility for items in the 2010 *ADA Standards for Accessible Design* that were not typically enforceable through the standard traditional building code enforcement approach system (for example, beds, room signage). The IRC references Chapter 11 for accessibility provisions; therefore, this chapter may be applicable to housing covered under the IRC.

## Chapter 12 Interior Environment

Chapter 12 provides minimum standards for the interior environment of a building. The standards address the minimum sizes of spaces, minimum temperature levels, and minimum light and ventilation levels. The collection of requirements addresses limiting sound transmission through walls, ventilation of attic spaces and under floor spaces (crawl spaces). Finally, the chapter provides minimum standards for toilet and bathroom construction, including privacy shielding and standards for walls, partitions and floors to resist water intrusion and damage.

## **Chapter 13 Energy Efficiency**

The purpose of Chapter 13 is to provide minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. For the specifics of these criteria, Chapter 13 requires design and construction in compliance with the IECC.

## **Chapter 14 Exterior Walls**

This chapter addresses requirements for exterior walls of buildings. Minimum standards for wall covering materials, installation of wall coverings and the ability of the wall to provide weather protection are provided. This chapter also requires exterior walls that are close to lot lines, or that are bearing walls for certain types of construction, to comply with the minimum fire-resistance ratings specified in Chapters 6 and 7. The installation of each type of wall covering, be it wood, masonry, vinyl, metal composite material or an exterior insulation and finish system, is critical to its long-term performance in protecting the interior of the building from the elements and the spread of fire. Limitations on the use of combustible materials on exterior building elements such as balconies, eaves, decks and architectural trim are also addressed in this chapter.

## **Chapter 15 Roof Assemblies and Rooftop Structures**

Chapter 15 provides standards for both roof assemblies and structures that sit on top of the roofs of buildings. The criteria address roof construction and covering, including the weather-protective barrier at the roof and, in most circumstances, a fire-resistant barrier. The chapter is prescriptive in nature and is based on decades of experience with various traditional materials, but it also addresses newer products such as photovoltaic shingles. These prescriptive rules are very important for satisfying performance of one type of roof covering or another. Section 1511 addresses rooftop structures, including penthouses, tanks, towers and spires. Rooftop penthouses larger than prescribed in this chapter must be treated as a story under Chapter 5.

## **Chapter 16 Structural Design**

Chapter 16 prescribes minimum structural loading requirements for use in the design and construction of buildings and structural components. It includes minimum design loads, assignment of risk categories and permitted design methodologies. Standards are provided for minimum design loads (live, dead, snow, wind, rain, flood, ice and earthquake as well as the required load combinations). The application of these loads and adherence to the serviceability criteria will enhance the protection of life and property. The chapter references and relies on many nationally recognized design standards. A key standard is the American Society of Civil Engineers' *Minimum Design Loads for Buildings and Other Structures* (ASCE 7). Structural design must address the conditions of the site and location. Therefore, maps are provided of rainfall, seismic, snow and wind criteria in different regions.

## **Chapter 17 Special Inspections and Tests**

Chapter 17 provides a variety of procedures and criteria for testing materials and assemblies, labeling materials and assemblies and special inspection of structural assemblies. This chapter expands on the inspections of Chapter 1 by requiring special inspection where indicated and, in some cases, structural observation. It also spells out additional responsibilities for the owner, contractor, design professionals and special inspectors. Proper assembly of structural components, proper quality of materials used and proper application of materials are essential to ensuring that a building, once constructed, complies with the structural and fire-resistance minimums of the code and the approved design. To determine this compliance often requires continuous or frequent inspection and testing. Chapter 17 establishes standards for special inspection, testing and reporting of the work to the building official.

## Chapter 18 Soils and Foundations

Chapter 18 provides criteria for geotechnical and structural considerations in the selection, design and installation of foundation systems to support the loads from the structure above. This chapter includes requirements for soils investigation and site preparation for receiving a foundation, including the allowed load-bearing values for soils and for protecting the foundation from water intrusion. Section 1808 addresses the basic requirements for all foundation types. Later sections address foundation requirements that are specific to shallow foundations and deep foundations. Due care must be exercised in the planning and design of foundation systems based on obtaining sufficient soils information, the use of accepted engineering procedures, experience and good technical judgment.

## Chapter 19 Concrete

This chapter provides minimum accepted practices for the design and construction of buildings and structural components using concrete—both plain and reinforced. Chapter 19 relies primarily on the reference to American Concrete Institute (ACI) 318, *Building Code Requirements for Structural Concrete*. This chapter also includes references to additional standards. Structural concrete must be designed and constructed to comply with this code and all listed standards. There are specific sections of the chapter addressing concrete slabs, anchorage to concrete and shotcrete. Because of the variable properties of material and numerous design and construction options available in the uses of concrete, due care and control throughout the construction process is necessary.

## Chapter 20 Aluminum

Chapter 20 contains standards for the use of aluminum in building construction. Only the structural applications of aluminum are addressed. This chapter does not address the use of aluminum in specialty products such as storefront or window framing or architectural hardware. The use of aluminum in heating, ventilating or air-conditioning systems is addressed in the IMC. This chapter references national standards from the Aluminum Association for use of aluminum in building construction, AA ASM 35, *Aluminum Sheet Metal Work in Building Construction*, and AA ADM, *Aluminum Design Manual*. By utilizing the standards set forth, a proper application of this material can be obtained.

## Chapter 21 Masonry

This chapter provides comprehensive and practical requirements for masonry construction. The provisions of Chapter 21 require minimum accepted practices and the use of standards for the design and construction of masonry structures. The provisions address: material specifications and test methods; types of wall construction; criteria for engineered and empirical designs; and required details of construction, including the execution of construction. Masonry design methodologies including allowable stress design, strength design and empirical design are covered by provisions of this chapter. Also addressed are masonry fireplaces and chimneys, masonry heaters and glass unit masonry. Fire-resistant construction using masonry is also required to comply with Chapter 7. Masonry foundations are also subject to the requirements of Chapter 18.

## Chapter 22 Steel

Chapter 22 provides the requirements necessary for the design and construction of structural steel (including composite construction), cold-formed steel, steel joists, steel cable structures and steel storage racks. This chapter specifies appropriate design and construction standards for these types of structures. It also provides a road map of the applicable technical requirements for steel structures. Because steel is a noncombustible building material, it is commonly associated with Types I and II construction; however, it is permitted to be used in all types of construction. Chapter 22 requires that the design and use of steel materials be in accordance with the specifications and standards of the American Institute of Steel Construction, the American Iron and Steel Institute, the Steel Joist Institute and the American Society of Civil Engineers.

## Chapter 23 Wood

This chapter provides minimum requirements for the design of buildings and structures that use wood and wood-based products. The chapter is organized around three design methodologies: allowable stress design (ASD), load and resistance factor design (LRFD) and conventional light-frame construction. Included in this chapter are references to design and manufacturing standards for various wood and wood-based products; general construction requirements; design criteria for lateral force-resisting systems and specific requirements for the application of the three design methods. In general, only Type III, IV or V buildings may be constructed of wood.

## Chapter 24 Glass and Glazing

This chapter establishes regulations for glass and glazing that, when installed in buildings and structures, are subjected to wind, snow and dead loads. Engineering and design requirements are included in the chapter. Additional structural requirements are found in Chapter 16. Another concern of this chapter is glass and glazing used in areas where it is likely to be impacted by the occupants. Section 2406 identifies hazardous locations where glazing installed must either be safety glazing or blocked to prevent human impact. Safety glazing must meet stringent standards and be appropriately marked or identified. Additional requirements are provided for glass and glazing in guards, handrails, elevator hoistways and elevator cars, as well as in athletic facilities.

## Chapter 25 Gypsum Board, Gypsum Panel Products and Plaster

Chapter 25 contains the provisions and referenced standards that regulate the design, construction and quality of gypsum board, gypsum panel products and plaster. It also addresses reinforced gypsum concrete. These represent the most common interior and exterior finish materials in the building industry. This chapter primarily addresses quality-control-related issues with regard to material specifications and installation requirements. Most products are manufactured under the control of industry standards. The building official or inspector primarily needs to verify that the appropriate product is used and properly installed for the intended use and location. While often simply used as wall and ceiling coverings, proper design and application are necessary to provide weather resistance and required fire protection for both structural and nonstructural building components.

## Chapter 26 Plastic

The use of plastics in building construction and components is addressed in Chapter 26. This chapter provides standards addressing foam plastic insulation, foam plastics used as interior finish and trim, and other plastic veneers used on the inside or outside of a building. Plastic siding is regulated by Chapter 14. Sections 2606 through 2611 address the use of light-transmitting plastics in various configurations such as walls, roof panels, skylights, signs and as glazing. Requirements for the use of fiber-reinforced polymers, fiberglass-reinforced polymers and reflective plastic core insulation are also contained in this chapter. Additionally, requirements specific to the use of wood-plastic composites and plastic lumber are contained in this chapter. Some plastics exhibit rapid flame spread and heavy smoke density characteristics when exposed to fire. Exposure to the heat generated by a fire can cause some plastics to deform, which can affect their performance. The requirements and limitations of this chapter are necessary to control the use of plastic and foam plastic products such that they do not compromise the safety of building occupants.

## Chapter 27 Electrical

Since electrical systems and components are an integral part of almost all structures, it is necessary for the code to address the installation of such systems. For this purpose, Chapter 27 references the National Electrical Code (NEC). In addition, Section 2702 addresses emergency and standby power requirements. Such systems must comply with the *IFC* and referenced standards. This section also provides references to the various code sections requiring emergency and standby power, such as high-rise buildings and buildings containing hazardous materials.

## **Chapter 28 Mechanical Systems**

Nearly all buildings will include mechanical systems. This chapter provides references to the IMC and the IFGC for the design and installation of mechanical systems. In addition, Chapter 21 of this code is referenced for masonry chimneys, fireplaces and barbecues.

## **Chapter 29 Plumbing Systems**

Chapter 29 regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the location of the required fixtures in various types of buildings. This section requires separate facilities for males and females except for certain types of small occupancies. The regulations in this chapter come directly from Chapters 3 and 4 of the IPC.

## **Chapter 30 Elevators and Conveying Systems**

Chapter 30 provides standards for the installation of elevators into buildings. Referenced standards provide the requirements for the elevator system and mechanisms. Detailed standards are provided in the chapter for hoistway enclosures, machine rooms and requirements for sizing of elevators. Beginning in the 2015 edition of this code, the elevator lobby requirements were moved from Chapter 7 to Chapter 30 to pull all the elevator-related construction requirements together. New provisions were added in the 2009 edition for fire service access elevators required in high-rise buildings and for the optional choice of occupant evacuation elevators (see Section 403).

## **Chapter 31 Special Construction**

Chapter 31 contains a collection of regulations for a variety of unique structures and architectural features. Pedestrian walkways and tunnels connecting two buildings are addressed in Section 3104. Membrane and air-supported structures are addressed by Section 3102. Safeguards for swimming pool safety are addressed by way of reference to the ISPC in Section 3109. Standards for temporary structures, including permit requirements, are provided in Section 3103. Structures as varied as awnings, marquees, signs, telecommunication and broadcast towers and automatic vehicular gates are also addressed (see Sections 3105 through 3108 and 3110).

## **Chapter 32 Encroachments into the Public Right-of-way**

Buildings and structures from time to time are designed to extend over a property line and into the public right-of-way. Local regulations outside of the building code usually set limits to such encroachments, and such regulations take precedence over the provisions of this chapter. Standards are provided for encroachments below grade for structural support, vaults and areaways. Encroachments above grade are divided into below 8 feet, 8 feet to 15 feet, and above 15 feet, because of headroom and vehicular height issues. This includes steps, columns, awnings, canopies, marquees, signs, windows and balconies. Similar architectural features above grade are also addressed. Pedestrian walkways must also comply with Chapter 31.

## **Chapter 33 Safeguards During Construction**

Chapter 33 provides safety requirements during construction and demolition of buildings and structures. These requirements are intended to protect the public from injury and adjoining property from damage. In addition the chapter provides for the progressive installation and operation of exit stairways and standpipe systems during construction.

## **Chapter 34 Reserved**

During the 2015 code change cycle the membership voted to delete Chapter 34, Existing Structures, from this code and reference the IEBC. The provisions that were in Chapter 34 appear in the IEBC. Former Sections 3402 through 3411 appear as IEBC Chapter 4 and Section 3412 as Chapter 14.

## Chapter 35 Referenced Standards

The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 35 contains a comprehensive list of all standards that are referenced in the code, including the appendices. The standards are part of the code to the extent of the reference to the standard (see Section 102.4). Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the building official, contractor, designer and owner.

Chapter 35 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

## Appendices

Appendices are provided in the IBC to offer optional or supplemental criteria to the provisions in the main chapters of the code. Appendices provide additional information for administration of the Department of Building Safety as well as standards not typically administered by all building departments. Appendices have the same force and effect as the first 35 chapters of the IBC only when explicitly adopted by the jurisdiction.

### Appendix A Employee Qualifications

Effective administration and enforcement of the family of International Codes depends on the training and expertise of the personnel employed by the jurisdiction and their knowledge of the codes. Section 103 of the code establishes the Department of Building Safety and calls for the appointment of a building official and deputies such as plans examiners and inspectors. Appendix A provides standards for experience, training and certification for the building official and the other staff mentioned in Chapter 1.

### Appendix B Board of Appeals

Section 113 requires the establishment of a board of appeals to hear appeals regarding determinations made by the building official. Appendix B provides qualification standards for members of the board as well as operational procedures of such board.

### Appendix C Group U—Agricultural Buildings

Appendix C provides a more liberal set of standards for the construction of agricultural buildings, rather than strictly following the utility building provision, reflective of their specific usage and limited occupant load. The provisions of this appendix, when adopted, allow reasonable heights and areas commensurate with the risk of agricultural buildings.

### Appendix D Fire Districts

Fire districts have been a tool used to limit conflagration hazards in areas of a city with intense and concentrated development. More frequently used under the model codes that preceded the IBC, this appendix is provided to allow jurisdictions to continue the designation and use of fire districts. Fire district standards restrict certain occupancies within the district, as well as setting higher minimum construction standards.

## **Appendix E Supplementary Accessibility Requirements**

The Architectural and Transportation Barriers Compliance Board (U.S. Access Board) has revised and updated its accessibility guidelines for buildings and facilities covered by the Americans with Disabilities Act (ADA) and the Architectural Barriers Act (ABA). Appendix E includes scoping requirements contained in the *2010 ADA Standards for Accessible Design* that are not in Chapter 11 and not otherwise mentioned or mainstreamed throughout the code. Items in the appendix address subjects not typically addressed in building codes (for example, beds, room signage, transportation facilities).

## **Appendix F Rodentproofing**

The provisions of this appendix are minimum mechanical methods to prevent the entry of rodents into a building. These standards, when used in conjunction with cleanliness and maintenance programs, can significantly reduce the potential of rodents invading a building.

## **Appendix G Flood-resistant Construction**

Appendix G is intended to fulfill the flood-plain management and administrative requirements of the National Flood Insurance Program (NFIP) that are not included in the code. Communities that adopt the IBC and Appendix G will meet the minimum requirements of NFIP as set forth in Title 44 of the Code of Federal Regulations.

## **Appendix H Signs**

Appendix H gathers in one place the various code standards that regulate the construction and protection of outdoor signs. Whenever possible, this appendix provides standards in performance language, thus allowing the widest possible application.

## **Appendix I Patio Covers**

Appendix I provides standards applicable to the construction and use of patio covers. It is limited in application to patio covers accessory to dwelling units. Covers of patios and other outdoor areas associated with restaurants, mercantile buildings, offices, nursing homes or other nondwelling occupancies would be subject to standards in the main code and not this appendix.

## **Appendix J Grading**

Appendix J provides standards for the grading of properties. This appendix also provides standards for administration and enforcement of a grading program including permit and inspection requirements. Appendix J was originally developed in the 1960s and used for many years in jurisdictions throughout the western United States. It is intended to provide consistent and uniform code requirements anywhere grading is considered an issue.

## **Appendix K Administrative Provisions**

Appendix K primarily provides administrative provisions for jurisdictions adopting and enforcing NFPA 70—the *National Electrical Code* (NEC). The provisions contained in this appendix are compatible with administrative and enforcement provisions contained in Chapter 1 of the IBC and the other I-Codes. Annex H of NFPA 70 also contains administrative provisions for the NEC; however, some of its provisions are not compatible with IBC Chapter 1. Section K110 also contains technical provisions that are unique to this appendix and are in addition to technical standards of NFPA 70.

## **Appendix L Earthquake Recording Instrumentation**

The purpose of this appendix is to foster the collection of ground motion data, particularly from strong-motion earthquakes. When this ground motion data is synthesized, it may be useful in developing future improvements to the earthquake provisions of the IBC.

## **Appendix M Tsunami-Generated Flood Hazards**

Addressing a tsunami risk for all types of construction in a tsunami hazard zone through building code requirements would typically not be cost effective, making tsunami-resistant construction impractical at an individual building level. However, this appendix does allow the adoption and enforcement of requirements for tsunami hazard zones that regulate the presence of high-risk or high-hazard structures.

## **Appendix N Replicable Buildings**

Many jurisdictions have recognized the need for some form of expedited review process for replicable buildings. By codifying the approach contained in the ICC G1-2010 *Guideline for Replicable Buildings*, this appendix provides jurisdictions with a means of incorporating replicable building requirements into their building code adoption process. The intent is to streamline the plan review process at the local level by removing redundant reviews.

## **Appendix O Performance-based Application**

Appendix O provides an optional design, review and approval framework for use by the building official. It simply extracts the relevant administrative provisions from the ICCPC into a more concise, usable appendix format for a jurisdiction confronted with such a need. Typical uses would include cases of alternate methods in Chapter 1 and select areas of the code that require a rational analysis, such as Section 909.

# TABLE OF CONTENTS

<b>CHAPTER 1 SCOPE AND ADMINISTRATION . . . . .</b>	<b>1-1</b>	308 Institutional Group I . . . . .	3-8
<b>PART 1—SCOPE AND APPLICATION . . . . .</b>	<b>1-1</b>	309 Mercantile Group M . . . . .	3-9
Section		310 Residential Group R . . . . .	3-10
101 Scope and General Requirements . . . . .	1-1	311 Storage Group S . . . . .	3-11
102 Applicability . . . . .	1-2	312 Utility and Miscellaneous Group U. . . . .	3-12
<b>PART 2—ADMINISTRATION AND ENFORCEMENT . . . . .</b>	<b>1-2</b>	<b>CHAPTER 4 SPECIAL DETAILED REQUIREMENTS BASED ON OCCUPANCY AND USE . . . . .</b>	<b>4-1</b>
103 Code Compliance Agency . . . . .	1-2	Section	
104 Duties and Powers of Building Official. . . . .	1-2	401 Scope . . . . .	4-1
105 Permits . . . . .	1-4	402 Covered Mall and Open Mall Buildings . . . . .	4-1
106 Floor and Roof Design Loads . . . . .	1-6	403 High-rise Buildings . . . . .	4-5
107 Construction Documents . . . . .	1-6	404 Atriums . . . . .	4-8
108 Temporary Structures and Uses . . . . .	1-7	405 Underground Buildings . . . . .	4-9
109 Fees . . . . .	1-8	406 Motor-vehicle-related Occupancies . . . . .	4-10
110 Inspections . . . . .	1-8	407 Group I-2 . . . . .	4-15
111 Certificate of Occupancy . . . . .	1-9	408 Group I-3 . . . . .	4-18
112 Service Utilities . . . . .	1-10	409 Motion Picture Projection Rooms . . . . .	4-21
113 Means of Appeals . . . . .	1-10	410 Stages, Platforms and Technical Production Areas . . . . .	4-21
114 Violations . . . . .	1-10	411 Special Amusement Areas . . . . .	4-23
115 Stop Work Order . . . . .	1-10	412 Aircraft-related Occupancies . . . . .	4-24
116 Unsafe Structures and Equipment . . . . .	1-11	413 Combustible Storage . . . . .	4-28
<b>CHAPTER 2 DEFINITIONS . . . . .</b>	<b>2-1</b>	414 Hazardous Materials . . . . .	4-28
Section		415 Groups H-1, H-2, H-3, H-4 and H-5 . . . . .	4-32
201 General . . . . .	2-1	416 Spray Application of Flammable Finishes . . . . .	4-41
202 Definitions . . . . .	2-1	417 Drying Rooms . . . . .	4-42
<b>CHAPTER 3 OCCUPANCY CLASSIFICATION AND USE . . . . .</b>	<b>3-1</b>	418 Organic Coatings . . . . .	4-42
Section		419 Artificial Decorative Vegetation . . . . .	4-42
301 Scope . . . . .	3-1	420 Groups I-1, R-1, R-2, R-3 and R-4 . . . . .	4-42
302 Occupancy Classification and Use Designation . . . . .	3-1	421 Hydrogen Fuel Gas Rooms . . . . .	4-44
303 Assembly Group A . . . . .	3-1	422 Ambulatory Care Facilities . . . . .	4-44
304 Business Group B . . . . .	3-2	423 Storm Shelters . . . . .	4-45
305 Educational Group E . . . . .	3-3	424 Play Structures . . . . .	4-46
306 Factory Group F . . . . .	3-3	425 Hyperbaric Facilities . . . . .	4-46
307 High-hazard Group H . . . . .	3-4	426 Combustible Dusts, Grain Processing and Storage . . . . .	4-46
		427 Medical Gas Systems . . . . .	4-47
		428 Higher Education Laboratories . . . . .	4-48

## TABLE OF CONTENTS

### CHAPTER 5 GENERAL BUILDING HEIGHTS AND AREAS..... 5-1

#### Section

501	General.....	5-1
502	Building Address.....	5-1
503	General Building Height and Area Limitations....	5-1
504	Building Height and Number of Stories .....	5-2
505	Mezzanines and Equipment Platforms .....	5-2
506	Building Area .....	5-6
507	Unlimited Area Buildings .....	5-9
508	Mixed Use and Occupancy .....	5-12
509	Incidental Uses .....	5-14
510	Special Provisions .....	5-15

### CHAPTER 6 TYPES OF CONSTRUCTION..... 6-1

#### Section

601	General.....	6-1
602	Construction Classification .....	6-1
603	Combustible Material in Types I and II Construction.....	6-5

### CHAPTER 7 FIRE AND SMOKE PROTECTION FEATURES..... 7-1

#### Section

701	General.....	7-1
702	Multiple-use Fire Assemblies .....	7-1
703	Fire-resistance Ratings and Fire Tests .....	7-1
704	Fire-resistance Rating of Structural Members.....	7-2
705	Exterior Walls .....	7-4
706	Fire Walls .....	7-9
707	Fire Barriers.....	7-12
708	Fire Partitions .....	7-13
709	Smoke Barriers .....	7-15
710	Smoke Partitions .....	7-16
711	Floor and Roof Assemblies .....	7-16
712	Vertical Openings .....	7-17
713	Shaft Enclosures .....	7-19
714	Penetrations .....	7-20
715	Joints and Voids.....	7-23
716	Opening Protectives.....	7-24
717	Ducts and Air Transfer Openings .....	7-31
718	Concealed Spaces .....	7-37
719	Fire-resistance Requirements for Plaster.....	7-39
720	Thermal- and Sound-insulating Materials.....	7-39

721	Prescriptive Fire Resistance .....	7-40
722	Calculated Fire Resistance .....	7-65

### CHAPTER 8 INTERIOR FINISHES..... 8-1

#### Section

801	Scope.....	8-1
802	General .....	8-1
803	Wall and Ceiling Finishes.....	8-1
804	Interior Floor Finish .....	8-4
805	Combustible Materials in Types I and II Construction .....	8-5
806	Decorative Materials and Trim .....	8-5
807	Insulation.....	8-6
808	Acoustical Ceiling Systems.....	8-6

### CHAPTER 9 FIRE PROTECTION AND LIFE SAFETY SYSTEMS ..... 9-1

#### Section

901	General .....	9-1
902	Fire Pump and Riser Room Size.....	9-2
903	Automatic Sprinkler Systems .....	9-2
904	Alternative Automatic Fire-extinguishing Systems.....	9-9
905	Standpipe Systems .....	9-11
906	Portable Fire Extinguishers.....	9-14
907	Fire Alarm and Detection Systems .....	9-16
908	Emergency Alarm Systems.....	9-27
909	Smoke Control Systems .....	9-27
910	Smoke and Heat Removal.....	9-36
911	Fire Command Center .....	9-37
912	Fire Department Connections .....	9-39
913	Fire Pumps .....	9-39
914	Emergency Responder Safety Features.....	9-40
915	Carbon Monoxide Detection.....	9-40
916	Gas Detection Systems .....	9-42
917	Mass Notification Systems .....	9-42
918	Emergency Responder Communication Coverage.....	9-42

### CHAPTER 10 MEANS OF EGRESS ..... 10-1

#### Section

1001	Administration .....	10-1
1002	Maintenance and Plans.....	10-1
1003	General Means of Egress .....	10-1
1004	Occupant Load .....	10-2

1005 Means of Egress Sizing . . . . . 10-4

1006 Number of Exits and  
Exit Access Doorways . . . . . 10-5

1007 Exit and Exit Access  
Doorway Configuration . . . . . 10-8

1008 Means of Egress Illumination . . . . . 10-9

1009 Accessible Means of Egress . . . . . 10-10

1010 Doors, Gates and Turnstiles . . . . . 10-12

1011 Stairways . . . . . 10-22

1012 Ramps . . . . . 10-26

1013 Exit Signs . . . . . 10-27

1014 Handrails . . . . . 10-28

1015 Guards . . . . . 10-29

1016 Exit Access . . . . . 10-31

1017 Exit Access Travel Distance . . . . . 10-31

1018 Aisles . . . . . 10-33

1019 Exit Access Stairways and Ramps . . . . . 10-33

1020 Corridors . . . . . 10-34

1021 Egress Balconies . . . . . 10-35

1022 Exits . . . . . 10-35

1023 Interior Exit Stairways and Ramps . . . . . 10-36

1024 Exit Passageways . . . . . 10-38

1025 Luminous Egress Path Markings . . . . . 10-39

1026 Horizontal Exits . . . . . 10-40

1027 Exterior Exit Stairways and Ramps . . . . . 10-41

1028 Exit Discharge . . . . . 10-42

1029 Egress Courts . . . . . 10-43

1030 Assembly . . . . . 10-43

1031 Emergency Escape and Rescue . . . . . 10-50

**CHAPTER 11 ACCESSIBILITY . . . . . 11-1**

Section

1101 General . . . . . 11-1

1102 Compliance . . . . . 11-1

1103 Scoping Requirements . . . . . 11-1

1104 Accessible Route . . . . . 11-2

1105 Accessible Entrances . . . . . 11-3

1106 Parking and Passenger Loading Facilities . . . . . 11-4

1107 Motor-vehicle-related Facilities . . . . . 11-5

1108 Dwelling Units and Sleeping Units . . . . . 11-5

1109 Special Occupancies . . . . . 11-9

1110 Other Features and Facilities . . . . . 11-11

1111 Recreational Facilities . . . . . 11-15

1112 Signage . . . . . 11-17

**CHAPTER 12 INTERIOR ENVIRONMENT . . . . 12-1**

Section

1201 General . . . . . 12-1

1202 Ventilation . . . . . 12-1

1203 Temperature Control . . . . . 12-4

1204 Lighting . . . . . 12-4

1205 Yards or Courts . . . . . 12-4

1206 Sound Transmission . . . . . 12-5

1207 Enhanced Classroom Acoustics . . . . . 12-5

1208 Interior Space Dimensions . . . . . 12-5

1209 Access to Unoccupied Spaces . . . . . 12-6

1210 Toilet and Bathroom Requirements . . . . . 12-6

**CHAPTER 13 ENERGY EFFICIENCY . . . . . 13-1**

Section

1301 General . . . . . 13-1

**CHAPTER 14 EXTERIOR WALLS . . . . . 14-1**

Section

1401 General . . . . . 14-1

1402 Performance Requirements . . . . . 14-1

1403 Materials . . . . . 14-2

1404 Installation of Wall Coverings . . . . . 14-3

1405 Combustible Materials on the  
Exterior Side of Exterior Walls . . . . . 14-9

1406 Metal Composite Materials (MCM) . . . . . 14-10

1407 Exterior Insulation and  
Finish Systems (EIFS) . . . . . 14-10

1408 High-pressure Decorative Exterior-grade  
Compact Laminates (HPL) . . . . . 14-11

1409 Plastic Composite Decking . . . . . 14-12

**CHAPTER 15 ROOF ASSEMBLIES AND  
ROOFTOP STRUCTURES . . . . . 15-1**

Section

1501 General . . . . . 15-1

1502 Roof Drainage . . . . . 15-1

1503 Weather Protection . . . . . 15-1

1504 Performance Requirements . . . . . 15-2

1505 Fire Classification . . . . . 15-3

1506 Materials . . . . . 15-4

1507 Requirements for Roof Coverings . . . . . 15-4

1508 Roof Insulation . . . . . 15-16

1509 Roof Coatings . . . . . 15-16

1510 Radiant Barriers Installed Above Deck . . . . . 15-17

## TABLE OF CONTENTS

1511	Rooftop Structures . . . . .	15-17
1512	Reroofing . . . . .	15-19

### CHAPTER 16 STRUCTURAL DESIGN . . . . . 16-1

#### Section

1601	General . . . . .	16-1
1602	Notations. . . . .	16-1
1603	Construction Documents . . . . .	16-1
1604	General Design Requirements . . . . .	16-2
1605	Load Combinations. . . . .	16-6
1606	Dead Loads . . . . .	16-6
1607	Live Loads . . . . .	16-7
1608	Snow Loads . . . . .	16-15
1609	Wind Loads. . . . .	16-15
1610	Soil Loads and Hydrostatic Pressure . . . . .	16-33
1611	Rain Loads . . . . .	16-33
1612	Flood Loads . . . . .	16-34
1613	Earthquake Loads . . . . .	16-40
1614	Atmospheric Ice Loads. . . . .	16-43
1615	Tsunami Loads . . . . .	16-43
1616	Structural Integrity . . . . .	16-43

### CHAPTER 17 SPECIAL INSPECTIONS AND TESTS . . . . . 17-1

#### Section

1701	General . . . . .	17-1
1702	New Materials. . . . .	17-1
1703	Approvals . . . . .	17-1
1704	Special Inspections and Tests, Contractor Responsibility and Structural Observation. . . . .	17-2
1705	Required Special Inspections and Tests . . . . .	17-4
1706	Design Strengths of Materials . . . . .	17-13
1707	Alternative Test Procedure . . . . .	17-13
1708	In-situ Load Tests . . . . .	17-13
1709	Preconstruction Load Tests . . . . .	17-14

### CHAPTER 18 SOILS AND FOUNDATIONS . . . . 18-1

#### Section

1801	General . . . . .	18-1
1802	Design Basis . . . . .	18-1
1803	Geotechnical Investigations . . . . .	18-1
1804	Excavation, Grading and Fill . . . . .	18-3
1805	Dampproofing and Waterproofing . . . . .	18-4
1806	Presumptive Load-bearing Values of Soils . . . .	18-6

1807	Foundation Walls, Retaining Walls and Embedded Posts and Poles . . . . .	18-6
1808	Foundations . . . . .	18-12
1809	Shallow Foundations . . . . .	18-15
1810	Deep Foundations. . . . .	18-17

### CHAPTER 19 CONCRETE. . . . . 19-1

#### Section

1901	General . . . . .	19-1
1902	Coordination of Terminology . . . . .	19-1
1903	Specifications for Tests and Materials . . . . .	19-2
1904	Durability Requirements . . . . .	19-2
1905	Modifications to ACI 318 . . . . .	19-2
1906	Footings for Light-frame Construction . . . . .	19-5
1907	Minimum Slab Provisions . . . . .	19-5
1908	Shotcrete. . . . .	19-5

### CHAPTER 20 ALUMINUM . . . . . 20-1

#### Section

2001	General . . . . .	20-1
2002	Materials. . . . .	20-1

### CHAPTER 21 MASONRY. . . . . 21-1

#### Section

2101	General . . . . .	21-1
2102	Notations . . . . .	21-1
2103	Masonry Construction Materials . . . . .	21-1
2104	Construction. . . . .	21-2
2105	Quality Assurance . . . . .	21-2
2106	Seismic Design. . . . .	21-2
2107	Allowable Stress Design . . . . .	21-2
2108	Strength Design of Masonry . . . . .	21-3
2109	Empirical Design of Adobe Masonry . . . . .	21-3
2110	Glass Unit Masonry . . . . .	21-5
2111	Masonry Fireplaces . . . . .	21-6
2112	Masonry Heaters . . . . .	21-8
2113	Masonry Chimneys . . . . .	21-9
2114	Dry-stack Masonry. . . . .	21-13

### CHAPTER 22 STEEL. . . . . 22-1

#### Section

2201	General . . . . .	22-1
2202	Identification of Steel for Structural Purposes. . . . .	22-1
2203	Protection of Steel for Structural Purposes. . . . .	22-1

2204	Connections . . . . .	22-1	2505	Shear Wall Construction . . . . .	25-1
2205	Structural Steel . . . . .	22-1	2506	Gypsum Board and Gypsum Panel Product Materials . . . . .	25-1
2206	Composite Structural Steel and Concrete Structures . . . . .	22-2	2507	Lathing and Plastering . . . . .	25-2
2207	Steel Joists . . . . .	22-2	2508	Gypsum Construction . . . . .	25-2
2208	Steel Cable Structures . . . . .	22-3	2509	Showers and Water Closets . . . . .	25-4
2209	Steel Storage Racks . . . . .	22-3	2510	Lathing and Furring for Cement Plaster (Stucco) . . . . .	25-4
2210	Cold-formed Steel . . . . .	22-3	2511	Interior Plaster . . . . .	25-5
2211	Cold-formed Steel Light-frame Construction . . . . .	22-4	2512	Exterior Plaster . . . . .	25-5
<b>CHAPTER 23 WOOD . . . . . 23-1</b>			2513	Exposed Aggregate Plaster . . . . .	25-6
Section			2514	Reinforced Gypsum Concrete . . . . .	25-7
2301	General . . . . .	23-1	<b>CHAPTER 26 PLASTIC . . . . . 26-1</b>		
2302	Design Requirements . . . . .	23-1	Section		
2303	Minimum Standards and Quality . . . . .	23-1	2601	General . . . . .	26-1
2304	General Construction Requirements . . . . .	23-10	2602	Finish and Trim . . . . .	26-1
2305	General Design Requirements for Lateral Force-resisting Systems . . . . .	23-23	2603	Foam Plastic Insulation . . . . .	26-1
2306	Allowable Stress Design . . . . .	23-25	2604	Interior Finish and Trim . . . . .	26-7
2307	Load and Resistance Factor Design . . . . .	23-26	2605	Plastic Veneer . . . . .	26-7
2308	Conventional Light-frame Construction . . . . .	23-26	2606	Light-transmitting Plastics . . . . .	26-8
2309	Wood Frame Construction Manual . . . . .	23-58	2607	Light-transmitting Plastic Wall Panels . . . . .	26-9
<b>CHAPTER 24 GLASS AND GLAZING . . . . . 24-1</b>			2608	Light-transmitting Plastic Glazing . . . . .	26-10
Section			2609	Light-transmitting Plastic Roof Panels . . . . .	26-11
2401	General . . . . .	24-1	2610	Light-transmitting Plastic Skylight Glazing . . . . .	26-11
2402	Glazing Replacement . . . . .	24-1	2611	Light-transmitting Plastic Interior Signs . . . . .	26-12
2403	General Requirements for Glass . . . . .	24-1	2612	Plastic Composites . . . . .	26-12
2404	Wind, Snow, Seismic and Dead Loads on Glass . . . . .	24-1	2613	Fiber-reinforced Polymer . . . . .	26-13
2405	Sloped Glazing and Skylights . . . . .	24-3	2614	Reflective Plastic Core Insulation . . . . .	26-13
2406	Safety Glazing . . . . .	24-4	<b>CHAPTER 27 ELECTRICAL . . . . . 27-1</b>		
2407	Glass in Handrails and Guards . . . . .	24-6	Section		
2408	Glazing in Athletic Facilities . . . . .	24-7	2701	General . . . . .	27-1
2409	Glass in Walkways, Elevator Hoistways and Elevator Cars . . . . .	24-7	2702	Emergency and Standby Power Systems . . . . .	27-1
<b>CHAPTER 25 GYPSUM BOARD, GYPSUM PANEL PRODUCTS AND PLASTER . . . . . 25-1</b>			<b>CHAPTER 28 MECHANICAL SYSTEMS . . . . . 28-1</b>		
Section			Section		
2501	General . . . . .	25-1	2801	General . . . . .	28-1
2502	Performance . . . . .	25-1	<b>CHAPTER 29 PLUMBING SYSTEMS . . . . . 29-1</b>		
2503	Inspection . . . . .	25-1	Section		
2504	Vertical and Horizontal Assemblies . . . . .	25-1	2901	General . . . . .	29-1
			2902	Minimum Plumbing Facilities . . . . .	29-1
			2903	Installation of Fixtures . . . . .	29-6

**TABLE OF CONTENTS**

**CHAPTER 30 ELEVATORS AND CONVEYING SYSTEMS . . . . . 30-1**

Section

3001 General . . . . . 30-1  
3002 Hoistway Enclosures . . . . . 30-1  
3003 Emergency Operations . . . . . 30-2  
3004 Conveying Systems . . . . . 30-2  
3005 Machine Rooms . . . . . 30-3  
3006 Elevator Lobbies and Hoistway Opening Protection. . . . . 30-3  
3007 Fire Service Access Elevator . . . . . 30-4  
3008 Occupant Evacuation Elevators . . . . . 30-6

**CHAPTER 31 SPECIAL CONSTRUCTION . . . . . 31-1**

Section

3101 General . . . . . 31-1  
3102 Membrane Structures . . . . . 31-1  
3103 Temporary Structures . . . . . 31-2  
3104 Pedestrian Walkways and Tunnels . . . . . 31-3  
3105 Awnings and Canopies . . . . . 31-4  
3106 Marquees . . . . . 31-4  
3107 Signs . . . . . 31-5  
3108 Telecommunication and Broadcast Towers . . . . . 31-5  
3109 Swimming Pools, Spas and Hot Tubs . . . . . 31-5  
3110 Automatic Vehicular Gates . . . . . 31-5  
3111 Solar Energy Systems . . . . . 31-5  
3112 Greenhouses . . . . . 31-5  
3113 Relocatable Buildings . . . . . 31-6  
3114 Public Use Restroom Buildings in Flood Hazard Areas . . . . . 31-6  
3115 Intermodal Shipping Containers . . . . . 31-7

**CHAPTER 32 ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY. . . . . 32-1**

Section

3201 General . . . . . 32-1  
3202 Encroachments . . . . . 32-1

**CHAPTER 33 SAFEGUARDS DURING CONSTRUCTION . . . . . 33-1**

Section

3301 General . . . . . 33-1  
3302 Construction Safeguards . . . . . 33-1  
3303 Demolition . . . . . 33-1  
3304 Site Work . . . . . 33-1

3305 Sanitary . . . . . 33-2  
3306 Protection of Pedestrians . . . . . 33-2  
3307 Protection of Adjoining Property . . . . . 33-3  
3308 Temporary Use of Streets, Alleys and Public Property . . . . . 33-3  
3309 Fire Extinguishers . . . . . 33-4  
3310 Means of Egress . . . . . 33-4  
3311 Standpipes . . . . . 33-4  
3312 Automatic Sprinkler System . . . . . 33-4  
3313 Water Supply for Fire Protection . . . . . 33-4  
3314 Fire Watch During Construction . . . . . 33-5

**CHAPTER 34 RESERVED . . . . . 34-1**

**CHAPTER 35 REFERENCED STANDARDS. . . . . 35-1**

**APPENDIX A EMPLOYEE QUALIFICATIONS. . . . . A-1**

Section

A101 Building Official Qualifications . . . . . A-1  
A102 Referenced Standards . . . . . A-1

**APPENDIX B BOARD OF APPEALS . . . . . B-1**

Section

B101 General . . . . . B-1

**APPENDIX C GROUP U—AGRICULTURAL BUILDINGS. . . . . C-1**

Section

C101 General . . . . . C-1  
C102 Allowable Height and Area . . . . . C-1  
C103 Mixed Occupancies . . . . . C-1  
C104 Exits . . . . . C-1

**APPENDIX D FIRE DISTRICTS . . . . . D-1**

Section

D101 General . . . . . D-1  
D102 Building Restrictions . . . . . D-1  
D103 Changes to Buildings . . . . . D-2  
D104 Buildings Located Partially in the Fire District . . . . . D-2  
D105 Exceptions to Restrictions in Fire District . . . . . D-2  
D106 Referenced Standards . . . . . D-3

**APPENDIX E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS . . . . . E-1**

Section

E101 General . . . . . E-1

E102 Definitions . . . . . E-1

E103 Accessible Route. . . . . E-1

E104 Special Occupancies . . . . . E-1

E105 Other Features and Facilities . . . . . E-2

E106 Telephones . . . . . E-2

E107 Signage . . . . . E-3

E108 Bus Stops . . . . . E-4

E109 Transportation Facilities and Stations. . . . . E-4

E110 Airports . . . . . E-5

E111 Referenced Standards . . . . . E-5

**APPENDIX F RODENTPROOFING . . . . . F-1**

Section

F101 General . . . . . F-1

**APPENDIX G FLOOD-RESISTANT CONSTRUCTION . . . . . G-1**

Section

G101 Administration . . . . . G-1

G102 Definitions . . . . . G-1

G103 Applicability . . . . . G-2

G104 Powers and Duties . . . . . G-2

G105 Permits . . . . . G-3

G106 Variances . . . . . G-3

G107 Subdivisions . . . . . G-4

G108 Site Improvement . . . . . G-5

G109 Manufactured Homes . . . . . G-5

G110 Recreational Vehicles . . . . . G-5

G111 Tanks. . . . . G-5

G112 Other Building Work . . . . . G-6

G113 Temporary Structures and Temporary Storage . . . . . G-6

G114 Utility and Miscellaneous Group U . . . . . G-6

G115 Referenced Standards . . . . . G-7

**APPENDIX H SIGNS . . . . . H-1**

Section

H101 General . . . . . H-1

H102 Definitions . . . . . H-1

H103 Location . . . . . H-1

H104 Identification . . . . . H-2

H105 Design and Construction . . . . . H-2

H106 Electrical. . . . . H-2

H107 Combustible Materials . . . . . H-2

H108 Animated Devices . . . . . H-2

H109 Ground Signs . . . . . H-3

H110 Roof Signs . . . . . H-3

H111 Wall Signs . . . . . H-3

H112 Projecting Signs . . . . . H-3

H113 Marquee Signs . . . . . H-4

H114 Portable Signs. . . . . H-4

H115 Thickness of Signs . . . . . H-4

H116 Referenced Standards. . . . . H-4

**APPENDIX I PATIO COVERS . . . . . I-1**

Section

I101 General . . . . . I-1

I102 Definition . . . . . I-1

I103 Exterior Walls and Openings . . . . . I-1

I104 Height. . . . . I-1

I105 Structural Provisions . . . . . I-1

**APPENDIX J GRADING. . . . . J-1**

Section

J101 General . . . . . J-1

J102 Definitions . . . . . J-1

J103 Permits Required . . . . . J-1

J104 Permit Application and Submittals. . . . . J-2

J105 Inspections . . . . . J-2

J106 Excavations . . . . . J-2

J107 Fills. . . . . J-2

J108 Setbacks . . . . . J-2

J109 Drainage and Terracing . . . . . J-4

J110 Erosion Control . . . . . J-4

J111 Referenced Standards. . . . . J-4

**APPENDIX K ADMINISTRATIVE PROVISIONS. . . . . K-1**

Section

K101 General . . . . . K-1

K102 Applicability. . . . . K-1

K103 Permits . . . . . K-1

K104 Construction Documents . . . . . K-2

**TABLE OF CONTENTS**

K105 Alternative Engineered Design . . . . . K-2  
K106 Required Inspections . . . . . K-2  
K107 Prefabricated Construction . . . . . K-2  
K108 Testing . . . . . K-3  
K109 Reconnection . . . . . K-3  
K110 Condemning Electrical Systems . . . . . K-3  
K111 Electrical Provisions . . . . . K-3

**RESOURCE A RECOMMENDED  
PRACTICES FOR  
REMOTE VIRTUAL  
INSPECTIONS (RVI) . . . Resource A-1**

**APPENDIX L EARTHQUAKE RECORDING  
INSTRUMENTATION . . . . . L-1**

Section  
L101 General . . . . . L-1

**APPENDIX M TSUNAMI-GENERATED  
FLOOD HAZARDS . . . . . M-1**

Section  
M101 Refuge Structures for Vertical  
Evacuation from Tsunami-generated  
Flood Hazards . . . . . M-1  
M102 Referenced Standards . . . . . M-1

**APPENDIX N REPLICABLE  
BUILDINGS . . . . . N-1**

Section  
N101 Administration . . . . . N-1  
N102 Definitions . . . . . N-1  
N103 Replicable Design  
Requirements . . . . . N-1  
N104 Replicable Design Submittal  
Requirements . . . . . N-1  
N105 Review and Approval of  
Replicable Design . . . . . N-2  
N106 Site-specific Application of  
Approved Replicable Design . . . . . N-2  
N107 Site-specific Review and Approval of  
Replicable Design . . . . . N-2

**APPENDIX O PERFORMANCE-BASED  
APPLICATION . . . . . O-1**

Section  
O101 General . . . . . O-1

**INDEX . . . . . INDEX-1**