

2 0 1 8

INTERNATIONAL CODES®

**2018 I-CODE BONUS OFFER**

Get a **free 45-day online subscription** to ICC's *premiumACCESS*™ 2018 I-Codes Complete Collection. Test drive many powerful, time-saving tools available to you from *premiumACCESS*. To activate your bonus, visit [www.iccsafe.org/codebonus](http://www.iccsafe.org/codebonus)

# IRC®

A Member of the International Code Family®

**INCLUDES**

Residential requirements from NFPA 70: National Electrical Code® 2017  
*The electrical code designated for use with the I-Codes®*

INTERNATIONAL

**RESIDENTIAL CODE®** for One- and Two-Family Dwellings



2018 International Residential Code®

First Printing: August 2017

ISBN: 978-1-60983-737-2 (soft-cover edition)  
ISBN: 978-1-60983-736-5 (loose-leaf edition)

COPYRIGHT © 2017

INTERNATIONAL CODE COUNCIL, INC.

Date of First Publication: August 31, 2017

ALL RIGHTS RESERVED. This 2018 *International Residential Code*® is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage retrieval system). For information on use rights and permissions, please contact: Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: "International Code Council," the "International Code Council" logo, "ICC," the "ICC" logo, "International Residential Code," "IRC" and other names and trademarks appearing in this book are trademarks of the International Code Council, Inc. and/or its licensors (as applicable), and may not be used without permission.

PRINTED IN THE U.S.A.

# PREFACE

## Introduction

The *International Residential Code*® (IRC®) establishes minimum requirements for one- and two-family dwellings and townhouses using prescriptive provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2018 edition is fully compatible with all of the *International Codes*® (I-Codes®) published by the International Code Council® (ICC®), including the *International Building Code*®, *International Energy Conservation Code*®, *International Existing Building Code*®, *International Fire Code*®, *International Fuel Gas Code*®, *International Green Construction Code*®, *International Mechanical Code*®, *International Plumbing Code*®, *International Private Sewage Disposal Code*®, *International Property Maintenance Code*®, *International Swimming Pool and Spa Code*®, *International Village and Urban Interface Code*®, *International Zoning Code*® and *International Code Council Performance Code*®.

The I-Codes, including this *International Residential Code*, are used in a variety of ways in both the public and private sectors. Most industry professionals are familiar with the I-Codes as the basis of laws and regulations in communities across the U.S. and in other countries. However, the impact of the codes extends well beyond the regulatory arena, as they are used in a variety of nonregulatory settings, including:

- Voluntary compliance programs such as those promoting sustainability, energy efficiency and disaster resistance.
- The insurance industry, to estimate and manage risk, and as a tool in underwriting and rate decisions.
- Certification and credentialing of individuals involved in the fields of building design, construction and safety.
- Certification of building and construction-related products.
- U.S. federal agencies, to guide construction in an array of government-owned properties.
- Facilities management.
- “Best practices” benchmarks for designers and builders, including those who are engaged in projects in jurisdictions that do not have a formal regulatory system or a governmental enforcement mechanism.
- College, university and professional school textbooks and curricula.
- Reference works related to building design and construction.

In addition to the codes themselves, the code development process brings together building professionals on a regular basis. It provides an international forum for discussion and deliberation about building design, construction methods, safety, performance requirements, technological advances and innovative products.

## Development

This 2018 edition presents the code as originally issued, with changes reflected in the 2003 through 2015 editions and further changes approved by the ICC Code Development Process through 2017. Residential electrical provisions are based on the 2017 *National Electrical Code*® (NFPA 70). A new edition such as this is promulgated every 3 years.

Fuel gas provisions have been included through an agreement with the American Gas Association (AGA). Electrical provisions have been included through an agreement with the National Fire Protection Association (NFPA).

This code is founded on principles intended to establish provisions consistent with the scope of a residential code that adequately protects public health, safety and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

## Maintenance

The *International Residential Code* is kept up-to-date through the review of proposed changes submitted by code enforcement officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The ICC Code Development Process reflects principles of openness, transparency, fairness, due process and consensus, the principles embodied in OMB Circular A-119, which governs the federal government's use of private-sector standards. The ICC process is open to anyone; there is no cost to participate, and people can participate without travel cost through the ICC's cloud-based app, *cdp-Access*®. A broad cross section of interests are represented in the ICC Code Development Process. The codes, which are updated regularly, include safeguards that allow for emergency action when required for health and safety reasons.

In order to ensure that organizations with a direct and material interest in the codes have a voice in the process, the ICC has developed partnerships with key industry segments that support the ICC's important public safety mission. Some code development committee members were nominated by the following industry partners and approved by the ICC Board:

- National Association of Home Builders (NAHB)
- National Council of Structural Engineers' Association (NCSEA)

The code development committees evaluate and make recommendations regarding proposed changes to the codes. Their recommendations are then subject to public comment and council-wide votes. The ICC's governmental members—public safety officials who have no financial or business interest in the outcome—cast the final votes on proposed changes.

The contents of this work are subject to change through the code development cycles and by any governmental entity that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the International Code Council.

The maintenance process for the fuel gas provisions is based on the process used to maintain the *International Fuel Gas Code*, in conjunction with the American Gas Association. The maintenance process for the mechanical provisions is undertaken by the National Fire Protection Association.

While the Code development procedure is thorough and comprehensive, the ICC, its members and those participating in the development of the codes disclaim any liability resulting from the publication or use of the I-Codes, or from compliance or noncompliance with their provisions. The ICC does not have the power or authority to police or enforce compliance with the contents of this code.

## Code Development Committee Responsibilities

In each code development cycle, proposed changes to the code are considered at the Committee Action Hearings by the applicable International Code Development Committee as follows:

- [RB] = IRC—Building Code Development Committee
- [RE] = International Residential Energy Conservation Code Development Committee;
- [MP] = IRC—Mechanical/Plumbing Code Development Committee

The [RE] committee is also responsible for the IECC—Residential Provisions and Appendix T.

For the development of the 2021 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years.

<b>Group A Codes (Heard in 2018, Code Change Proposals Deadline: January 8, 2018)</b>	<b>Group B Codes (Heard in 2019, Code Change Proposals Deadline: January 7, 2019)</b>
<b>International Building Code</b> – Egress (Chapters 10, 11, Appendix E) – Fire Safety (Chapters 7, 8, 9, 14, 26) – General (Chapters 2–6, 12, 27–33, Appendices A, B, C, D, K, N)	Administrative Provisions (Chapter 1 of I-Codes except IECC, IRC and IgCC, administrative updates to currently referenced standards, and designated definitions)
<b>International Fire Code</b>	<b>International Building Code</b> – Structural (Chapters 15–25, Appendices F, G, H, I, J, L, M)
<b>International Fuel Gas Code</b>	<b>International Existing Building Code</b>
<b>International Mechanical Code</b>	<b>International Energy Conservation Code—Commercial</b>
<b>International Plumbing Code</b>	<b>International Energy Conservation Code—Residential</b> – IECC—Residential – IRC—Energy (Chapter 11)
<b>International Property Maintenance Code</b>	<b>International Green Construction Code</b> (Chapter 1)
<b>International Private Sewage Disposal Code</b>	<b>International Residential Code</b> – IRC—Building (Chapters 1–10, Appendices E, F, H, J, K, L, M, O, Q, R, S, T)
<b>International Residential Code</b> – IRC—Mechanical (Chapters 12–23) – IRC—Plumbing (Chapters 25–33, Appendices G, I, N, P)	
<b>International Swimming Pool and Spa Code</b>	
<b>International Wildland-Urban Interface Code</b>	
<b>International Zoning Code</b>	
<b>Note:</b> Proposed changes to the ICC <i>Performance Code</i> ™ will be heard by the code development committee noted in brackets [ ] in the text of the ICC <i>Performance Code</i> ™.	

Code change proposals submitted to Chapters 1 and 3 through 10, Appendices E, F, H, J, K, L, M, O, Q, R, S, T and Definitions designated [RB] of the *International Residential Code* are heard by the IRC—Building Committee during the Group B (2019) cycle code development hearing. Code change proposals submitted to Chapter 11 are heard by the International Energy Conservation Code Development Committee during the Group B (2019) cycle code development hearing. Proposed changes to all other chapters are heard by the IRC Plumbing and Mechanical Committee during the Group A (2018) code development cycle.

It is very important that anyone submitting code change proposals understand which code development committee is responsible for the section of the code that is the subject of the code change proposal. For further information on the code development committee responsibilities, please visit the ICC website at [www.iccsafe.org/scoping](http://www.iccsafe.org/scoping).

## Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2015 edition. Deletion indicators in the form of an arrow (➔) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a table has been deleted.

A single asterisk [\*] placed in the margin indicates that text or a table has been relocated within the code. A double asterisk [\*\*] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2018 edition of the *International Residential Code*.

2018 LOCATION	2015 LOCATION
R703.3.1.2	R703.11.1.4

## Coordination of the International Codes

The coordination of technical provisions is one of the strengths of the ICC family of model codes. The codes can be used as a complete set of complementary documents, which will provide users with full integration and coordination of technical provisions. Individual codes can also be used in subsets or as stand-alone documents. To make sure that each individual code is as complete as possible, some technical provisions that are relevant to more than one subject area are duplicated in some of the model codes. This allows users maximum flexibility in their application of the I-Codes.

## Italicized Terms

Selected words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definition applies. Where such words and terms are not italicized, common-use definitions apply. The words and terms selected for code-specific definitions that the user should read carefully to facilitate better understanding of the code.

## Adoption

The International Code Council maintains a copyright in all of its codes and standards. Maintaining copyright allows the ICC to fund its mission through sales of books, in both print and electronic formats. The ICC welcomes adoption of its codes by jurisdictions that recognize and acknowledge the ICC's copyright in the code, and further acknowledge the substantial shared value of the public/private partnership for code development between jurisdictions and the ICC.

The ICC also recognizes the need for jurisdictions to make laws available to the public. All I-Codes and I-Standards, along with the laws of many jurisdictions, are available for free in a nondownloadable form on the ICC's website. Jurisdictions should contact the ICC at [adoption@iccsafe.org](mailto:adoption@iccsafe.org) to learn how to adopt and distribute laws based on the *International Residential Code* in a manner that provides necessary access, while maintaining the ICC's copyright.

To facilitate adoption, several sections of this code contain blanks for fill-in information that needs to be supplied by the adopting jurisdiction as part of the adoption legislation. For this code, please see:

Section R101.1. Insert: [NAME OF JURISDICTION]

Table R301.2(1)—Jurisdictions to fill in details as directed by provisions of the code.

Section P2603.5.1 Insert: [NUMBER OF INCHES IN TWO LOCATIONS]

# EFFECTIVE USE OF THE INTERNATIONAL RESIDENTIAL CODE

## Effective Use of the International Residential Code

The *International Residential Code*® (IRC®) was created to serve as a complete, comprehensive code regulating the construction of single-family houses, two-family houses (duplexes) and buildings consisting of three or more townhouse units. All buildings within the scope of the IRC are limited to three stories above grade plane. For example, a four-story single-family house would fall within the scope of the *International Building Code*® (IBC®), not the IRC. The benefits of devoting a separate code to residential construction include the fact that the user need not wade through a multitude of code provisions that do not apply to residential construction in order to locate that which is applicable. A separate code also allows for residential and nonresidential code provisions to be distinct and tailored to the structures that fall within the appropriate code's scopes.

The IRC contains coverage for all components of a house or townhouse, including structural components, fireplaces and chimneys, thermal insulation, mechanical systems, fuel gas systems, plumbing systems and electrical systems.

The IRC is a prescriptive-oriented (specification) code with some examples of performance code language. It has been said that the IRC is the complete “cookbook” for residential construction. Section R301.1, for example, is written in performance language, but states that the prescriptive requirements of the code will achieve such performance.

It is important to understand that the IRC contains coverage for what is conventional and common in residential construction practice. While the IRC will provide all of the needed coverage for most residential construction, it might not address construction practices and systems that are atypical or rarely encountered in the industry. Sections such as R301.1.3, R301.2.2.1.1, R320.1, M1301.1, G2401.1 and P2601.1 refer to other codes either as an alternative to the provisions of the IRC or where the IRC lacks coverage for a particular type of structure, design, system, appliance or method of construction. In other words, the IRC is meant to be all inclusive for typical residential construction and it relies on other codes only where alternatives are desired or where the code lacks coverage for the uncommon aspect of residential construction. Of course, the IRC constantly evolves to address new technologies and construction practices that were once uncommon, but are now common.

The IRC is unique in that much of it, including Chapters 3 through 9 and Chapters 34 through 43, is presented in an ordered format that is consistent with the normal progression of construction, starting with the design phase and continuing through the final trim-out phase. This is consistent with the “cookbook” philosophy of the IRC.

The IRC is divided into eight main parts, specifically: Part I—Administration; Part II—Definitions; Part III—Building Planning and Construction; Part IV—Energy Conservation; Part V—Mechanical; Part VI—Fuel Gas; Part VII—Plumbing; and Part VIII—Electrical.

The following provides a brief description of the content of each chapter and appendix of the IRC:

**Chapter 1 Scope and Administration.** This chapter contains provisions for the application, enforcement and administration of subsequent requirements of the code. In addition to establishing the scope of the code, Chapter 1 identifies which buildings and structures come under its purview. Chapter 1 is largely concerned with maintaining “due process of law” in enforcing the building criteria contained in the body of the code. Only through careful observation of the administrative provisions can the building official reasonably expect to demonstrate that “equal protection under the law” has been provided.

**Chapter 2 Definitions.** Terms defined in the code are listed alphabetically in Chapter 2. It is important to note that two chapters have their own definitions sections: Chapter 11 for the defined terms unique to energy conservation, Chapter 24 for the defined terms that are unique to fuel gas and Chapter 35 containing terms that are applicable to electrical Chapters 34 through 43. Where Chapter 24 or 35 defines a term differently than it is defined in Chapter 2, the definition applies in that chapter only. Chapter 2 definitions apply in all other locations in the code.

Where understanding a term's definition is key to or necessary for understanding a particular code provision, the term is shown in italics where it appears in the code. This is true only for those terms that have a meaning that is unique to the code. In other words, the generally understood meaning of a term or phrase might not be sufficient or consistent with the meaning prescribed by the code; therefore, it is essential that the code-defined meaning be known.

Guidance regarding not only tense, gender and plurality of defined terms, but also terms not defined in this code, is provided.

**Chapter 3 Building Planning.** Chapter 3 provides guidelines for a minimum level of structural integrity, life safety, fire safety and livability for inhabitants of dwelling units regulated by this code. Chapter 3 is a compilation of the code requirements specific to the building planning sector of the design and construction process. This chapter sets forth code requirements dealing with light, ventilation, sanitation, minimum room size, ceiling height and environmental comfort. Chapter 3 establishes life-safety provisions including limitations on glazing used in hazardous areas, specifications on stairways, use of guards at elevated surfaces, window and fall protection, and egress for means of egress. Snow, wind and seismic design live and dead loads and flood-resistant construction, as well as solar energy systems, and swimming pools, spas and hot tubs, are addressed in this chapter.

**Chapter 4 Foundations.** Chapter 4 provides the requirements for the design and construction of foundation systems for buildings regulated by this code. Provisions for seismic load, flood load and frost protection are contained in this chapter. A foundation system consists of two interdependent components: the foundation structure itself and the supporting soil.

The prescriptive provisions of this chapter provide requirements for constructing footings and walls for foundations of wood, masonry, concrete and cast-in-place concrete. In addition to a foundation's ability to support the required design loads, this chapter addresses several other factors that can affect foundation performance. These include controlling surface water and subsurface drainage, requiring soil tests where conditions warrant, and evaluating proximity to slopes and minimum depth requirements. The chapter also provides requirements to minimize adverse effects of moisture, decay and pests in basements and crawl spaces.

**Chapter 5 Floors.** Chapter 5 provides the requirements for the design and construction of floor systems that will be capable of supporting minimum required design loads. This chapter covers four different types: wood floor framing, wood floors on the ground, cold-formed steel floor framing and concrete slabs on the ground. Allowable span tables are provided that greatly simplify the determination of joist, girder and sheathing sizes for raised floor systems of wood framing and cold-formed steel framing. This chapter also contains prescriptive requirements for wood-framed exterior decks and their attachment to the main building.

**Chapter 6 Wall Construction.** Chapter 6 contains provisions that regulate the design and construction of walls. The wall construction covered in Chapter 6 consists of five different types: wood framed, cold-formed steel framed, masonry, concrete and structural insulated panel (SIP). The primary concern of this chapter is the structural integrity of wall construction and transfer of all imposed loads to the supporting structure. This chapter provides the requirements for the design and construction of wall systems that are capable of supporting the minimum design vertical loads (dead, live and snow loads) and lateral loads (wind or seismic loads). This chapter contains the prescriptive requirements for wall bracing and/or shear walls to resist the imposed lateral loads due to wind and seismic.

Chapter 6 also regulates exterior windows and doors installed in walls. This chapter contains criteria for the performance of exterior windows and doors and includes provisions for testing and labeling, garage doors, wind-borne debris protection and anchorage details.

**Chapter 7 Wall Covering.** Chapter 7 contains provisions for the design and construction of interior and exterior wall coverings. This chapter establishes the various types of materials, materials standards and methods of application permitted for use as interior coverings, including interior plaster, gypsum board, ceramic tile, wood veneer paneling, hardboard paneling, wood shakes and wood shingles. Chapter 7 also contains requirements for the use of vapor retarders for moisture control in walls.

Exterior wall coverings provide the weather-resistant exterior envelope that protects the building's interior from the elements. Chapter 7 provides the requirements for wind resistance and water-resistive barrier for exterior wall coverings. This chapter prescribes the exterior wall coverings as well as the water-resistive barrier required beneath the exterior materials. Exterior wall coverings regulated by this section include aluminum, stone and masonry veneer, wood, hardboard, particleboard, wood structural panel siding, wood shakes and shingles, exterior plaster, steel, vinyl, fiber cement and exterior insulation finish systems.

**Chapter 8 Roof-ceiling Construction.** Chapter 8 regulates the design and construction of roof-ceiling systems. This chapter contains two roof-ceiling framing systems: wood framing and cold-formed steel framing. Allowable span tables are provided to simplify the selection of rafter and ceiling joist size for wood roof framing and cold-formed steel framing. Chapter 8 also provides requirements for the application of ceiling finishes, the proper ventilation of concealed spaces in roofs (e.g., enclosed attics and rafter spaces), unvented attic assemblies and attic access.

**Chapter 9 Roof Assemblies.** Chapter 9 regulates the design and construction of roof assemblies. A roof assembly includes the roof deck, vapor retarder, substrate or thermal barrier, insulation, vapor retarder and roof covering. This chapter provides the requirement for wind resistance of roof coverings.

The types of roof covering materials and installation regulated by Chapter 9 are: asphalt shingles, clay and concrete tile, metal roof shingles, mineral-surfaced built-up roofing, slate and slate-type shingles, wood shakes and shingles, built-up roofs, metal roof panels, modified bitumen roofing, thermoset and thermoplastic single-ply roofing, sprayed polyurethane foam roofing, liquid applied coatings and photovoltaic shingles. Chapter 9 also provides requirements for roof drainage, flashing, above deck thermal insulation, rooftop-mounted photovoltaic systems and recovering or replacing an existing roof covering.

**Chapter 10 Chimneys and Fireplaces.** Chapter 10 contains requirements for the safe construction of masonry chimneys and fireplaces and establishes the standards for the use and installation of factory-built chimneys, fireplaces and masonry heaters. Chimneys and fireplaces constructed of masonry rely on prescriptive requirements for the details of their construction; the factory-built type relies on the listing and labeling method of approval. Chapter 10 provides the requirements for seismic reinforcing and anchorage of masonry fireplaces and chimneys.

**Chapter 11 [RE] Energy Efficiency.** The purpose of Chapter 11 [RE] is to provide minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. The provisions of Chapter 11 [RE] are duplicated from the *International Energy Conservation Code—Residential Provisions*, as applicable to buildings which fall under the scope of the IRC.

For ease of use and coordination of provisions, the corresponding IECC—Residential Provisions section number is indicated following the IRC section number [e.g. N1102.1 (R402.1)].

**Chapter 12 Mechanical Administration.** Chapter 12 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. A mechanical code, like any other code, is intended to be adopted as a legally enforceable document and it cannot be effective without adequate provisions for its administration and enforcement. The provisions of Chapter 12 establish the authority and duties of the code official appointed by the jurisdiction having authority and also establish the rights and privileges of the design professional, contractor and property owner. It also relates this chapter to the administrative provisions in Chapter 1.

**Chapter 13 General Mechanical System Requirements.** Chapter 13 contains broadly applicable requirements related to appliance listing and labeling, appliance location and installation, appliance and systems access, protection of structural elements and clearances to combustibles, among others.

**Chapter 14 Heating and Cooling Equipment and Appliances.** Chapter 14 is a collection of requirements for various heating and cooling appliances, dedicated to single topics by section. The common theme is that all of these types of appliances use energy in one form or another, and the improper installation of such appliances would present a hazard to the occupants of the dwellings, due to either the potential for fire or the accidental release of refrigerants. Both situations are undesirable in dwellings that are covered by this code.

**Chapter 15 Exhaust Systems.** Chapter 15 is a compilation of code requirements related to residential exhaust systems, including kitchens and bathrooms, clothes dryers and range hoods. The code regulates the materials used for constructing and installing such duct systems. Air brought into the building for ventilation, combustion or makeup purposes is protected from contamination by the provisions found in this chapter.

**Chapter 16 Duct Systems.** Chapter 16 provides requirements for the installation of ducts for supply, return and exhaust air systems. This chapter contains no information on the design of these systems from the standpoint of air movement, but is concerned with the structural integrity of the systems and the overall impact of the systems on the fire-safety performance of the building. This chapter regulates the materials and methods of construction which affect the performance of the entire air distribution system.

**Chapter 17 Combustion Air.** Complete combustion of solid and liquid fuel is essential for the proper operation of appliances, control of harmful emissions and achieving maximum fuel efficiency. If insufficient quantities of oxygen are supplied, the combustion process will be incomplete, creating dangerous byproducts and wasting energy in the form of unburned fuel (hydrocarbons). The byproducts of incomplete combustion are poisonous, corrosive and combustible, and can cause serious appliance or equipment malfunctions that pose fire or explosion hazards.

The combustion air provisions in this code from previous editions have been deleted from Chapter 17 in favor of a single section that directs the user to NFPA 31 for oil-fired appliance combustion air requirements and the manufacturer's installation instructions for solid fuel-burning appliances. If fuel gas appliances are used, the provisions of Chapter 24 must be followed.

**Chapter 18 Chimneys and Vents.** Chapter 18 regulates the design, construction, installation, maintenance, repair and approval of chimneys, vents and their connections to fuel-burning appliances. A properly designed chimney or vent system is needed to conduct the flue gases produced by a fuel-burning appliance to the outdoors. The provisions of this chapter are intended to minimize the hazards associated with high temperatures and potentially toxic and corrosive combustion gases. This chapter addresses factory-built and masonry chimneys, vents and venting systems used to vent oil-fired and solid fuel-burning appliances.

**Chapter 19 Special Appliances, Equipment and Systems.** Chapter 19 regulates the installation of fuel-burning appliances that are not covered in other chapters, such as ranges and ovens, sauna heaters, fuel cell power plants and hydrogen systems. Because the subjects in this chapter do not contain the volume of text necessary to warrant individual chapters, they have been combined into a single chapter. The only commonality is that the subjects use energy to perform some task or function. The intent is to provide a reasonable level of protection for the occupants of the dwelling.

**Chapter 20 Boilers and Water Heaters.** Chapter 20 regulates the installation of boilers and water heaters. Its purpose is to protect the occupants of the dwelling from the potential hazards associated with such appliances. A water heater is any appliance that heats potable water and supplies it to the plumbing hot water distribution system. A boiler either heats water or generates steam for space heating and is generally a closed system.

**Chapter 21 Hydronic Piping.** Hydronic piping includes piping, fittings and valves used in building space conditioning systems. Applications include hot water, chilled water, steam, steam condensate, brines and water/antifreeze mixtures. Chapter 21 regulates installation, alteration and repair of all hydronic piping systems to ensure the reliability, serviceability, energy efficiency and safety of such systems.

**Chapter 22 Special Piping and Storage Systems.** Chapter 22 regulates the design and installation of fuel oil storage and piping systems. The regulations include reference to construction standards for above-ground and underground storage tanks, material standards for piping systems (both above-ground and underground) and extensive requirements for the proper assembly of system piping and components. The purpose of this chapter is to prevent fires, leaks and spills involving fuel oil storage and piping systems, whether inside or outside structures and above or underground.

**Chapter 23 Solar Thermal Energy Systems.** Chapter 23 contains requirements for the construction, alteration and repair of all systems and components of solar thermal energy systems used for space heating or cooling, and domestic hot water heating or processing. The provisions of this chapter are limited to those necessary to achieve installations that are relatively hazard free.

A solar thermal energy system can be designed to handle 100 percent of the energy load of a building, although this is rarely accomplished. Because solar energy is a low-intensity energy source and dependent on the weather, it is usually necessary to supplement a solar thermal energy system with traditional energy sources.

As our world strives to find alternate means of producing power for the future, the requirements of this chapter will become more and more important over time.

**Chapter 24 Fuel Gas.** Chapter 24 regulates the design and installation of fuel gas distribution piping and systems, appliances, appliance venting systems and combustion air provisions. The definition of “Fuel gas” includes natural, liquefied petroleum and manufactured gases and mixtures of these gases.

The purposes of this chapter are to establish the minimum acceptable level of safety and to protect life and property from the potential dangers associated with the storage, distribution and use of fuel gases and the byproducts of combustion of such fuels. This code also protects the personnel who install, maintain, service and replace the systems and appliances addressed herein.

Chapter 24 is composed entirely of text extracted from the IFGC; therefore, whether using the IFGC or the IRC, the fuel gas provisions will be identical. Note that to avoid the potential for confusion and conflicting definitions, Chapter 24 has its own definition section.

**Chapter 25 Plumbing Administration.** The requirements of Chapter 25 do not supersede the administrative provisions of Chapter 1. Rather, the administrative guidelines of Chapter 25 pertain to plumbing installations that are best referenced and located within the plumbing chapters. This chapter addresses how to apply the plumbing provisions of this code to specific types or phases of construction. This chapter also outlines the responsibilities of the applicant, installer and inspector with regard to testing plumbing installations.

**Chapter 26 General Plumbing Requirements.** The content of Chapter 26 is often referred to as “miscellaneous,” rather than general plumbing requirements. This is the only chapter of the plumbing chapters of the code whose requirements do not interrelate. If a requirement cannot be located in another plumbing chapter, it should be located in this chapter. Chapter 26 contains safety requirements for the installation of plumbing systems and includes requirements for the identification of pipe, pipe fittings, traps, fixtures, materials and devices used in plumbing systems. If specific provisions do not demand that a requirement be located in another chapter, the requirement is located in this chapter.

**Chapter 27 Plumbing Fixtures.** Chapter 27 requires fixtures to be of the proper type, approved for the purpose intended and installed properly to promote usability and safe, sanitary conditions. This chapter regulates the quality of fixtures and faucets by requiring those items to comply with nationally recognized standards. Because fixtures must be properly installed so that they are usable by the occupants of the building, this chapter contains the requirements for the installation of fixtures.

**Chapter 28 Water Heaters.** Chapter 28 regulates the design, approval and installation of water heaters and related safety devices. The intent is to minimize the hazards associated with the installation and operation of water heaters. Although this chapter does not regulate the size of a water heater, it does regulate all other aspects of the water heater installation such as temperature and pressure relief valves, safety drip pans and connections. Where a water heater also supplies water

for space heating, this chapter regulates the maximum water temperature supplied to the water distribution system.

**Chapter 29 Water Supply and Distribution.** This chapter regulates the supply of potable water from both public and individual sources to every fixture and outlet so that it remains potable and uncontaminated by cross connections. Chapter 29 also regulates the design of the water distribution system, which will allow fixtures to function properly. Because it is critical that the potable water supply system remain free of actual or potential sanitary hazards, this chapter has the requirements for providing backflow protection devices.

**Chapter 30 Sanitary Drainage.** The purpose of Chapter 30 is to regulate the materials, design and installation of sanitary drainage piping systems as well as the connections made to the system. The intent is to design and install sanitary drainage systems that will function reliably, are neither undersized nor oversized and are constructed from materials, fittings and connections whose quality is regulated by this section. This chapter addresses the proper use of fittings for directing the flow into and within the sanitary drain piping system. Materials and provisions necessary for servicing the drainage system are also included in this chapter.

**Chapter 31 Vents.** Venting protects the trap seal of each trap. The vents are designed to limit differential pressures at each trap to 1 inch of water column (249 Pa). Because waste flow in the drainage system creates pressure fluctuations that can negatively affect traps, the sanitary drainage system must have a properly designed venting system. Chapter 31 covers the requirements for vents and venting. All of the provisions set forth in this chapter are intended to limit the pressure differentials in the drainage system to a maximum of 1 inch of water column (249 Pa) above or below atmospheric pressure (i.e., positive or negative pressures).

**Chapter 32 Traps.** Traps prevent sewer gas from escaping from the drainage piping into the building. Water seal traps are the simplest and most reliable means of preventing sewer gas from entering the interior environment. This chapter lists prohibited trap types and specifies the minimum trap size for each type of fixture.

**Chapter 33 Storm Drainage.** Rainwater infiltration into the ground adjacent to a building can cause the interior of foundation walls to become wet. The installation of a subsoil drainage system prevents the buildup of rainwater on the exterior of the foundation walls. This chapter provides the specifications for subsoil drain piping. Where the discharge of the subsoil drain system is to a sump, this chapter also provides coverage for sump construction, pumps and discharge piping.

**Chapter 34 General Requirements.** This chapter contains broadly applicable, general and miscellaneous requirements including scope, listing and labeling, equipment locations and clearances for conductor materials and connections and conductor identification.

**Chapter 35 Electrical Definitions.** Chapter 35 is the repository of the definitions of terms used in the body of Part VIII of the code. To avoid the potential for confusion and conflicting definitions, Part VIII, Electrical, has its own definition chapter.

Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code, which can differ substantially from the ordinarily understood meaning of the term as used outside of the code.

The terms defined in Chapter 35 are deemed to be of prime importance in establishing the meaning and intent of the electrical code text that uses the terms. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and because the user may not be aware that a term is defined.

**Chapter 36 Services.** This chapter covers the design, sizing and installation of the building's electrical service equipment and grounding electrode system. It includes an easy-to-use load calculation method and service conductor sizing table. The electrical service is generally the first part of the electrical system to be designed and installed.

**Chapter 37 Branch Circuit and Feeder Requirements.** Chapter 37 addresses the requirements for designing the power distribution system, which consists of feeders and branch circuits emanating from the service equipment. This chapter dictates the ratings of circuits and the allowable loads, the number and types of branch circuits required, the wire sizing for such branch circuits and feeders and the requirements for protection from overcurrent for conductors. A load calculation method specific to feeders is also included. This chapter is used to design the electrical system on the load side of the service.

**Chapter 38 Wiring Methods.** Chapter 38 specifies the allowable wiring methods, such as cable, conduit and raceway systems, and provides the installation requirements for the wiring methods. This chapter is primarily applicable to the “rough-in” phase of construction.

**Chapter 39 Power and Lighting Distribution.** This chapter mostly contains installation requirements for the wiring that serves the lighting outlets, receptacle outlets, appliances and switches located throughout the building. The required distribution and spacing of receptacle outlets and lighting outlets is prescribed in this chapter, as well as the requirements for ground-fault and arc-fault circuit-interrupter protection.

**Chapter 40 Devices and Luminaires.** This chapter focuses on the devices, including switches and receptacles, and lighting fixtures that are typically installed during the final phase of construction.

**Chapter 41 Appliance Installation.** Chapter 41 addresses the installation of appliances including HVAC appliances, water heaters, fixed space-heating equipment, dishwashers, garbage disposals, range hoods and suspended paddle fans.

**Chapter 42 Swimming Pools.** This chapter covers the electrical installation requirements for swimming pools, storable swimming pools, wading pools, decorative pools, fountains, hot tubs, spas and hydromassage bathtubs. The allowable wiring methods are specified along with the required clearances between electrical system components and pools, spas and tubs. This chapter includes the special grounding requirements related to pools, spas and tubs, and also prescribes the equipotential bonding requirements that are unique to pools, spas and tubs.

**Chapter 43 Class 2 Remote-control, Signaling and Power-limited Circuits.** This chapter covers the power supplies, wiring methods and installation requirements for the Class 2 circuits found in dwellings. Such circuits include thermostat wiring, alarm systems, security systems, automated control systems and doorbell systems.

**Chapter 44 Referenced Standards.** The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 44 contains a comprehensive list of all standards that are referenced in the code. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the code official, contractor, designer and owner.

Chapter 44 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency’s standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

**Appendix A Sizing and Capacities of Gas Piping.** This appendix is informative and not part of the code. It provides design guidance, useful facts and data and multiple examples of how to apply the sizing tables and sizing methodologies of Chapter 24.

**Appendix B Sizing of Venting Systems Serving Appliances Equipped with Draft Hoods, Category I Appliances, and Appliances Listed for Use with Type B Vents.** This appendix is informative and not part of the code. It contains multiple examples of how to apply the vent and chimney tables and methodologies of Chapter 24.

**Appendix C Exit Terminals of Mechanical Draft and Direct-vent Venting Systems.** This appendix is informative and not part of the code. It consists of a figure and notes that visually depict code requirements from Chapter 24 for vent terminals with respect to the openings found in building exterior walls.

**Appendix D Recommended Procedure for Safety Inspection of an Existing Appliance Installation.** This appendix is informative and not part of the code. It provides recommended procedures for testing and inspecting an appliance installation to determine if the installation is operating safely and if the appliance is in a safe condition.

**Appendix E Manufactured Housing Used as Dwellings.** The criteria for the construction of manufactured homes are governed by the National Manufactured Housing Construction and Safety Act. While this act may seem to cover the bulk of the construction of manufactured housing, it does not cover those areas related to the placement of the housing on the property. The provisions of Appendix E are not applicable to the design and construction of manufactured homes. Appendix E provides a complete set of regulations in conjunction with federal law for the installation of manufactured housing. This appendix also contains provisions for existing manufactured home installations.

**Appendix F Radon Gas Methods.** Radon comes from the natural (radioactive) decay of the element radium in soil, rock and water and finds its way into the air. Appendix F contains requirements to mitigate the transfer of radon gases from the soil into the dwelling. The provisions of this appendix regulate the design and construction of radon-resistant measures intended to reduce the entry of radon gases into the living space of residential buildings.

**Appendix G Piping Standards for Various Applications.** Appendix G provides standards for various types of plastic piping products. This appendix is informative and is not part of the code.

**Appendix H Patio Covers.** Appendix H sets forth the regulations and limitations for patio covers. The provisions address those uses permitted in patio cover structures, the minimum design loads to be assigned for structural purposes, and the effect of the patio cover on egress and emergency escape or rescue from sleeping rooms. This appendix also contains the special provisions for aluminum screen enclosures in hurricane-prone regions.

**Appendix I Private Sewage Disposal.** Appendix I simply provides the opportunity to utilize the International Private Sewage Disposal Code for the design and installation of private sewage disposal in one- and two-family dwellings.

**Appendix J Existing Buildings and Structures.** Appendix J contains the provisions for the repair, renovation, alteration and reconstruction of existing buildings and structures that are within the scope of this code. To accomplish this objective and to make the rehabilitation process more available, this appendix allows for a controlled departure from full code compliance without compromising minimum life safety, fire safety, structural and environmental features of the rehabilitated existing building or structure.

**Appendix K Sound Transmission.** Appendix K regulates the sound transmission of wall and floor-ceiling assemblies separating dwelling units and townhouse units. Airborne sound insulation is required for walls. Airborne sound insulation and impact sound insulation are required for floor-ceiling assemblies. The provisions in Appendix K set forth a minimum Sound Transmission Class (STC) rating for common walls and floor-ceiling assemblies between dwelling units. In addition, a

minimum Impact Insulation Class (IIC) rating is also established to limit structureborne sound through common floor-ceiling assemblies separating dwelling units.

**Appendix L Permit Fees.** Appendix L provides guidance to jurisdictions for setting appropriate permit fees. This appendix will aid many jurisdictions to assess permit fees that will assist to fairly and properly administer the code. This appendix can be used for informational purposes only or may be adopted when specifically referenced in the adopting ordinance.

**Appendix M Home Day Care—R-3 Occupancy.** Appendix M provides means of egress and smoke detection requirements for a Group R-3 Occupancy that is to be used as a home day care for more than five children who receive custodial care for less than 24 hours. This appendix is strictly for guidance and/or adoption by those jurisdictions that have Licensed Home Care Provider laws and statutes that allow more than five children to be cared for in a person's home. When a jurisdiction adopts this appendix, the provisions for day care and child care facilities in the IBC should be considered also.

**Appendix N Venting Methods.** Because venting of sanitary drainage systems is a difficult concept to understand, and Chapter 31 uses only words to describe venting requirements, illustrations can offer greater insight into what the words mean. Appendix N has a number of illustrations for commonly installed sanitary drainage systems in order for the reader to gain a better understanding of this code's venting requirements.

**Appendix O Automatic Vehicular Gates.** Appendix O provides the requirements for the design and construction of automatic vehicular gates. The provisions are for where automatic gates are installed for use at a vehicular entrance or exit on the lot of a one- or two-family dwelling. The requirements provide protection for individuals from potential entrapment between an automatic gate and a stationary object or surface.

**Appendix P Sizing of Water Piping System.** Appendix P provides two recognized methods for sizing the water service and water distribution piping for a building. The method under Section AP103 provides friction loss diagrams that require the user to "plot" points and read values from the diagrams in order to perform the required calculations and necessary checks. This method is the most accurate of the two presented in this appendix. The method under Section AP201 is known to be conservative; however, very few calculations are necessary in order to determine a pipe size that satisfies the flow requirements of any application.

**Appendix Q Tiny Houses.** For dwelling units that are 400 square feet (37 m<sup>2</sup>) or less in floor area, excluding lofts, Appendix Q provides relaxed provisions as compared to those in the body of the code. These provisions primarily address reduced ceiling heights for loft areas and specific stair and ladder detail requirements that allow for more compact designs where accessing lofts.

**Appendix R Light Straw-Clay Construction.** This appendix regulates the use of light straw-clay as a construction material. It is limited in application to nonbearing wall infill systems.

**Appendix S Strawbale Construction.** This appendix provides prescriptive requirements for the use of strawbale as a construction material. It is limited in application to the walls of one-story structures, except where additional engineering is provided.

**Appendix T Solar-ready Provisions—Detached One- and Two-family Dwellings and Townhouses.** This appendix provides requirements for preparation of a house for future installation of solar equipment for electrical power or heating. Given the growing popularity of solar power and the possible need for the equipment in the future, this appendix, if adopted, would require an area be provided on the building roof that would accommodate solar equipment. In addition, pathways for routing of plumbing and conduit need to be provided.



# TABLE OF CONTENTS

<i>Part I—Administrative</i> . . . . .	1	R307 Toilet, Bath and Shower Spaces . . . . .	65
<b>CHAPTER 1 SCOPE AND ADMINISTRATION</b> . . . . .	<b>1</b>	R308 Glazing . . . . .	65
<b>PART 1—SCOPE AND APPLICATION</b> . . . . .	<b>1</b>	R309 Garages and Carports . . . . .	69
Section		R310 Emergency Escape and Rescue Openings . . . . .	69
R101 General . . . . .	1	R311 Means of Egress . . . . .	71
R102 Applicability . . . . .	1	R312 Guards and Window Fall Protection . . . . .	74
<b>PART 2—ADMINISTRATION AND ENFORCEMENT</b> . . . . .	<b>2</b>	R313 Automatic Fire Sprinkler Systems . . . . .	75
Section		R314 Smoke Alarms . . . . .	75
R103 Department of Building Safety . . . . .	2	R315 Carbon Monoxide Alarms . . . . .	76
R104 Duties and Powers of the Building Official . . . . .	2	R316 Foam Plastic . . . . .	77
R105 Permits . . . . .	3	R317 Protection of Wood and Wood-based Products against Decay . . . . .	79
R106 Construction Documents . . . . .	6	R318 Protection against Subterranean Termites . . . . .	80
R107 Temporary Structures and Uses . . . . .	7	R319 Site Address . . . . .	81
R108 Fees . . . . .	7	R320 Accessibility . . . . .	81
R109 Inspections . . . . .	7	R321 Elevators and Platform Lifts . . . . .	81
R110 Certificate of Occupancy . . . . .	8	R322 Flood-resistant Construction . . . . .	81
R111 Service Utilities . . . . .	8	R323 Storm Shelters . . . . .	85
R112 Board of Appeals . . . . .	9	R324 Solar Energy Systems . . . . .	85
R113 Violations . . . . .	9	R325 Mezzanines . . . . .	86
R114 Stop Work Order . . . . .	9	R326 Swimming Pools, Spas and Hot Tubs . . . . .	87
<i>Part II—Definitions</i> . . . . .	<b>11</b>	R327 Stationary Storage Battery Systems . . . . .	87
<b>CHAPTER 2 DEFINITIONS</b> . . . . .	<b>11</b>	<b>CHAPTER 4 FOUNDATIONS</b> . . . . .	<b>89</b>
Section		Section	
R201 General . . . . .	11	R401 General . . . . .	89
R202 Definitions . . . . .	11	R402 Materials . . . . .	89
<i>Part III—Building Planning and Construction</i> . . . . .	<b>29</b>	R403 Footings . . . . .	90
<b>CHAPTER 3 BUILDING PLANNING</b> . . . . .	<b>29</b>	R404 Foundation and Retaining Walls . . . . .	111
Section		R405 Foundation Drainage . . . . .	130
R301 Design Criteria . . . . .	29	R406 Foundation Waterproofing and Dampproofing . . . . .	132
R302 Fire-resistant Construction . . . . .	57	R407 Columns . . . . .	132
R303 Light, Ventilation and Heating . . . . .	63	R408 Under-floor Space . . . . .	133
R304 Minimum Room Areas . . . . .	64	<b>CHAPTER 5 FLOORS</b> . . . . .	<b>135</b>
R305 Ceiling Height . . . . .	64	Section	
R306 Sanitation . . . . .	65	R501 General . . . . .	135
		R502 Wood Floor Framing . . . . .	135
		R503 Floor Sheathing . . . . .	144
		R504 Pressure Preservative-treated Wood Floors (On Ground) . . . . .	146

**TABLE OF CONTENTS**

R505 Cold-formed Steel Floor Framing . . . . . 146  
R506 Concrete Floors (On Ground). . . . . 161  
R507 Exterior Decks . . . . . 161

**CHAPTER 6 WALL CONSTRUCTION. . . . . 173**

Section  
R601 General . . . . . 173  
R602 Wood Wall Framing. . . . . 173  
R603 Cold-formed Steel Wall Framing. . . . . 221  
R604 Wood Structural Panels . . . . . 262  
R605 Particleboard. . . . . 262  
R606 General Masonry Construction . . . . . 262  
R607 Glass Unit Masonry . . . . . 274  
R608 Exterior Concrete Wall Construction. . . . . 276  
R609 Exterior Windows and Doors. . . . . 347  
R610 Structural Insulated Panel Wall  
Construction . . . . . 350

**CHAPTER 7 WALL COVERING . . . . . 359**

Section  
R701 General . . . . . 359  
R702 Interior Covering . . . . . 359  
R703 Exterior Covering. . . . . 364

**CHAPTER 8 ROOF-CEILING  
CONSTRUCTION . . . . . 383**

Section  
R801 General . . . . . 383  
R802 Wood Roof Framing. . . . . 383  
R803 Roof Sheathing. . . . . 409  
R804 Cold-formed Steel Roof Framing. . . . . 412  
R805 Ceiling Finishes . . . . . 427  
R806 Roof Ventilation. . . . . 427  
R807 Attic Access . . . . . 429

**CHAPTER 9 ROOF ASSEMBLIES . . . . . 431**

Section  
R901 General . . . . . 431  
R902 Fire Classification. . . . . 431  
R903 Weather Protection. . . . . 431  
R904 Materials. . . . . 432  
R905 Requirements for Roof Coverings . . . . . 432  
R906 Roof Insulation. . . . . 444  
R907 Rooftop-mounted Photovoltaic Panel Systems . . . 444  
R908 Reroofing . . . . . 445

**CHAPTER 10 CHIMNEYS AND FIREPLACES. . . 447**

Section  
R1001 Masonry Fireplaces . . . . . 447  
R1002 Masonry Heaters . . . . . 451  
R1003 Masonry Chimneys . . . . . 451  
R1004 Factory-built Fireplaces. . . . . 455  
R1005 Factory-built Chimneys. . . . . 456  
R1006 Exterior Air Supply . . . . . 457

**Part IV—Energy Conservation. . . . . 459**

**CHAPTER 11 ENERGY EFFICIENCY . . . . . 459**

Section  
N1101 General . . . . . 459  
N1102 Building Thermal Envelope . . . . . 479  
N1103 Systems . . . . . 484  
N1104 Electrical Power and Lighting  
Systems (Mandatory) . . . . . 487  
N1105 Simulated Performance Alternative  
(Performance) . . . . . 487  
N1106 Energy Rating Index  
Compliance Alternative. . . . . 491  
N1107 Existing Buildings—General . . . . . 492  
N1108 Additions . . . . . 493  
N1109 Alterations. . . . . 493  
N1110 Repairs. . . . . 494  
N1111 Change of Occupancy or Use . . . . . 494

**Part V—Mechanical . . . . . 495**

**CHAPTER 12 MECHANICAL  
ADMINISTRATION . . . . . 495**

Section  
M1201 General . . . . . 495  
M1202 Existing Mechanical Systems . . . . . 495

**CHAPTER 13 GENERAL MECHANICAL  
SYSTEM REQUIREMENTS . . . . . 497**

Section  
M1301 General . . . . . 497  
M1302 Approval . . . . . 497  
M1303 Labeling of Appliances . . . . . 497  
M1304 Type of Fuel . . . . . 497  
M1305 Appliance Access . . . . . 498  
M1306 Clearances from Combustible Construction . . . 498  
M1307 Appliance Installation . . . . . 499  
M1308 Mechanical Systems Installation. . . . . 502

<b>CHAPTER 14 HEATING AND COOLING EQUIPMENT AND APPLIANCES . . . . .</b>	<b>503</b>	<b>CHAPTER 19 SPECIAL APPLIANCES, EQUIPMENT AND SYSTEMS . . . .</b>	<b>523</b>
Section		Section	
M1401 General . . . . .	503	M1901 Ranges and Ovens . . . . .	523
M1402 Central Furnaces . . . . .	503	M1902 Sauna Heaters . . . . .	523
M1403 Heat Pump Equipment . . . . .	503	M1903 Stationary Fuel Cell Power Plants . . . . .	523
M1404 Refrigeration Cooling Equipment . . . . .	503	M1904 Gaseous Hydrogen Systems . . . . .	523
M1405 Baseboard Convectors . . . . .	503	<b>CHAPTER 20 BOILERS AND WATER HEATERS . . . . .</b>	<b>525</b>
M1406 Radiant Heating Systems . . . . .	504	Section	
M1407 Duct Heaters . . . . .	504	M2001 Boilers . . . . .	525
M1408 Vented Floor Furnaces . . . . .	504	M2002 Operating and Safety Controls . . . . .	525
M1409 Vented Wall Furnaces . . . . .	505	M2003 Expansion Tanks . . . . .	525
M1410 Vented Room Heaters . . . . .	505	M2004 Water Heaters Used for Space Heating . . . . .	526
M1411 Heating and Cooling Equipment . . . . .	505	M2005 Water Heaters . . . . .	526
M1412 Absorption Cooling Equipment . . . . .	506	M2006 Pool Heaters . . . . .	526
M1413 Evaporative Cooling Equipment . . . . .	507	<b>CHAPTER 21 HYDRONIC PIPING . . . . .</b>	<b>527</b>
M1414 Fireplace Stoves . . . . .	507	Section	
M1415 Masonry Heaters . . . . .	507	M2101 Hydronic Piping Systems Installation . . . . .	527
<b>CHAPTER 15 EXHAUST SYSTEMS . . . . .</b>	<b>509</b>	M2102 Baseboard Convectors . . . . .	529
Section		M2103 Floor Heating Systems . . . . .	529
M1501 General . . . . .	509	M2104 Low Temperature Piping . . . . .	529
M1502 Clothes Dryer Exhaust . . . . .	509	M2105 Ground-Source Heat-Pump System Loop Piping . . . . .	530
M1503 Domestic Cooking Exhaust Equipment . . . . .	510	<b>CHAPTER 22 SPECIAL PIPING AND STORAGE SYSTEMS . . . . .</b>	<b>533</b>
M1504 Exhaust Ducts and Exhaust Openings . . . . .	511	Section	
M1505 Mechanical Ventilation . . . . .	512	M2201 Oil Tanks . . . . .	533
<b>CHAPTER 16 DUCT SYSTEMS . . . . .</b>	<b>513</b>	M2202 Oil Piping, Fitting and Connections . . . . .	533
Section		M2203 Installation . . . . .	533
M1601 Duct Construction . . . . .	513	M2204 Oil Pumps and Valves . . . . .	534
M1602 Return Air . . . . .	516	<b>CHAPTER 23 SOLAR THERMAL ENERGY SYSTEMS . . . . .</b>	<b>535</b>
<b>CHAPTER 17 COMBUSTION AIR . . . . .</b>	<b>517</b>	Section	
Section		M2301 Solar Thermal Energy Systems . . . . .	535
M1701 General . . . . .	517	<i>Part VI—Fuel Gas . . . . .</i>	<i>537</i>
<b>CHAPTER 18 CHIMNEYS AND VENTS . . . . .</b>	<b>519</b>	<b>CHAPTER 24 FUEL GAS . . . . .</b>	<b>537</b>
Section		Section	
M1801 General . . . . .	519	G2401 General . . . . .	537
M1802 Vent Components . . . . .	520	G2402 General . . . . .	537
M1803 Chimney and Vent Connectors . . . . .	520		
M1804 Vents . . . . .	521		
M1805 Masonry and Factory-built Chimneys . . . . .	522		

**TABLE OF CONTENTS**

G2403 General Definitions . . . . . 537

G2404 General . . . . . 543

G2405 Structural Safety . . . . . 544

G2406 Appliance Location . . . . . 544

G2407 Combustion, Ventilation and Dilution Air . . . . . 545

G2408 Installation . . . . . 549

G2409 Clearance Reduction . . . . . 549

G2410 Electrical . . . . . 551

G2411 Electrical Bonding . . . . . 553

G2412 General . . . . . 553

G2413 Pipe Sizing . . . . . 554

G2414 Piping Materials . . . . . 555

G2415 Piping System Installation . . . . . 578

G2416 Piping Bends and Changes in Direction . . . . . 580

G2417 Inspection, Testing and Purging . . . . . 580

G2418 Piping Support . . . . . 582

G2419 Drips and Sloped Piping . . . . . 583

G2420 Shutoff Valves . . . . . 583

G2421 Flow Controls . . . . . 584

G2422 Appliance Connections . . . . . 584

G2423 Compressed Natural Gas Motor  
Vehicle Fuel-dispensing Facilities . . . . . 585

G2424 Piping Support Intervals . . . . . 585

G2425 General . . . . . 586

G2426 Vents . . . . . 587

G2427 Venting of Appliances . . . . . 588

G2428 Sizing of Category I Appliance  
Venting Systems . . . . . 596

G2429 Direct-vent, Integral Vent, Mechanical Vent  
and Ventilation/Exhaust Hood Venting . . . . . 600

G2430 Factory-built Chimneys . . . . . 600

G2431 General . . . . . 609

G2432 Decorative Appliances  
for Installation in Fireplaces . . . . . 609

G2433 Log Lighters . . . . . 609

G2434 Vented Gas Fireplaces  
(Decorative Appliances) . . . . . 609

G2435 Vented Gas Fireplace Heaters . . . . . 609

G2436 Vented Wall Furnaces . . . . . 609

G2437 Floor Furnaces . . . . . 609

G2438 Clothes Dryers . . . . . 610

G2439 Clothes Dryer Exhaust . . . . . 610

G2440 Sauna Heaters . . . . . 611

G2441 Pool and Spa Heaters . . . . . 611

G2442 Forced-air Warm-air Furnaces . . . . . 612

G2443 Conversion Burners . . . . . 612

G2444 Unit Heaters . . . . . 612

G2445 Unvented Room Heaters . . . . . 613

G2446 Vented Room Heaters . . . . . 613

G2447 Cooking Appliances . . . . . 613

G2448 Water Heaters . . . . . 614

G2449 Air-conditioning Appliances . . . . . 614

G2450 Illuminating Appliances . . . . . 614

G2451 Infrared Radiant Heaters . . . . . 614

G2452 Boilers . . . . . 614

G2453 Chimney Damper Opening Area . . . . . 614

G2454 Outdoor Decorative Appliances . . . . . 615

**Part VII—Plumbing . . . . . 617**

**CHAPTER 25 PLUMBING  
ADMINISTRATION . . . . . 617**

Section

P2501 General . . . . . 617

P2502 Existing Plumbing Systems . . . . . 617

P2503 Inspection and Tests . . . . . 617

**CHAPTER 26 GENERAL PLUMBING  
REQUIREMENTS . . . . . 619**

Section

P2601 General . . . . . 619

P2602 Individual Water Supply and  
Sewage Disposal . . . . . 619

P2603 Structural and Piping Protection . . . . . 619

P2604 Trenching and Backfilling . . . . . 620

P2605 Support . . . . . 620

P2606 Penetrations . . . . . 620

P2607 Waterproofing of Openings . . . . . 621

P2608 Workmanship . . . . . 621

P2609 Materials Evaluation and Listing . . . . . 621

**CHAPTER 27 PLUMBING FIXTURES . . . . . 623**

Section

P2701 Fixtures, Faucets and Fixture Fittings . . . . . 623

P2702 Fixture Accessories . . . . . 623

P2703 Tail Pieces . . . . . 623

P2704 Slip-joint Connections . . . . . 623

P2705 Installation . . . . . 623

P2706 Waste Receptors . . . . . 623

P2707 Directional Fittings . . . . . 625

P2708 Showers . . . . . 625

P2709 Shower Receptors . . . . . 625  
 P2710 Shower Walls . . . . . 626  
 P2711 Lavatories . . . . . 626  
 P2712 Water Closets . . . . . 626  
 P2713 Bathtubs . . . . . 627  
 P2714 Sinks . . . . . 627  
 P2715 Laundry Tubs . . . . . 627  
 P2716 Food-waste Disposer . . . . . 627  
 P2717 Dishwashing Machines . . . . . 627  
 P2718 Clothes Washing Machine . . . . . 627  
 P2719 Floor Drains . . . . . 627  
 P2720 Whirlpool Bathtubs . . . . . 627  
 P2721 Bidet Installations . . . . . 628  
 P2722 Fixture Fitting . . . . . 628  
 P2723 Macerating Toilet Systems . . . . . 628  
 P2724 Speciality Temperature  
     Control Devices and Valves . . . . . 628  
 P2725 Nonliquid Saturated Treatment Systems . . . . . 628

**CHAPTER 28 WATER HEATERS . . . . . 629**

Section  
 P2801 General . . . . . 629  
 P2802 Solar Water Heating Systems . . . . . 629  
 P2803 Water Heaters Used for Space Heating . . . . . 630  
 P2804 Relief Valves . . . . . 630

**CHAPTER 29 WATER SUPPLY AND DISTRIBUTION . . . . . 631**

Section  
 P2901 General . . . . . 631  
 P2902 Protection of Potable Water Supply . . . . . 632  
 P2903 Water Supply System . . . . . 635  
 P2904 Dwelling Unit Fire Sprinkler Systems . . . . . 638  
 P2905 Heated Water Distribution Systems . . . . . 651  
 P2906 Materials, Joints and Connections . . . . . 651  
 P2907 Changes in Direction . . . . . 655  
 P2908 Support . . . . . 655  
 P2909 Drinking Water Treatment Units . . . . . 655  
 P2910 Nonpotable Water Systems . . . . . 655  
 P2911 On-site Nonpotable Water Reuse Systems . . . . . 658  
 P2912 Nonpotable Rainwater Collection  
     and Distribution Systems . . . . . 660  
 P2913 Reclaimed Water Systems . . . . . 662

**CHAPTER 30 SANITARY DRAINAGE . . . . . 663**

Section  
 P3001 General . . . . . 663  
 P3002 Materials . . . . . 663  
 P3003 Joints and Connections . . . . . 665  
 P3004 Determining Drainage Fixture Units . . . . . 667  
 P3005 Drainage System . . . . . 667  
 P3006 Sizing of Drain Pipe Offsets . . . . . 671  
 P3007 Sumps and Ejectors . . . . . 671  
 P3008 Backwater Valves . . . . . 672  
 P3009 Subsurface Landscape Irrigation Systems . . . . . 672  
 P3010 Replacement of Underground  
     Building Sewers and Building  
     Drains by Pipe Bursting Methods . . . . . 674  
 P3011 Replacement of Underground Sewers  
     by PVC Fold and Form Methods . . . . . 675

**CHAPTER 31 VENTS . . . . . 677**

Section  
 P3101 Vent Systems . . . . . 677  
 P3102 Vent Stacks and Stack Vents . . . . . 677  
 P3103 Vent Terminals . . . . . 677  
 P3104 Vent Connections and Grades . . . . . 678  
 P3105 Fixture Vents . . . . . 678  
 P3106 Individual Vent . . . . . 678  
 P3107 Common Vent . . . . . 678  
 P3108 Wet Venting . . . . . 679  
 P3109 Waste Stack Vent . . . . . 679  
 P3110 Circuit Venting . . . . . 680  
 P3111 Combination Waste and Vent System . . . . . 680  
 P3112 Island Fixture Venting . . . . . 680  
 P3113 Vent Pipe Sizing . . . . . 681  
 P3114 Air Admittance Valves . . . . . 681

**CHAPTER 32 TRAPS . . . . . 683**

Section  
 P3201 Fixture Traps . . . . . 683

**CHAPTER 33 STORM DRAINAGE . . . . . 685**

Section  
 P3301 General . . . . . 685  
 P3302 Subsoil Drains . . . . . 685  
 P3303 Sumps and Pumping Systems . . . . . 685

**TABLE OF CONTENTS**

*Part VIII—Electrical* . . . . . **687**

**CHAPTER 34 GENERAL REQUIREMENTS** . . . . . **687**

Section

E3401 General . . . . . 687  
E3402 Building Structure Protection . . . . . 688  
E3403 Inspection and Approval . . . . . 688  
E3404 General Equipment Requirements . . . . . 688  
E3405 Equipment Location and Clearances . . . . . 690  
E3406 Electrical Conductors and Connections . . . . . 692  
E3407 Conductor and Terminal Identification . . . . . 693

**CHAPTER 35 ELECTRICAL DEFINITIONS** . . . . . **695**

Section

E3501 General . . . . . 695

**CHAPTER 36 SERVICES** . . . . . **701**

Section

E3601 General Services . . . . . 701  
E3602 Service Size and Rating . . . . . 701  
E3603 Service, Feeder and Grounding  
    Electrode Conductor Sizing . . . . . 702  
E3604 Overhead Service and Service-entrance  
    Conductor Installation . . . . . 703  
E3605 Service-entrance Conductors . . . . . 705  
E3606 Service Equipment—General . . . . . 706  
E3607 System Grounding . . . . . 706  
E3608 Grounding Electrode System . . . . . 707  
E3609 Bonding . . . . . 708  
E3610 Grounding Electrode Conductors . . . . . 709  
E3611 Grounding Electrode Conductor  
    Connection to the Grounding Electrodes . . . . . 710

**CHAPTER 37 BRANCH CIRCUIT AND FEEDER REQUIREMENTS** . . . . . **713**

Section

E3701 General . . . . . 713  
E3702 Branch Circuit Ratings . . . . . 713  
E3703 Required Branch Circuits . . . . . 715  
E3704 Feeder Requirements . . . . . 715  
E3705 Conductor Sizing  
    and Overcurrent Protection . . . . . 716  
E3706 Panelboards . . . . . 720

**CHAPTER 38 WIRING METHODS** . . . . . **721**

Section

E3801 General Requirements . . . . . 721  
E3802 Above-ground Installation Requirements . . . . . 721  
E3803 Underground Installation Requirements . . . . . 723

**CHAPTER 39 POWER AND LIGHTING DISTRIBUTION** . . . . . **727**

Section

E3901 Receptacle Outlets . . . . . 727  
E3902 Ground-fault and Arc-fault  
    Circuit-interrupter Protection . . . . . 729  
E3903 Lighting Outlets . . . . . 731  
E3904 General Installation Requirements . . . . . 731  
E3905 Boxes, Conduit Bodies and Fittings . . . . . 732  
E3906 Installation of Boxes, Conduit  
    Bodies and Fittings . . . . . 746  
E3907 Cabinets and Panelboards . . . . . 748  
E3908 Grounding . . . . . 750  
E3909 Flexible Cords . . . . . 754

**CHAPTER 40 DEVICES AND LUMINAIRES** . . . . . **755**

Section

E4001 Switches . . . . . 755  
E4002 Receptacles . . . . . 757  
E4003 Luminaires . . . . . 758  
E4004 Luminaire Installation . . . . . 759  
E4005 Track Lighting . . . . . 760

**CHAPTER 41 APPLIANCE INSTALLATION** . . . . . **761**

Section

E4101 General . . . . . 761

**CHAPTER 42 SWIMMING POOLS** . . . . . **765**

Section

E4201 General . . . . . 765  
E4202 Wiring Methods for Pools, Spas, Hot Tubs  
    and Hydromassage Bathtubs . . . . . 766  
E4203 Equipment Location and Clearances . . . . . 767  
E4204 Bonding . . . . . 769  
E4205 Grounding . . . . . 771  
E4206 Equipment Installation . . . . . 772  
E4207 Storable Swimming Pools,  
    Storable Spas, and Storable Hot Tubs . . . . . 775

E4208 Spas and Hot Tubs . . . . .	776	AE307 Utility Service . . . . .	855
E4209 Hydromassage Bathtubs. . . . .	776	AE401 Occupancy Classification . . . . .	855
<b>CHAPTER 43 CLASS 2 REMOTE-CONTROL, SIGNALING AND POWER- LIMITED CIRCUITS . . . . .</b>	<b>779</b>	AE402 Location on Property. . . . .	856
Section		AE501 Design . . . . .	856
E4301 General. . . . .	779	AE502 Foundation Systems. . . . .	856
E4302 Power Sources . . . . .	779	AE503 Skirting and Perimeter Enclosures . . . . .	856
E4303 Wiring Methods . . . . .	779	AE504 Structural Additions. . . . .	857
E4304 Installation Requirements . . . . .	780	AE505 Building Service Equipment . . . . .	857
<i>Part IX—Referenced Standards . . . . .</i>	<i>783</i>	AE506 Exits. . . . .	857
<b>CHAPTER 44 REFERENCED STANDARDS . . . . .</b>	<b>783</b>	AE507 Occupancy, Fire Safety and Energy Conservation Standards. . . . .	857
<b>APPENDIX A SIZING AND CAPACITIES OF GAS PIPING. . . . .</b>	<b>821</b>	AE600 Special Requirements for Foundation Systems. . . . .	857
<b>APPENDIX B SIZING OF VENTING SYSTEMS SERVING APPLIANCES EQUIPPED WITH DRAFT HOODS, CATEGORY I APPLIANCES, AND APPLIANCES LISTED FOR USE WITH TYPE B VENTS . . . . .</b>	<b>833</b>	AE601 Footings and Foundations . . . . .	857
<b>APPENDIX C EXIT TERMINALS OF MECHANICAL DRAFT AND DIRECT-VENT VENTING SYSTEMS . . . . .</b>	<b>843</b>	AE602 Pier Construction. . . . .	857
<b>APPENDIX D RECOMMENDED PROCEDURE FOR SAFETY INSPECTION OF AN EXISTING APPLIANCE INSTALLATION . . . . .</b>	<b>845</b>	AE603 Height of Piers. . . . .	857
<b>APPENDIX E MANUFACTURED HOUSING USED AS DWELLINGS . . . . .</b>	<b>851</b>	AE604 Anchorage Installations . . . . .	858
Section		AE605 Ties, Materials and Installation . . . . .	858
AE101 Scope . . . . .	851	AE606 Referenced Standards . . . . .	859
AE102 Application to Existing Manufactured Homes and Building Service Equipment. . . . .	851	<b>APPENDIX F RADON CONTROL METHODS. . . . .</b>	<b>861</b>
AE201 Definitions . . . . .	852	Section	
AE301 Permits . . . . .	852	AF101 Scope . . . . .	861
AE302 Application for Permit . . . . .	853	AF102 Definitions. . . . .	861
AE303 Permits Issuance. . . . .	853	AF103 Requirements. . . . .	861
AE304 Fees . . . . .	854	<b>APPENDIX G PIPING STANDARDS FOR VARIOUS APPLICATIONS. . . . .</b>	<b>869</b>
AE305 Inspections . . . . .	854	Section	
AE306 Special Inspections. . . . .	855	AG101 Plastic Piping Standards . . . . .	869
		AG102 Referenced Standards . . . . .	873
		<b>APPENDIX H PATIO COVERS . . . . .</b>	<b>875</b>
		Section	
		AH101 General . . . . .	875
		AH102 Definition. . . . .	875
		AH103 Exterior Walls and Openings. . . . .	875
		AH104 Height . . . . .	875
		AH105 Structural Provisions . . . . .	875
		AH106 Special Provisions for Aluminum Screen Enclosures in Hurricane-prone Regions . . . . .	875
		<b>APPENDIX I PRIVATE SEWAGE DISPOSAL. . . . .</b>	<b>879</b>
		Section	
		AI101 General . . . . .	879

**TABLE OF CONTENTS**

**APPENDIX J EXISTING BUILDINGS AND STRUCTURES ..... 881**

Section

AJ101 Purpose and Intent ..... 881  
 AJ102 Compliance ..... 881  
 AJ103 Preliminary Meeting ..... 882  
 AJ104 Evaluation of an Existing Building ..... 882  
 AJ105 Permit ..... 882  
 AJ201 Definitions ..... 882  
 AJ301 Repairs ..... 883  
 AJ401 Renovations ..... 883  
 AJ501 Alterations ..... 883  
 AJ601 Reconstruction ..... 884  
 AJ701 Referenced Standards ..... 885

**APPENDIX K SOUND TRANSMISSION..... 887**

Section

AK101 General ..... 887  
 AK102 Airborne Sound ..... 887  
 AK103 Structural-borne Sound ..... 887  
 AK104 Referenced Standards ..... 887

**APPENDIX L PERMIT FEES ..... 889**

**APPENDIX M HOME DAY CARE—R-3 OCCUPANCY..... 891**

Section

AM101 General ..... 891  
 AM102 Definition ..... 891  
 AM103 Means of Egress ..... 891  
 AM104 Smoke Detection ..... 892

**APPENDIX N VENTING METHODS..... 893**

**APPENDIX O AUTOMATIC VEHICULAR GATES..... 899**

Section

AO101 General ..... 899  
 AO102 Definition ..... 899  
 AO103 Automatic Vehicular Gates ..... 899  
 AO104 Referenced Standards ..... 899

**APPENDIX P SIZING OF WATER PIPING SYSTEM ..... 901**

Section

AP101 General ..... 901  
 AP102 Information Required ..... 901

AP103 Selection of Pipe Size ..... 901  
 AP201 Selection of Pipe Size ..... 918

**APPENDIX Q TINY HOUSES..... 921**

Section

AQ101 General ..... 921  
 AQ102 Definitions ..... 921  
 AQ103 Ceiling Height ..... 921  
 AQ104 Lofts ..... 921  
 AQ105 Emergency Escape and Rescue Openings ..... 922

**APPENDIX R LIGHT STRAW-CLAY CONSTRUCTION ..... 923**

Section

AR101 General ..... 923  
 AR102 Definitions ..... 923  
 AR103 Nonbearing Light Straw-Clay Construction ..... 923  
 AR104 Thermal Performance ..... 926

**APPENDIX S STRAWBALE CONSTRUCTION.. 927**

Section

AS101 General ..... 927  
 AS102 Definitions ..... 927  
 AS103 Bales ..... 929  
 AS104 Finishes ..... 929  
 AS105 Strawbale Walls—General ..... 930  
 AS106 Strawbale Walls—Structural ..... 936  
 AS107 Fire Resistance ..... 940  
 AS108 Thermal Insulation ..... 941  
 AS109 Referenced Standards ..... 941

**APPENDIX T SOLAR-READY PROVISIONS—DETACHED ONE- AND TWO-FAMILY DWELLINGS AND TOWNHOUSES) ..... 943**

Section

T101 Scope ..... 943  
 T102 General Definition ..... 943  
 T103 Solar-ready Zone ..... 943

**INDEX..... 945**