

2015



MINNESOTA BUILDING CODE



Currently in preview, click buy full version



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

2015 Minnesota Building Code

First Printing



ISBN: 978-1-60832-79-8

COPYRIGHT © 2015
by
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2015 *Minnesota Building Code* contains substantial copyrighted material from the 2012 *International Building Code*, First Printing, which is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478. Phone 1-800-ICCSAFE (422-7233).

Trademarks: "International Code Council," the "International Code Council" logo and the "International Building Code" are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A.



**MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY**

Additional information on the Minnesota State Building Code can be found at the Minnesota Department of Labor & Industry's website:
<http://www.dli.mn.gov/CCLD/Codes.aspx>

There you can find reference guides, maps, charts, fact sheets, archived references, Statute and Rule excerpts and other helpful information to assist you in using the Minnesota State Building Code.

Minnesota Rules material is published with the permission of the Office of the Revisor of Statutes.

Important Disclaimer

Note: Minnesota Rules included in this document have been extracted from Minnesota Rules 2007 and from Minnesota Rules proposed for adoption in 2015. Although efforts have been made to ensure the accuracy of the Minnesota Rules included herein, the official Minnesota Rules are as published by the Office of the Revisor of Statutes: <https://www.revisor.mn.gov/rules/>

If there is a difference between the Minnesota Rules included herein and the official rules published by the Office of the Revisor of Statutes, the official rules published by the Office of the Revisor of Statutes take precedence.

The official rules published by the Office of the Revisor of Statutes must be used for any notice or legal documentation used in conjunction with the application or enforcement of the Minnesota State Building Code.

Neither the state of Minnesota nor its employees or agents make any representations or warranties, express or implied, with respect to the use or reliance on the information provided herein and the user assumes all risks and responsibilities associated with its use.

In no event shall the State of Minnesota or its employees be liable for any direct, indirect, incidental, special, exemplary, or consequential damages arising in any way out of the use of this material.

PREFACE

Introduction

Internationally, code officials recognize the need for a modern, up-to-date building code addressing the design and installation of building systems through requirements emphasizing performance. The *International Building Code*[®], in this 2012 edition, is designed to meet these needs through model code regulations that safeguard the public health and safety in all communities, large and small.

This comprehensive building code establishes minimum regulations for building systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2012 edition is fully compatible with all of the *International Codes*[®] (I-Codes[®]) published by the International Code Council (ICC)[®], including the *International Energy Conservation Code*[®], *International Existing Building Code*[®], *International Fire Code*[®], *International Fuel Gas Code*[®], *International Green Construction Code*[™] (to be available March 2012), *International Mechanical Code*[®], *ICC Performance Code*[®], *International Plumbing Code*[®], *International Private Sewage Disposal Code*[®], *International Property Maintenance Code*[®], *International Residential Code*[®], *International Swimming Pool and Spa Code*[™] (to be available March 2012), *International Wildland-Urban Interface Code*[®] and *International Zoning Code*[®].

The *International Building Code* provisions provide many benefits, among which is the model code development process that offers an international forum for building professionals to discuss performance and prescriptive code requirements. This forum provides an excellent arena to debate proposed revisions. This model code also encourages international consistency in the application of provisions.

Development

The first edition of the *International Building Code* (2000) was the culmination of an effort initiated in 1997 by the ICC. This included five drafting subcommittees appointed by ICC and consisting of representatives of the three statutory members of the International Code Council at that time, including: Building Officials and Code Administrators International, Inc. (BOCA), International Conference of Building Officials (ICBO) and Southern Building Code Congress International (SBCCI). The intent was to draft a comprehensive set of regulations for building systems consistent with and inclusive of the scope of the existing model codes. Technical content of the latest model codes promulgated by BOCA, ICBO and SBCCI was utilized as the basis for the development, followed by public hearings in 1997, 1998 and 1999 to consider proposed changes. This 2012 edition presents the code as originally issued, with changes reflected in the 2003, 2006 and 2009 editions and further changes approved by the ICC Code Development Process through 2010. A new edition such as this is promulgated every 3 years.

This code is founded on principles intended to establish provisions consistent with the scope of a building code that adequately protects public health, safety and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Adoption

The *International Building Code* is available for adoption and use by jurisdictions internationally. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the adopting jurisdiction. These locations are shown in bracketed words in small capital letters in the code and in the sample legislation. The sample adoption ordinance on page xix addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

Maintenance

The *International Building Code* is kept up to date through the review of proposed changes submitted by code enforcing officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The contents of this work are subject to change both through the Code Development Cycles and the governmental body that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the International Code Council.

While the development procedure of the *International Building Code* assures the highest degree of care, ICC, its members and those participating in the development of this code do not accept any liability resulting from compliance or noncompliance with the provisions because ICC does not have the power or authority to police or enforce compliance with the contents of this code. Only the governmental body that enacts the code into law has such authority.

Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)

In each code development cycle, proposed changes to the code are considered at the Code Development Hearings by the applicable International Building Code Development Committee (IBC-Fire Safety, General, Means of Egress or Structural). Proposed changes to a code section that has a number beginning with a letter in brackets are considered by a different code development committee. For example, proposed changes to code sections that have [F] in front of them (e.g., [F] 903.1.1.1) are considered by the International Fire Code Development Committee during the portion of the code development hearings when the International Fire Code Development Committee meets.

The content of sections in this code that begin with a letter designation is maintained by another code development committee in accordance with the following:

- [A] = Administrative Code Development Committee;
- [E] = International Energy Conservation Code Development Committee (Commercial Energy Committee or Residential Energy Committee, as applicable);
- [EB] = International Existing Building Code Development Committee;
- [F] = International Fire Code Development Committee;
- [FG] = International Fuel Gas Code Development Committee;
- [M] = International Mechanical Code Development Committee; and
- [P] = International Plumbing Code Development Committee.

Note that, for the development of the 2015 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years. The groupings are as follows:

Group A Codes (Heard in 2012, Code Change Proposals Deadline: January 3, 2012)	Group B Codes (Heard in 2013, Code Change Proposals Deadline: January 3, 2013)
International Building Code	Administrative Provisions (Chapter 1 all codes except IRC and ICCPC, administrative updates to currently referenced standards, and designated definitions)
International Fuel Gas Code	International Energy Conservation Code
International Mechanical Code	International Existing Building Code
International Plumbing Code	International Fire Code
International Private Sewage Disposal Code	International Green Construction Code
	ICC Performance Code
	International Property Maintenance Code
	International Residential Code
	International Swimming Pool and Spa Code
	International Wildland-Urban Interface Code
	International Zoning Code

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees will meet in different years, it is possible that some proposals for this code will be heard by a committee in a different year than the year in which the primary committee for this code meets.

For instance, every section of Chapter 1 of this code is designated as the responsibility of the Administrative Code Development Committee, and that committee is part of the Group B code hearings. This committee will conduct its code development hearings in 2013 to consider all code change proposals for Chapter 1 of this code and proposals for Chapter 1 of all I-Codes. Therefore, any proposals received for Chapter 1 of this code will be deferred for consideration in 2013 by the Administrative Code Development Committee.

Another example is Section 903.1 which is designated as the responsibility of the International Fire Code Development Committee, along with most of the provisions in Chapter 9. This committee will conduct its code development hearings in 2013 to consider all code change proposals to the *International Fire Code* and any portions of other codes that it is responsible for, including Section 903.1 and most of the provisions of Chapter 9 (designated with [F] in front of those sections). Therefore, any proposals received for Section 903.1 in Chapter 9 will be deferred for consideration in 2013 by the International Fire Code Development Committee.

In some cases, another committee in Group A will be responsible for a section of this code. For example, Section 1210.3 has a [P] in front of the numbered section, indicating that this section of the code is the responsibility of the International Plumbing Code Development Committee. The *International Plumbing Code* is in Group A; therefore, any code change proposals to this section will be due before the Group A deadline of January 3, 2012, and these code change proposals will be assigned to the International Plumbing Code Development Committee for consideration.

It is very important that anyone submitting code change proposals understand which code development committee is responsible for the section of the code that is the subject of the code change proposal. For further information on the code development committee responsibilities, please visit the ICC web site at www.iccsafe.org/scoping.

Marginal Markings

- ➔ = Indicates where a paragraph or item has been deleted from the requirements of the 2009 *International Building Code*.
- > = Indicates model code language deleted by the State of Minnesota.
- ▬ = Indicates a technical change from the requirements of the 2009 *International Building Code*.
- ^M_N = Indicates a State of Minnesota amendment has been made to the 2012 *International Building Code*.

Coordination between the International Building and Fire Codes

Because the coordination of technical provisions is one of the benefits of adopting the ICC family of model codes, users will find the ICC codes to be a very flexible set of model documents. To accomplish this flexibility some technical provisions are duplicated in some of the model code documents. While the *International Codes* are provided as a comprehensive set of model codes for the built environment, documents are occasionally adopted as a stand-alone regulation. When one of the model documents is adopted as the basis of a stand-alone code, that code should provide a complete package of requirements with enforcement assigned to the entity for which the adoption is being made.

The model codes can also be adopted as a family of complementary codes. When adopted together there should be no conflict of any of the technical provisions. When multiple model codes are adopted in a jurisdiction it is important for the adopting authority to evaluate the provisions in each code document and determine how and by which agency(ies) they will be enforced. It is important, therefore, to understand that where technical provisions are duplicated in multiple model documents, the enforcement duties must be clearly assigned by the local adopting jurisdiction. ICC remains committed to providing state-of-the-art model code documents that, when adopted locally, will reduce the cost to government of code adoption and enforcement and protect the public health, safety and welfare.

Italicized Terms

Selected terms set forth in Chapter 2, Definitions, are italicized where they appear in code text (except those in Sections 1903 through 1908 where italics indicate provisions that differ from ACI 318). Such terms are not italicized where the definition set forth in Chapter 2 does not impart the intended meaning in the use of the term. The terms selected have definitions which the user should read carefully to facilitate better understanding of the code.

Effective Use of the International Building Code

The *International Building Code*® (IBC®) is a model code that provides minimum requirements to safeguard the public health, safety and general welfare of the occupants of new and existing buildings and structures. The IBC is fully compatible with the ICC family of codes, including: *International Energy Conservation Code*® (IECC®), *International Existing Building Code*® (IEBC®), *International Fire Code*® (IFC®), *International Fuel Gas Code*® (IFGC®), *International Green Construction Code*™ (IGCC™) (to be available March 2012), *International Mechanical Code*® (IMC®), *ICC Performance Code*® (ICCPC®), *International Plumbing Code*® (IPC®), *International Private Sewage Disposal Code*® (IPSDC®), *International Property Maintenance Code*® (IPMC®), *International Residential Code*® (IRC®), *International Swimming Pool and Spa Code*™ (ISPSC™) (to be available March 2012), *International Wildland-Urban Interface Code*® (IWUIC®) and *International Zoning Code*® (IZC®).

The IBC addresses structural strength, means of egress, sanitation, adequate lighting and ventilation, accessibility, energy conservation and life safety in regards to new and existing buildings, facilities and systems. The codes are promulgated on a 3-year cycle to allow for new construction methods and technologies to be incorporated into the codes. Alternative materials, designs and methods not specifically addressed in the code can be approved by the code official where the proposed materials, designs or methods comply with the intent of the provisions of the code (see Section 104.11).

The IBC applies to all occupancies, including one- and two-family dwellings and townhouses that are not within the scope of the IRC. The IRC is referenced for coverage of detached one- and two-family dwellings and townhouses as defined in the Exception to Section 101.2 and the definition for “townhouse” in Chapter 2. The IBC applies to all types of buildings and structures unless exempted. Work exempted from permits is listed in Section 105.2.

Arrangement and Format of the 2012 IBC

Before applying the requirements of the IBC, it is beneficial to understand its arrangement and format. The IBC, like other codes published by ICC, is arranged and organized to follow sequential steps that generally occur during a plan review or inspection.

Chapters	Subjects
1-2	Administration and definitions
3	Use and occupancy classifications
4, 31	Special requirements for specific occupancies or elements
5-6	Height and area limitations based on type of construction
7-9	Fire resistance and protection requirements
10	Requirements for evacuation
11	Specific requirements to allow use and access to a building for persons with disabilities
12-13, 27-30	Building systems, such as lighting, HVAC, plumbing fixtures, elevators
14-26	Structural components—performance and stability
32	Encroachment outside of property lines
33	Safeguards during construction
34	Existing building allowances
35	Referenced standards
Appendices A-M	Appendices

The IBC requirements for high-hazard, fire-resistance-rated construction, interior finish, fire protection systems, means of egress, emergency and standby power, and temporary structures are directly correlated with the requirements of the IFC. The following chapters/sections of the IBC are correlated to the IFC:

IBC Chapter/Section	IFC Chapter/Section	Subject
Sections 307, 414, 415	Chapters 50-60; 62-67	High-hazard requirements
Chapter 7	Chapter 7	Fire-resistance-rated construction
Chapter 8	Chapter 8	Interior finish, decorative materials and furnishings
Chapter 9	Chapter 9	Fire protection systems
Chapter 10	Chapter 10	Means of egress
Chapter 27	Section 604	Standby and emergency power
Section 3103	Chapter 24	Temporary structures

The IBC requirements for smoke control systems, and smoke and fire dampers are directly correlated to the requirements of the IMC. IBC Chapter 28 is a reference to the IMC and the IFGC for chimney, fireplaces and barbeques, and all aspects of mechanical systems. The following chapters/sections of the IBC are correlated with the IMC:

IBC Chapter/Section	IMC Chapter/Section	Subject
Section 716	Section 607	Smoke and fire dampers
Section 909	Section 513	Smoke control

The IBC requirements for plumbing fixtures and toilet rooms are directly correlated to the requirements of the IPC. The following chapters/sections of the IBC are correlated with the IPC:

IBC Chapter/Section	IPC Chapter/Section	Subject
Chapter 29	Chapters 3 & 4	Plumbing fixtures and facilities

The following is a chapter-by-chapter synopsis of the scope and intent of the provisions of the *International Building Code*.

Chapter 1 Scope and Administration. Chapter 1 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. Chapter 1 is in two parts, Part 1—Scope and Application (Sections 101-102) and Part 2—Administration and Enforcement (Sections 103-116). Section 101 identifies which buildings and structures come under its purview and references other ICC codes as applicable. Standards and codes are scoped to the extent referenced (see Section 102.4).

The building code is intended to be adopted as a legally enforceable document and it cannot be effective without adequate provisions for its administration and enforcement. The provisions of Chapter 1 establish the authority and duties of the code official appointed by the jurisdiction having authority and also establish the rights and privileges of the design professional, contractor and property owner.

Chapter 2 Definitions. All terms that are defined in the code are listed alphabetically in Chapter 2. Terms are defined in Chapter 2. Defined terms that are pertinent to a specific chapter are also listed in that chapter. While a defined term may be listed in one chapter or another, the meaning is applicable throughout the code.

Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood

meaning of the term as used outside of the code. Where understanding of a term's definition is especially key to or necessary for understanding a particular code provision, the term is shown in *italics* wherever it appears in the code.

This is true only for those terms that have a meaning that is unique to the code. In other words, the generally understood meaning of a term or phrase might not be sufficient or consistent with the meaning prescribed by the code; therefore, it is essential that the code-defined meaning be known.

Definitions are deemed to be of prime importance in establishing the meaning and intent of the code text that uses the terms. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and because the user may not be aware that a term is defined.

Chapter 3 Use and Occupancy Classification. Chapter 3 provides for the classification of buildings, structures and parts thereof based on the purpose or purposes for which they are used. Section 302 identifies the groups into which all buildings, structures and parts thereof must be classified. Sections 303 through 312 identify the occupancy characteristics of each group classification. In some sections, specific group classifications having requirements in common are collectively organized such that one term applies to all. For example, Groups A-1, A-2, A-3, A-4 and A-5 are individual groups for assembly-type buildings. The general term "Group A," however, includes each of these individual groups. Other groups include Business (B), Educational (E), Factory (F-1, F-2), High Hazard (H-1, H-2, H-3, H-4, H-5), Institutional (I-1, I-2, I-3, I-4), Mercantile (M), Residential (R-1, R-2, R-3, R-4), Storage (S-1, S-2) and Utility (U). In some occupancies, the smaller number means a higher hazard, but that is not always the case.

Defining the use of the buildings is very important as it sets the tone for the remaining chapters of the code. Occupancy works with the height, area and construction type requirements in Chapters 5 and 6, as well as the special provisions in Chapter 4, to determine "equivalent risk," or providing a reasonable level of protection or life safety for building occupants. The determination of equivalent risk involves three interdependent considerations: (1) the level of fire hazard associated with the specific occupancy of the facility; (2) the reduction of fire hazard by limiting the floor area(s) and the height of the building based on the fuel load (combustible contents and burnable building components); and (3) the level of overall fire resistance provided by the type of construction used for the building. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Occupancy classification also plays a key part in organizing and prescribing the appropriate protection measures. As such, threshold requirements for fire protection and means of egress systems are based on occupancy classification (see Chapters 9 and 10). Other sections of the code also contain requirements respective to the classification of building groups. For example, Section 706 deals with requirements for fire wall fire-resistance ratings that are tied to the occupancy classification of a building and Section 803.9 contains interior finish requirements that are dependent upon the occupancy classification. The use of the space, rather than the occupancy of the building is utilized for determining occupant loading (Section 1004) and live loading (Section 1607).

Chapter 4 Special Detailed Requirements Based On Use and Occupancy. Chapter 4 contains the requirements for protecting special uses and occupancies, which are supplemental to the remainder of the code. Chapter 4 contains provisions that may alter requirements found elsewhere in the code; however, the general requirements of the code still apply unless modified within the chapter. For example, the height and area limitations established in Chapter 5 apply to all special occupancies unless Chapter 4 contains height and area limitations. In this case, the limitations in Chapter 4 supersede those in other sections. An example of this is the height and area limitations for open parking garages given in Section 406.3.5, which supersede the limitations given in Section 503.

In some instances, it may not be necessary to apply the provisions of Chapter 4. For example, if a covered mall building complies with the provisions of the code for Group M, Section 402 does not apply; however, other sections that deal with a use, process or operation must be applied to that specific occupancy, such as stages and platforms, special amusement buildings and hazardous materials (Sections 410, 411 and 414).

The chapter includes requirements for buildings and conditions that apply to one or more groups, such as high-rise buildings, underground buildings or atriums. Special uses may also imply specific occupancies and operations, such as for Group H, hazardous materials, application of flammable finishes, drying rooms, organic coatings and combustible storage or hydrogen cutoff rooms,

all of which are coordinated with the IFC. Unique consideration is taken for special use areas, such as covered mall buildings, motor-vehicle-related occupancies, special amusement buildings and aircraft-related occupancies. Special facilities within other occupancies are considered, such as stages and platforms, motion picture projection rooms and storm shelters. Finally, in order that the overall package of protection features can be easily understood, unique considerations for specific occupancies are addressed: Groups I-1, I-2, I-3, R-1, R-2, R-3 (by definition R-4), ambulatory care facilities and live/work units.

Chapter 5 General Building Heights and Areas. Chapter 5 contains the provisions that regulate the minimum type of construction for area limits and height limits based on the occupancy of the building. Height and area increases (including allowances for basements, mezzanines and equipment platforms) are permitted based on open frontage for fire department access, and the type of sprinkler protection provided and separation (Sections 503-506, 509). These thresholds are reduced for buildings over three stories in height in accordance with Section 506.4.1. Provisions include the protection and/or separation of incidental accessory occupancies (Table 508.2.5), accessory occupancies (Sections 508.2) and mixed uses in the same building (Sections 506.5, 508.3, 508.4 and 509). Unlimited area buildings are permitted in certain occupancies when they meet special provisions (Section 507).

Table 503 is the keystone in setting thresholds for building size based on the building's use and the materials with which it is constructed. If one then looks at Table 503, the relationship among group classification, allowable heights and areas and types of construction becomes apparent. Respective to each group classification, the greater the fire-resistance rating of structural elements, as represented by the type of construction, the greater the floor area and height allowances. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Chapter 6 Types of Construction. The interdependence of these fire safety considerations can be seen by first looking at Tables 601 and 602, which show the fire-resistance ratings of the principal structural elements comprising a building in relation to the five classifications for types of construction. Type I construction is the classification that generally requires the highest fire-resistance ratings for structural elements, whereas Type V construction, which is designated as a combustible type of construction, generally requires the least amount of fire-resistance-rated structural elements. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Section 603 includes a list of combustible elements that can be part of a noncombustible building (Types I and II construction).

Chapter 7 Fire and Smoke Protection Features. The provisions of Chapter 7 present the fundamental concepts of fire performance that all buildings are expected to achieve in some form. This chapter identifies the acceptable materials, techniques and methods by which proposed construction can be designed and evaluated against to determine a building's ability to limit the impact of fire. The fire-resistance-rated construction requirements within Chapter 7 provide passive resistance to the spread and effects of fire. Types of separations addressed include fire walls, fire barriers, fire partitions, horizontal assemblies, smoke barriers and smoke partitions. A fire produces heat that can weaken structural components and smoke products that cause property damage and place occupants at risk. The requirements of Chapter 7 work in unison with height and area requirements (Chapter 5), active fire detection and suppression systems (Chapter 9) and occupant egress requirements (Chapter 10) to contain a fire should it occur while helping ensure occupants are able to safely exit.

Chapter 8 Interior Finishes. This chapter contains the performance requirements for controlling fire growth within buildings by restricting interior finish and decorative materials. Past fire experience has shown that interior finish and decorative materials are key elements in the development and spread of fire. The provisions of Chapter 8 require materials used as interior finishes and decorations to meet certain flame-spread index or flame-propagation criteria based on the relative fire hazard associated with the occupancy. As smoke is also a hazard associated with fire, this chapter contains limits on the smoke development characteristics of interior finishes. The performance of the material is evaluated based on test standards.

Chapter 9 Fire Protection Systems. Chapter 9 prescribes the minimum requirements for active systems of fire protection equipment to perform the following functions: detect a fire; alert the occupants or fire department of a fire emergency; and control smoke and control or extinguish the

fire. Generally, the requirements are based on the occupancy, the height and the area of the building, because these are the factors that most affect fire-fighting capabilities and the relative hazard of a specific building or portion thereof. This chapter parallels and is substantially duplicated in Chapter 9 of the *International Fire Code* (IFC); however, the IFC Chapter 9 also contains periodic testing criteria that are not contained in the IBC. In addition, the special fire protection system requirements based on use and occupancy found in IBC Chapter 4 are duplicated in IFC Chapter 9 as a user convenience.

Chapter 10 Means of Egress. The general criteria set forth in Chapter 10 regulating the design of the means of egress are established as the primary method for protection of people in buildings by allowing timely relocation or evacuation of building occupants. Both prescriptive and performance language is utilized in this chapter to provide for a basic approach in the determination of a safe exiting system for all occupancies. It addresses all portions of the egress system (i.e., exit access, exits and exit discharge) and includes design requirements as well as provisions regulating individual components. The requirements detail the size, arrangement, number and protection of means of egress components. Functional and operational characteristics also are specified for the components that will permit their safe use without special knowledge or effort. The means of egress protection requirements work in coordination with other sections of the code, such as protection of vertical openings (see Chapter 7), interior finish (see Chapter 8), fire suppression and detection systems (see Chapter 9) and numerous others, all having an impact on life safety. Chapter 10 of the IBC is duplicated in Chapter 10 of the IFC; however, the IFC contains two additional sections on the means of egress system in existing buildings.

Chapter 11 Accessibility. Chapter 11 contains provisions that set forth requirements for accessibility of buildings and their associated sites and facilities for people with physical disabilities. The fundamental philosophy of the code on the subject of accessibility is that everything is required to be accessible. This is reflected in the basic applicability requirement (see Section 1103.1). The code's scoping requirements then address the conditions under which accessibility is not required in terms of exceptions to this general mandate. While the IBC contains scoping provisions for accessibility (e.g., what, where and how many), ICC/ANSI A117.1, *Accessible and Usable Buildings and Facilities*, is the referenced standard for the technical provisions (i.e., how).

There are many accessibility issues that not only benefit people with disabilities, but also provide a tangible benefit to people without disabilities. This type of requirement can be set forth in the code as generally applicable without necessarily identifying it specifically as an accessibility-related issue. Such a requirement would then be considered as having been "mainstreamed." For example, visible alarms are located in Chapter 9 and ramp requirements are addressed in Chapter 10.

Accessibility criteria for existing buildings are addressed in Section 3411. Appendix E is supplemental information included in the code to address accessibility for items in the new Americans with Disabilities Act/Architectural Barriers Act Accessibility Guidelines (ADA/ABA) that were not typically enforceable through the standard traditional building code enforcement approach system (e.g., beds, room signage). The *International Residential Code* (IRC) references Chapter 11 for accessibility provisions; therefore, this chapter may be applicable to housing covered under the IRC.

Chapter 12 Interior Environment. Chapter 12 provides minimum standards for the interior environment of a building. The standards address the minimum sizes of spaces, minimum temperature levels, and minimum light and ventilation levels. The collection of requirements addresses limiting sound transmission through walls, ventilation of attic spaces and under floor spaces (crawl spaces). Finally, the chapter provides minimum standards for toilet and bathroom construction, including privacy shielding and standards for walls, partitions and floors to resist water intrusion and damage.

Chapter 13 Energy Efficiency. The purpose of Chapter 13 is to provide minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. For the specifics of these criteria, Chapter 13 requires design and construction in compliance with the *International Energy Conservation Code* (IECC).

Chapter 14 Exterior Walls. This chapter addresses requirements for exterior walls of buildings. Minimum standards for wall covering materials, installation of wall coverings and the ability of the wall to provide weather protection are provided. This chapter also requires exterior walls that are close to lot lines, or that are bearing walls for certain types of construction, to comply with the minimum fire-resistance ratings specified in Chapters 6 and 7. The installation of each type of wall covering, be it wood, masonry, vinyl, metal composite material or an exterior insulation and finish system, is critical to its long-term performance in protecting the interior of the building from the elements and the spread of fire. Special attention to the use of combustible materials on the exterior of the building such as balconies, eaves, decks and architectural trim is the focus of Section 1406.

Chapter 15 Roof Assemblies and Rooftop Structures. Chapter 15 provides standards for both roof assemblies as well as structures which sit on top of the roof of buildings. The criteria address roof construction and covering which includes the weather-protective barrier at the roof and, in most circumstances, a fire-resistant barrier. The chapter is prescriptive in nature and is based on decades of experience with various traditional materials. These prescriptive rules are very important for satisfying performance of one type of roof covering or another. Section 1509 addresses rooftop structures including penthouses, tanks, towers and spires. Rooftop penthouses larger than prescribed in this chapter must be treated as a story under Chapter 5.

Chapter 16 Structural Design. Chapter 16 prescribes minimum structural loading requirements for use in the design and construction of buildings and structural components. It includes minimum design loads, as well as permitted design methodologies. Standards are provided for minimum design loads (live, dead, snow, wind, rain, flood and earthquake as well as load combinations). The application of these loads and adherence to the serviceability criteria will enhance the protection of life and property. The chapter references and relies on many nationally recognized design standards. A key standard is the American Society of Civil Engineer's *Minimum Design Loads for Buildings and Other Structures* (ASCE 7). Structural design needs to address the conditions of the site and location. Therefore maps of rainfall, seismic, snow and wind criteria in different regions are provided.

Chapter 17 Special Inspections and Tests. Chapter 17 provides a variety of procedures and criteria for testing materials and assemblies, for labeling materials and assemblies, and for special inspection of structural assemblies. This chapter expands on the requirements of Chapter 1 regarding the roles and responsibilities of the building official regarding approval of building components. It also provides additional duties and responsibilities for the owner, contractor, design professionals and special inspectors. Proper assembly of structural components, proper quality of materials used, and proper application of materials are essential to ensuring that a building, once constructed, complies with the structural and fire-resistance minimums of the code and the approved design. To determine this compliance often requires continuous or frequent inspection and testing. Chapter 17 establishes these special inspection and testing standards as well as reporting of the work to the building official.

Chapter 18 Soils and Foundations. Chapter 18 contains minimum requirements for design, construction and resistance to water intrusion of foundation systems for buildings and other structures. It provides criteria for the geotechnical and structural considerations in the selection and installation of adequate support for the loads transferred from the structure above. The uncertainties of foundation construction make it extremely difficult to address every potential failure within the text of the code. The chapter includes requirements for soils investigation and site preparation for receiving a foundation including the allowed load-bearing values for soils and for protecting the foundation from water intrusion. Section 1808 addresses the basic requirements for all foundation types. Later sections address foundation requirements that are specific to shallow foundations and deep foundations. Due care must be exercised in the planning and design of foundation systems based on obtaining sufficient soils information, the use of accepted engineering procedures, experience and good technical judgment.

Chapter 19 Concrete. This chapter provides minimum accepted practices to the design and construction of buildings and structural components using concrete—both plain and reinforced. Chapter 19 is formatted to parallel American Concrete Institute (ACI) 318, *Building Code Requirements for Structural Concrete*. The chapter also includes references to additional standards. Structural concrete must be designed and constructed to comply with this code and all listed standards. There are specific sections of the chapter addressing concrete slabs, anchorage to concrete, shotcrete, reinforced gypsum concrete and concrete-filled pipe columns. Because of the variable properties of

material and numerous design and construction options available in the uses of concrete, due care and control throughout the construction process is necessary.

Chapter 20 Aluminum. Chapter 20 contains standards for the use of aluminum in building construction. Only the structural applications of aluminum are addressed. The chapter does not address the use of aluminum in specialty products such as storefront or window framing or architectural hardware. The use of aluminum in heating, ventilating or air-conditioning systems is addressed in the *International Mechanical Code* (IMC). The chapter references national standards from the Aluminum Association for use of aluminum in building construction, AA ASM 35, *Aluminum Sheet Metal Work in Building Construction*, and AA ADM 1, *Aluminum Design Manual*. By utilizing the standards set forth, a proper application of this material can be obtained.

Chapter 21 Masonry. This chapter provides comprehensive and practical requirements for masonry construction. The provisions of Chapter 21 require minimum accepted practices and the use of standards for the design and construction of masonry structures. The provisions address: material specifications and test methods; types of wall construction; criteria for engineered and empirical designs; required details of construction including the execution of construction. Masonry design methodologies including allowable stress design, strength design and empirical design are covered by provisions of the chapter. Also addressed are masonry fireplaces and chimneys, masonry heaters and glass unit masonry. Fire-resistant construction using masonry is also required to comply with Chapter 7. Masonry foundations are also subject to the requirements of Chapter 18.

Chapter 22 Steel. Chapter 22 provides the requirements necessary for the design and construction of structural steel (including composite construction), cold-formed steel, steel joists, steel cable structures and steel storage racks. The chapter specifies appropriate design and construction standards for these types of structures. It also provides a road map of the applicable technical requirements for steel structures. Steel is a noncombustible building material commonly associated with Types I and II construction; however, it is permitted to be used in all types of construction. The code requires that materials used in the design of structural steel members conform to designated national standards. Chapter 22 is involved with the design and use of steel materials using the specifications and standards of the American Institute for Steel Construction, the American Iron and Steel Institute, the Steel Joist Institute and the American Society of Civil Engineers.

Chapter 23 Wood. This chapter provides minimum guidance for the design of buildings and structures that use wood and wood-based products in their framing and fabrication. The chapter is organized around three design methodologies: allowable stress design (ASD), load and resistance-factor design (LRFD) and conventional light-frame construction. Included in the chapter are references to design and manufacturing standards for various wood and wood-based products; general construction requirements; design criteria for lateral force-resisting systems and specific requirements for the application of the three design methods. In general, only Type III, IV or V buildings may be constructed of wood. Accordingly Chapter 23 is referenced when the combination of the occupancy (determined in Chapter 3) and the height and area of the building (determined in Chapter 5) indicate that construction can be Type III, IV or V.

Chapter 24 Glass and Glazing. This chapter establishes regulations for glass and glazing used in buildings and structures that, when installed, are subjected to wind, snow and dead loads. Engineering and design requirements are included in the chapter. Additional structural requirements are found in Chapter 16. A second concern of this chapter is glass and glazing used in areas where it is likely to have an impact on the occupants. Section 2406 identifies hazardous locations where glazing installed must either be safety glazing or blocked to prevent human impact. Safety glazing must meet stringent standards and be appropriately marked or identified. Additional standards for glass and glazing in guards, handrails, elevator hoistways and elevator cars, and in athletic facilities are provided.

Chapter 25 Gypsum Board and Plaster. Chapter 25 contains the provisions and referenced standards that regulate the design, construction and quality of gypsum board and plaster. These represent the most common interior and exterior finish materials in the building industry. This chapter primarily addresses quality-control-related issues with regard to material specifications and installation requirements. Most products are manufactured under the control of industry standards. The building official or inspector primarily needs to verify that the appropriate product is used and properly installed for the intended use and location. While often simply used as wall and

ceiling coverings, proper design and application are necessary to provide weather resistance and required fire protection for both structural and nonstructural building components.

Chapter 26 Plastic. The use of plastics in building construction and components is addressed in Chapter 26. This chapter provides standards addressing foam plastic insulation, foam plastics used as interior finish and trim, and other plastic veneers used on the inside or outside of a building. Plastic siding is regulated by Chapter 14. Sections 2606 through 2611 address the use of light-transmitting plastics in various configurations such as walls, roof panels, skylights, signs and as glazing. Requirements for the use of fiber-reinforced polymers, fiberglass reinforced polymers and reflective plastic core insulation are also contained in this chapter. Some plastics exhibit rapid flame spread and heavy smoke density characteristics when exposed to fire. Additionally, exposure to the heat generated by a fire can cause some plastics to deform, which can affect their performance. The requirements and limitations of this chapter are necessary to control the use of plastic and foam plastic products such that they do not compromise the safety of building occupants.

Chapter 27 Electrical. Since electrical systems and components are an integral part of almost all structures, it is necessary for the code to address the installation of such systems. For this purpose, Chapter 27 references the *National Electrical Code (NEC)*. In addition, Section 2702 addresses emergency and standby power requirements. Such systems must comply with the *International Fire Code (IFC)* and referenced standards. This section also provides references to the various code sections requiring emergency and standby power, such as high-rise buildings and buildings containing hazardous materials.

Chapter 28 Mechanical Systems. Nearly all buildings will include mechanical systems. This chapter provides references to the *International Mechanical Code (IMC)* and the *International Fuel Gas Code (IFGC)* for the design and installation of mechanical systems. In addition, the chapter references Chapter 21 of the IBC for masonry chimneys, fireplaces and barbecues.

Chapter 29 Plumbing Systems. Chapter 29 regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the location of the required fixtures in various types of buildings. This section requires separate facilities for males and females except for certain types of small occupancies. The regulations in this chapter come directly from Chapters 3 and 4 of the *International Plumbing Code (IPC)*.

Chapter 30 Elevators and Conveying Systems. Chapter 30 provides standards for the installation of elevators into buildings. Referenced standards provide the requirements for the elevator system and mechanisms. Detailed standards are provided in the chapter for hoistway enclosures, hoistway venting and machine rooms. New provisions are added in the 2009 IBC for Fire Service Access Elevators required in high-rise buildings and for the optional choice of Occupant Evacuation Elevators (see Section 403).

Chapter 31 Special Construction. Chapter 31 contains a collection of regulations for a variety of unique structures and architectural features. Pedestrian walkways and tunnels connecting two buildings are addressed in Section 3104. Membrane and air-supported structures are addressed by Section 3102. Safeguards for swimming pool safety are found in Section 3109. Standards for temporary structures, including permit requirements are provided in Section 3103. Structures as varied as awnings, marquees, signs, telecommunication and broadcast towers and automatic vehicular gates are also addressed (see Sections 3105 through 3108 and 3110).

Chapter 32 Encroachments into the Public Right-of-way. Buildings and structures from time to time are designed to extend over a property line and into the public right-of-way. Local regulations outside of the building code usually set limits to such encroachments, and such regulations take precedence over the provisions of this chapter. Standards are provided for encroachments below grade for structural support, vaults and areaways. Encroachments above grade are divided into below 8 feet, 8 feet to 15 feet, and above 15 feet, because of headroom and vehicular height issues. This includes steps, columns, awnings, canopies, marquees, signs, windows, balconies. Similar architectural features above grade are also addressed. Pedestrian walkways must also comply with Chapter 31.

Chapter 33 Safeguards During Construction. Chapter 33 provides safety requirements during construction and demolition of buildings and structures. These requirements are intended to protect the public from injury and adjoining property from damage. In addition the chapter provides for the progressive installation and operation of exit stairways and standpipe systems during construction.

Chapter 34 Existing Structures. The provisions in Chapter 34 deal with alternative methods or reduced compliance requirements when dealing with existing building constraints. This chapter allows for a controlled departure from full compliance with the technical codes, without compromising the minimum standards for fire prevention and life safety features of the rehabilitated building. Provisions are divided by addition, alterations, repairs, change of occupancy and moved structures. There are further allowances for registered historic buildings. There are also special allowances for replacement of existing stairways, replacement of glass and accessibility requirements. The fire escape requirements in Section 3406 are consistent with the fire escape requirements in Section 1030 of the *International Fire Code* (IFC).

Section 3412, Compliance Alternatives, allows for existing buildings to be evaluated so as to show that alterations, while not meeting new construction requirements, will improve the current existing situation. Provisions are based on a numerical scoring system involving 18 various safety parameters and the degree of code compliance for each issue.

Chapter 34 is repeated in the *International Existing Building Code* (IEBC). Sections 3402 through 3409 are repeated as IEBC Chapter 3 and Section 3410 as Chapter 13.

Chapter 35 Referenced Standards. The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 35 contains a comprehensive list of all standards that are referenced in the code, including the appendices. The standards are part of the code to the extent of the reference to the standard (see Section 102.4). Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the building code official, contractor, designer and owner.

Chapter 35 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

Appendices. Appendices are provided in the IBC to offer optional or supplemental criteria to the provisions in the main chapters of the code. Appendices provide additional information for administration of the Department of Building Safety as well as standards not typically administered by all building departments. Appendices have the same force and effect as the first 35 chapters of the IBC only when explicitly adopted by the jurisdiction.

Appendix A Employee Qualifications. Effective administration and enforcement of the family of *International Codes* depends on the training and expertise of the personnel employed by the jurisdiction and his or her knowledge of the codes. Section 103 of the code establishes the Department of Building Safety and calls for the appointment of a building official and deputies such as plans examiners and inspectors. Appendix A provides standards for experience, training and certification for the building official and the other staff mentioned in Chapter 1.

Appendix B Board of Appeals. Section 112 of Chapter 1 requires the establishment of a board of appeals to hear appeals regarding determinations made by the building official. Appendix B provides qualification standards for members of the board as well as operational procedures of such board.

Appendix C Group U—Agricultural Buildings. Appendix C provides a more liberal set of standards for the construction of agricultural buildings, rather than strictly following the Utility building provision, reflective of their specific usage and limited occupant load. The provisions of the appendix, when adopted, allow reasonable heights and areas commensurate with the risk of agricultural buildings.

Appendix D Fire Districts. Fire districts have been a tool used to limit conflagration hazards in areas of a city with intense and concentrated development. More frequently used under the model codes which preceded the *International Building Code* (IBC), the appendix is provided to allow jurisdictions to continue the designation and use of fire districts. Fire District standards restrict certain occupancies within the district, as well as setting higher minimum construction standards.

Appendix E Supplemental Accessibility Requirements. The Architectural and Transportation Barriers Compliance Board (U.S. Access Board) has revised and updated its accessibility guidelines for buildings and facilities covered by the Americans with Disabilities Act (ADA) and the Architectural Barriers Act (ABA). Appendix E includes scoping requirements contained in the new ADA/ABA Accessibility Guidelines that are not in Chapter 11 and not otherwise mentioned or mainstreamed throughout the code. Items in the appendix deal with subjects not typically addressed in building codes (e.g., beds, room signage, transportation facilities).

Appendix F Rodentproofing. The provisions of this appendix are minimum mechanical methods to prevent the entry of rodents into a building. These standards, when used in conjunction with cleanliness and maintenance programs, can significantly reduce the potential of rodents invading a building.

Appendix G Flood-resistant Construction. Appendix G is intended to fulfill the flood-plain management and administrative requirements of the National Flood Insurance Program (NFIP) that are not included in the code. Communities that adopt the *International Building Code* (IBC) and Appendix G will meet the minimum requirements of NFIP as set forth in Title 44 of the Code of Federal Regulations.

Appendix H Signs. Appendix H gathers in one place the various code standards that regulate the construction and protection of outdoor signs. Whenever possible, the appendix provides standards in performance language, thus allowing the widest possible application.

Appendix I Patio Covers. Appendix I provides standards applicable to the construction and use of patio covers. It is limited in application to patio covers accessory to dwelling units. Covers of patios and other outdoor areas associated with restaurants, mercantile buildings, offices, nursing homes or other nondwelling occupancies would be subject to standards in the main code and not this appendix.

Appendix J Grading. Appendix J provides standards for the grading of properties. The appendix also provides standards for administration and enforcement of a grading program including permit and inspection requirements. Appendix J was originally developed in the 1960s and used for many years in jurisdictions throughout the western states. It is intended to provide consistent and uniform code requirements anywhere grading is considered an issue.

Appendix K Administrative Provisions. Appendix K primarily provides administrative provisions for jurisdictions adopting and enforcing NFPA 70—the *National Electrical Code* (NEC). The provisions contained in this appendix are compatible with administrative and enforcement provisions contained in Chapter 1 of the IBC and the other *International Codes*. Annex H of NFPA 70 also contains administrative provisions for the NEC; however, some of its provisions are not compatible with IBC Chapter 1. Section K110 also contains technical provisions that are unique to this appendix and are in addition to technical standards of NFPA 70.

Appendix L Earthquake Recording Instrumentation. The purpose of this appendix is to foster the collection of ground motion data, particularly from strong-motion earthquakes. When this ground motion data is synthesized, it may be useful in developing future improvements to the earthquake provisions of the code.

Appendix M Tsunami-Generated Flood Hazard. Addressing a tsunami risk for all types of construction in a tsunami hazard zone through building code requirements would typically not be cost effective, making tsunami resistant construction impractical at an individual building level. However, this appendix does allow the adoption and enforcement of requirements for tsunami hazard zones that regulate the presence of high risk or high hazard structures.

TABLE OF CONTENTS

<p>2015 MINNESOTA BUILDING CODE</p> <p style="padding-left: 20px;">ADMINISTRATION 1</p> <p>Section</p> <p>1300.0010 Administration 1</p> <p>1300.0020 Title 1</p> <p>1300.0030 Purpose and Application 1</p> <p>1300.0040 Scope 1</p> <p>1300.0050 Chapters of Minnesota State Building Code 2</p> <p>1300.0060 Optional Administration 2</p> <p>1300.0070 Definitions 2</p> <p>1300.0080 Code Adoption and Amendments 3</p> <p>1300.0090 Department of Building Safety 3</p> <p>1300.0110 Duties and Powers of Building Official 3</p> <p>1300.0120 Permits 5</p> <p>1300.0130 Construction Documents 7</p> <p>1300.0140 Violations 8</p> <p>1300.0150 Violations, Penalty 8</p> <p>1300.0160 Fees 8</p> <p>1300.0170 Stop Work Order 9</p> <p>1300.0180 Unsafe Buildings or Structures 9</p> <p>1300.0190 Temporary Structures and Uses 10</p> <p>1300.0210 Inspections 10</p> <p>1300.0215 Plumbing 11</p> <p>1300.0220 Certificate of Occupancy 11</p> <p>1300.0225 Maintenance 12</p> <p>1300.0230 Board of Appeals 12</p> <p>1300.0240 Disclaimer Clause 13</p> <p>1300.0250 Severability 13</p> <p>2015 MINNESOTA PROVISIONS TO THE MINNESOTA STATE BUILDING CODE (INCLUDING RADON) 15</p> <p>Section</p> <p>1303.1000 Title 15</p> <p>1303.1100 Purpose 15</p> <p>1303.1200 Restroom Facilities in Public Accommodations 15</p> <p>1303.1300 Space for Commuter Vans 15</p> <p>1303.1400 Automatic Garage Door Opening Systems 15</p> <p>1303.1500 Recycling Space 15</p> <p>1303.1600 Footing Depth for Frost Protection 16</p>	<p>1303.1700 Ground Snow Load 16</p> <p>1303.1800 Repealed (2007 Rule) 16</p> <p>1303.1900 Repealed 16</p> <p>1303.2000 Exterior Wood Decks, Patios, and Balconies 16</p> <p>1303.2100 Bleacher Safety 17</p> <p>1303.2200 Simplified Wind Loads 17</p> <p>1303.2300 Repealed (2007 Rule) 17</p> <p>1303.2305 Repealed (2007 Rule) 17</p> <p>1303.2310 Repealed (2007 Rule) 17</p> <p>1303.2320 Repealed (2007 Rule) 17</p> <p>1303.2330 Repealed (2007 Rule) 17</p> <p>1303.2400 Purpose and Scope 17</p> <p>1303.2401 Definitions 18</p> <p>1303.2402 Requirements for Passive Radon Control Systems 18</p> <p>1303.2403 Requirements for Active Radon Control Systems 19</p> <p>MINNESOTA RULES, CHAPTER 1305 21</p> <p>Section</p> <p>1305.0011 Adoption of International Building Code by Reference and Administrative Authority 21</p> <p>1305.0021 Reference to Other International Code Council Codes 21</p> <p>1305.0030 Administrative Procedure Criteria 22</p> <p>1305.0101 Chapter 1, Administration 22</p> <p>CHAPTER 1 SCOPE AND ADMINISTRATION—DELETED 23</p> <p>CHAPTER 2 DEFINITIONS 25</p> <p>Section</p> <p>201 General 25</p> <p>202 Definitions 25</p> <p>CHAPTER 3 USE AND OCCUPANCY CLASSIFICATION 55</p> <p>Section</p> <p>301 General 55</p> <p>302 Classification 55</p> <p>303 Assembly Group A 57</p> <p>304 Business Group B 58</p>
---	---

TABLE OF CONTENTS

305 Educational Group E 58
 306 Factory Group F 58
 307 High-hazard Group H 59
 308 Institutional Group I 64
 309 Mercantile Group M 65
 310 Residential Group R 65
 311 Storage Group S 66
 312 Utility and Miscellaneous Group U 67

CHAPTER 4 SPECIAL DETAILED REQUIREMENTS BASED ON USE AND OCCUPANCY..... 69

Section
 401 Scope 69
 402 Covered Mall and Open Mall Buildings 69
 403 High-rise Buildings 73
 404 Atriums 75
 405 Underground Buildings 76
 406 Motor-vehicle-related Occupancies 77
 407 Group I-2 81
 408 Group I-3 83
 409 Motion Picture Projection Rooms 86
 410 Stages, Platforms and Technical Production Areas 86
 411 Special Amusement Buildings 88
 412 Aircraft-related Occupancies 89
 413 Combustible Storage 91
 414 Hazardous Materials 91
 415 Groups H-1, H-2, H-3, H-4 and H-5 96
 416 Application of Flammable Finishes 105
 417 Drying Rooms 105
 418 Organic Coatings 106
 419 Live/work Units—Deleted 106
 420 Groups I-1, R-1, R-2, R-3 106
 421 Hydrogen Cutoff Rooms 106
 422 Ambulatory Care Facilities 107
 423 Storm Shelters 108
 424 Children’s Play Structures 108
 425 Group E Occupancies 108

CHAPTER 5 GENERAL BUILDING HEIGHTS AND AREAS 111

Section
 501 General 111

502 Definitions 111
 503 General Building Height and Area Limitations 111
 504 Building Height 111
 505 Mezzanines and Equipment Platforms 113
 506 Building Area Modifications 114
 507 Unlimited Area Buildings 115
 508 Mixed Use and Occupancy 117
 509 Incidental Uses 118
 510 Special Provisions 119

CHAPTER 6 TYPES OF CONSTRUCTION 123

Section
 601 General 123
 602 Construction Classification 123
 603 Combustible Material in Type I and II Construction 125

CHAPTER 7 FIRE AND SMOKE PROTECTION FEATURES 127

Section
 701 General 127
 702 Definitions 127
 703 Fire-resistance Ratings and Fire Tests 127
 704 Fire-resistance Rating of Structural Members 128
 705 Exterior Walls 130
 706 Fire Walls 134
 707 Fire Barriers 136
 708 Fire Partitions 138
 709 Smoke Barriers 139
 710 Smoke Partitions 139
 711 Horizontal Assemblies 140
 712 Vertical Openings 141
 713 Shaft Enclosures 142
 714 Penetrations 144
 715 Fire-resistant Joint Systems 146
 716 Opening Protectives 147
 717 Ducts and Air Transfer Openings 154
 718 Concealed Spaces 158
 719 Fire-resistance Requirements for Plaster 160
 720 Thermal- and Sound-insulating Materials 160
 721 Prescriptive Fire Resistance 161
 722 Calculated Fire Resistance 184

CHAPTER 8 INTERIOR FINISHES 213

Section

801 General 213

802 Definitions 213

803 Wall and Ceiling Finishes 213

804 Interior Floor Finish 216

805 Combustible Materials in Types I
and II Construction 216

806 Decorative Materials and Trim 216

807 Insulation 217

808 Acoustical Ceiling Systems 217

CHAPTER 9 FIRE PROTECTION SYSTEMS . . . 219

Section

901 General 219

902 Definitions 219

903 Automatic Sprinkler Systems 220

904 Alternative Automatic
Fire-extinguishing Systems 227

905 Standpipe Systems 228

906 Portable Fire Extinguishers 231

907 Fire Alarm and Detection Systems 232

908 Emergency Alarm Systems 243

909 Smoke Control Systems 244

910 Smoke and Heat Removal 251

911 Fire Command Center 254

912 Fire Department Connections 255

913 Fire Pumps 256

914 Emergency Responder Safety Features 256

915 Emergency Responder Radio Coverage 256

916 Post-fire Smoke Exhaust System 256

**CHAPTER 10 MEANS OF EGRESS
(With 2012 ICC 300 included) 259**

Section

1001 Administration 259

1002 Definitions 259

1003 General Means of Egress 259

1004 Occupant Load 261

1005 Means of Egress Sizing 262

1006 Means of Egress Illumination 263

1007 Accessible Means of Egress 263

1008 Doors, Gates and Turnstiles 266

1009 Stairways 273

1010 Ramps 277

1011 Exit Signs 278

1012 Handrails 279

1013 Guards 280

1014 Exit Access 282

1015 Exit and Exit Access Doorways 283

1016 Exit Access Travel Distance 284

1017 Aisles 285

1018 Corridors 285

1019 Egress Balconies 287

1020 Exits 287

1021 Number of Exits and Exit Configuration 287

1022 Interior Exit Stairways and Ramps 289

1023 Exit Passageways 290

1024 Luminous Egress Path Markings 291

1025 Horizontal Exits 292

1026 Exterior Exit Stairways and Ramps 293

1027 Exit Discharge 294

1028 Assembly 295

1029 Emergency Escape and Rescue 299

**ICC 300 BLEACHERS, FOLDING
AND TELESCOPIC SEATING,
AND GRANDSTANDS 301**

AMERICAN NATIONAL STANDARD 301

FOREWORD 301

**CHAPTER 1 APPLICATION
AND ADMINISTRATION 303**

Section

101 General 303

102 Applicability 303

103 Compliance Alternatives 303

104 Conventions 303

105 Inspection 303

106 Referenced Documents 303

CHAPTER 2 DEFINITIONS 305

Section

201 General 305

202 Defined Terms 305

CHAPTER 3 CONSTRUCTION 307

Section

301 General 307

302 Permitted Materials 307

303 Structural Design 307

TABLE OF CONTENTS

304	Interior Installations	308
305	Spaces beneath Seats	308
306	Clear Height	308
307	Roof Height	308
308	Electrical	308
309	Fire Protection	308
310	Accessibility	309
311	Open Spaces beneath Footboards and Seatboards	309
CHAPTER 4 EGRESS		311
Section		
401	General	311
402	Travel	311
403	Occupant Load	311
404	General Means of Egress	311
405	Aisles	311
406	Aisle Stairs	313
407	Aisle Accessways	313
408	Guards	315
409	Handrails	315
CHAPTER 5 EXISTING BLEACHERS, FOLDING AND TELESCOPIC SEATING, AND GRANDSTANDS		317

CHAPTER 11 ACCESSIBILITY—DELETED. 319

CHAPTER 12 INTERIOR ENVIRONMENT. 321

Section		
1201	General	321
1202	Definitions	321
1203	Ventilation	321
1204	Temperature Control	322
1205	Lighting	322
1206	Yards or Courts	323
1207	Sound Transmission	323
1208	Interior Space Dimensions	323
1209	Access to Unoccupied Spaces	324
1210	Toilet and Bathroom Requirements	325

CHAPTER 13 ENERGY EFFICIENCY 327

Section		
1301	General	327

CHAPTER 14 EXTERIOR WALLS 329

Section		
1401	General	329
1402	Definitions	329
1403	Performance Requirements	329
1404	Materials	330
1405	Installation of Wall Coverings	330
1406	Combustible Materials on the Exterior Side of Exterior Walls	335
1407	Metal Composite Materials (MCM)	336
1408	Exterior Insulation and Finish Systems (EIFS)	339
1409	High-pressure Decorative Exterior-grade Compact Laminates (HPL)	339

**CHAPTER 15 ROOF ASSEMBLIES AND
ROOFTOP STRUCTURES. 341**

Section		
1501	General	341
1502	Definitions	341
1503	Weather Protection	341
1504	Performance Requirements	342
1505	Fire Classification	342
1506	Materials	343
1507	Requirements for Roof Coverings	344
1508	Roof Insulation	355
1509	Rooftop Structures	355
1510	Reroofing	357
1511	Solar Photovoltaic Panels/modules	358

CHAPTER 16 STRUCTURAL DESIGN. 359

Section		
1601	General	359
1602	Definitions and Notations	359
1603	Construction Documents	359
1604	General Design Requirements	360
1605	Load Combinations	363
1606	Dead Loads	365
1607	Live Loads	365
1608	Snow Loads	371
1609	Wind Loads	372
1610	Soil Lateral Loads	382
1611	Rain Loads	383
1612	Flood Loads	389
1613	Earthquake Loads	389

1614 Atmospheric Ice Loads 389
 1615 Structural Integrity 389

**CHAPTER 17 SPECIAL INSPECTIONS
 AND TESTS 391**

Section
 1701 General 391
 1702 Definitions 391
 1703 Approvals 391
 1704 Special Inspections, Contractor Responsibility
 and Structural Observations 392
 1705 Required Verification and Inspection 394
 1706 Design Strengths of Materials 402
 1707 Alternative Test Procedure 402
 1708 Test Safe Load 402
 1709 In-situ Load Tests 402
 1710 Preconstruction Load Tests 402
 1711 Material and Test Standards 403

CHAPTER 18 SOILS AND FOUNDATIONS 405

Section
 1801 General 405
 1802 Definitions 405
 1803 Geotechnical Investigations 405
 1804 Excavation, Grading and Fill 407
 1805 Dampproofing and Waterproofing 407
 1806 Presumptive Load-bearing Values of Soils 409
 1807 Foundation Walls, Retaining Walls and
 Embedded Posts and Poles 409
 1808 Foundations 416
 1809 Shallow Foundations 418
 1810 Deep Foundations 420

CHAPTER 19 CONCRETE 433

Section
 1901 General 433
 1902 Definitions 433
 1903 Specifications for Tests and Materials 433
 1904 Durability Requirements 433
 1905 Modifications to ACI 318 435
 1906 Structural Plain Concrete 438
 1907 Minimum Slab Provisions 438

1908 Anchorage to Concrete—Allowable
 Stress Design 438
 1909 Anchorage to Concrete—Strength Design 438
 1910 Shotcrete 439
 1911 Reinforced Gypsum Concrete 440
 1912 Concrete-filled Pipe Columns 440

CHAPTER 20 ALUMINUM 443

Section
 2001 General 443
 2002 Materials 443

CHAPTER 21 MASONRY 445

Section
 2101 General 445
 2102 Definitions and Notations 445
 2103 Masonry Construction Materials 447
 2104 Construction 448
 2105 Quality Assurance 448
 2106 Seismic Design 450
 2107 Allowable Stress Design 450
 2108 Strength Design of Masonry 450
 2109 Empirical Design of Masonry 450
 2110 Glass Unit Masonry 452
 2111 Masonry Fireplaces 453
 2112 Masonry Heaters 455
 2113 Masonry Chimneys 455

CHAPTER 22 STEEL 461

Section
 2201 General 461
 2202 Definitions 461
 2203 Identification and Protection of Steel
 for Structural Purposes 461
 2204 Connections 461
 2205 Structural Steel 461
 2206 Composite Structural Steel and
 Concrete Structures 461
 2207 Steel Joists 462
 2208 Steel Cable Structures 462
 2209 Steel Storage Racks 463
 2210 Cold-formed Steel 463
 2211 Cold-formed Steel Light-frame Construction 463

TABLE OF CONTENTS

CHAPTER 23 WOOD 465

Section

2301 General 465

2302 Definitions 465

2303 Minimum Standards and Quality 465

2304 General Construction Requirements 469

2305 General Design Requirements for
Lateral Force-resisting Systems 479

2306 Allowable Stress Design 480

2307 Load and Resistance Factor Design 482

2308 Conventional Light-frame Construction 482

CHAPTER 24 GLASS AND GLAZING 531

Section

2401 General 531

2402 Definitions 531

2403 General Requirements for Glass 531

2404 Wind, Snow, Seismic and
Dead Loads on Glass 531

2405 Sloped Glazing and Skylights 532

2406 Safety Glazing 534

2407 Glass in Handrails and Guards 536

2408 Glazing in Athletic Facilities 536

2409 Glass in Elevator Hoistways and
Elevator Cars 537

**CHAPTER 25 GYPSUM BOARD
AND PLASTER 539**

Section

2501 General 539

2502 Definitions 539

2503 Inspection 539

2504 Vertical and Horizontal Assemblies 539

2505 Shear Wall Construction 539

2506 Gypsum Board Materials 539

2507 Lathing and Plastering 540

2508 Gypsum Construction 540

2509 Gypsum Board in Showers and
Water Closets 541

2510 Lathing and Furring for Cement
Plaster (Stucco) 541

2511 Interior Plaster 542

2512 Exterior Plaster 542

2513 Exposed Aggregate Plaster 543

CHAPTER 26 PLASTIC 545

Section

2601 General 545

2602 Definitions 545

2603 Foam Plastic Insulation 545

2604 Interior Finish and Trim 548

2605 Plastic Veneer 549

2606 Light-transmitting Plastics 549

2607 Light-transmitting Plastic Wall Panels 550

2608 Light-transmitting Plastic Glazing 551

2609 Light-transmitting Plastic Roof Panels 551

2610 Light-transmitting Plastic Skylight Glazing ... 552

2611 Light-transmitting Plastic Interior Signs 553

2612 Fiber-reinforced Polymer 553

2613 Reflective Plastic Core Insulation 553

CHAPTER 27 ELECTRICAL 555

Section

2701 General 555

2702 Emergency and Standby Power Systems 555

CHAPTER 28 MECHANICAL SYSTEMS 557

Section

2801 General 557

CHAPTER 29 PLUMBING SYSTEMS 559

Section

2901 General 559

2902 Minimum Plumbing Facilities 559

**ELEVATORS AND RELATED DEVICES
(Minnesota Rule Chapter 1307) 563**

Section

1307.0010 Purpose and Scope 563

1307.0020 Codes Adopted by Reference 563

1307.0027 Definitions 563

1307.0030 Permits 564

1307.0035 Inspection, Tests, and Approvals 564

1307.0040 Accidents 565

1307.0047 Special Provisions 565

1307.0067 Amendments to
ASME A17.1/CSA B44—2010 566

1307.0090 Existing Installations 569

CHAPTER 30 ELEVATORS AND CONVEYING SYSTEMS..... 571

Section

3001 General 571

3002 Hoistway Enclosures 571

3003 Emergency Operations 571

3004 Hoistway Venting..... 572

3005 Conveying Systems 573

3006 Machine Rooms 573

3007 Fire Service Access Elevator 573

3008 Occupant Evacuation Elevators 575

MINNESOTA AMENDMENTS TO ASME A18.1—2011 577

CHAPTER 31 SPECIAL CONSTRUCTION 581

Section

3101 General 581

3102 Membrane Structures 581

3103 Temporary Structures 582

3104 Pedestrian Walkways and Tunnels..... 582

3105 Awnings and Canopies 583

3106 Marquees 583

3107 Signs 584

3108 Telecommunication and Broadcast Towers 584

3109 Swimming Pool Enclosures and Safety Devices—Deleted 584

3110 Automatic Vehicular Gates 584

3111 Solar Photovoltaic Panels/modules 584

3112 Window Cleaning Anchors 584

3113 Solar Photovoltaic Power Systems..... 585

CHAPTER 32 ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY 587

Section

3201 General 587

3202 Encroachments 587

CHAPTER 33 SAFEGUARDS DURING CONSTRUCTION 589

Section

3301 General 589

3302 Construction Safeguards..... 589

3303 Demolition 589

3304 Site Work 589

3305 Sanitary 590

3306 Protection of Pedestrians 590

3307 Protection of Adjoining Property..... 591

3308 Temporary Use of Streets, Alleys and Public Property..... 591

3309 Fire Extinguishers 591

3310 Means of Egress..... 591

3311 Standpipes 591

3312 Automatic Sprinkler System 592

3313 Water Supply for Fire Protection..... 592

CHAPTER 34 EXISTING STRUCTURES—DELETED..... 593

CHAPTER 35 REFERENCED STANDARDS 595

INDEX 619