

ANDREW M. CUOMO GOVERNOR
ROSSANA ROSADO SECRETARY OF STATE



**2023 BUILDING CODE
of NEW YORK STATE**



**Building Standards
and Codes**



2020 Building Code of New York State

Publication Date: November 2019

ISBN: 978-1-60983-941-3

COPYRIGHT © 2019
by
INTERNATIONAL CODE COUNCIL, INC.
and
NEW YORK STATE DEPARTMENT OF STATE

ALL RIGHTS RESERVED. This 2020 *Building Code of New York State* is a copyrighted work owned by the International Code Council, Inc. (“ICC”). This work contains: (1) portions of the ICC International Codes® (I-Codes®); (2) material that is a derivative of the I-Codes; and (3) wholly original materials prepared by the New York State Department of State (NYS DOS) or by the New York State Fire Prevention and Building Code Council (the “Code Council”). The International Code Council, Inc., has copyright ownership of the I-Codes. The International Code Council and the New York State Department of State have joint copyright ownership of the material that is a derivative of the I-Codes. The New York State Department of State has copyright ownership of the wholly original materials prepared by the New York State Department of State and/or by the Code Council. As to the ICC International Codes, all rights, including the right of reproduction in whole or in part in any form, are reserved to the International Code Council. As to the material that is derivative of the I-Codes, all rights, including the right of reproduction in whole or in part in any form, are reserved to the International Code Council and the New York State Department of State, jointly. As to the wholly original materials prepared by the New York State Department of State or by the Code Council, all rights, including the right of reproduction in whole or in part in any form, are reserved to the New York State Department of State. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-STATE (422-7233).

Trade names: “International Code Council,” the “International Code Council” logo, “ICC,” the “ICC” logo, “International Building Code,” “IBC” and other names and trademarks appearing in this book are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

ACKNOWLEDGMENTS

With gratitude, the Department of State acknowledges the contributions of the following individuals in the creation of the 2020 Codes of New York State:

STATE FIRE PREVENTION AND BUILDING CODE COUNCIL

Rossana Rosado	Chair – Secretary of State, New York State Department of State Designee - Matthew W. Tebo, Esq.
Francis J. Nerney, Jr.	State Fire Administrator, Office of Fire Prevention and Control Designee - Paul Martin
RuthAnne Visnauskas	Commissioner, Division of Housing and Community Renewal Designee - Michael Weber Designee - Joseph Palozzola
Roberta Reardon	Commissioner, New York State Department of Labor Designee - Vincent R. Rapacciuolo
Honorable Bill de Blasio	Mayor, City of New York Designee - Keith Wen, NYC Department of Buildings
Honorable Michael R. Sabatino, Jr.	Councilmember, City of Yonkers
Claudia K. Braymer, Esq.	County Board of Supervisors, Warren County
David A. Seeley	Supervisor, Town of Irondequoit
Timothy DeRuyscher, P.E. FSFPE	Professional Engineer Representative
Patrick Dolan	Trade Union Representative, Steamfitters Union, 638
Shawn Hamlin, R.A.	Registered Architect Representative, Hamlin Design Group
Robert Hughes	Code Enforcement Representative, Village of Pleasantville
Dominic Marinelli	Persons with Disabilities Representative, United Spinal Association
Joseph J. Toomey	Fire Service Representative, Albany Fire Department
William W. Tuyn	Builders Representative, Forbes Capretto Homes

DEPARTMENT OF STATE

Rossana Rosado	Secretary of State
Brendan Hughes	Executive Deputy Secretary of State
James W. Leary, Esq.	Assistant Executive Deputy Secretary of State
Mark P. Pattison	Deputy Secretary of State for Local Government
Matthew W. Tebo, Esq.	Deputy Secretary of State for Agency Transformation and External Affairs
John R. Addario, P.E.	Director of the Division of Building Standards and Codes
Brian Tollisen, P.E.	Deputy Director of the Division of Building Standards and Codes
Gerard A. Hathaway, R.A.	Assistant Director for Code Development
Kevin Duerr-Clark, P.E.	Assistant Director for Technical Support
Francis “Nick” McAndrew, P.E.	Assistant Director for Educational Services
Joseph Hill, R.A.	Assistant Director for Code Administration
Jeffrey M. Hinderliter, P.E.	Professional Engineer
Emma Gonzalez-Laders, R.A., LEED AP	Senior Architect
Daniel Carroll	Code Compliance Specialist I
Jane Miller	Program Aide
Joseph P. Ball, Esq.	Supervising Attorney
Luigiota K. Hyde, Esq.	Senior Attorney

IN MEMORIAM

John H. Flanagan	Code Enforcement Representative, Code Council Member (2003–2017)
Honorable Judith Kennedy	Mayor, City of Newburgh, Code Council Member (2013–2018)
Brendan Fitzgerald	Executive Deputy Secretary of State (2016–2018)

Currently in preview, click buy full version

PREFACE

Introduction

The *Building Code of New York State* establishes minimum requirements for building systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2020 edition was developed as derivative work of the 2018 edition of the *International Building Code*® (IBC®) published by the International Code Council® (ICC®).

Intention

This code is intended to establish provisions that adequately protect public health, safety and welfare; that do not unnecessarily increase construction costs; that do not restrict the use of new materials, products or methods of construction; and that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Letter Designations in Front of Section Numbers

The bracketed letter designations for committees responsible for portions of this code are as follows:

ICC Code Development Committees

- [A] = Administrative Code Development Committee;
- [BE] = IBC—Egress Code Development Committee;
- [BF] = IBC—Fire Safety Code Development Committee;
- [BG] = IBC—General Code Development Committee;
- [BS] = IBC—Structural Code Development Committee;
- [E] = International Commercial Energy Conservation Code Development Committee or International Residential Energy Conservation Code Development Committee;
- [EB] = International Existing Building Code Development Committee;
- [FI] = International Fire Code Development Committee;
- [FG] = International Fuel Gas Code Development Committee;
- [M] = International Mechanical Code Development Committee; and
- [P] = International Plumbing Code Development Committee.

New York State Code Development

- [NY] = New York State Department of State.

Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2015 edition of the I-Codes®. Deletion indicators in the form of an arrow (➡) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a table has been deleted.

A single asterisk [*] placed in the margin indicates that text or a table has been relocated within the code. A double asterisk [**] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2020 edition of the *Building Code of New York State*.

2020 LOCATION	2015 LOCATION
705.2.3.1	1406.3
705.2.4	1406.4
708.4.2	718.3.2
708.4.2	718.3.3
708.4.2	718.4.2
708.4.2	718.4.3
2304.11.1.1	602.4.3
2304.11.1.2	602.4.4
2304.11.1.3	602.4.5
2304.11.3	602.4.6
2304.11.3.2	602.4.6.1
2304.11.3.1	602.4.6.2
2304.11.4.1	602.4.7
2304.11.2	602.4.8
2304.11.2.2	602.4.8.1
2304.11.2.1	602.4.8.2
T2304.11.4.1	602.4

Italicized Terms

Selected words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definition applies. Where such words and terms are not italicized, common-use definitions apply. The words and terms selected have code-specific definitions that the user should read carefully to facilitate a better understanding of the code. **Note:** In Sections 1903 through 1905, italics indicate provisions that differ from ACI 318.

EFFECTIVE USE OF THE BUILDING CODE OF NEW YORK STATE

The *Building Code of New York State* (BCNYS) is a code that provides minimum requirements to safeguard the public health, safety and general welfare of the occupants of new and existing buildings and structures.

The BCNYS addresses structural strength, means of egress, sanitation, adequate lighting and ventilation, accessibility, energy conservation and life safety in regard to new and existing buildings, facilities and systems.

The BCNYS applies to all occupancies, including one- and two-family dwellings and townhouses that are not within the scope of the *Residential Code of New York State* (RCNYS). The RCNYS is referenced for coverage of detached one- and two-family dwellings and townhouses as defined in the exception to Section 101.2 and the definition for “Townhouse” in Chapter 2. The BCNYS applies to all types of buildings and structures unless exempted.

Arrangement and Format of the 2020 BCNYS

Before applying the requirements of the BCNYS, it is beneficial to understand its arrangement and format. The BCNYS, like other codes published by ICC, is arranged and organized to follow sequential steps that generally occur during a plan review and inspection.

Chapters	Subjects
1–2	Administration and definitions
3	Use and occupancy classifications
4, 31	Special requirements for specific occupancies or elements
5–6	Height and area limitations based on type of construction
7–9	Fire resistance and protection requirements
10	Requirements for evacuation
11	Accessibility requirements to allow use and access to a building for persons with disabilities
12–13, 27–30	Building systems, such as lighting, HVAC, plumbing fixtures, elevators
14–17	Structural components—performance and stability
18	Encroachment outside of property lines
19	Safeguards during construction
20	Referenced standards
Appendices A–P	Appendices

The BCNYS requirements for hazardous materials, fire-resistance-rated construction, interior finish, fire protection systems, means of egress, emergency and standby power, and temporary structures are directly correlated with the requirements of the *Fire Code of New York State* (FCNYS). The following chapters/sections of the BCNYS are correlated to the FCNYS:

BCNYS Chapter/Section	FCNYS Chapter/Section	Subject
Sections 307, 414, 415	Chapters 50–67	Hazardous materials and Group H requirements
Chapter 7	Chapter 7	Fire-resistance-rated construction (Fire and smoke protection features in the IFC)
Chapter 8	Chapter 8	Interior finish, decorative materials and furnishings
Chapter 9	Chapter 9	Fire protection systems
Chapter 10	Chapter 10	Means of egress
Chapter 27	Section 604	Standby and emergency power
Section 3103	Chapter 31	Temporary structures

The BCNYS requirements for smoke control systems, and smoke and fire dampers are directly correlated to the requirements of the *Mechanical Code of New York State* (MCNYS). BCNYS Chapter 28 is a reference to the MCNYS and the *Fuel Gas Code of New York State* (FGCNYS) for chimneys, fireplaces and barbecues, and all aspects of mechanical systems. The following chapters/sections of the BCNYS are correlated with the MCNYS:

BCNYS Chapter/Section	MCNYS Chapter/Section	Subject
Section 717	Section 607	Smoke and fire dampers
Section 909	Section 51	Smoke control

The BCNYS requirements for plumbing fixtures and toilet rooms are directly correlated to the requirements of the *Plumbing Code of New York State* (PCNYS). The following chapters/sections of the BCNYS are correlated with the PCNYS:

BCNYS Chapter/Section	PCNYS Chapter/Section	Subject
Chapter 29	Chapters 3 & 4	Plumbing fixtures and facilities

The following is a chapter-by-chapter synopsis of the scope and intent of the provisions of the *Building Code of New York State*.

Chapter 1 Scope and Administration. Chapter 1 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. Section 101 identifies which buildings and structures come under its purview and references other codes as applicable. Standards and codes are scoped to the extent referenced (see Section 102.4).

Chapter 2 Definitions. An alphabetical listing of all defined terms is located in Chapter 2. Defined terms that are pertinent to a specific chapter or section are also found in that chapter or section with a reference back to Chapter 2 for the definition. While a defined term may be listed in one chapter or another, the meaning is applicable throughout the code.

Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood meaning of the term as used outside of the code. Where understanding of a term's definition is especially key to or necessary for understanding a particular code provision, the term is shown in *italics* wherever it appears in the code.

The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct administration and enforcement of the code. Where a term is not defined, such terms shall have the ordinarily accepted meaning.

Chapter 3 Use and Occupancy Classification. Chapter 3 provides for the classification of buildings, structures and parts thereof based on the purpose or purposes for which they are used. Section 302 identifies the groups into which all buildings, structures and parts thereof must be classified. Sections 303 through 312 identify the occupancy characteristics of each group classification. In some sections, specific group classifications having requirements in common are collectively organized such that one term applies to all. For example, Groups A-1, A-2, A-3, A-4 and A-5 are individual groups for assembly-type buildings. The general term "Group A," however, includes each of these individual groups. Other groups include Business (B), Educational (E), Factory (F-1, F-2), High Hazard (H-1, H-2, H-3, H-4, H-5), Institutional (I-1, I-2, I-3, I-4), Mercantile (M), Residential (R-1, R-2, R-3, R-4), Storage (S-1, S-2) and Utility (U). In some occupancies, the smaller number means a higher hazard, but that is not always the case.

Defining the use of the buildings is very important as it sets the tone for the remaining chapters of the code. Occupancy works with the height, area and construction type requirements in Chapters 5 and 6, as well as the special provisions in Chapter 4, to determine "equivalent risk," or providing a reasonable level of protection or life safety for building occupants. The determination of equivalent risk involves three interdependent considerations: (1) the level of fire hazard associated with the specific occupancy of the facility; (2) the reduction of fire hazard by limiting the floor area and the height of the building based on the fuel load (combustible contents and burnable building components); and (3) the level of overall fire resistance provided by the type of construction used for the building. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Occupancy classification also plays a key part in organizing and prescribing the appropriate protection measures. As such, threshold requirements for fire protection and means of egress systems are based on occupancy classification (see Chapters 9 and 10). Other sections of the code also contain requirements respective to the classification of building groups. For example, Section 706 specifies requirements for fire wall fire-resistance ratings that are tied to the occupancy classification of a building and Section 803.11 contains interior finish requirements that are dependent upon the occupancy classification. The use of the space, rather than the occupancy of the building, is utilized for determining occupant loading (Section 1004) and live loading (Section 1607).

Over the useful life of a building, the activities in the building will evolve and change. Where the provisions of the code address uses differently, moving from one activity to another or from one level of activity to another is, by definition, a change of occupancy. The new occupancy must be in compliance with the applicable provisions of the *Existing Building Code of New York State* (EBCNYS).

Chapter 4 Special Detailed Requirements Based on Use and Occupancy. Chapter 4 contains the requirements for protecting special uses and occupancies, which are supplemental to the remainder of the code. Chapter 4 contains provisions that may alter requirements found elsewhere in the code; however, the general requirements of the code still apply unless modified within the chapter. For example, the height and area limitations established in Chapter 5 apply to all special occupancies unless Chapter 4 contains height and area limitations. In this case, the limitations in Chapter 4 supersede those in other sections. An example of this is the height and area limitations for open parking garages given in Section 406.5.4, which supersede the limitations given in Sections 504 and 506.

In some instances, it may not be necessary to apply the provisions of Chapter 4. For example, if a covered mall building complies with the provisions of the code for Group M, Section 402 does not apply; however, other sections that address a use, process or operation must be applied to that specific occupancy, such as stages and platforms, special amusement buildings and hazardous materials (Sections 410, 411 and 414).

The chapter includes requirements for buildings and conditions that apply to one or more groups, such as high-rise buildings, underground buildings or atriums. Special uses may also imply specific occupancies and operations, such as for Group H, hazardous materials, application of flammable finishes, drying rooms, organic coatings and combustible storage or hydrogen fuel gas rooms, all of which are coordinated with the FCNYS. Unique consideration is taken for special use areas, such as covered mall buildings, motor-vehicle-related occupancies, special amusement buildings and aircraft-related occupancies. Special facilities within other occupancies are considered, such as stages and platforms, motion picture projection rooms, children's play structures and storm shelters. Finally, in order that the overall package of protection features can be easily understood, unique

considerations for specific occupancies are addressed: Groups I-1, I-2, I-3, R-1, R-2, R-3 and R-4; ambulatory care facilities and live/work units

Chapter 5 General Building Heights and Areas. Chapter 5 contains the provisions that regulate the minimum type of construction for area limits and height limits based on the occupancy of the building. Height and area increases (including allowances for basements, mezzanines and equipment platforms) are permitted based on open frontage for fire department access, separation and the type of sprinkler protection provided (Sections 503–506, 510). These thresholds are reduced for buildings over three stories in height in accordance with Sections 506.2.3 and 506.2.4. Provisions include the protection and/or separation of incidental uses (Table 509), accessory occupancies (Section 508.2) and mixed uses in the same building (Sections 506.2.2, 506.2.4, 508.3, 508.4 and 509). Unlimited area buildings are permitted in certain occupancies when they meet special provisions (Section 507).

Tables 504.3, 504.4 and 506.2 are the keystones in setting thresholds for building heights based on the building's use and the materials with which it is constructed. If one then looks at Tables 504.3, 504.4 and 506.2, the relationship among group classification, allowable heights and areas and types of construction becomes apparent. Respective to each group classification, the greater the fire-resistance rating of structural elements, as represented by the type of construction, the greater the floor area and height allowances. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. In addition, the tables list criteria for buildings with and without automatic sprinkler systems.

Chapter 6 Types of Construction. The interdependence of these fire safety considerations can be seen by first looking at Tables 601 and 602, which show the fire-resistance ratings of the principal structural elements comprising a building in relation to the five classifications for types of construction. Type I construction is the classification that generally requires the highest fire-resistance ratings for structural elements, whereas Type V construction, which is considered a combustible type of construction, generally requires the least amount of fire-resistance-rated structural elements. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Section 603 includes a list of combustible elements that can be part of a noncombustible building (Types I and II construction).

Chapter 7 Fire and Smoke Protection Features. The provisions of Chapter 7 present the fundamental concepts of fire performance that all buildings are expected to achieve in some form. This chapter identifies the acceptable materials, techniques and methods by which proposed construction can be designed and evaluated against to determine a building's ability to limit the impact of fire. The fire-resistance-rated construction requirements within Chapter 7 provide passive resistance to the spread and effects of fire. Types of separations addressed include fire walls, fire barriers, fire partitions, horizontal assemblies, smoke barriers and smoke partitions. A fire produces heat that can weaken structural components and smoke products that cause property damage and place occupants at risk. The requirements of Chapter 7 work in unison with height and area requirements (Chapter 5), active fire detection and suppression systems (Chapter 9) and occupant egress requirements (Chapter 10) to contain a fire should it occur while helping ensure occupants are able to safely evacuate.

Chapter 8 Interior Finishes. This chapter contains the performance requirements for controlling fire growth within buildings by restricting interior finish and decorative materials. Past fire experience has shown that interior finish and decorative materials are key elements in the development and spread of fire. The provisions of Chapter 8 require materials used as interior finishes and decorations to meet certain flame-spread index or flame-propagation criteria based on the relative fire hazard associated with the occupancy. As smoke is also a hazard associated with fire, this chapter contains limits on the smoke development characteristics of interior finishes. The performance of the material is evaluated based on test standards.

Chapter 9 Fire Protection Systems. Chapter 9 prescribes the minimum requirements for active systems of fire protection equipment to perform the following functions: detect a fire; alert the occupants or fire department of a fire emergency; and control smoke and control or extinguish the fire. Generally, the requirements are based on the occupancy, the height and the area of the building, because these are the factors that most affect fire-fighting capabilities and the relative hazard of a specific building or portion thereof. This chapter parallels and is substantially duplicated in Chapter 9 of the *Fire Code of New York State* (FCNYS); however, the FCNYS Chapter 9 also contains

periodic testing criteria that are not contained in the BCNYS. In addition, the special fire protection system requirements based on use and occupancy found in BCNYS Chapter 4 are duplicated in FCNYS Chapter 9 as a user convenience.

Chapter 10 Means of Egress. The general criteria set forth in Chapter 10 regulating the design of the means of egress are established as the primary method for protection of people in buildings by allowing timely relocation or evacuation of building occupants. Both prescriptive and performance language is utilized in this chapter to provide for a basic approach in the determination of a safe exiting system for all occupancies. It addresses all portions of the egress system (i.e., exit access, exits and exit discharge) and includes design requirements as well as provisions regulating individual components. The requirements detail the size, arrangement, number and protection of means of egress components. Functional and operational characteristics also are specified for the components that will permit their safe use without special knowledge or effort. The means of egress protection requirements work in coordination with other sections of the code, such as protection of vertical openings (see Chapter 7), interior finish (see Chapter 8), fire suppression and detection systems (see Chapter 9) and numerous others, all having an impact on life safety. Chapter 10 of the BCNYS is duplicated in Chapter 10 of the FCNYS; however, the FCNYS contains one additional section on the means of egress system in existing buildings.

Chapter 11 Accessibility. Chapter 11 contains provisions that set forth requirements for accessibility of buildings and their associated sites and facilities for people with physical disabilities. The fundamental philosophy of the code on the subject of accessibility is that everything is required to be accessible. This is reflected in the basic applicability requirement (see Section 1103.1). The code's scoping requirements then address the conditions under which accessibility is not required in terms of exceptions to this general mandate. While the BCNYS contains scoping provisions for accessibility (for example, what, where and how many), ICC A117.1, *Accessible and Usable Buildings and Facilities*, is the referenced standard for the technical provisions (in other words, how).

There are many accessibility issues that not only benefit people with disabilities, but also provide a tangible benefit to people without disabilities. This type of requirement can be set forth in the code as generally applicable without necessarily identifying it specifically as an accessibility-related issue. Such a requirement would then be considered as having been "mainstreamed." For example, visible alarms are located in Chapter 9 and accessible means of egress and ramp requirements are addressed in Chapter 10.

Accessibility criteria for existing buildings are addressed in the *Existing Building Code of New York State* (EBCNYS).

Appendix E is supplemental information included in the code to address accessibility for items in the 2010 *ADA Standards for Accessible Design* that were not typically enforceable through the standard traditional building code enforcement approach system (for example, beds, room signage). The *Residential Code of New York State* (RCNYS) references Chapter 11 for accessibility provisions; therefore, this chapter may be applicable to housing covered under the RCNYS.

Chapter 12 Interior Environment. Chapter 12 provides minimum standards for the interior environment of a building. The standards address the minimum sizes of spaces, minimum temperature levels, and minimum light and ventilation levels. The collection of requirements addresses limiting sound transmission through walls, ventilation of attic spaces and under floor spaces (crawl spaces). Finally, the chapter provides minimum standards for toilet and bathroom construction, including privacy shielding and standards for walls, partitions and floors to resist water intrusion and damage.

Chapter 13 Energy Efficiency. The purpose of Chapter 13 is to provide minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. For the specifics of these criteria, Chapter 13 requires design and construction in compliance with the *Energy Conservation Construction Code of New York State* (ECCCNYS).

Chapter 14 Exterior Walls. This chapter addresses requirements for exterior walls of buildings. Minimum standards for wall covering materials, installation of wall coverings and the ability of the wall to provide weather protection are provided. This chapter also requires exterior walls that are close to lot lines, or that are bearing walls for certain types of construction, to comply with the min-

imum fire-resistance ratings specified in Chapters 6 and 7. The installation of each type of wall covering, be it wood, masonry, vinyl, metal composite material or an exterior insulation and finish system, is critical to its long-term performance in protecting the interior of the building from the elements and the spread of fire. Limitations on the use of combustible materials on exterior building elements such as balconies, eaves, decks and architectural trim are also addressed in this chapter.

Chapter 15 Roof Assemblies and Rooftop Structures. Chapter 15 provides standards for both roof assemblies and structures that sit on top of the roofs of buildings. The criteria address roof construction and covering, including the weather-protective barrier at the roof and, in most circumstances, a fire-resistant barrier. The chapter is prescriptive in nature and is based on decades of experience with various traditional materials, but it also addresses newer products such as photovoltaic shingles. These prescriptive rules are very important for satisfying performance of one type of roof covering or another. Section 1510 addresses rooftop structures, including penthouses, tanks, towers and spires. Rooftop penthouses larger than prescribed in this chapter must be treated as a story under Chapter 5.

Chapter 16 Structural Design. Chapter 16 prescribes minimum structural loading requirements for use in the design and construction of buildings and structural components. It includes minimum design loads, assignment of risk categories and permitted design methodologies. Standards are provided for minimum design loads (live, dead, snow, wind, rain, flood, ice and earthquake as well as the required load combinations). The application of these loads and adherence to the serviceability criteria will enhance the protection of life and property. The chapter references and relies on many nationally recognized design standards. A key standard is the American Society of Civil Engineers' *Minimum Design Loads for Buildings and Other Structures* (ASCE 7). Structural design must address the conditions of the site and location. Therefore, maps are provided of rainfall, seismic, snow and wind criteria in different regions.

Chapter 17 Special Inspections and Tests. Chapter 17 provides a variety of procedures and criteria for testing materials and assemblies, labeling materials and assemblies and special inspection of structural assemblies. This chapter expands on the inspections of Chapter 1 by requiring special inspection where indicated and, in some cases, structural observation. It also spells out additional responsibilities for the owner, contractor, design professionals and special inspectors. Proper assembly of structural components, proper quality of materials used and proper application of materials are essential to ensuring that a building, once constructed, complies with the structural and fire-resistance minimums of the code and the approved design. To determine this compliance often requires continuous or frequent inspection and testing. Chapter 17 establishes standards for special inspection, testing and reporting of the work to the building official.

Chapter 18 Soils and Foundations. Chapter 18 provides criteria for geotechnical and structural considerations in the selection, design and installation of foundation systems to support the loads from the structure above. This chapter includes requirements for soils investigation and site preparation for receiving a foundation, including the allowed load-bearing values for soils and for protecting the foundation from water intrusion. Section 1808 addresses the basic requirements for all foundation types. Later sections address foundation requirements that are specific to shallow foundations and deep foundations. Due care must be exercised in the planning and design of foundation systems based on obtaining sufficient soils information, the use of accepted engineering procedures, experience and good technical judgment.

Chapter 19 Concrete. This chapter provides minimum accepted practices for the design and construction of buildings and structural components using concrete—both plain and reinforced. Chapter 19 relies primarily on the reference to American Concrete Institute (ACI) 318, *Building Code Requirements for Structural Concrete*. This chapter also includes references to additional standards. Structural concrete must be designed and constructed to comply with this code and all listed standards. There are specific sections of the chapter addressing concrete slabs, anchorage to concrete and shotcrete. Because of the variable properties of material and numerous design and construction options available in the uses of concrete, due care and control throughout the construction process is necessary.

Chapter 20 Aluminum. Chapter 20 contains standards for the use of aluminum in building construction. Only the structural applications of aluminum are addressed. This chapter does not address the use of aluminum in specialty products such as storefront or window framing or archi-

tectural hardware. The use of aluminum in heating, ventilating or air-conditioning systems is addressed in the *Mechanical Code of New York State* (MCNYS). This chapter references national standards from the Aluminum Association for use of aluminum in building construction, AA ASM 35, *Aluminum Sheet Metal Work in Building Construction*, and AA ADM 1, *Aluminum Design Manual*. By utilizing the standards set forth, a proper application of this material can be obtained.

Chapter 21 Masonry. This chapter provides comprehensive and practical requirements for masonry construction. The provisions of Chapter 21 require minimum accepted practices and the use of standards for the design and construction of masonry structures. The provisions address: material specifications and test methods; types of wall construction; criteria for engineered and empirical designs; and required details of construction, including the execution of construction. Masonry design methodologies including allowable stress design, strength design and empirical design are covered by provisions of this chapter. Also addressed are masonry fireplaces and chimneys, masonry heaters and glass unit masonry. Fire-resistant construction using masonry is also required to comply with Chapter 7. Masonry foundations are also subject to the requirements of Chapter 18.

Chapter 22 Steel. Chapter 22 provides the requirements necessary for the design and construction of structural steel (including composite construction), cold-formed steel, steel joists, steel cable structures and steel storage racks. This chapter specifies appropriate design and construction standards for these types of structures. It also provides a road map of the applicable technical requirements for steel structures. Because steel is a noncombustible building material, it is commonly associated with Types I and II construction; however, it is permitted to be used in all types of construction. Chapter 22 requires that the design and use of steel materials be in accordance with the specifications and standards of the American Institute of Steel Construction, the American Iron and Steel Institute, the Steel Joist Institute and the American Society of Civil Engineers.

Chapter 23 Wood. This chapter provides minimum requirements for the design of buildings and structures that use wood and wood-based products. The chapter is organized around three design methodologies: allowable stress design (ASD), load and resistance factor design (LRFD) and conventional light-frame construction. Included in this chapter are references to design and manufacturing standards for various wood and wood-based products; general construction requirements; design criteria for lateral force-resisting systems and specific requirements for the application of the three design methods. In general, only Type III, IV or V buildings may be constructed, in part or in whole, of wood.

Chapter 24 Glass and Glazing. This chapter establishes regulations for glass and glazing that, when installed in buildings and structures, are subjected to wind, snow and dead loads. Engineering and design requirements are included in the chapter. Additional structural requirements are found in Chapter 16. Another concern of this chapter is glass and glazing used in areas where it is likely to be impacted by the occupants. Section 2406 identifies hazardous locations where glazing installed must either be safety glazing or blocked to prevent human impact. Safety glazing must meet stringent standards and be appropriately marked or identified. Additional requirements are provided for glass and glazing in guards, handrails, elevator hoistways and elevator cars, as well as in athletic facilities.

Chapter 25 Gypsum Board, Gypsum Panel Products and Plaster. Chapter 25 contains the provisions and referenced standards that regulate the design, construction and quality of gypsum board, gypsum panel products and plaster. It also addresses reinforced gypsum concrete. These represent the most common interior and exterior finish materials in the building industry. This chapter primarily addresses quality-control-related issues with regard to material specifications and installation requirements. Most products are manufactured under the control of industry standards. The building official or inspector primarily needs to verify that the appropriate product is used and properly installed for the intended use and location. While often simply used as wall and ceiling coverings, proper design and application are necessary to provide weather resistance and required fire protection for both structural and nonstructural building components.

Chapter 26 Plastic. The use of plastics in building construction and components is addressed in Chapter 26. This chapter provides standards addressing foam plastic insulation, foam plastics used as interior finish and trim, and other plastic veneers used on the inside or outside of a building. Plastic siding is regulated by Chapter 14. Sections 2606 through 2611 address the use of light-transmit-

ting plastics in various configurations such as walls, roof panels, skylights, signs and as glazing. Requirements for the use of fiber-reinforced polymers, fiberglass-reinforced polymers and reflective plastic core insulation are also contained in this chapter. Additionally, requirements specific to the use of wood-plastic composites and plastic lumber are contained in this chapter. Some plastics exhibit rapid flame spread and heavy smoke density characteristics when exposed to fire. Exposure to the heat generated by a fire can cause some plastics to deform, which can affect their performance. The requirements and limitations of this chapter are necessary to control the use of plastic and foam plastic products such that they do not compromise the safety of building occupants.

Chapter 27 Electrical. Since electrical systems and components are an integral part of almost all structures, it is necessary for the code to address the installation of such systems. For this purpose, Chapter 27 references the *National Electrical Code* (NEC). In addition, Section 2702 addresses emergency and standby power requirements. Such systems must comply with the *Fire Code of New York State* (FCNYS) and referenced standards. This section also provides references to the various code sections requiring emergency and standby power, such as high-rise buildings and buildings containing hazardous materials.

Chapter 28 Mechanical Systems. Nearly all buildings will include mechanical systems. This chapter provides references to the *Mechanical Code of New York State* (MCNYS) and the *Fuel Gas Code of New York State* (FGCNYS) for the design and installation of mechanical systems. In addition, Chapter 21 of this code is referenced for masonry chimneys, fireplaces and barbecues

Chapter 29 Plumbing Systems. Chapter 29 regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the location of the required fixtures in various types of buildings. The regulations in this chapter come directly from Chapters 3 and 4 of the *Plumbing Code of New York State* (PCNYS).

Chapter 30 Elevators and Conveying Systems. Chapter 30 provides standards for the installation of elevators into buildings. Referenced standards provide the requirements for the elevator system and mechanisms. Detailed standards are provided in the chapter for hoistway enclosures, machine rooms and requirements for sizing of elevators. Beginning in the 2015 edition of this code, the elevator lobby requirements were moved from Chapter 7 to Chapter 30 to pull all the elevator-related construction requirements together. New provisions were added in the 2009 edition for fire service access elevators required in high-rise buildings and for the optional choice of occupant evacuation elevators (see Section 403).

Chapter 31 Special Construction. Chapter 31 contains a collection of regulations for a variety of unique structures and architectural features. Pedestrian walkways and tunnels connecting two buildings are addressed in Section 3104. Membrane and air-supported structures are addressed by Section 3102. Safeguards for swimming pool safety are addressed by Section 3109. Standards for temporary structures, including permit requirements, are provided in Section 3103. Structures as varied as awnings, marquees, signs, telecommunication and broadcast towers and automatic vehicular gates are also addressed (see Sections 3105 through 3108 and 3110).

Chapter 32 Encroachments into the Public Right-of-way. Buildings and structures from time to time are designed to extend over a property line and into the public right-of-way. Local regulations outside of the building code usually set limits to such encroachments, and such regulations take precedence over the provisions of this chapter. Standards are provided for encroachments below grade for structural support, vaults and areaways. Encroachments above grade are divided into below 8 feet, 8 feet to 15 feet, and above 15 feet, because of headroom and vehicular height issues. This includes steps, columns, awnings, canopies, marquees, signs, windows and balconies. Similar architectural features above grade are also addressed. Pedestrian walkways must also comply with Chapter 31.

Chapter 33 Safeguards During Construction. Chapter 33 provides safety requirements during construction and demolition of buildings and structures. These requirements are intended to protect the public from injury and adjoining property from damage. In addition the chapter provides for the progressive installation and operation of exit stairways and standpipe systems during construction.

Chapter 34 Reserved.

Chapter 35 Referenced Standards. The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 35 contains a comprehensive list of all standards that are referenced in the code, including the appendices. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the building official, contractor, designer and owner.

Chapter 35 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda; and the section or sections of this code that reference the standard.

Appendices. Appendices are provided in the BCNYS to offer supplemental criteria to the provisions in the main chapters of the code. Appendices provide additional information for administration of the Department of Building Safety as well as standards not typically administered by all building departments. Appendices have the same force and effect as the first 35 chapters of the BCNYS only when explicitly adopted (see Section 101.2.2).

Appendix A Employee Qualifications. This appendix is informative and not part of the code. Effective administration and enforcement of the code depends on the training and expertise of the personnel employed by the jurisdiction and his or her knowledge of the codes. Appendix A provides optional standards for experience, training and certification for the building official and the other staff mentioned in Chapter 1.

Appendix B Reserved.

Appendix C Group U—Agricultural Buildings. This appendix is informative and not part of the code. Appendix C provides a more liberal set of standards for the construction of agricultural buildings, rather than strictly following the Utility building provision, reflective of their specific usage and limited occupant load. The provisions of this appendix, when adopted, allow reasonable heights and areas commensurate with the risk of agricultural buildings.

Appendix D Fire Districts. This appendix is informative and not part of the code. Fire districts have been a tool used to limit conflagration hazards in areas of a city with intense and concentrated development. Fire district standards restrict certain occupancies within the district, as well as setting higher minimum construction standards.

Appendix E Supplementary Accessibility Requirements. The Architectural and Transportation Barriers Compliance Board (U.S. Access Board) has revised and updated its accessibility guidelines for buildings and facilities covered by the Americans with Disabilities Act (ADA) and the Architectural Barriers Act (ABA). Appendix E includes scoping requirements contained in the 2010 *ADA Standards for Accessible Design* that are not in Chapter 11 and not otherwise mentioned or mainstreamed throughout the code. Items in the appendix address subjects not typically addressed in building codes (for example, beds, room signage, transportation facilities).

Appendix F Rodentproofing. The provisions of this appendix are minimum mechanical methods to prevent the entry of rodents into a building. These standards, when used in conjunction with cleanliness and maintenance programs, can significantly reduce the potential of rodents invading a building.

Appendix G Flood-resistant Construction. This appendix is informative and not part of the code. Appendix G is intended to fulfill the flood-plain management and administrative requirements of the National Flood Insurance Program (NFIP) that are not included in the code. Communities that adopt the IBC and Appendix G will meet the minimum requirements of NFIP as set forth in Title 44 of the Code of Federal Regulations.

Appendix H Signs. This appendix is informative and not part of the code. Appendix H gathers in one place the various code standards that regulate the construction and protection of outdoor signs. Whenever possible, this appendix provides standards in performance language, thus allowing the widest possible application.

Appendix I Patio Covers. Appendix I provides standards applicable to the construction and use of patio covers. It is limited in application to patio covers accessory to dwelling units. Covers of patios and other outdoor areas associated with restaurants, mercantile buildings, offices, nursing homes or other nondwelling occupancies would be subject to standards in the main code and not this appendix.

Appendix J Grading. This appendix is informative and not part of the code. Appendix J provides standards for the grading of properties. This appendix also provides standards for administration and enforcement of a grading program including permit and inspection requirements. Appendix J was originally developed in the 1960s and used for many years in jurisdictions throughout the western states. It is intended to provide consistent and uniform code requirements anywhere grading is considered an issue.

Appendix K Administrative Provisions. This appendix is informative and not part of the code. Appendix K primarily provides administrative provisions for jurisdictions adopting and enforcing NFPA 70-the *National Electrical Code* (NEC). Annex H of NFPA 70 also contains administrative provisions for the NEC; however, some of its provisions are not compatible with BCNYS Chapter 1. Section K110 also contains technical provisions that are unique to this appendix and are in addition to technical standards of NFPA 70.

Appendix L Earthquake Recording Instrumentation. This appendix is informative and not part of the code. The purpose of this appendix is to foster the collection of ground motion data, particularly from strong-motion earthquakes. When this ground motion data is synthesized, it may be useful in developing future improvements to the earthquake provisions of the code.

Appendix M Tsunami-Generated Flood Hazard. This appendix is informative and not part of the code. Addressing a tsunami risk for all types of construction in a tsunami hazard zone through building code requirements would typically not be cost effective, making tsunami-resistant construction impractical at an individual building level. However, this appendix does allow the adoption and enforcement of requirements for tsunami hazard zones that regulate the presence of high-risk or high-hazard structures.

Appendix N Replicable Buildings. This appendix is informative and not part of the code. Many jurisdictions have recognized the need for some form of expedited review process for replicable buildings. By codifying the approach contained in the ICC G1-2010 *Guidelines for Replicable Buildings*, this appendix provides jurisdictions with a means of incorporating replicable building requirements into their building code adoption process. The intent is to streamline the plan review process at the local level by removing redundant reviews.

Appendix O Assistive Listening Systems Performance Standards. Section 378(10) of Article 18 of Executive Law requires the *Uniform Code* to establish standards for assistive listening systems in places of public assembly. This appendix is a performance standard to regulate these systems, which are intended for use by persons who are deaf or hard of hearing and require the use of such a system to improve their reception of sound.

Appendix P Diaper Changing Stations. In 2018, the New York State Legislature passed regulations requiring certain occupancies to install and maintain baby diaper changing stations that would be available to both men and women. This appendix establishes the standards for the installation of diaper changing stations in all newly constructed buildings that have one or more areas classified as Group A occupancy or Group M occupancies and in all existing buildings that have one or more areas classified as Group A occupancy or Group M occupancy and undergo a substantial renovation.

TABLE OF CONTENTS

CHAPTER 1 SCOPE AND ADMINISTRATION 1	
Section	
101 Title, Scope, and Purpose 1	403 High-rise Buildings 57
102 Applicability 2	404 Atriums 60
103 Administration and Enforcement 4	405 Underground Buildings 61
104 Materials, Equipment and Methods of Construction 5	406 Motor-vehicle-related Occupancies 62
105 Building Permits, Construction Inspections, Stop Work Orders, Certificates of Occupancy and Operating Permits 5	407 Group I-2 66
106 Submittal Documents 7	408 Group I-3 69
107 Service Utilities 8	409 Motion Picture Projection Rooms 71
108 Temporary Structures 8	410 Stages, Platforms and Technical Production Areas 72
109 Inspection of Solid Fuel Burning Heating Appliances, Chimneys and Flues 8	411 Special Amusement Buildings 74
CHAPTER 2 DEFINITIONS 11	412 Aircraft-related Occupancies 74
Section	413 Combustible Storage 78
201 General 11	414 Hazardous Materials 78
202 Definitions 11	415 Groups H-1, H-2, H-3, H-4 and H-5 81
CHAPTER 3 OCCUPANCY CLASSIFICATION AND USE 43	416 Spray Application of Flammable Finishes 91
Section	417 Drying Rooms 92
301 Scope 43	418 Organic Coatings 92
302 Occupancy Classification and Use Designation . . . 43	419 Live/work Units 92
303 Assembly Group A 43	420 Groups I-1, R-1, R-2, R-3 and R-4 93
304 Business Group B 44	421 Hydrogen Fuel Gas Rooms 94
305 Educational Group E 44	422 Ambulatory Care Facilities 94
306 Factory Group F 44	423 Storm Shelters 95
307 High-hazard Group H 45	424 Children’s Play Structures 95
308 Institutional Group I 49	425 Hyperbaric Facilities 96
309 Mercantile Group M 50	426 Combustible Dusts, Grain Processing and Storage 96
310 Residential Group R 50	427 Medical Gas Systems 97
311 Storage Group S 51	428 Higher Education Laboratories 97
312 Utility and Miscellaneous Group U 52	429 Health Care Facilities 99
CHAPTER 4 SPECIAL DETAILED REQUIREMENTS BASED ON OCCUPANCY AND USE 53	430 Live Fire Training Facilities 100
Section	CHAPTER 5 GENERAL BUILDING HEIGHTS AND AREAS 101
401 Scope 53	Section
402 Covered Mall and Open Mall Buildings 53	501 General 101
	502 Building Address 101
	503 General Building Height and Area Limitations . . . 101
	504 Building Height and Number of Stories 101
	505 Mezzanines and Equipment Platforms 102
	506 Building Area 105
	507 Unlimited Area Buildings 109
	508 Mixed Use and Occupancy 111

TABLE OF CONTENTS

509 Incidental Uses 112
 510 Special Provisions 113

CHAPTER 6 TYPES OF CONSTRUCTION 117

Section
 601 General 117
 602 Construction Classification 117
 603 Combustible Material in
 Types I and II Construction 118

CHAPTER 7 FIRE AND SMOKE PROTECTION FEATURES 121

Section
 701 General 121
 702 Multiple Use Fire Assemblies 121
 703 Fire-resistance Ratings and Fire Tests 121
 704 Fire-resistance Rating of Structural Members 122
 705 Exterior Walls 124
 706 Fire Walls 128
 707 Fire Barriers 130
 708 Fire Partitions 132
 709 Smoke Barriers 133
 710 Smoke Partitions 134
 711 Floor and Roof Assemblies 134
 712 Vertical Openings 135
 713 Shaft Enclosures 136
 714 Penetrations 138
 715 Fire-resistant Joint Systems 141
 716 Opening Protectives 142
 717 Ducts and Air Transfer Openings 148
 718 Concealed Spaces 153
 719 Fire-resistance Requirements for Plaster 155
 720 Thermal- and Sound-insulating Materials 155
 721 Prescriptive Fire Resistance 156
 722 Calculated Fire Resistance 156

CHAPTER 8 INTERIOR FINISHES 209

Section
 801 Scope 209
 802 General 209
 803 Wall and Ceiling Finishes 209
 804 Interior Floor Finish 212
 805 Combustible Materials in Types I
 and II Construction 213
 806 Decorative Materials and Trim 213

807 Insulation 214
 808 Acoustical Ceiling Systems 214

CHAPTER 9 FIRE PROTECTION AND LIFE SAFETY SYSTEMS 215

Section
 901 General 215
 902 Fire Pump and Riser Room Size 216
 903 Automatic Sprinkler Systems 216
 904 Alternative Automatic
 Fire-extinguishing Systems 222
 905 Standpipe Systems 225
 906 Portable Fire Extinguishers 227
 907 Fire Alarm and Detection Systems 229
 908 Emergency Alarm Systems 239
 909 Smoke Control Systems 240
 910 Smoke and Heat Removal 248
 911 Fire Command Center 249
 912 Fire Department Connections 250
 913 Fire Pumps 251
 914 Emergency Responder Safety Features 251
 915 Carbon Monoxide Detection 251
 916 Gas Detection Systems 252
 917 Mass Notification Systems 252
 918 Emergency Responder Radio Coverage 252

CHAPTER 10 MEANS OF EGRESS 253

Section
 1001 Administration 253
 1002 Maintenance and Plans 253
 1003 General Means of Egress 253
 1004 Occupant Load 254
 1005 Means of Egress Sizing 255
 1006 Number of Exits and
 Exit Access Doorways 257
 1007 Exit and Exit Access
 Doorway Configuration 259
 1008 Means of Egress Illumination 260
 1009 Accessible Means of Egress 261
 1010 Doors, Gates and Turnstiles 264
 1011 Stairways 272
 1012 Ramps 275
 1013 Exit Signs 276
 1014 Handrails 277
 1015 Guards 279

1016 Exit Access 280
 1017 Exit Access Travel Distance 281
 1018 Aisles 282
 1019 Exit Access Stairways and Ramps 282
 1020 Corridors 282
 1021 Egress Balconies 284
 1022 Exits 284
 1023 Interior Exit Stairways and Ramps 284
 1024 Exit Passageways 286
 1025 Luminous Egress Path Markings 287
 1026 Horizontal Exits 288
 1027 Exterior Exit Stairways and Ramps 289
 1028 Exit Discharge 290
 1029 Assembly 291
 1030 Emergency Escape and Rescue 298

CHAPTER 11 ACCESSIBILITY 299

Section
 1101 General 299
 1102 Compliance 299
 1103 Scoping Requirements 299
 1104 Accessible Route 300
 1105 Accessible Entrances 301
 1106 Parking and Passenger Loading Facilities 301
 1107 Dwelling Units and Sleeping Units 302
 1108 Special Occupancies 306
 1109 Other Features and Facilities 308
 1110 Recreational Facilities 311
 1111 Signage 313

CHAPTER 12 INTERIOR ENVIRONMENT 315

Section
 1201 General 315
 1202 Ventilation 315
 1203 Temperature Control 317
 1204 Lighting 317
 1205 Yards or Courts 318
 1206 Sound Transmission 318
 1207 Interior Space Dimensions 318
 1208 Access to Unoccupied Spaces 319
 1209 Toilet and Bathroom Requirements 319

CHAPTER 13 ENERGY EFFICIENCY 321

Section
 1301 General 321

CHAPTER 14 EXTERIOR WALLS 323

Section
 1401 General 323
 1402 Performance Requirements 323
 1403 Materials 324
 1404 Installation of Wall Coverings 324
 1405 Combustible Materials on the
 Exterior Side of Exterior Walls 330
 1406 Metal Composite Materials (MCM) 330
 1407 Exterior Insulation and
 Finish Systems (EIFS) 333
 1408 High-pressure Decorative Exterior-grade
 Compact Laminates (HPL) 333
 1409 Plastic Composite Decking 334

**CHAPTER 15 ROOF ASSEMBLIES AND
 ROOFTOP STRUCTURES 335**

Section
 1501 General 335
 1502 Roof Drainage 335
 1503 Weather Protection 335
 1504 Performance Requirements 335
 1505 Fire Classification 337
 1506 Materials 338
 1507 Requirements for Roof Coverings 338
 1508 Roof Insulation 349
 1509 Radiant Barriers Installed Above Deck 350
 1510 Rooftop Structures 350
 1511 Reroofing 352
 1512 Photovoltaic Panels and Modules 353

CHAPTER 16 STRUCTURAL DESIGN 355

Section
 1601 General 355
 1602 Notations 355
 1603 Construction Documents 355
 1604 General Design Requirements 356
 1605 Load Combinations 359
 1606 Dead Loads 361
 1607 Live Loads 361
 1608 Snow Loads 367
 1609 Wind Loads 367
 1610 Soil Lateral Loads 375
 1611 Rain Loads 375
 1612 Flood Loads 376

TABLE OF CONTENTS

1613 Earthquake Loads 378
 1614 Atmospheric Ice Loads 383
 1615 Tsunami Loads 383
 1616 Structural Integrity 383

CHAPTER 17 SPECIAL INSPECTIONS AND TESTS. 387

Section
 1701 General 387
 1702 New Materials 387
 1703 Approvals 387
 1704 Special Inspections and Tests,
 Contractor Responsibility
 and Structural Observation 388
 1705 Required Special Inspections and Tests 390
 1706 Design Strengths of Materials 398
 1707 Alternative Test Procedure 398
 1708 In-situ Load Tests 398
 1709 Preconstruction Load Tests 399

CHAPTER 18 SOILS AND FOUNDATIONS. 401

Section
 1801 General 401
 1802 Design Basis 401
 1803 Geotechnical Investigations 401
 1804 Excavation, Grading and Fill. 403
 1805 Dampproofing and Waterproofing 404
 1806 Presumptive Load-bearing Values of Soils. 405
 1807 Foundation Walls, Retaining Walls
 and Embedded Posts and Poles 406
 1808 Foundations 410
 1809 Shallow Foundations. 415
 1810 Deep Foundations 416

CHAPTER 19 CONCRETE 431

Section
 1901 General 431
 1902 Definitions 431
 1903 Specifications for Tests and Materials 431
 1904 Durability Requirements 431
 1905 Modifications to ACI 318 432
 1906 Structural Plain Concrete. 434
 1907 Minimum Slab Provisions 434
 1908 Shotcrete 434

CHAPTER 20 ALUMINUM. 437

Section
 2001 General 437
 2002 Materials 437

CHAPTER 21 MASONRY 439

Section
 2101 General 439
 2102 Notations 439
 2103 Masonry Construction Materials. 439
 2104 Construction 440
 2105 Quality Assurance. 440
 2106 Seismic Design 440
 2107 Allowable Stress Design. 440
 2108 Strength Design of Masonry. 441
 2109 Empirical Design of Adobe Masonry 441
 2110 Glass Unit Masonry 443
 2111 Masonry Fireplaces. 443
 2112 Masonry Heaters 445
 2113 Masonry Chimneys 446
 2114 Dry-stack Masonry 450

CHAPTER 22 STEEL 451

Section
 2201 General 451
 2202 Identification of Steel for Structural Purposes 451
 2203 Protection of Steel
 for Structural Purposes 451
 2204 Connections. 451
 2205 Structural Steel 451
 2206 Composite Structural Steel and
 Concrete Structures. 452
 2207 Steel Joists. 452
 2208 Steel Cable Structures. 453
 2209 Steel Storage Racks. 453
 2210 Cold-formed Steel. 453
 2211 Cold-formed Steel Light-frame Construction. 453

CHAPTER 23 WOOD 455

Section
 2301 General 455
 2302 Design Requirements 455
 2303 Minimum Standards and Quality 455
 2304 General Construction Requirements. 459

2305 General Design Requirements for Lateral Force-resisting Systems 472

2306 Allowable Stress Design 474

2307 Load and Resistance Factor Design 475

2308 Conventional Light-frame Construction 475

2309 Wood Frame Construction Manual 506

CHAPTER 24 GLASS AND GLAZING 527

Section

2401 General 527

2402 Glazing Replacement 527

2403 General Requirements for Glass 527

2404 Wind, Snow, Seismic and Dead Loads on Glass 527

2405 Sloped Glazing and Skylights 529

2406 Safety Glazing 530

2407 Glass in Handrails and Guards 532

2408 Glazing in Athletic Facilities 532

2409 Glass in Walkways, Elevator Hoistways and Elevator Cars 533

CHAPTER 25 GYPSUM BOARD, GYPSUM PANEL PRODUCTS AND PLASTER 535

Section

2501 General 535

2502 Performance 535

2503 Inspection 535

2504 Vertical and Horizontal Assemblies 535

2505 Shear Wall Construction 535

2506 Gypsum Board and Gypsum Panel Product Materials 535

2507 Lathing and Plastering 535

2508 Gypsum Construction 536

2509 Showers and Water Closets 537

2510 Lathing and Furring for Cement Plaster (Stucco) 538

2511 Interior Plaster 539

2512 Exterior Plaster 539

2513 Exposed Aggregate Plaster 540

2514 Reinforced Gypsum Concrete 540

CHAPTER 26 PLASTIC 541

Section

2601 General 541

2602 Finish and Trim 541

2603 Foam Plastic Insulation 541

2604 Interior Finish and Trim 545

2605 Plastic Veneer 547

2606 Light-transmitting Plastics 547

2607 Light-transmitting Plastic Wall Panels 549

2608 Light-transmitting Plastic Glazing 550

2609 Light-transmitting Plastic Roof Panels 550

2610 Light-transmitting Plastic Skylight Glazing 551

2611 Light-transmitting Plastic Interior Signs 552

2612 Plastic Composites 552

2613 Fiber-reinforced Polymer 552

2614 Reflective Plastic Core Insulation 553

CHAPTER 27 ELECTRICAL 555

Section

2701 General 555

2702 Emergency and Standby Power Systems 555

CHAPTER 28 MECHANICAL SYSTEMS 557

Section

2801 General 557

CHAPTER 29 PLUMBING SYSTEMS 559

Section

2901 General 559

2902 Minimum Plumbing Facilities 559

CHAPTER 30 ELEVATORS AND CONVEYING SYSTEMS 565

Section

3001 General 565

3002 Hoistway Enclosures 565

3003 Emergency Operations 566

3004 Conveying Systems 566

3005 Machine Rooms 566

3006 Elevator Lobbies and Hoistway Opening Protection 567

3007 Fire Service Access Elevator 568

3008 Occupant Evacuation Elevators 569

CHAPTER 31 SPECIAL CONSTRUCTION 573

Section

3101 General 573

3102 Membrane Structures 573

3103 Temporary Structures 574

3104 Pedestrian Walkways and Tunnels 574

TABLE OF CONTENTS

3105 Awnings and Canopies 576
 3106 Marquees 576
 3107 Signs 576
 3108 Telecommunication and Broadcast Towers 576
 3109 Swimming Pools, Spas and Hot Tubs 576
 3110 Automatic Vehicular Gates 579
 3111 Solar Energy Systems 579
 3112 Greenhouses 580
 3113 Relocatable Buildings 580

CHAPTER 32 ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY 581

Section

3201 General 581
 3202 Encroachments 581

CHAPTER 33 SAFEGUARDS DURING CONSTRUCTION 583

Section

3301 General 583
 3302 Construction Safeguards 583
 3303 Demolition 583
 3304 Site Work 583
 3305 Sanitary 584
 3306 Protection of Pedestrians 584
 3307 Protection of Adjoining Property 585
 3308 Temporary Use of Streets, Alleys and Public Property 585
 3309 Fire Extinguishers 585
 3310 Means of Egress 585
 3311 Standpipes 585
 3312 Automatic Sprinkler System 586
 3313 Water Supply for Fire Protection 586
 3314 Fire Watch During Construction 586

CHAPTER 34 RESERVED 587

CHAPTER 35 REFERENCED STANDARDS 589

APPENDIX A EMPLOYEE QUALIFICATIONS 619

Section

A101 Building Official Qualifications 619
 A102 Referenced Standards 619

APPENDIX B RESERVED 621

APPENDIX C GROUP U—AGRICULTURAL BUILDINGS 623

Section

C101 General 623
 C102 Allowable Height and Area 623
 C103 Mixed Occupancies 623
 C104 Exits 623

APPENDIX D FIRE DISTRICTS 625

Section

D101 General 625
 D102 Building Restrictions 625
 D103 Changes to Buildings 626
 D104 Buildings Located Partially in the Fire District 626
 D105 Exceptions to Restrictions in Fire District 626
 D106 Referenced Standards 626

APPENDIX E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS 629

Section

E101 General 629
 E102 Definitions 629
 E103 Accessible Route 629
 E104 Special Occupancies 629
 E105 Other Features and Facilities 629
 E106 Telephones 630
 E107 Signage 631
 E108 Bus Stops 631
 E109 Transportation Facilities and Stations 632
 E110 Airports 632
 E111 Referenced Standards 633

APPENDIX F RODENTPROOFING 635

Section

F101 General 635

APPENDIX G FLOOD-RESISTANT CONSTRUCTION 637

Section

G101 Administration 637
 G102 Applicability 637
 G103 Powers and Duties 637
 G104 Permits 638
 G105 Variances 639

G201 Definitions 640
 G301 Subdivisions 640
 G401 Site Improvement 640
 G501 Manufactured Homes 641
 G601 Recreational Vehicles 641
 G701 Tanks 641
 G801 Other Building Work 641
 G901 Temporary Structures and
 Temporary Storage 641
 G1001 Utility and Miscellaneous Group U 642
 G1101 Referenced Standards 642

APPENDIX H SIGNS 643

Section
 H101 General 643
 H102 Definitions 643
 H103 Location 643
 H104 Identification 643
 H105 Design and Construction 644
 H106 Electrical 644
 H107 Combustible Materials 644
 H108 Animated Devices 644
 H109 Ground Signs 644
 H110 Roof Signs 645
 H111 Wall Signs 645
 H112 Projecting Signs 645
 H113 Marquee Signs 646
 H114 Portable Signs 646
 H115 Referenced Standards 646

APPENDIX I PATIO COVERS 647

Section
 I101 General 647
 I102 Definition 647
 I103 Exterior Walls and Openings 647
 I104 Height 647
 I105 Structural Provisions 647

APPENDIX J GRADING 649

Section
 J101 General 649
 J102 Definitions 649
 J103 Permits Required 649
 J104 Permit Application and Submittals 649
 J105 Inspections 650

J106 Excavations 650
 J107 Fills 650
 J108 Setbacks 650
 J109 Drainage and Terracing 652
 J110 Erosion Control 652
 J111 Referenced Standards 652

APPENDIX K ADMINISTRATIVE PROVISIONS 653

Section
 K101 General 653
 K102 Applicability 653
 K103 Permits 653
 K104 Construction Documents 654
 K105 Alternative Engineered Design 654
 K106 Required Inspections 654
 K107 Prefabricated Construction 654
 K108 Testing 655
 K109 Reconnection 655
 K110 Condemning Electrical Systems 655
 K111 Electrical Provisions 655

APPENDIX L EARTHQUAKE RECORDING INSTRUMENTATION 657

Section
 L101 General 657

APPENDIX M TSUNAMI-GENERATED FLOOD HAZARD 659

Section
 M101 Refuge Structures for Vertical Evacuation
 from Tsunami-generated Flood Hazard 659
 M102 Referenced Standards 659

APPENDIX N REPLICABLE BUILDINGS 661

Section
 N101 Administration 661
 N102 Definitions 661
 N103 Replicable Design Requirements 661
 N104 Replicable Design Submittal Requirements 661
 N105 Review and Approval of Replicable Design 662
 N106 Site-specific Application of
 Approved Replicable Design 662
 N107 Site-specific Review and Approval of
 Replicable Design 662

TABLE OF CONTENTS

**APPENDIX O ASSISTIVE LISTENING SYSTEMS
PERFORMANCE STANDARDS... 663**

Section

O101 General 663
O102 Induction Loop System 663
O103 Infrared System 663
O104 FM System 664

**APPENDIX P DIAPER CHANGING
STATIONS..... 665**

Section

P101 Introduction 665
P102 Purpose 665
P103 Definitions 665
P104 General Requirements 666
P105 Accessibility, Construction and Installation
Requirements 667
P106 Signage 667
P107 Maintenance 667
P108 Historic Buildings 667

INDEX 669