

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Power transformers –  
Part 10-1: Determination of sound levels – Application guide**

**Transformateurs de puissance –  
Partie 10-1: Détermination des niveaux de bruit – Guide d'application**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



---

**Power transformers –  
Part 10-1: Determination of sound levels – Application guide**

**Transformateurs de puissance –  
Partie 10-1: Détermination des niveaux de bruit – Guide d'application**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.180

ISBN 978-2-8322-3253-8

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|   |    |
|---|----|
| FOREWORD.....   | 5  |
| 1 Scope.....  | 7  |
| 2 Normative references.....   | 7  |
| 3 Basic physics of sound .....  | 7  |
| 3.1 Phenomenon.....   | 7  |
| 3.2 Sound pressure, $p$ .....   | 7  |
| 3.3 Particle velocity, $u$ .....  | 8  |
| 3.4 Sound intensity, $\bar{I}$ .....  | 8  |
| 3.5 Sound power, $W$ .....  | 8  |
| 3.6 Sound fields.....   | 9  |
| 3.6.1 General .....   | 9  |
| 3.6.2 The free field .....  | 9  |
| 3.6.3 The diffuse field .....   | 9  |
| 3.6.4 The near-field .....  | 9  |
| 3.6.5 The far-field .....   | 10 |
| 3.6.6 Standing waves.....   | 10 |
| 4 Sources and characteristics of transformer and reactor sound.....           | 11 |
| 4.1 General.....  | 11 |
| 4.2 Sound sources .....   | 11 |
| 4.2.1 Core .....  | 11 |
| 4.2.2 Windings.....   | 14 |
| 4.2.3 Stray flux control elements.....  | 14 |
| 4.2.4 Sound sources in reactors.....  | 15 |
| 4.2.5 Effect of current harmonics on transformer and reactor windings.....    | 15 |
| 4.2.6 Fan noise.....  | 18 |
| 4.2.7 Pump noise.....   | 18 |
| 4.2.8 Relative importance of sound sources .....                              | 18 |
| 4.3 Vibration transmission.....   | 18 |
| 4.4 Sound radiation.....  | 19 |
| 4.5 Sound field characteristics.....  | 19 |
| 5 Measurement principles.....   | 20 |
| 5.1 General.....  | 20 |
| 5.2 A-weighting.....  | 20 |
| 5.3 Sound measurement methods .....   | 22 |
| 5.3.1 General .....   | 22 |
| 5.3.2 Sound pressure method .....   | 23 |
| 5.3.3 Sound intensity method.....   | 24 |
| 5.3.4 Selection of appropriate sound measurement method .....                 | 27 |
| 5.4 Information on frequency bands.....                                       | 27 |
| 5.5 Information on measurement surface .....                                  | 29 |
| 5.6 Information on measurement distance .....                                 | 29 |
| 5.7 Information on measuring procedures (walk-around and point-by-point)..... | 30 |
| 6 Practical aspects of making sound measurements.....                         | 31 |
| 6.1 General.....  | 31 |
| 6.2 Orientation of the test object to avoid the effect of standing waves..... | 31 |
| 6.3 Device handling for good acoustical practice.....                         | 32 |

|                       |   |    |
|-----------------------|---|----|
| 6.4                   | Choice of microphone spacer for the sound intensity method .....  | 33 |
| 6.5                   | Measurements with tank mounted sound panels providing incomplete coverage.....  | 33 |
| 6.6                   | Testing of reactors .....   | 34 |
| 7                     | Difference between factory tests and field sound level measurements.....  | 34 |
| 7.1                   | General.....  | 34 |
| 7.2                   | Operating voltage.....  | 34 |
| 7.3                   | Load current .....  | 34 |
| 7.4                   | Load power factor and power flow direction .....  | 35 |
| 7.5                   | Operating temperature .....   | 35 |
| 7.6                   | Harmonics in the load current and in voltage.....   | 35 |
| 7.7                   | DC magnetization.....   | 36 |
| 7.8                   | Effect of remanent flux .....   | 36 |
| 7.9                   | Sound level build-up due to reflections .....   | 36 |
| 7.10                  | Converter transformers with saturable reactors (transducers).....   | 37 |
| Annex A (informative) | Sound level built up due to harmonic currents in winding .....  | 38 |
| A.1                   | Theoretical derivation of winding forces due to harmonic currents .....   | 38 |
| A.2                   | Force components for a typical current spectrum caused by a 36 bridge .....   | 39 |
| A.3                   | Estimation of sound level increase due to harmonic currents by calculation .....  | 42 |
| Bibliography          | .....   | 44 |
| Figure 1              | – Simulation of the spatially averaged sound intensity level (solid lines) and sound pressure level (dashed lines) versus measurement distance $d$ in the near-field .....  | 10 |
| Figure 2              | – Example curves showing relative change in lamination length for one type of electrical core steel during complete cycles of applied 50 Hz a.c. induction up to peak flux densities $B_{max}$ in the range of 1,2 T to 1,9 T ..... | 11 |
| Figure 3              | – Induction (smooth line) and relative change in lamination length (dotted line) as a function of time due to applied 50 Hz a.c. induction at 1,8 T – no d.c. bias.....   | 12 |
| Figure 4              | – Example curve showing relative change in lamination length during one complete cycle of applied 50 Hz a.c. induction at 1,8 T with a small d.c. bias of 0,1 T.....  | 12 |
| Figure 5              | – Induction (smooth line) and relative change in lamination length (dotted line) as a function of time due to applied 50 Hz a.c. induction at 1,8 T with a small d.c. bias of 0,1 T.....  | 13 |
| Figure 6              | – Sound level increase due to d.c. current in windings .....  | 13 |
| Figure 7              | – Typical sound spectrum due to load current .....  | 14 |
| Figure 8              | – Simulation of a sound pressure field (coloured) of a 31,5 MVA transformer at 100 Hz with corresponding sound intensity vectors along the measurement path.....  | 20 |
| Figure 9              | – A-weighting graph derived from function $A(f)$ .....  | 21 |
| Figure 10             | – Distribution of disturbances to sound pressure in the test environment .....  | 24 |
| Figure 11             | – Microphone arrangement.....   | 25 |
| Figure 12             | – Illustration of background sound passing through test area and sound radiated from the test object.....   | 26 |
| Figure 13             | – 1/1- and 1/3-octave bands with transformer tones for 50 Hz and 60 Hz systems.....   | 28 |
| Figure 14             | – Logging measurement demonstrating spatial variation along the measurement path.....   | 31 |
| Figure 15             | – Test environment.....   | 32 |
| Figure A.1            | – Current wave shape for a star and a delta connected winding for the current spectrum given in Table A.2 .....   | 40 |

|   |    |
|---|----|
| Table 1 – A-weighting values for the first fifteen transformer tones..... | 22 |
| Table A.1 – Force components of windings due to harmonic currents.....    | 39 |
| Table A.2 – Current spectrum of a B6 converter bridge.....                | 39 |
| Table A.3 – Calculation of force components and test currents .....       | 41 |
| Table A.4 – Summary of harmonic forces and test currents.....             | 42 |

Currently in preview, click buy full version

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## POWER TRANSFORMERS –

## Part 10-1: Determination of sound levels – Application guide

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60076-10-1 has been prepared by technical committee 14: Power transformers.

This second edition cancels and replaces the first edition published in 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) extended information on sound fields provided;
- b) effect of current harmonics in windings enfolded;
- c) updated information on measuring methods sound pressure and sound intensity given;
- d) supporting information on measuring procedures walk-around and point-by-point given;
- e) clarification of A-weighting provided;
- f) new information on frequency bands given;

- g) background information on measurement distance provided;
- h) new annex on sound-built up due to harmonic currents in windings introduced.

This standard is to be read in conjunction with IEC 60076-10.

The text of this standard is based on the following documents:

| FDIS        | Report on voting |
|-------------|------------------|
| 14/847/FDIS | 14/850/RVD       |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60076 series, published under the general title *Power transformers*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://www.stc.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## POWER TRANSFORMERS –

### Part 10-1: Determination of sound levels – Application guide

#### 1 Scope

This part of IEC 60076 provides supporting information to help both manufacturers and purchasers to apply the measurement techniques described in IEC 60076-10. Besides the introduction of some basic acoustics, the sources and characteristics of transformer and reactor sound are described. Practical guidance on making measurements is given, and factors influencing the accuracy of the methods are discussed. This application guide also indicates why values measured in the factory may differ from those measured in service.

This application guide is applicable to transformers and reactors together with their associated cooling auxiliaries.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60076-10:2016, *Power transformers – Part 10: Determination of sound levels*

#### 3 Basic physics of sound

##### 3.1 Phenomenon

Sound is a wave of pressure variation (in air, water or other elastic media) that the human ear can detect. Pressure variations travel through the medium (for the purposes of this document, air) from the sound source to the listener's ears.

The number of cyclic pressure variations per second is called the 'frequency' of the sound measured in hertz (Hz). A specific frequency of sound is perceived as a distinctive tone or pitch. Transformer hum is low in frequency, typically with fundamental frequencies of 100 Hz or 120 Hz, while a whistle is of higher frequency, typically above 3 kHz. The normal frequency range of hearing for a healthy young person extends from approximately 20 Hz to 20 kHz.

##### 3.2 Sound pressure, $p$

The root-mean-square (r.m.s.) of instantaneous sound pressures over a given time interval at a specific location is called the sound pressure. It is measured in pascal, Pa.

Sound pressure is a scalar quantity, meaning that it is characterised by magnitude only.

The lowest sound pressure that a healthy human ear can detect is strongly dependent on frequency; at 1 kHz it has a magnitude of 20  $\mu$ Pa. The threshold of pain corresponds to a sound pressure of more than a million times higher, 20 Pa. Because of this large range, to avoid the use of large numbers, the decibel scale (dB) is used in acoustics. The reference level for sound pressure for the logarithmic scale is 20  $\mu$ Pa corresponding to 0 dB and the 20 Pa threshold of pain corresponds to 120 dB.