

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Explosive atmospheres –  
Part 17: Electrical installations inspection and maintenance**

**Atmosphères explosives –  
Partie 17: Inspection et entretien des installations électriques**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2013 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.  
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.  
Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Explosive atmospheres –  
Part 17: Electrical installations inspection and maintenance**

**Atmosphères explosives –  
Partie 17: Inspection et entretien des installations électriques**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

W

ICS 29.260.20

ISBN 978-2-8322-1193-9

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms and definitions .....	9
4 General requirements .....	11
4.1 Documentation.....	11
4.2 Qualification of personnel .....	11
4.3 Inspections .....	11
4.3.1 General .....	11
4.3.2 Grades of inspection.....	12
4.3.3 Types of inspection.....	13
4.4 Periodic inspections .....	13
4.4.1 Personnel .....	13
4.4.2 Fixed installations.....	13
4.4.3 Movable equipment.....	14
4.5 Continuous supervision by skilled personnel .....	14
4.5.1 Concept.....	14
4.5.2 Objectives .....	14
4.5.3 Responsibilities .....	15
4.5.4 Frequency of inspection.....	15
4.5.5 Documents .....	16
4.5.6 Training .....	16
4.6 Maintenance requirements .....	16
4.6.1 Remedial measures and alterations to equipment.....	16
4.6.2 Maintenance of flexible cables.....	17
4.6.3 Withdrawal from service.....	17
4.6.4 Failings and tools.....	17
4.7 Environmental conditions .....	17
4.8 Isolation of equipment.....	18
4.8.1 Installations other than intrinsically safe circuits .....	18
4.8.2 Intrinsically safe installations live maintenance .....	19
4.9 Earthing and equipotential bonding .....	20
4.10 Specific conditions of use .....	20
4.11 Movable equipment and its connections .....	20
4.12 Inspection schedules (Tables 1 to 3).....	20
4.12.1 General .....	20
4.12.2 Equipment is appropriate to the EPL/zone requirements of the location.....	20
4.12.3 Equipment group .....	20
4.12.4 Equipment maximum surface temperature .....	20
4.12.5 Equipment circuit identification .....	20
4.12.6 Cable gland .....	21
4.12.7 Type of cable.....	21
4.12.8 Sealing .....	21

4.12.9	Fault loop impedance or earthing resistance .....	21
4.12.10	Insulation resistance .....	21
4.12.11	Overload protection .....	21
4.12.12	Lamps and luminaires .....	21
5	Additional inspection schedule requirements .....	22
5.1	Type of protection “d” – Flameproof enclosure (see Table 1 and IEC 60079-1) .....	22
5.2	Type of protection “e” – Increased safety (see Table 1 and IEC 60079-7) .....	22
5.3	Type of protection “i” – Intrinsic safety (see Table 2 and IEC 60079-11).....	22
5.3.1	General .....	22
5.3.2	Documentation .....	22
5.3.3	Labelling.....	23
5.3.4	Unauthorized modifications.....	23
5.3.5	Associated apparatus (safety interface) between intrinsically safe and non-intrinsically safe circuits .....	23
5.3.6	Cables .....	23
5.3.7	Cable screens.....	23
5.3.8	Point-to-point connections .....	23
5.3.9	Earth continuity of non-galvanically isolated circuits .....	23
5.3.10	Earth connections to maintain the integrity of the intrinsic safety .....	24
5.3.11	Intrinsically safe circuit earthing and/or insulation .....	24
5.3.12	Separation between intrinsically safe and non-intrinsically safe circuits .....	24
5.4	Type of protection “p” and “pD” – Pressurized enclosure (see Table 3, IEC 60079-2 and IEC 61241-4) .....	24
5.5	Type of protection “n” (see Table 1 or 2 and IEC 60079-15).....	24
5.5.1	General .....	24
5.5.2	Restricted breathing enclosures.....	25
5.6	Type of protection “t” and “tD” – Protection by enclosure (see Table 1 and IEC 60079-31 and IEC 61241-1) .....	25
5.7	Types of protection “m” and “mD” (encapsulation), “o”, (oil-immersion) “op” (optical radiation) and “q” (powder-filling).....	25
6	Inspection tables .....	25
	Annex A (informative) Typical inspection procedure for periodic inspections .....	30
	Annex B (normative) Knowledge, skills and competencies of responsible persons, technical persons with executive function and operatives.....	31
B.1	Scope .....	31
B.2	Knowledge and skills .....	31
B.2.1	Responsible persons and technical persons with executive function .....	31
B.2.2	Operative/technician (inspection and maintenance) .....	31
B.3	Competencies .....	32
B.3.1	General .....	32
B.3.2	Responsible persons and technical persons with executive function .....	32
B.3.3	Operative/technician .....	32
B.4	Assessment .....	32
	Annex C (informative) Fitness-for-purpose assessment .....	33
C.1	Background.....	33

C.2	Need for a fitness-for-purpose assessment .....	33
C.3	Approach .....	33
C.4	Ignition sources .....	33
C.5	Contents of the fitness-for-purpose assessment.....	33
C.5.1	General .....	33
C.5.2	Scope .....	33
C.5.3	Equipment and its application .....	34
C.5.4	Description .....	34
C.5.5	Function of the product including the location .....	34
C.5.6	Specification .....	34
C.5.7	Standards compliance .....	34
C.5.8	Documents .....	35
C.5.9	Product sample.....	35
C.5.10	Equipment label.....	35
C.5.11	Training of personnel.....	35
Annex D (informative)	Example of motor checks .....	36
Bibliography.....		37
Figure A.1	– Typical inspection procedure for periodic inspections.....	30
Table 1	– Inspection schedule for Ex “d”, Ex “e”, Ex “n” and Ex “t/D” .....	25
Table 2	– Inspection schedule for Ex “i” installations.....	28
Table 3	– Inspection schedule for Ex “p” and “pD” installations .....	29

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## EXPLOSIVE ATMOSPHERES –

## Part 17: Electrical installations inspection and maintenance

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-17 has been prepared by subcommittee 31J: Classification of hazardous areas and installation requirements, of IEC technical committee 31: Equipment for explosive atmospheres.

This fifth edition cancels and replaces the fourth edition published in 2007 and constitutes a technical revision.

The significant technical changes with respect to the previous edition are as follows:

- Equipment specific inspection tables for luminaires, heating systems and motors have been added into Annex A to supplement the general protection concept tables.
- Document has been updated to complement the changes made to IEC 60079-14 for initial inspection.

The text of this standard is based on the following documents:

FDIS	Report on voting
31J/224/FDIS	31J/229/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be used in conjunction with IEC 60364-6.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

Electrical installations in hazardous areas possess features specially designed to render them suitable for operations in such atmospheres. It is essential for reasons of safety in those areas that, throughout the life of such installations, the integrity of those special features is preserved. This standard provides the details for initial inspection and on-going inspections as either;

- a) regular periodic inspections thereafter, or,
- b) continuous supervision by skilled personnel.

When necessary, maintenance may also be needed.

Correct functional operation of hazardous area installations does not mean, and should not be interpreted as meaning, that the integrity of the special features referred to above is preserved.

Inspections are carried out in accordance with this standard, however for older installations the details for the equipment and installations requirements should be referenced to the standards applied at the date of the installation.

NOTE Standards applied at the date of installation may not have been IEC standards.

## EXPLOSIVE ATMOSPHERES –

### Part 17: Electrical installations inspection and maintenance

#### 1 Scope

This part of the IEC 60079 series applies to users and covers factors directly related to the inspection and maintenance of electrical installations within hazardous areas only, where the hazard may be caused by flammable gases, vapours, mists, dusts, fibres or flyings.

It does not include:

- other fundamental installation and inspection requirements for electrical installations;
- the verification of electrical equipment;
- the repair and reclamation of explosion protected equipment (see IEC 60079-19).

This standard supplements the requirements of IEC 60364-6.

In the case of dusts, fibres or flyings the level of housekeeping may influence the inspection and maintenance requirements.

This standard is intended to be applied where there can be a risk due to the presence of explosive gas or dust mixtures with air or combustible dust layers under normal atmospheric conditions. It does not apply to:

- underground mining areas,
- dusts of explosives that do not require atmospheric oxygen for combustion,
- pyrophoric substances.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres - Part 0: Equipment - General requirements*

IEC 60079-1, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-2, *Explosive atmospheres – Part 2: Equipment protection by pressurized enclosures "p"*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Combustible dust atmospheres*