

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Cable networks for television signals, sound signals and interactive services –  
Part 7-3: Hybrid fibre coax outside plant status monitoring – Power supply to  
transponder interface bus (PSTIB)**

**Réseaux de distribution par câbles pour signaux de télévision, signaux de  
radiodiffusion sonore et services interactifs –  
Partie 7-3: Surveillance de l'état des installations extérieures des réseaux  
hybrides à fibre optique et câble coaxial – Alimentation du bus d'interface du  
répéteur (PSTIB)**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Discover our powerful search engine and read freely all the publications provided. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Cable networks for television signals, sound signals and interactive services –  
Part 7-3: Hybrid fibre coax outside plant status monitoring – Power supply to  
transponder interface bus (PSTIB)**

**Réseaux de distribution par câbles pour signaux de télévision, signaux de  
radiodiffusion sonore et services interactifs –  
Partie 7-3: Surveillance de l'état des installations extérieures des réseaux  
hybrides à fibre optique et câble coaxial – Alimentation du bus d'interface du  
répéteur (PSTIB)**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.040.40; 33.160.01

ISBN 978-2-8322-9339-3

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	9
3 Terms, definitions and abbreviations .....	9
3.1 Terms and definitions .....	9
3.2 Abbreviations .....	10
4 Reference architecture forward and return channel specifications .....	10
5 Power supply to transponder interface bus specification overview .....	11
5.1 General.....	11
5.2 Interface compliance .....	11
5.3 Implementation compliance .....	11
5.4 Revision control .....	12
6 Power supply to transponder interface bus – Physical layer specification .....	12
6.1 Interface requirements .....	12
6.1.1 Connector type .....	12
6.1.2 Communications interface .....	12
6.1.3 Connector signals.....	12
6.1.4 Transponder power.....	12
6.1.5 Line balance.....	13
6.1.6 Cable length.....	13
6.1.7 Data encoding .....	13
6.1.8 Bit rate .....	13
6.1.9 Duplex.....	13
6.1.10 Method of communication.....	13
6.1.11 Indicators .....	13
6.2 Interface diagram .....	14
7 Alternative power supply to transponder interface bus – Physical layer specification .....	15
7.1 Introduction to alternative .....	15
7.2 Interface requirements .....	15
7.2.1 Connector type .....	15
7.2.2 Communications interface .....	15
7.2.3 Connector signals.....	15
7.2.4 Transponder power.....	15
7.2.5 Line balance.....	16
7.2.6 Cable length.....	16
7.2.7 Data encoding .....	16
7.2.8 Bit rate .....	16
7.2.9 Duplex.....	16
7.2.10 Method of communication.....	16
7.2.11 Indicators .....	17
7.3 Interface diagram .....	17
8 Power supply to transponder interface bus – Data link layer specification.....	18
8.1 DLL packet structure .....	18
8.1.1 General .....	18

8.1.2	Start	18
8.1.3	Destination Address	18
8.1.4	Source Address	19
8.1.5	Identification	19
8.1.6	Datagram	19
8.1.7	End	19
8.1.8	Checksum	19
8.2	DLE sequence	19
8.3	Interface timing	20
8.3.1	Message synchronization and interaction	20
8.3.2	Transmission timing requirements	21
8.4	DLL datagrams	22
8.4.1	Structure	22
8.4.2	Resolution versus accuracy	23
8.4.3	DLL datagram types	23
Annex A (informative) HMS specification documents		37
Bibliography		38
Figure 1 – Reference architecture diagram		11
Figure 2 – Sample PSTIB RS-485 interface		14
Figure 3 – Sample PSTIB RS-485 interface		17
Figure 4 – DLL packet structure		18
Figure 5 – PSTIB data and timing diagram		21
Figure 6 – DLL datagram structure		22
Figure 7 – Battery string naming conventions		33
Table 1 – Transponder type classifications		8
Table 2 – RJ-45 Connector pin assignment		12
Table 3 – Sample PSTIB RS-485 interface – Reference signals		14
Table 4 – RJ-45 Connector pin assignment		15
Table 5 – Sample PSTIB RS-485 interface – Reference signals		17
Table 6 – Generic DLL packet structure		18
Table 7 – Reserved destination address ranges		19
Table 8 – PSTIB timing specifications		21
Table 9 – Generic DLL datagram structure		22
Table 10 – DLL datagrams		24
Table 11 – Command: Get_Configuration datagram		24
Table 12 – Response: Get_Configuration datagram		25
Table 13 – Response: Get_Configuration datagram variable binding (general)		25
Table 14 – Response: Get_Configuration datagram variable binding (power supply)		26
Table 15 – Response: Get_Configuration datagram <sup>a</sup> variable binding (generator)		29
Table 16 – Command: Get_Power_Supply_Data datagram		30
Table 17 – Response: Get_Power_Supply_Data datagram		30
Table 18 – Response: Get_Power_Supply_Data datagram variable binding		30

Table 19 – Command: Power_Supply_Control datagram.....	33
Table 20 – Command: Get_Generator_Data datagram.....	33
Table 21 – Response: Get_Generator_Data datagram.....	34
Table 22 – Response: Get_Generator_Data Datagram variable binding.....	34
Table 23 – Command: Generator_Control datagram.....	35
Table 24 – Response: Invalid_Request datagram.....	35
Table 25 – Response: Request_Processed datagram.....	36
Table A.1 – HMS document family.....	37

Currently in preview, click buy full version

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CABLE NETWORKS FOR TELEVISION SIGNALS,  
SOUND SIGNALS AND INTERACTIVE SERVICES –****Part 7-3: Hybrid fibre coax outside plant status monitoring –  
Power supply to transponder interface bus (PSTIB)**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-7-3 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2003 of which it constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- All changes from standard ANSI/SCTE 25-3 v1.0 to standard ANSI/SCTE 25-3 v1.1 (2005) have been taken into account in this second edition.
- Clause 7 is based on standard ANSI/SCTE 110 (2005).
- Addition of informative Annex A concerning hybrid management sub-layer.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1464/CDV	100/1599/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media.

This includes

- CATV<sup>1</sup>-networks;
- MATV-networks and SMATV-networks;
- individual receiving networks;

and all kinds of equipment, systems and installations installed in such networks.

The extent of this standardization work is from the antennas and/or special signal source inputs to the head-end or other interface points to the network up to the terminal output.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

The following differences exist in some countries:

The Japanese *de facto* standard (NCTEA S-006) concerning requirements for the HFC outside plant management, which was published in 1995, was already been available in Japan. The purpose of this standard is to support the design and implementation of interoperable management systems for HFC cable networks used in Japan.

---

<sup>1</sup> This word encompasses the HFC networks used nowadays to provide telecommunications services, voice, data, audio and video both broadcast and narrowcast.

## CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

### Part 7-3: Hybrid fibre coax outside plant status monitoring – Power supply to transponder interface bus (PSTIB)

#### 1 Scope

This part of IEC 60728 specifies requirements for the Hybrid Fibre Coax (HFC) Outside Plant (OSP) Power Supplies (PS). This standard is part of a series developed to support the design and implementation of interoperable management systems for evolving HFC cable networks. The purpose of the standards is to support the design and implementation of interoperable management systems for evolving HFC cable networks. The Power Supply to Transponder Interface Bus (PSTIB) specification describes the physical (PHY) interface and related messaging and protocols implemented at the Data Link Layer (DLL), layers 1 and 2 respectively in the 7-layer ISO-OSI reference model, that support communications between compliant transponders and the managed OSP power supplies and other related power equipment to which they interface.

This standard describes the PSTIB PHY and DLL layer requirements and protocols that shall be implemented to support reliable communications between all type 2 and type 3 compliant OSP transponders on the HFC plant and managed OSP power supplies and related hardware. Any exceptions to compliance with this standard will be specifically noted as necessary.

Transponder type classifications referenced within the HMS series of standards are defined in Table 1.

**Table 1 – Transponder type classifications**

Type	Description	Application
Type 0	Refers to legacy transponder equipment which is incapable of supporting the specifications	<ul style="list-style-type: none"> <li>• This transponder interfaces with legacy network equipment through proprietary means.</li> <li>• This transponder could be managed through the same management applications as the other types through proxies or other means at the head-end.</li> </ul>
Type 1	Refers to stand-alone transponder equipment (legacy or new), which can be upgraded to support the specifications	<ul style="list-style-type: none"> <li>• This transponder interfaces with legacy network equipment through proprietary means.</li> <li>• Type 1 is a standards-compliant transponder (either manufactured to the standard or upgraded) that connects to legacy network equipment via a proprietary interface.</li> </ul>
Type 2	Refers to a stand-alone, compliant transponder	<ul style="list-style-type: none"> <li>• This transponder interfaces with network equipment designed to support the electrical and physical specifications defined in the standards.</li> <li>• It can be factory or field-installed.</li> <li>• Its RF connection is independent of the monitored NE.</li> </ul>
Type 3	Refers to a stand-alone or embedded, compliant transponder	<ul style="list-style-type: none"> <li>• This transponder interfaces with network equipment designed to support the electrical specifications defined in the standards.</li> <li>• It may or may not support the physical specifications defined in the standards.</li> <li>• It can be factory-installed. It may or may not be field-installed.</li> <li>• Its RF connection is through the monitored NE.</li> </ul>