

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –  
Part 4-1: Contactors and motor-starters – Electromechanical contactors and  
motor-starters**

**Appareillage à basse tension –  
Partie 4-1: Contacteurs et démarreurs de moteurs – Contacteurs et démarreurs  
électromécaniques**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2018 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –  
Part 4-1: Contactors and motor-starters – Electromechanical contactors and  
motor-starters**

**Appareillage à basse tension –  
Partie 4-1: Contacteurs et démarreurs de moteurs – Contacteurs et démarreurs  
électromécaniques**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.120.99, 29.130.20

ISBN 978-2-8322-5922-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	10
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references .....	15
3 Terms, definitions, symbols and abbreviated terms.....	16
3.1 General.....	16
3.2 Alphabetical index of terms.....	16
3.3 Terms and definitions concerning contactors .....	18
3.4 Terms and definitions concerning starters.....	19
3.5 Terms and definitions concerning characteristic quantities.....	25
3.6 Terms and definitions concerning safety aspects .....	26
3.7 Symbols and abbreviated terms .....	27
4 Classification.....	28
5 Characteristics of contactors and starters .....	28
5.1 Summary of characteristics.....	28
5.2 Type of equipment .....	29
5.2.1 Kind of equipment.....	29
5.2.2 Number of poles .....	29
5.2.3 Kind of current (AC or DC).....	29
5.2.4 Interrupting medium (air, oil, gas, vacuum, etc.) .....	29
5.2.5 Operating conditions of the equipment.....	29
5.3 Rated and limiting values for main circuits .....	29
5.3.1 Rated voltages .....	29
5.3.2 Currents or powers .....	31
5.3.3 Rated frequency .....	32
5.3.4 Rated duties .....	32
5.3.5 Normal load and overload characteristics .....	33
5.3.6 Short-circuit characteristics .....	35
5.3.7 Pole impedance of a contactor (Z) .....	36
5.4 Utilization category .....	36
5.4.1 General .....	36
5.4.2 Assignment of utilization categories based on the results of tests.....	36
5.5 Control circuits.....	38
5.6 Auxiliary circuits.....	39
5.7 Characteristics of relay and release of overload relays and motor protective switching device (MPSD) .....	39
5.7.1 Summary of characteristics.....	39
5.7.2 Types of relay or release .....	39
5.7.3 Characteristic values .....	39
5.7.4 Designation and current settings of overload relays.....	41
5.7.5 Time-current characteristics of overload relays.....	41
5.7.6 Influence of ambient air temperature.....	42
5.8 Co-ordination with short-circuit protective devices.....	42
5.9 Void.....	42
5.10 Types and characteristics of automatic change-over devices and automatic acceleration control devices.....	42

5.10.1	Types .....	42
5.10.2	Characteristics.....	42
5.11	Types and characteristics of auto-transformers for two-step auto-transformer starters .....	43
5.12	Types and characteristics of starting resistors for rheostatic rotor starters .....	43
6	Product information .....	43
6.1	Nature of information .....	43
6.1.1	Identification.....	43
6.1.2	Characteristics, basic rated values and utilization.....	44
6.2	Marking.....	45
6.3	Instructions for installation, operation, maintenance, decommissioning and dismantling .....	46
6.4	Environmental information .....	46
7	Normal service, mounting and transport conditions.....	46
8	Constructional and performance requirements .....	47
8.1	Constructional requirements .....	47
8.1.1	General .....	47
8.1.2	Materials .....	47
8.1.3	Current-carrying parts and their connections .....	48
8.1.4	Clearances and creepage distances .....	48
8.1.5	Actuator.....	48
8.1.6	Indication of the contact position .....	49
8.1.7	Additional requirements for equipment suitable for isolation.....	49
8.1.8	Terminals .....	49
8.1.9	Additional requirements for equipment provided with a neutral pole.....	49
8.1.10	Provisions for protective earthing.....	49
8.1.11	Enclosures for equipment.....	49
8.1.12	Degrees of protection of enclosed equipment .....	50
8.1.13	Conduit pull-out, torque and bending with metallic conduits .....	50
8.1.14	Limited energy source.....	50
8.1.15	Stored charge energy circuit.....	52
8.1.16	Fault and abnormal conditions.....	52
8.1.17	Short-circuit and overload protection of ports.....	53
8.2	Performance requirements.....	53
8.2.1	Operating conditions.....	53
8.2.2	Temperature-rise.....	59
8.2.3	Dielectric properties.....	61
8.2.4	Normal load and overload performance requirements .....	62
8.2.5	Co-ordination with short-circuit protective devices .....	68
8.3	Electromagnetic compatibility (EMC).....	71
8.3.1	General .....	71
8.3.2	Immunity.....	71
8.3.3	Emission.....	72
9	Tests .....	72
9.1	Kinds of test.....	72
9.1.1	General .....	72
9.1.2	Type tests.....	73
9.1.3	Routine tests .....	73

9.1.4	Sampling tests.....	73
9.1.5	Special tests.....	74
9.2	Compliance with constructional requirements.....	75
9.2.1	General.....	75
9.2.2	Electrical performance of screwless-type clamping units.....	75
9.2.3	Ageing test for screwless-type clamping units.....	75
9.2.4	Limited energy source test.....	76
9.2.5	Breakdown of components.....	76
9.3	Compliance with performance requirements.....	77
9.3.1	Test sequences.....	77
9.3.2	General test conditions.....	78
9.3.3	Performance under no load, normal load and overload conditions.....	78
9.3.4	Performance under short-circuit conditions.....	90
9.3.5	Overload current withstand capability of contactors.....	95
9.3.6	Routine tests and sampling tests.....	95
9.4	EMC tests.....	97
9.4.1	General.....	97
9.4.2	Immunity.....	97
9.4.3	Emission.....	99
Annex A (normative) Marking and identification of terminals of contactors, starters and associated overload relays.....		101
A.1	General.....	101
A.2	Marking and identification of terminals of main circuits.....	101
A.3	Marking and identification of terminals of overload relays.....	101
Annex B (normative) Special tests.....		103
B.1	General.....	103
B.2	Mechanical durability.....	103
B.2.1	General.....	103
B.2.2	Verification of mechanical durability.....	103
B.3	Electrical durability.....	105
B.3.1	General.....	105
B.3.2	Results to be obtained.....	106
B.3.3	Statistical analysis of test results for contactors or starters.....	106
B.4	Coordination at the crossover current between the starter and associated SCPD.....	107
B.4.1	General and definitions.....	107
B.4.2	Condition for the test for the verification of co-ordination at the crossover current by a direct method.....	108
B.4.3	Test currents and test circuits.....	108
B.4.4	Test procedure and results to be obtained.....	108
B.4.5	Verification of co-ordination at the crossover current by an indirect method.....	108
Annex C (informative) Typical characteristics of starters.....		111
Annex D (informative) Items subject to agreement between manufacturer and user.....		118
Annex E (Void).....		119
Annex F (normative) Requirements for auxiliary contact linked with power contact (mirror contact).....		120
F.1	Application and object.....	120
F.1.1	Application.....	120

F.1.2	Object.....	120
F.2	Terms and definitions.....	120
F.3	Characteristics.....	120
F.4	Product information.....	120
F.5	Normal service, mounting and transport conditions .....	121
F.6	Constructional and performance requirements .....	121
F.7	Tests .....	121
F.7.1	General .....	121
F.7.2	Tests on products in a new condition .....	121
F.7.3	Test after conventional operational performance (defined under Table 13).....	122
Annex G (informative)	Rated operational currents and rated operational powers of switching devices for electrical motors .....	123
G.1	General.....	123
G.2	Rated operational powers and rated operational currents.....	123
Annex H (normative)	Extended functions to electronic overload relays.....	127
H.1	General.....	127
H.2	Terms and definitions.....	127
H.3	Limits of operation of control functions .....	127
H.3.1	General .....	127
H.3.2	Limits of electronic overload relay with main circuit under-voltage restarting function.....	127
H.4	Test of the control functions .....	128
Annex I (informative)	AC-1 contactors for use with semiconductor controlled motor load .....	129
Annex J (Void)	.....	130
Annex K (normative)	Procedure to determine data for electromechanical contactors used in functional safety applications.....	131
K.1	General.....	131
K.2	Test requirements .....	131
K.3	Characterization of failure mode .....	131
K.4	Failure ratios of contactor .....	131
Annex L (normative)	Assessment procedure for electromechanical overload protection used in safety applications and especially in explosive atmospheres .....	133
L.1	Application and object.....	133
L.1.1	Application.....	133
L.1.2	Object.....	133
L.2	Terms, definitions and symbols .....	133
L.2.1	Terms and definitions .....	133
L.2.2	Symbols and abbreviations .....	134
L.3	Procedure .....	135
L.3.1	General .....	135
L.3.2	Safety design process .....	135
L.4	Requirements .....	136
L.4.1	General .....	136
L.4.2	Safety plan .....	136
L.4.3	Design .....	137
L.4.4	Failure mode and effects analysis of the safety function .....	137
L.4.5	Design plan .....	138

L.4.6	Verification .....	138
L.4.7	Function assessed.....	138
L.5	Documentation.....	138
L.5.1	Technical safety documentation.....	138
L.5.2	Safety instructions .....	138
L.6	Example.....	139
L.6.1	architecture description .....	139
L.6.2	FMEA .....	140
Annex M (normative)	DC contactors for use in photovoltaic (PV) applications .....	148
M.1	Application.....	148
M.2	Object.....	148
M.3	Terms and definitions.....	148
M.4	Classification .....	149
M.5	Characteristics.....	149
M.5.1	General .....	149
M.5.2	Rated impulse withstand voltage.....	149
M.5.3	Utilization category .....	149
M.6	Product information.....	150
M.7	Normal service, mounting and transport conditions .....	150
M.7.1	General .....	150
M.7.2	Ambient air temperature .....	150
M.7.3	Altitude .....	150
M.8	Constructional and performance requirements .....	151
M.8.1	Constructional requirements .....	151
M.8.2	Performance requirements.....	151
M.8.3	Electromagnetic compatibility (EMC) .....	152
M.9	Tests .....	152
M.9.1	General .....	152
M.9.2	Type tests.....	152
M.9.3	Making and breaking capacities and conventional operational performance .....	153
M.9.4	Thermal cycling test.....	153
M.9.5	Climatic test.....	153
M.9.6	Dielectric test .....	153
M.9.7	Critical load current test.....	154
M.9.8	Mechanical properties.....	155
M.9.9	Degree of protection of enclosed contactors .....	156
M.9.10	EMC .....	156
M.9.11	Clearance and creepage distances .....	156
Annex N (normative)	Additional requirements and tests for equipment with protective separation.....	157
N.1	General.....	157
N.2	Definitions.....	157
N.3	Requirements .....	157
N.3.1	Test method for implementing protective impedance.....	157
N.3.2	Touch current measurement .....	158
Annex O (informative)	Load monitoring indicators .....	160
O.1	General.....	160
O.2	Indicators list .....	160

O.3	Uncertainty .....	162
O.4	Tests .....	163
O.4.1	Routine tests .....	163
O.4.2	Type tests.....	163
Annex P (normative)	Short-circuit breaking tests of MPSD .....	165
P.1	General test conditions .....	165
P.2	Rated service short-circuit breaking capacity .....	165
P.2.1	General .....	165
P.2.2	Test of rated service short-circuit breaking capacity.....	166
P.2.3	Verification of operational performance capability .....	166
P.2.4	Verification of dielectric withstand.....	166
P.2.5	Verification of temperature-rise.....	167
P.2.6	Verification of overload releases .....	167
P.3	Rated ultimate short-circuit breaking capacity .....	167
P.3.1	General .....	167
P.3.2	Verification of overload releases .....	167
P.3.3	Test of rated ultimate short-circuit breaking capacity .....	168
P.3.4	Verification of dielectric withstand.....	168
P.3.5	Verification of overload releases .....	168
P.4	Test of MPSD for IT system .....	168
P.4.1	General .....	168
P.4.2	Individual pole short-circuit.....	168
P.4.3	Verification of dielectric withstand.....	169
P.4.4	Verification of overload releases .....	169
P.4.5	Marking .....	169
Annex Q (normative)	Co-ordination under short-circuit conditions between a MPSD and another short-circuit protective device associated in the same circuit.....	170
Q.1	Application .....	170
Q.2	Object.....	170
Q.3	General requirements for the co-ordination of a MPSD with another SCPD .....	171
Q.3.1	General considerations .....	171
Q.3.2	Behaviour of SCPD in association with another SCPD .....	171
Q.4	Type and characteristics of the associated SCPD .....	171
Q.5	Verification of selectivity .....	172
Q.5.1	General .....	172
Q.5.2	Consideration of selectivity by desk study.....	172
Q.5.3	Selectivity determined by test .....	173
Bibliography.....		178
Figure 1	Multiple of current setting limits for ambient air temperature compensated time delay overload relays .....	56
Figure 2	Thermal memory test .....	57
Figure 3	Examples of co-ordination characteristics of a starter.....	70
Figure 4	Voltage drop measurement at contact point of the clamping terminal .....	75
Figure 5	Example of a pole impedance measurement for a 3 pole contactor .....	81
Figure A.1	Main circuit .....	101
Figure A.2	Overload relays .....	102

Figure B.1 – Examples of time-current withstand characteristic.....	110
Figure C.1 – Typical curves of currents and torques during a star-delta start (see 3.4.4.1).....	111
Figure C.2 – Typical curves of currents and torques during an auto-transformer start (see 3.4.4.2).....	112
Figure C.3 – Typical variants of protected starters, combination starters, protected switching devices and combination switching devices.....	113
Figure C.4 – Example of three-phase diagram of a rheostatic rotor starter with three starting steps and one direction of rotation (in the case when all the mechanical switching devices are contactors).....	114
Figure C.5 – Typical methods and diagrams of starting alternating-current induction motors by means of auto-transformers.....	115
Figure C.6 – Examples of speed/time curves corresponding to cases a), b), c), d), e) and f) of 5.3.5.6.1.....	117
Figure F.1 – Mirror contact.....	121
Figure L.1 – Safety design process.....	136
Figure L.2 – Typical structure of a thermal overload relay.....	139
Figure L.3 – typical structure of MPSD.....	140
Figure M.1 – Critical current.....	154
Figure N.1 – Protection by means of protective impedance.....	158
Figure N.2 – Measuring instrument.....	159
Figure O.1 – Example of quantification of a process change.....	162
Figure Q.1 – Over-current co-ordination between a MPSD and a fuse or back-up protection by a fuse: operating characteristics.....	175
Figure Q.2 – Total selectivity between MPSD and circuit-breakers – Case 1.....	176
Figure Q.3 – Total selectivity between MPSD and circuit-breakers – Case 2.....	176
Figure Q.4 – Back-up protection by a circuit-breaker – Operating characteristics – Case 1.....	177
Figure Q.5 – Back-up protection by a circuit-breaker – Operating characteristics – Case 2.....	177
Table 1 – Utilization categories.....	38
Table 2 – Trip classes of overload relays.....	41
Table 3 – Limits of operation of time-delay overload relays when energized on all poles.....	55
Table 4 – Limits of operation of three-pole time-delay overload relays when energized on two poles only.....	58
Table 5 – Temperature-rise limits for insulated coils in air and in oil.....	60
Table 6 – Intermittent duty test cycle data.....	61
Table 7 – Making and breaking capacities – Making and breaking conditions according to utilization category.....	63
Table 8 – Relationship between the test current and off-time for the verification of rated making and breaking capacities.....	65
Table 9 – Operational current determination for utilization categories AC-6a and AC-6b when derived from AC-3 ratings.....	65
Table 10 – Conventional operational performance – Making and breaking conditions according to utilization category.....	66
Table 11 – Overload current withstand requirements.....	68

Table 12 – Specific acceptance criteria for immunity tests .....	72
Table 13 – Value of the prospective test current according to the rated operational current .....	92
Table 14 – Value of the prospective test current according to the rated operational current (harmonized table) .....	92
Table 15 – Test conditions for $I_{Cd}$ .....	70
Table 16 – EMC immunity tests .....	97
Table 17 – Terminal disturbance voltage limits for conducted radio-frequency emission (for mains ports) .....	99
Table 18 – Radiated emission test limits .....	100
Table 19 – Limits for limited energy sources without an over-current protective device .....	51
Table 20 – Limits for limited energy sources with an over-current protective device .....	51
Table 21 – Limits for limited energy source with current limiting impedance .....	52
Table B.1 – Verification of the number of on-load operating cycles – Conditions for making and breaking corresponding to the several utilization categories .....	106
Table B.2 – Test conditions .....	109
Table F.1 – Test voltage according to altitude .....	122
Table G.1 – Rated operational powers and rated operational currents of motors .....	124
Table K.1 – Failure mode of contactors .....	131
Table K.2 – Typical failure ratios for normally open contactors .....	132
Table L.1 – Severity .....	140
Table L.2 – Occurrence .....	141
Table L.3 – Detection levels .....	141
Table L.4 – Conclusion .....	142
Table L.5 – Example of failure mode and effects analysis for thermal overload relay .....	143
Table M.1 – Rated impulse voltage levels for PV contactors .....	149
Table M.2 – Utilization categories .....	149
Table M.3 – Ambient air temperature conditions .....	150
Table M.4 – Verification of rated making and breaking capacities – Conditions for making and breaking corresponding to the DC-PV category .....	151
Table M.5 – Conventional operational performance – Making and breaking condition corresponding to the DC-PV category .....	152
Table M.6 – Overall scheme of test sequences .....	153
Table M.7 – Number of operating cycles corresponding to the critical load current .....	155
Table M.8 – Critical load current performance .....	155
Table O.1 – AC monitoring indicators list .....	161
Table O.2 – Different possibilities authorized for verification of indicators .....	163
Table O.3 – Reference for verification conditions .....	164
Table O.4 – Harmonic levels .....	164

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –****Part 4-1: Contactors and motor-starters –  
Electromechanical contactors and motor-starters**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-4-1 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This fourth edition cancels and replaces the third edition published in 2009 and its Amendment 1:2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- Scope structure and exclusions
- Editorial correction of notes and hanging paragraphs
- Reference to IEC 62683-1
- Motor protective switching device (MPSD) with its requirements

- Safety aspects related to:
  - General aspects;
  - Limited energy circuits;
  - Electronic circuits;
  - Assessment procedure for electromechanical overload protection used in safety - applications (new Annex L)
- Introduction of provisions covering the impact of higher locked rotor current to achieve high efficiency class
- Mention of dedicated wiring accessories
- Pickup power measurement
- Alignment to IEC 60947-1:2007, IEC 60947-1:2007/AMD1:2010, and IEC 60947-1:2007/AMD2:2014
- Direct current requirements for covering photovoltaic application (new Annex M)
- Load monitoring indicators (new Annex O)
- Short-circuit breaking tests of MPSD (new Annex P)
- Co-ordination under short-circuit conditions between a MPSD and another short-circuit protective device associated in the same circuit (new Annex Q)

The text of this International Standard is based on the following documents:

FDIS	Report on voting
121A/224/FDIS	121A/233/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60947 series can be found, under the general title *Low-voltage switchgear and controlgear*, on the IEC website.

This document shall be read in conjunction with IEC 60947-1:2007, IEC 60947-1:2007/AMD1:2010, IEC 60947-1:2007/AMD2:2014, *Low voltage switchgear and controlgear – Part 1: General rules*. The provisions of the general rules are applicable to this document, where specifically called for.

The provisions of the general rules dealt with IEC 60947-1 are applicable to this part of IEC 60947 series where specifically called for. Clauses and subclauses, tables, figures and annexes of the general rules thus applicable are identified by reference to IEC 60947-1:2007, IEC 60947-1:2007/AMD1:2010, and IEC 60947-1:2007/AMD2:2014. For example, 4.3.4.1 of IEC 60947-1:2007, Table 4 of IEC 60947-1:2007, or Annex A of IEC 60947-1:2007.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This document introduces the requirements for motor protection switching devices (MPSD).

MPSDs have been available on the market for many years. They are introduced in this document for covering the minimum safety and performance requirements of a manual motor starter with integral electromechanical or electronic short-circuit protection. This device fulfils all requirements of a starter and specific requirements of a circuit-breaker according to IEC 60947-2, mainly  $I_{CU}$  and  $I_{CS}$ , for protecting the motor and its circuit with control devices e.g. a contactor. An MPSD is not intended to support neutral pole, DC ratings, rated uninterrupted current  $I_U$ , backup protection, short-circuit tripping time-delay, selectivity category, withdrawable capability, RCD, recloser, EMC requirements of IEC 60947-2, etc.

Circuit-breakers according to Annex O of IEC 60947-2:2016 with motor overload protection characteristic according to this document but without starter ratings e.g. AC-3 are also available on the market. These devices are not covered by this document.

## LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

### Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters

#### 1 Scope

This part of IEC 60947 is applicable to the following equipment:

- electromechanical contactors and starters including motor protective switching device (MPSD);
- actuators of contactor relays;
- contacts dedicated exclusively to the coil circuit of this contactor or this contactor relay;
- dedicated accessories (e.g. dedicated wiring, dedicated latch accessory);

intended to be connected to distribution circuits, motors circuits and other load circuits, the rated voltage of which does not exceed 1 000 V AC or 1 500 V DC.

This document covers also the assessment procedure for electromechanical overload protection used in safety applications such as protecting a motor located in explosive atmosphere from the outside atmosphere: See Annex L.

This document does not apply to:

- starters for DC motors<sup>1</sup>;  
NOTE 1 The requirements for DC motor starters are under consideration for the next maintenance cycle.
- auxiliary contacts of contactors and contacts of contactor relays. These are covered by IEC 60947-5-1;
- starter used downstream to frequency drive<sup>1</sup>;  
NOTE 2 Additional requirements for starter used downstream to frequency drive are under consideration for the next maintenance cycle.
- short-circuit protective device integrated within starters other than MPSDs. This is covered by IEC 60947-2 and IEC 60947-3;
- the use of the product with additional measure within explosive atmospheres. These are given in IEC 60079 series;
- embedded software design rules<sup>1</sup>;
- cyber security aspects. These are covered by IEC 62443 series.

The objective of this document is to state:

- a) the characteristics of the equipment;
- b) the conditions applicable to the equipment with reference to:
  - 1) its operation and behaviour,
  - 2) its dielectric properties,
  - 3) its degree of protection,

---

<sup>1</sup> For this subject the manufacturer is responsible for taking additional safety measures.