

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –
Part 4-1: Contactors and motor-starters – Electromechanical contactors and
motor-starters**

**Appareillage à basse tension –
Partie 4-1: Contacteurs et démarreurs de moteurs – Contacteurs et démarreurs
électromécaniques**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications preview. With a subscription you will always have access to up-to-date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –
Part 4-1: Contactors and motor-starters – Electromechanical contactors and
motor-starters**

**Appareillage à basse tension –
Partie 4-1: Contacteurs et démarreurs de moteurs – Contacteurs et démarreurs
électromécaniques**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.99, 29.130.20

ISBN 978-2-8322-7773-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	10
1 Scope.....	13
2 Normative references	14
3 Terms, definitions, symbols and abbreviated terms.....	15
3.1 General.....	15
3.2 Alphabetical index of terms	15
3.3 Terms and definitions concerning contactors	18
3.4 Terms and definitions of the functions of starters	19
3.5 Terms and definitions concerning starters	20
3.6 Terms and definitions concerning characteristic quantities.....	26
3.7 Terms and definitions concerning safety aspects	28
3.8 Terms and definitions concerning electric motor characteristics	31
3.9 Symbols and abbreviated terms	31
4 Classification.....	32
5 Characteristics of contactors and starters	33
5.1 Summary of characteristics	33
5.2 Type of equipment	33
5.2.1 Kind of equipment.....	33
5.2.2 Number of poles	34
5.2.3 Kind of current (AC or DC).....	34
5.2.4 Interrupting medium (air, oil, gas, vacuum, etc.)	34
5.2.5 Operating conditions of the equipment	34
5.2.6 Methods of overload protection of motors	34
5.3 Rated and limiting values for main circuits	35
5.3.1 Rated voltages	35
5.3.2 Currents or powers	36
5.3.3 Rated frequency	38
5.3.4 Rated duties	38
5.3.5 Normal load and overload characteristics	39
5.3.6 Short-circuit characteristics	41
5.3.7 Pole impedance of a contactor (Z) or starter	41
5.4 Utilization category	41
5.4.1 General	41
5.4.2 Assignment of utilization categories based on the results of tests	42
5.5 Control circuits.....	43
5.6 Auxiliary circuits.....	44
5.7 Characteristics of relay and release of overload relays and of motor protective switching device (MPSD)	44
5.7.1 Summary of characteristics.....	44
5.7.2 Types of relay or release	44
5.7.3 Characteristic values	45
5.7.4 Designation and current settings of overload relays	46
5.7.5 Time-current characteristics of overload relays	47
5.7.6 Influence of ambient air temperature.....	47
5.8 Co-ordination with short-circuit protective devices.....	47
5.9 Void.....	47

5.10	Types and characteristics of automatic change-over devices and automatic acceleration control devices	47
5.10.1	Types	47
5.10.2	Characteristics	47
5.11	Types and characteristics of auto-transformers for two-step auto-transformer starters	48
5.12	Types and characteristics of starting resistors for rheostatic rotor starters	48
6	Product information	49
6.1	Nature of information	49
6.1.1	Identification	49
6.1.2	Characteristics, basic rated values and utilization	49
6.2	Marking	51
6.3	Instructions for installation, operation, maintenance, decommissioning and dismantling	52
6.4	Environmental information	52
6.5	Instruction for equipment capable to be reused, repaired and upgraded	53
7	Normal service, mounting and transport conditions	53
8	Constructional and performance requirements	53
8.1	Constructional requirements	53
8.1.1	General	53
8.1.2	Materials	54
8.1.3	Current-carrying parts and their connection	54
8.1.4	Clearances and creepage distances	54
8.1.5	Actuator	55
8.1.6	Indication of the contact position	55
8.1.7	Additional requirements for equipment suitable for isolation	55
8.1.8	Terminals	56
8.1.9	Additional requirements for equipment provided with a neutral pole	56
8.1.10	Provisions for protective earthing	56
8.1.11	Enclosures for equipment	56
8.1.12	Degrees of protection of enclosed equipment	56
8.1.13	Conduit pull-out torque and bending with metallic conduits	56
8.1.14	Limited energy source	57
8.1.15	Store and charge energy circuit	59
8.1.16	Fault and abnormal conditions	59
8.1.17	Short-circuit and overload protection of ports	60
8.1.18	Use of voltage transient limiting device	60
8.2	Performance requirements	60
8.2.1	Operating conditions	60
8.2.2	Temperature-rise	66
8.2.3	Dielectric properties	69
8.2.4	Normal load and overload performance requirements	70
8.2.5	Co-ordination with short-circuit protective devices	75
8.3	Electromagnetic compatibility (EMC)	77
8.3.1	General	77
8.3.2	Immunity	78
8.3.3	Emission	78
8.4	Embedded software	79
8.5	Security	79

9	Tests	79
9.1	Kinds of test	79
9.1.1	General	79
9.1.2	Type tests	79
9.1.3	Routine tests	79
9.1.4	Sampling tests	80
9.1.5	Special tests	80
9.2	Compliance with constructional requirements	81
9.2.1	General	81
9.2.2	Electrical performance of screwless-type clamping units	81
9.2.3	Ageing test for screwless-type clamping units	82
9.2.4	Limited energy source test	82
9.2.5	Breakdown of components	83
9.2.6	Wire flexing test	83
9.3	Compliance with performance requirements	84
9.3.1	Test sequences	84
9.3.2	General test conditions	84
9.3.3	Performance under no load, normal load and overload conditions	85
9.3.4	Performance under short-circuit conditions	98
9.3.5	Overload current withstand capability of contactors and IMPSDs	104
9.3.6	Routine tests and sampling tests	104
9.4	EMC tests	106
9.4.1	General	106
9.4.2	Immunity	106
9.4.3	Emission	108
Annex A (normative) Marking and identification of terminals of contactors, starters and associated overload relays		110
A.1	General	110
A.2	Marking and identification of terminals of main circuits	110
A.3	Marking and identification of terminals of overload relays	110
Annex B (normative) Special tests		112
B.1	General	112
B.2	Mechanical durability	112
B.2.1	General	112
B.2.2	Verification of mechanical durability	112
B.3	Electrical durability	114
B.3.1	General	114
B.3.2	Results to be obtained	115
B.3.3	Statistical analysis of test results for contactors or starters	115
B.4	Co-ordination at the crossover current between the starter and associated SCPD	116
B.4.1	General	116
B.4.2	Condition for the test for the verification of co-ordination at the crossover current by a direct method	116
B.4.3	Test currents and test circuits	116
B.4.4	Test procedure and results to be obtained	117
B.4.5	Verification of co-ordination at the crossover current by an indirect method	117

Annex C (informative) Electric motor evolutions and motor starting methods.....	120
C.1 General.....	120
C.1.1 Major changes on the market concerning electrical motors	120
C.1.2 Electric motor characteristics	121
C.1.3 Efficiency motor analysis	121
C.1.4 Impacts on switchgear and controlgear	123
C.2 Typical variants direct-on-line starters.....	123
C.3 Functional aspects of motor starters	126
C.4 Currents and torques during a star-delta start	128
C.5 Currents and torques during an auto-transformer start	131
C.6 Currents waveform of the different modes of operation of a starter	133
Annex D (informative) Items subject to agreement between manufacturer and user	135
Annex E (Void)	136
Annex F (normative) Requirements for auxiliary contact linked with power contact (mirror contact).....	137
F.1 Application and object.....	137
F.1.1 Application.....	137
F.1.2 Object.....	137
F.2 Characteristics.....	137
F.3 Product information.....	137
F.4 Normal service, mounting and transport conditions	138
F.5 Constructional and performance requirements	138
F.6 Tests	138
F.6.1 General	138
F.6.2 Tests on products in a new condition	138
F.6.3 Test after conventional operation, performance (defined under Table 10).....	139
Annex G (informative) Rated operational currents and rated operational powers of switching devices for electrical motor	140
G.1 General.....	140
G.2 Rated operational powers and rated operational currents.....	140
Annex H (normative) Extended functions to electronic overload relays.....	144
H.1 General.....	144
H.2 Limits of operation of control functions	144
H.2.1 General	144
H.2.2 Limits of electronic overload relay with main circuit undervoltage starting function.....	144
H.3 Test of the control functions	144
Annex I (informative) AC-1 contactors for use with semiconductor controlled motor (load 45).....	145
Annex J (Void).....	146
Annex K (normative) Procedure to determine data for electromechanical contactors used in functional safety applications.....	147
K.1 General.....	147
K.2 Test requirements	147
K.3 Characterization of a failure mode	147
K.4 Failure ratios of a contactor	147

Annex L (normative) Assessment procedure for electromechanical overload protection used in safety applications and especially in explosive atmospheres	149
L.1 Application and object.....	149
L.1.1 Application.....	149
L.1.2 Object.....	149
L.2 Procedure	149
L.2.1 General	149
L.2.2 Safety design process	150
L.3 Requirements	150
L.3.1 General	150
L.3.2 Safety plan	150
L.3.3 Design	151
L.3.4 Failure mode and effects analysis of the safety function	151
L.3.5 Design plan	152
L.3.6 Verification	152
L.3.7 Function assessed.....	152
L.4 Documentation.....	152
L.4.1 Technical safety documentation.....	152
L.4.2 Safety instructions	152
L.5 Example.....	153
L.5.1 architecture description	153
L.5.2 FMEA	154
Annex M (normative) DC contactors for use in photovoltaic (PV) applications	162
M.1 Application	162
M.2 Object.....	162
M.3 Classification	162
M.4 Characteristics.....	162
M.4.1 General	162
M.4.2 Rated impulse withstand voltage.....	162
M.4.3 Utilization category	163
M.5 Product information	163
M.6 Normal service conditions and transport conditions	164
M.6.1 General	164
M.6.2 Ambient air temperature	164
M.6.3 Altitude	164
M.7 Constructional and performance requirements	164
M.7.1 Constructional requirements	164
M.7.2 Performance requirements.....	164
M.7.3 Electromagnetic compatibility (EMC)	165
M.8 Tests	166
M.8.1 General	166
M.8.2 Type tests.....	166
M.8.3 Making and breaking capacities and conventional operational performance	166
M.8.4 Thermal cycling test.....	166
M.8.5 Climatic test.....	167
M.8.6 Dielectric test	167
M.8.7 Critical load current test.....	167
M.8.8 Mechanical and electrical properties of terminals.....	168

M.8.9	Degree of protection of enclosed contactors	168
M.8.10	EMC	168
M.8.11	Clearance and creepage distances	168
Annex N (normative)	Additional requirements and tests for equipment with protective separation.....	169
N.1	General.....	169
N.2	Terms and definitions.....	169
N.3	Requirements	169
N.3.1	Test method for implementing protective impedance.....	169
N.3.2	Touch current measurement	170
Annex O (normative)	Load monitoring indicators	172
O.1	General.....	172
O.2	Indicators list	172
O.3	Uncertainty	174
O.4	Tests	175
O.4.1	Routine tests	175
O.4.2	Type tests.....	175
Annex P (normative)	Short-circuit breaking tests of MPSD.....	177
P.1	General test conditions	177
P.2	Rated service short-circuit breaking capacity	178
P.2.1	General	178
P.2.2	Test of rated service short-circuit breaking capacity.....	178
P.2.3	Verification of operational performance capability	178
P.2.4	Verification of dielectric withstand.....	178
P.2.5	Verification of temperature-rise.....	179
P.2.6	Verification of overload releases	179
P.3	Rated ultimate short-circuit breaking capacity	179
P.3.1	General	179
P.3.2	Verification of overload releases	179
P.3.3	Test of rated ultimate short-circuit breaking capacity	180
P.3.4	Verification of dielectric withstand.....	180
P.3.5	Verification of overload releases	180
P.4	Test of MPSD for IT system	180
P.4.1	General	180
P.4.2	Individual pole short-circuit	181
P.4.3	Verification of dielectric withstand.....	181
P.4.4	Verification of overload releases	181
P.4.5	Marking	182
Bibliography	183
Figure 1	– Multiple of current setting limits for ambient air temperature compensated time-delay overload relays	63
Figure 2	– Thermal memory test	64
Figure 3	– Example of different parts	67
Figure 4	– Examples of co-ordination characteristics of a starter.....	77
Figure 5	– Voltage drop measurement at contact point of the clamping terminal	82
Figure 6	– Peak current envelope	89
Figure A.1	– Main circuit	110

Figure A.2 – Overload relays	111
Figure B.1 – Examples of time-current withstand characteristic.....	119
Figure C.1 – Electric motor characteristics.....	121
Figure C.2 – Rated current of different energy efficiency classes.....	122
Figure C.3 – Ratio of the rated locked-rotor current to the nominal current.....	122
Figure C.4 – Ratio of the inrush current to the nominal current	123
Figure C.5 – Connections to motor windings	124
Figure C.6 – Current and torque during direct-on-line starting.....	125
Figure C.7 – Typical variants of protected starters, combination starters, protected switching devices and combination switching devices	126
Figure C.8 – Functional view of motor starters	127
Figure C.9 – Motor overload protection embedded into a circuit-breaker.....	128
Figure C.10 – Typical curves of currents and torques during a star-delta start	129
Figure C.11 – Timing of star-delta-switching	130
Figure C.12 – Typical method and diagram of starting alternating-current induction motors by means of star-delta starter.....	131
Figure C.13 – Typical curves of currents and torques during an auto-transformer starting of a motor.....	132
Figure C.14 – Typical schematic diagrams for starting alternating-current induction motors by means of auto-transformers.....	133
Figure C.15 – Examples of current and time curves of motor starting and stopping in one or two directions.....	134
Figure F.1 – Mirror contact.....	138
Figure L.1 – Safety design process	150
Figure L.2 – Typical structure of a thermal overload relay	153
Figure L.3 – typical structure of MPSD.....	154
Figure N.1 – Protection by means of protective impedance	170
Figure N.2 – Measuring instrument	171
Figure O.1 – Example of quantification of a process change	174
Table 1 – Utilization categories.....	43
Table 2 – Trip classes of overload relays.....	46
Table 19 – Limits for limited energy sources without an overcurrent protective device	58
Table 20 – Limits for limited energy sources with an overcurrent protective device	58
Table 21 – Limits for limited energy source with current limiting impedance.....	59
Table 3 – Limits of operation of time-delay overload relays when energized on all poles.....	63
Table 4 – Limits of operation of three-pole time-delay overload relays when energized on two poles only.....	65
Table 5 – Temperature-rise limits for insulated coils in air and in oil	66
Table 6 – Intermittent duty test cycle data.....	69
Table 7 – Making and breaking capacities – Making and breaking conditions according to utilization category.....	70
Table 8 – Relationship between the test current and off-time for the verification of rated making and breaking capacities	72
Table 9 – Operational current determination for utilization categories AC-6a and AC-6b when derived from AC-3 ratings	72

Table 10 – Conventional operational performance – Making and breaking conditions according to utilization category	73
Table 11 – Overload current withstand requirements	74
Table 12 – Specific acceptance criteria for immunity tests	78
Table 13 – Value of the prospective test current according to the rated operational current	101
Table 14 – Value of the conventional prospective test current according to the rated operational current (harmonized table)	101
Table 15 – Test conditions for I_{Cd}	104
Table 16 – EMC immunity tests	107
Table 17 – Terminal disturbance voltage limits for conducted radio-frequency emission (for mains ports)	109
Table 18 – Radiated emission test limits	109
Table B.1 – Verification of the number of on-load operating cycles – Conditions for making and breaking corresponding to the several utilization categories	115
Table B.2 – Test conditions	118
Table F.1 – Test voltage according to altitude	139
Table G.1 – Rated operational powers and rated operational currents of motors	141
Table K.1 – Failure mode of contactors	147
Table K.2 – Typical failure ratios for normally open contactors	148
Table L.1 – Severity	154
Table L.2 – Occurrence	155
Table L.3 – Detection levels	155
Table L.4 – Conclusion	156
Table L.5 – Example of failure mode and effects analysis for thermal overload relay	157
Table M.1 – Rated impulse voltage levels for PV contactors	163
Table M.2 – Utilization categories	163
Table M.3 – Ambient air temperature conditions	164
Table M.4 – Verification of rated making and breaking capacities – Conditions for making and breaking corresponding to the DC-PV category	165
Table M.5 – Conventional operational performance – Making and breaking condition corresponding to the DC-PV category	165
Table M.6 – Overall scheme of test sequences	166
Table M.7 – Number of operating cycles corresponding to the critical load current	168
Table M.8 – Critical load current performance	168
Table O.1 – AC monitoring indicators list	173
Table O.2 – Different possibilities authorized for verification of indicators	175
Table O.3 – Reference for verification conditions	176
Table O.4 – Harmonic levels	176

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –**Part 4-1: Contactors and motor-starters –
Electromechanical contactors and motor-starters**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60947-4-1 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) objective in the scope;
- b) instantaneous only motor protective switching device IMPSD (3.5.33);
- c) kinds of equipment (5.2.1);

- d) methods of overload protection of motors (5.2.6);
- e) adoption of the AC-7d from IEC 61095:2023 (in 5.4.2);
- f) separately mounted overload relay of a starter (in 5.7.3 b));
- g) starter and contactor suitable for use downstream to basic drive module (6.1.2 w));
- h) reference to IEC TS 63058 for environmental aspects (in 6.4);
- i) wiring subject to movement (in 8.1.3);
- j) use of voltage transient limiting device (8.1.18);
- k) accessible parts subject to temperature limits (in 8.2.2.3);
- l) reference to Annex X of IEC 60947-1:2020 for the co-ordination of MPSD with SCPD (8.2.5.4);
- m) reference to IEC TR 63216 with different EMC environments (8.3.1);
- n) reference to IEC TR 63201 for the embedded software design (8.4);
- o) reference to IEC TS 63208 for cybersecurity aspects (8.5);
- p) update and completion of the measurement method of the power consumption of the electromagnet (9.3.3.2.1.2);
- q) update of Annex C including rational about AC-3e;
- r) determination of the critical load current for photovoltaic applications (M.8.7).

The text of this International Standard is based on the following documents:

Draft	Report on voting
121A/571/FDIS	121A/580/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 60947 series can be found, under the general title *Low-voltage switchgear and controlgear*, on the IEC website.

This document shall be read in conjunction with IEC 60947-1:2020, *Low voltage switchgear and controlgear – Part 1: General rules*. The provisions of the general rules are applicable to this document, where specifically called for.

The provisions of the general rules dealt with IEC 60947-1 are applicable to this part of IEC 60947 series where specifically called for. Clauses and subclauses, tables, figures and annexes of the general rules thus applicable are identified by reference to IEC 60947-1:2020. For example, 5.3.4.1 of IEC 60947-1:2020, Table 4 of IEC 60947-1:2020, or Annex A of IEC 60947-1:2020.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters

1 Scope

This part of IEC 60947 is applicable to the following equipment:

- electromechanical contactors and starters including motor protective switching devices (MPSD and IMPSD);
- actuators of contactor relays;
- contacts dedicated exclusively to the coil circuit of the contactor or the contactor relay;
- dedicated accessories (e.g. dedicated wiring, dedicated latch accessory);

intended to be connected to distribution circuits, motors circuits and other load circuits, the rated voltage of which does not exceed 1 000 V AC or 1 500 V DC.

This document does not apply to:

- starters for DC motors;
- auxiliary contacts of contactors and contacts of contactor relays. These are covered by IEC 60947-5-1;
- the short-circuit protective device integrated within starters, other than MPSDs. This is covered by IEC 60947-2 and IEC 60947-3;
- motor overload protection function performed by control units for built-in thermal protection (PTC). They are covered by IEC 60947-8;
- the use of the equipment with additional measures within explosive atmospheres. These are given in IEC 60079 series;

The objective of this document is to state:

- the characteristics and composition of the equipment (Clause 5);
- the conditions applicable to the equipment with reference to:
 - its operation (5.2.5) and protection functions (5.2.6, 5.7, 5.8),
 - its intended environments (6.5, 8.3.1) and applications (5.4, Annex C, Annex D, Annex G, Annex H, Annex I, Annex M, Annex O) including safety applications (Annex F, Annex K, Annex L),
 - its construction and performance (Clause 8) including requirements to reduce risks of electric shock, thermal hazard, energy hazard, fire hazard and mechanical hazard, reasonably foreseeable misuse, electromagnetic compatibility (EMC) issues, software errors and security issues;
- the tests intended for confirming that these conditions have been met, and the methods to be adopted for these tests (Clause 9);
- the information to be included with the equipment or in the product documentation (Clause 6).