

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –  
Part 5-1: Control circuit devices and switching elements – Electromechanical  
control circuit devices**

**Appareillage à basse tension –  
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –  
Appareils électromécaniques pour circuits de commande**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Low-voltage switchgear and controlgear –  
Part 5-1: Control circuit devices and switching elements – Electromechanical  
control circuit devices**

**Appareillage à basse tension –  
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –  
Appareils électromécaniques pour circuits de commande**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.120.40; 29.130.20

ISBN 978-2-8322-3325-2

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	9
1 General.....	11
1.1 Scope and object .....	11
1.2 Normative references .....	12
2 Terms and definitions .....	14
2.1 Basic terms and definitions.....	16
2.2 Control switches.....	17
2.3 Parts of control switches .....	20
2.4 Operation of control switches .....	22
2.4.1 Operation of contactor relays .....	22
2.4.2 Operation of pilot switches .....	22
2.4.3 Operation of rotary switches.....	23
2.4.4 Operation of mechanically operated control switches .....	24
3 Classification.....	25
3.1 Contact elements .....	25
3.2 Control switches.....	25
3.3 Control circuit devices .....	25
3.4 Time delay switching elements .....	25
3.5 Control switch mounting .....	25
4 Characteristics .....	25
4.1 Summary of characteristics .....	25
4.1.1 General .....	25
4.1.2 Operation of a control switch .....	26
4.2 Type of control circuit device or switching element.....	26
4.2.1 Kind of control circuit device.....	26
4.2.2 Kind of switching element.....	26
4.2.3 Number of poles.....	26
4.2.4 Kind of current.....	26
4.2.5 Interrupting medium .....	27
4.2.6 Operating conditions .....	27
4.3 Rated and limiting values for switching elements .....	27
4.3.1 General .....	27
4.3.2 Rated voltages (of a switching element).....	27
4.3.3 Currents .....	28
4.3.4 Rated frequency.....	28
4.3.5 Vacant .....	28
4.3.6 Normal and abnormal load characteristics .....	28
4.3.7 Short-circuit characteristics .....	28
4.4 Utilization categories for switching elements .....	28
4.5 Vacant.....	29
4.6 Vacant.....	29
4.7 Vacant.....	29
4.8 Vacant.....	29
4.9 Vacant.....	29
4.10 Electrically separated contact elements .....	29
4.11 Actuating quantities for pilot switches .....	29

4.12	Pilot switches having two or more contact elements .....	29
5	Product information .....	29
5.1	Nature of information.....	29
5.2	Marking.....	30
5.2.1	General .....	30
5.2.2	Terminal identification and marking .....	30
5.2.3	Functional markings .....	31
5.2.4	Emergency stop .....	31
5.2.5	Operating diagram .....	31
5.2.6	Time delay markings .....	31
5.3	Instructions for installation, operation and maintenance .....	31
5.4	Additional information.....	32
6	Normal service, mounting and transport conditions.....	32
6.3.1	Mounting of single hole mounted devices.....	32
7	Constructional and performance requirements.....	33
7.1	Constructional requirements.....	33
7.1.1	General .....	33
7.1.2	Materials.....	33
7.1.3	Current-carrying parts and their connections.....	34
7.1.4	Clearances and creepage distances .....	34
7.1.7	Conditions for control switches suitable for solution .....	35
7.1.8	Terminals.....	35
7.1.14	Class II control circuit devices .....	35
7.1.15	Requirements for control devices with integrally connected cables .....	35
7.2	Performance requirements .....	35
7.2.3	Dielectric properties .....	35
7.2.4	Ability to make and break under normal and abnormal load conditions .....	35
7.2.5	Conditional short-circuit current.....	36
7.2.6	Vacant.....	36
7.2.7	Additional requirements for control switches suitable for isolation.....	36
7.2.8	Maximum recovery time .....	36
7.3	Electromagnetic compatibility (EMC).....	36
7.3.1	General .....	36
7.3.2	Immunity .....	37
7.3.3	Emission.....	38
8	Tests.....	43
8.1	Kind's of test.....	43
8.1.1	General .....	43
8.1.2	Type tests.....	43
8.1.3	Routine tests .....	43
8.1.4	Sampling tests .....	44
8.1.5	Special tests .....	44
8.2	Compliance with constructional requirements.....	44
8.2.1	Materials.....	44
8.2.2	Equipment .....	44
8.2.3	Enclosures for equipment.....	45
8.2.4	Mechanical and electrical properties of terminals .....	45
8.2.5	Verification of actuating force (or moment).....	46

8.2.6	Verification of limitation of rotation (of a rotary switch) .....	46
8.2.7	Conduit pull-out test, torque test and bending test with metallic conduits .....	46
8.3	Performance .....	46
8.3.1	Test sequences .....	46
8.3.2	General test conditions .....	47
8.3.3	Performance under no-load, normal load and abnormal load conditions .....	48
8.3.4	Performance under conditional short-circuit current .....	51
8.4	Tests for EMC .....	52
8.4.1	General .....	52
8.4.2	Immunity .....	52
8.4.3	Emission .....	53
8.4.4	Test results and test report .....	53
Annex A (normative)	Electrical ratings based on utilization categories (see 3.1) .....	61
Annex B (normative)	Example of inductive test loads for d.c. contacts .....	63
B.1	General .....	63
B.2	Construction .....	63
Annex C (normative)	Special tests – Durability tests .....	65
C.1	General .....	65
C.1.1	Durability declaration .....	65
C.1.2	Test procedures .....	65
C.1.3	Failure criteria .....	66
C.2	Mechanical durability .....	66
C.2.1	General .....	66
C.2.2	Test procedures .....	66
C.3	Electrical durability .....	66
C.3.1	General .....	66
C.3.2	Test procedures .....	66
Annex D	Vacant .....	69
Annex E (normative)	Items subject to agreement between manufacturer and user .....	70
Annex F (normative)	Class II control circuit devices insulated by encapsulation	
Requirements and tests	.....	71
F.1	General .....	71
F.2	Terms and definitions .....	71
F.5	Marking .....	71
F.7	Instructional and functional requirements .....	72
F.7.1	Choice of compound .....	72
F.7.2	Adhesion of the compound .....	72
F.7.3	Dielectric properties .....	72
F.8	Tests .....	72
F.8.1	Kind of tests .....	72
Annex G (normative)	Additional requirements for control circuit devices with integrally	
connected cables	.....	75
G.1	General .....	75
G.2	Terms and definitions .....	75
G.7	Constructional and performance requirements .....	75
G.7.1	Constructional requirements .....	75
G.7.2	Performance requirements .....	76
G.8	Tests .....	76

G.8.1	General .....	76
G.8.2	Type tests .....	76
G.8.3	Results to be obtained .....	77
Annex H (normative)	Additional requirements for semiconductor switching elements for control circuit devices .....	78
H.1	General.....	78
H.2	Terms and definitions .....	78
H.3	Classification .....	78
H.3.1	Semiconductor switching elements .....	78
H.4	Characteristics .....	78
H.4.1	Rated voltage .....	78
H.4.2	Utilization categories.....	79
H.5	Product information .....	79
H.7	Constructional and performance requirements .....	79
H.7.1	Performance requirements .....	79
H.7.2	Ability to make under abnormal and normal conditions .....	80
H.7.3	Conditional short-circuit current.....	80
H.7.4	Electromagnetic compatibility (EMC) .....	80
H.8	Tests .....	80
H.8.1	Type tests.....	80
H.8.2	Voltage drop ( $U_d$ ).....	80
H.8.3	Minimum operational current ( $I_m$ ) .....	81
H.8.4	OFF-state current ( $I_p$ ) .....	81
H.8.5	Making and breaking capacities.....	81
H.8.6	Performance under short-circuit current conditions .....	81
H.8.7	Verification of electromagnetic compatibility.....	82
Annex J (normative)	Special requirements for indicator lights and indicating towers .....	84
J.1	General.....	84
J.2	Terms and definitions .....	84
J.3	Classification .....	84
J.4	Characteristics .....	85
J.4.1	Rated operational voltage of an indicator light .....	85
J.4.2	Rated thermal power of an indicator light.....	85
J.4.3	Rated values of the lamp.....	85
J.5	Product information .....	85
J.6	Normal service, mounting and transport conditions .....	85
J.7	Constructional and performance requirements .....	86
J.8	Tests .....	86
J.8.1	Tests for indicator lights and indicating towers.....	86
J.8.4	Shock and vibration .....	88
J.8.5	Degree of protection for indicating towers.....	89
Annex K (normative)	Special requirements for control switches with direct opening action .....	90
K.1	General.....	90
K.2	Terms and definitions .....	90
K.3	Classification .....	90
K.4	Characteristics .....	91
K.4.4	Utilization categories for switching elements.....	91
K.5	Product information .....	91

K.5.2	Marking .....	91
K.5.4	Additional information .....	91
K.6	Normal service, mounting and transport conditions .....	92
K.7	Constructional and performance requirements .....	92
K.8	Tests .....	93
Annex L (normative)	Special requirements for mechanically linked contact elements .....	96
L.1	General.....	96
L.2	Terms and definitions .....	96
L.3	Classification .....	96
L.4	Characteristics .....	96
L.5	Product information .....	96
L.6	Normal service, mounting and transport conditions .....	97
L.7	Constructional and performance requirements .....	97
L.8	Tests .....	97
L.8.4	Special test for mechanically linked contact elements .....	98
Annex M (normative)	Terminal marking, distinctive number and distinctive letter for control circuit devices .....	99
M.1	Scope .....	99
M.2	Terminal marking rule.....	99
M.2.1	General .....	99
M.2.2	Function digit .....	99
M.2.3	Sequence digit .....	99
M.2.4	Numbering method.....	100
M.3	Distinctive number and distinctive letter .....	100
M.3.1	General .....	100
M.3.2	Distinctive number .....	100
M.3.3	Distinctive letter .....	100
M.4	Terminal numbering sequence .....	100
M.5	Contactor relays designated by the distinctive letter E.....	101
M.6	Contactor relays designated by distinctive letters X, Y or Z .....	103
M.6.1	Contactor relays designated by the distinctive letter Z.....	103
M.6.2	Contactor relays designated by the distinctive letter X .....	103
M.6.3	Contactor relays designated by the distinctive letter Y .....	103
Annex N (normative)	Procedure to determine reliability data for electromechanical devices in control circuits used in functional safety applications .....	104
N.1	General .....	104
N.1.1	Overview .....	104
N.1.2	Scope and object .....	104
N.1.3	General requirements.....	104
N.2	Terms, definitions and symbols .....	104
N.3	Method based on durability test results .....	104
N.3.1	General method .....	104
N.3.2	Test requirements .....	104
N.3.3	Number of samples .....	105
N.3.4	Characterization of a failure mode .....	105
N.3.5	Weibull modelling.....	105
N.3.6	Useful life and upper limit of failure rate.....	105
N.3.7	Reliability data .....	105
N.4	Data information.....	105

N.5 Example .....	105
Bibliography .....	106
Figure 1 – Examples of the recommended method for drawing an operating diagram of a rotary switch .....	55
Figure 2 – Operation of push-buttons .....	56
Figure 3 – Difference between the over-travel of the actuator and that of the contact element .....	56
Figure 4 – Examples of contact elements (schematic sketches) .....	57
Figure 5 – Test circuits for multi-pole control switches – Contacts of same polarity, not electrically separated .....	58
Figure 6 – Test circuits for multi-pole control switches – Contacts of opposite polarity, and electrically separated .....	58
Figure 7 – Load $L_d$ details for test conditions requiring different values of make and break current and/or power factor (time constant) .....	59
Figure 8 – Test circuit, conditional short-circuit current (see 8.3.4.2) .....	59
Figure 9 – Current/time limits for d.c. test loads (see 8.3.3.5.4) .....	60
Figure 10 – Voltage drop measurement at contact point of the clamping unit or terminal .....	60
Figure B.1 – Construction of load for d.c. contacts .....	64
Figure C.1 – Normal circuit (see C.3.2.2) .....	68
Figure C.2 – Simplified circuit (see C.3.2.2) .....	68
Figure F.1 – Insulation by encapsulation .....	72
Figure F.2 – Test apparatus .....	73
Figure H.1 – Relationship between $U_e$ and $U_B$ .....	79
Figure H.2 – Example of test circuit for the verification of voltage drop, minimum operational current and OFF-state current (see H.8.2, H.8.3 and H.8.4) .....	81
Figure H.3 – Short-circuit testing (see F.8.6.1) .....	82
Figure J.1 – Mounting dimensions for indicating tower socket .....	86
Figure J.2 – Mounting dimensions for temperature rise tests .....	87
Figure K.1 – Verification of robustness of the actuating system .....	95
Figure L.1 – Example of representation of NO and NC contacts which are mechanically linked and NC non-linked contact .....	97
Figure L.2 – Symbol for device containing mechanically linked contacts .....	97
Table 1 – Utilization categories for switching elements .....	29
Table 2 – Mounting hole diameter and dimensions of the key recess (if any) .....	32
Table 3 – Preferred minimum distances between centres of mounting holes .....	33
Table 4 – Verification of making and breaking capacities of switching elements under normal conditions corresponding to the utilization categories .....	39
Table 5 – Verification of making and breaking capacities of switching elements under abnormal conditions corresponding to the utilization categories .....	40
Table 6 – Test conditions for glow-wire test .....	40
Table 7 – Acceptance criteria .....	41
Table 8 – Immunity tests .....	42
Table 9 – Test values for electrical performance and ageing test of screwless-type clamping units .....	54

Table A.1 – Examples of contact rating designation based on utilization categories.....61

Table A.2 – Examples of semiconductors switching element ratings for 50 Hz and/or 60 Hz .62

Table A.3 – Examples of semiconductors switching element ratings for d.c. ....62

Table B.1 – DC loads.....64

Table C.1 – Making and breaking conditions for electrical durability .....67

Table M.1 – Diagrams of control switches..... 101

Table M.2 – Diagrams of contactor relays designated by the distinctive letter E..... 102

Table M.3 – Diagrams of contactor relays designated by the distinctive letter Y..... 103

Currently in preview, click buy full version

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –****Part 5-1: Control circuit devices and switching elements –  
Electromechanical control circuit devices**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-5-1 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This fourth edition cancels and replaces the third edition published in 2003 and its Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of normative references;
- b) update and restructuration of subclauses in 7.1;
- c) addition of material requirements and test;
- d) update of EMC requirements;

- e) clarification of requirements and update of 8.2;
- f) addition of requirements for screwless-type clamping units;
- g) update of existing Tables 4 and 5;
- h) addition of new Tables 6, 7, 8 and 9;
- i) addition of a new Figure 10 ;
- j) addition of a new Annex N.

The text of this standard is based on the following documents:

FDIS	Report on voting
121A/62/FDIS	121A/76/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard should be used in conjunction with IEC 60947-1.

The provisions of the general rules, IEC 60947-1, are applicable to this standard, where specifically called for. General rules, clauses and subclauses thus applicable, as well as tables, figures and annexes are identified by a reference to IEC 60947-1, for example 1.2.3, Table 4 or Annex A of IEC 60947-1:2007.

The following differing practices of a less permanent nature exist in the countries indicated below.

- 7.2.4.1: Making and breaking capacities (United States of America and Canada)
- 8.3.3.5.2: Test circuits and connections (United States of America and Canada)

A list of all the parts in the IEC 60947 series, under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

### Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices

#### 1 General

##### 1.1 Scope and object

This part of IEC 60947 applies to control circuit devices and switching elements intended for controlling, signalling, interlocking, etc., of switchgear and controlgear.

It applies to control circuit devices having a rated voltage not exceeding 1 000 V a.c. (at a frequency not exceeding 1 000 Hz) or 600 V d.c.

However, for operational voltages below 100 V a.c. or d.c., see 4.3.2.2.

This standard applies to specific types of control circuit devices such as:

- manual control switches, for example push-buttons, rotary switches, foot switches, etc.;
- electromagnetically operated control switches, either time-delayed or instantaneous, for example contactor relays;
- pilot switches, for example pressure switches, temperature sensitive switches (thermostats), programmers, etc.;
- position switches, for example control switches operated by part of a machine or mechanism;
- associated control circuit equipment, for example indicator lights, etc.

NOTE 1 A control circuit device includes (a) control switch(es) and associated devices such as (an) indicator light(s).

NOTE 2 A control switch includes (a) switching element(s) and an actuating system.

NOTE 3 A switching element can be a contact element or a semiconductor element.

It also applies to specific types of switching elements associated with other devices (whose main circuits are covered by other standards) such as:

- auxiliary contacts of a switching device (e.g. contactor, circuit breaker, etc.) which are not dedicated exclusively for use with the coil of that device;
- interlocking contacts of enclosure doors;
- control circuit contacts of rotary switches;
- control circuit contacts of overload relays.

Contactor relays also comply with the requirements and tests of IEC 60947-4-1 except for the utilization category which comply with this standard.

This standard does not include the relays covered in IEC 60255 or in the IEC 61810 series, nor automatic electrical control devices for household and similar purposes.

The colour requirements of indicator lights, push-buttons, etc., are found in IEC 60073 and also in CIE S 0004/E-2001 from the Commission of Illumination (CIE).