

INTERNATIONAL STANDARD

NORME INTERNATIONALE



BASIC EMC PUBLICATION

PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 4-31: Testing and measurement techniques – AC mains ports broadband
conducted disturbance immunity test**

**Compatibilité électromagnétique (CEM) –
Partie 4-31: Techniques d'essai et de mesure – Essai d'immunité aux
perturbations conduites à large bande sur les accès d'alimentation secteur en
courant alternatif**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 4-31: Testing and measurement techniques – EMC mains ports broadband
conducted disturbance immunity test**

**Compatibilité électromagnétique (CEM) –
Partie 4-31: Techniques d'essai et de mesure – Essai d'immunité aux
perturbations conduites à large bande sur les accès d'alimentation secteur en
courant alternatif**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.100.20

ISBN 978-2-8322-3564-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope and object.....	8
2 Normative references.....	8
3 Terms and definitions	8
4 General.....	10
5 Test levels.....	11
6 Test equipment and level setting procedures.....	13
6.1 Test generator	13
6.2 Coupling and decoupling devices.....	14
6.2.1 General	14
6.2.2 CDND for the port under test.....	15
6.2.3 Coupling/decoupling networks (CDNs) for cables that are not under test.....	15
6.3 Verification of the test systems	17
6.3.1 General	17
6.3.2 Verification procedure of test generator flatness	17
6.3.3 Verification procedure of the insertion loss of the CDND using transformer jigs.....	18
6.3.4 Insertion loss of the injection coupling system.....	20
6.4 Test level setting procedure	21
6.4.1 General	21
6.4.2 Setting of the output level at the EUT port of the CDND	21
7 Test set-up and injection methods.....	22
7.1 Test set-up.....	22
7.2 EUT comprised of a single unit.....	22
7.3 EUT comprised of several units	23
7.4 CDN and CDND termination application.....	25
8 Test procedure	26
9 Evaluation of the test results.....	27
10 Test report.....	27
Annex A (informative) Measurement uncertainty of the power spectral density test level.....	29
A.1 General.....	29
A.2 Uncertainty budgets for test methods.....	29
A.2.1 General symbols	29
A.2.2 Definition of the measurand.....	29
A.2.3 MU contributors of the measurand.....	29
A.2.4 Input quantities and calculation examples for expanded uncertainty	30
A.3 Expression of the calculated measurement uncertainty and its application.....	31
Annex B (informative) Rationale for the selection of the preferred broadband source – Information on test signal generation.....	33
B.1 General.....	33
B.2 Principles of band-limited broadband signal generation	33
B.2.1 General	33
B.2.2 (True) random noise generation.....	33

B.2.3	Pseudo-random noise sequence.....	34
B.2.4	Impulse.....	38
B.2.5	OFDM scheme.....	40
B.3	Selection of the preferred broadband source.....	42
	Bibliography.....	43
Figure 1	– Immunity test to broadband conducted disturbances.....	11
Figure 2	– Example of voltage spectrum of a broadband test signal measured with a 120 kHz resolution bandwidth.....	13
Figure 3	– Principle of the test generator.....	14
Figure 4	– Example of simplified diagram for the circuit of CDND.....	15
Figure 5	– Example of coupling and decoupling network for power ports other than AC mains.....	16
Figure 6	– Test set-up regarding test generator flatness and typical test signal.....	18
Figure 7	– Typical circuit diagram of the transformer jig showing 50 Ω side and 100 Ω side of the transformer and 2 pcs 0,1 μ F coupling capacitors.....	18
Figure 8	– Transformer jig specifications.....	20
Figure 9	– Example of the set-up geometry to verify the insertion loss of the injection coupling system.....	20
Figure 10	– Set-up for the evaluation of the total insertion loss of the injection coupling system.....	21
Figure 11	– Set-up for level setting.....	22
Figure 12	– Example of test set-up for an EUT comprised of a single unit (top view).....	23
Figure 13	– Example of a test set-up for an EUT comprised of several units (top view).....	24
Figure 14	– Immunity test to a 2-port EUT (when only CDNDs can be used).....	26
Figure A.1	– Example of influences upon the power spectral density test level using a CDND.....	30
Figure B.1	– White noise source.....	34
Figure B.2	– Principle of band-limited broadband signal generation with an arbitrary waveform generator.....	35
Figure B.3	– Signal spectrum of a band-limited pseudo-random noise signal (measured with a 120 kHz resolution bandwidth).....	36
Figure B.4	– Extract of the band-limited pseudo noise signal in time domain (measured with an oscilloscope).....	37
Figure B.5	– Signal spectrum of the band-limited pseudo noise signal without an anti-alias filter.....	37
Figure B.6	– Extract of the signal spectrum of a band-limited pseudo noise signal (measured with a 200 Hz resolution bandwidth).....	38
Figure B.7	– Signal spectrum of a band-limited impulse signal (measured with a 120 kHz resolution bandwidth).....	39
Figure B.8	– Extract of the band-limited impulse signal in time domain (measured with an oscilloscope).....	39
Figure B.9	– Extract of the signal spectrum of a band-limited impulse signal (measured with a 200 Hz resolution bandwidth).....	40
Figure B.10	– Signal spectrum of an OFDM signal (measured with a 120 kHz resolution bandwidth).....	41
Figure B.11	– Extract of the signal spectrum of an OFDM signal (measured with a 200 Hz resolution bandwidth).....	41

Figure B.12 – Signal spectrum of an OFDM signal with an amplitude step at 30 MHz
(measured with a 120 kHz resolution bandwidth)42

Table 1 – Test levels..... 12

Table 2 – Characteristics of the test generator..... 14

Table 3 – Specification of the main parameters of the CDND for current ≤ 16 A..... 15

Table 4 – Usage of CDNs..... 16

Table A.1 – CDND level setting process 31

Table B.1 – Comparison of white noise signal generation methods..... 42

Currently in preview, click buy full version.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –**Part 4-31: Testing and measurement techniques –
AC mains ports broadband conducted disturbance immunity test**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-31 has been prepared by subcommittee 77B: High-frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This standard forms Part 4-31 of the IEC 61000 series. It has the status of a basic EMC publication in accordance with IEC Guide 107.

The text of this standard is based on the following documents:

FDIS	Report on voting
77B/758/FDIS	77B/760/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as International Standards or as Technical Specification or Technical Reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

This part is an International Standard which gives immunity requirements and test procedure related to conducted broadband disturbances.

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 4-31: Testing and measurement techniques – AC mains ports broadband conducted disturbance immunity test

1 Scope and object

This part of IEC 61000 relates to the conducted immunity of electrical and electronic equipment to electromagnetic disturbances coming from intended and/or unintended broadband signal sources in the frequency range 150 kHz up to 80 MHz.

The object of this standard is to establish a common reference to evaluate the immunity of electrical and electronic equipment when subjected to conducted disturbances caused by intended and/or unintended broadband signal sources on AC mains ports. The test method documented in this standard describes a consistent method to assess the immunity of an equipment or system against a defined phenomenon.

Equipment not having at least one AC mains port is excluded. The power ports not intended to be connected to AC mains distribution networks are not considered as “AC mains ports” and therefore are excluded.

This standard is applicable only to single phase equipment having rated input current ≤ 16 A; the application of the broadband disturbance to multiple phase equipment and/or equipment with rated input current > 16 A is under consideration.

NOTE As described in IEC Guide 107, this standard is a basic EMC publication for use by product committees of the IEC. As also stated in Guide 107, the IEC product committees are responsible for determining whether this immunity test standard is to be applied or not, and, if applied, they are responsible for determining the appropriate test levels and performance criteria. TC 77 and its sub-committees are prepared to co-operate with product committees in the evaluation of the value of particular immunity tests for their products.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, *International Electrotechnical Vocabulary (IEV) – Part 161: Electromagnetic compatibility* (available at www.electropedia.org)

IEC 61000-4-6:2013, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-161 as well as the following apply.

3.1

artificial hand

electrical network simulating the impedance of the human body under average operational conditions between a hand-held electrical appliance and earth