

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



BASIC EMC PUBLICATION

PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –  
Part 4-5: Testing and measurement techniques – Surge immunity test**

**Compatibilité électromagnétique (CEM) –  
Partie 4-5: Techniques d'essai et de mesure – Essai d'immunité aux ondes de  
choc**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



BASIC EMC PUBLICATION  
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –  
Part 4-5: Testing and measurement techniques – Surge immunity test**

**Compatibilité électromagnétique (CEM) –  
Partie 4-5: Techniques d'essai et de mesure – Essai d'immunité aux ondes de  
choc**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE **XC**  
CODE PRIX

ICS 33.100.20

ISBN 978-2-8322-1532-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope and object.....	9
2 Normative references .....	9
3 Terms, definitions and abbreviations .....	10
3.1 Terms and definitions.....	10
3.2 Abbreviations.....	13
4 General .....	13
4.1 Power system switching transients.....	13
4.2 Lightning transients.....	14
4.3 Simulation of the transients.....	14
5 Test levels.....	14
6 Test instrumentation.....	15
6.1 General.....	15
6.2 1,2/50 µs combination wave generator .....	15
6.2.1 General .....	15
6.2.2 Performance characteristics of the generator.....	16
6.2.3 Calibration of the generator .....	18
6.3 Coupling/decoupling networks.....	19
6.3.1 General .....	19
6.3.2 Coupling/decoupling networks for a.c./d.c. power port rated up to 200 A per line .....	20
6.3.3 Coupling/decoupling networks for interconnection lines .....	24
6.4 Calibration of coupling/decoupling networks.....	27
6.4.1 General .....	27
6.4.2 Calibration of CDNs for a.c./d.c. power port rated up to 200 A per line .....	27
6.4.3 Calibration of CDNs for interconnection lines.....	28
7 Test setup .....	30
7.1 Test equipment.....	30
7.2 Verification of the test instrumentation .....	31
7.3 Test setup for surges applied to EUT power ports.....	31
7.4 Test setup for surges applied to unshielded unsymmetrical interconnection lines .....	32
7.5 Test setup for surges applied to unshielded symmetrical interconnection lines.....	32
7.6 Test setup for surges applied to shielded lines.....	32
8 Test procedure .....	33
8.1 General.....	33
8.2 Laboratory reference conditions.....	34
8.2.1 Climatic conditions .....	34
8.2.2 Electromagnetic conditions .....	34
8.3 Execution of the test .....	34
9 Evaluation of test results .....	35
10 Test report.....	35

Annex A (normative) Surge testing for unshielded outdoor symmetrical communication lines intended to interconnect to widely dispersed systems .....	37
A.1 General.....	37
A.2 10/700 $\mu$ s combination wave generator .....	37
A.2.1 Characteristics of the generator.....	37
A.2.2 Performances of the generator .....	38
A.2.3 Calibration of the generator .....	40
A.3 Coupling/decoupling networks.....	40
A.3.1 General .....	40
A.3.2 Coupling/decoupling networks for outdoor communication lines .....	41
A.4 Calibration of coupling/decoupling networks.....	41
A.5 Test setup for surges applied to outdoor unshielded symmetrical communication lines .....	42
Annex B (informative) Selection of generators and test levels .....	44
B.1 General.....	44
B.2 The classification of environments .....	44
B.3 The definition of port types.....	44
B.4 Generators and surge types .....	45
B.5 Tables.....	45
Annex C (informative) Explanatory notes .....	47
C.1 Different source impedance .....	47
C.2 Application of the tests.....	47
C.2.1 Equipment level immunity .....	47
C.2.2 System level immunity .....	47
C.3 Installation classification .....	48
C.4 Minimum immunity level of ports connected to the a.c./d.c. mains supply.....	49
C.5 Equipment level immunity of ports connected to interconnection lines.....	49
Annex D (informative) Consideration to achieving immunity for equipment connected to low voltage power distribution systems .....	51
Annex E (informative) Mathematical modelling of surge waveforms .....	53
E.1 General.....	53
E.2 Normalized time domain voltage surge (1,2/50 $\mu$ s).....	54
E.3 Normalized time domain current surge (8/20 $\mu$ s) .....	55
E.4 Normalized time domain voltage surge (10/700 $\mu$ s).....	57
E.5 Normalized time domain current surge (5/320 $\mu$ s) .....	59
Annex F (informative) Measurement uncertainty (MU) considerations .....	62
F.1 Legend .....	62
F.2 General.....	62
F.3 Uncertainty contributors to the surge measurement uncertainty .....	63
F.4 Uncertainty of surge calibration.....	63
F.4.1 General .....	63
F.4.2 Front time of the surge open-circuit voltage .....	63
F.4.3 Peak of the surge open-circuit voltage .....	65
F.4.4 Duration of the surge open-circuit voltage.....	66
F.4.5 Further MU contributions to time and amplitude measurements .....	67
F.4.6 Rise time distortion due to the limited bandwidth of the measuring system.....	67

F.4.7	Impulse peak and width distortion due to the limited bandwidth of the measuring system .....	68
F.5	Application of uncertainties in the surge generator compliance criterion .....	69
Annex G (informative)	Method of calibration of impulse measuring systems .....	70
G.1	General .....	70
G.2	Estimation of measuring system response using the convolution integral .....	70
G.3	Impulse measuring system for open-circuit voltage (1,2/50 $\mu$ s, 10/700 $\mu$ s) .....	71
G.4	Impulse measuring system for short-circuit current (8/20 $\mu$ s, 5/320 $\mu$ s) .....	71
Annex H (informative)	Coupling/decoupling surges to lines rated above 200 A .....	73
H.1	General .....	73
H.2	Considerations of coupling and decoupling .....	73
H.3	Additional precautions .....	74
Bibliography	.....	75
Figure 1	– Simplified circuit diagram of the combination wave generator .....	16
Figure 2	– Waveform of open-circuit voltage (1,2/50 $\mu$ s) at the output of the generator with no CDN connected .....	17
Figure 3	– Waveform of short-circuit current (8/20 $\mu$ s) at the output of the generator with no CDN connected .....	18
Figure 4	– Selection of coupling/decoupling method .....	20
Figure 5	– Example of coupling network and decoupling network for capacitive coupling on a.c./d.c. lines: line-to-line coupling .....	22
Figure 6	– Example of coupling network and decoupling network for capacitive coupling on a.c./d.c. lines: line-to-ground coupling .....	23
Figure 7	– Example of coupling network and decoupling network for capacitive coupling on a.c. lines (3 phases): line L2-to-line L3 coupling .....	23
Figure 8	– Example of coupling network and decoupling network for capacitive coupling on a.c. lines (3 phases): line L2-to-ground coupling .....	24
Figure 9	– Example of coupling network and decoupling network for unshielded unsymmetrical interconnection lines: line-to-line and line-to-ground coupling .....	25
Figure 10	– Example of coupling and decoupling network for unshielded symmetrical interconnection lines: lines-to-ground coupling .....	26
Figure 11	– Example of coupling and decoupling network for unshielded symmetrical interconnection lines: lines-to-ground coupling via capacitors .....	27
Figure 12	– Example of test setup for surges applied to shielded lines .....	33
Figure A.1	– Simplified circuit diagram of the combination wave generator (10/700 $\mu$ s – 5/320 $\mu$ s) .....	38
Figure A.2	– Waveform of open-circuit voltage (10/700 $\mu$ s) .....	39
Figure A.3	– Waveform of the 5/320 $\mu$ s short-circuit current waveform .....	39
Figure A.4	– Example of test setup for unshielded outdoor symmetrical communication lines: lines-to-ground coupling, coupling via gas arrestors (primary protection fitted) .....	41
Figure E.1	– Voltage surge (1,2/50 $\mu$ s): width time response $T_w$ .....	54
Figure E.2	– Voltage surge (1,2/50 $\mu$ s): rise time response $T_r$ .....	55
Figure E.3	– Voltage surge (1,2/50 $\mu$ s): spectral response with $\Delta f = 3,333$ kHz .....	55
Figure E.4	– Current surge (8/20 $\mu$ s): width time response $T_w$ .....	56
Figure E.5	– Current surge (8/20 $\mu$ s): rise time response $T_r$ .....	57
Figure E.6	– Current surge (8/20 $\mu$ s): spectral response with $\Delta f = 10$ kHz .....	57

Figure E.7 – Voltage surge (10/700 $\mu$ s): width time response $T_w$ .....	58
Figure E.8 – Voltage surge (10/700 $\mu$ s): rise time response $T_r$ .....	59
Figure E.9 – Voltage surge (10/700 $\mu$ s): spectral response with $\Delta f = 0,2$ kHz .....	59
Figure E.10 – Current surge (5/320 $\mu$ s): width time response $T_w$ .....	60
Figure E.11 – Current surge (5/320 $\mu$ s): rise time response $T_r$ .....	61
Figure E.12 – Current surge (5/320 $\mu$ s): spectral response with $\Delta f = 0,4$ kHz .....	61
Figure G.1 – Simplified circuit diagram of the current step generator .....	72
Table 1 – Test levels .....	15
Table 2 – Definitions of the waveform parameters 1,2/50 $\mu$ s and 8/20 $\mu$ s .....	16
Table 3 – Relationship between peak open-circuit voltage and peak short-circuit current .....	17
Table 4 – Voltage waveform specification at the EUT port of the CDN .....	21
Table 5 – Current waveform specification at the EUT port of the CDN .....	21
Table 6 – Relationship between peak open-circuit voltage and peak short-circuit current at the EUT port of the CDN .....	22
Table 7 – Summary of calibration process for CDNs for unsymmetrical interconnection lines .....	28
Table 8 – Surge waveform specifications at the EUT port of the CDN for unsymmetrical interconnection lines .....	29
Table 9 – Summary of calibration process for CDNs for symmetrical interconnection lines .....	30
Table 10 – Surge waveform specifications at the EUT port of the CDN for symmetrical interconnection lines .....	30
Table A.1 – Definitions of the waveform parameters 10/700 $\mu$ s and 5/320 $\mu$ s .....	39
Table A.2 – Relationship between peak open-circuit voltage and peak short-circuit current .....	40
Table A.3 – Summary of calibration process for CDNs for unshielded outdoor symmetrical communication lines .....	42
Table A.4 – Surge waveform specifications at the EUT port of the CDN for unshielded outdoor symmetrical communication lines .....	42
Table B.1 – Power port selection of the test levels (depending on the installation class) .....	45
Table B.2 – Circuits/lines: selection of the test levels (depending on the installation class) .....	46
Table F.1 – Example of uncertainty budget for surge open-circuit voltage front time ( $T_{fv}$ ) .....	64
Table F.2 – Example of uncertainty budget for surge open-circuit voltage peak value ( $V_p$ ) .....	65
Table F.3 – Example of uncertainty budget for surge open-circuit voltage duration ( $T_d$ ) .....	66
Table F.4 – $\alpha$ factor, Equation (F.5), of different unidirectional impulse responses corresponding to the same bandwidth of the system $B$ .....	68
Table F.5 – $\beta$ factor, Equation (F.9), of the standard surge waveforms .....	69
Table H.1 – Recommended inductance values for decoupling lines (> 200 A) .....	73

## COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**ELECTROMAGNETIC COMPATIBILITY (EMC) –****Part 4-5: Testing and measurement techniques –  
Surge immunity test**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-5 has been prepared by subcommittee 77B: High frequency phenomena, of IEC technical Committee 77: Electromagnetic compatibility.

It forms Part 4-5 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

This third edition cancels and replaces the second edition published in 2005, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) new Annex E on mathematical modelling of surge waveforms;
- b) new Annex F on measurement uncertainty;
- c) new Annex G on method of calibration of impulse measuring systems;

- d) new Annex H on coupling/decoupling surges to lines rated above 200 A;
- e) moreover while surge test for ports connected to outside telecommunication lines was addressed in 6.2 of the second edition (IEC 61000-4-5:2005), in this third edition (IEC 61000-4-5:2014) the normative Annex A is fully dedicated to this topic. In particular it gives the specifications of the 10/700  $\mu$ s combined wave generator.

The text of this standard is based on the following documents:

FDIS	Report on voting
77B/711/FDIS	77B/715/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 1.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

### **Part 1: General**

General considerations (introduction, fundamental principles)

Definitions, terminology

### **Part 2: Environment**

Description of the environment

Classification of the environment

Compatibility levels

### **Part 3: Limits**

Emission limits

Immunity limits (insofar as they do not fall under the responsibility of the product committees)

### **Part 4: Testing and measurement techniques**

Measurement techniques

Testing techniques

### **Part 5: Installation and mitigation guidelines**

Installation guidelines

Mitigation methods and devices

### **Part 6: Generic standards**

### **Part 9: Miscellaneous**

Each part is further subdivided into several parts, published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

This part is an International Standard which gives immunity requirements and test procedures related to surge voltages and surge currents.

# **ELECTROMAGNETIC COMPATIBILITY (EMC) –**

## **Part 4-5: Testing and measurement techniques –**

### **Surge immunity test**

## **1 Scope and object**

This part of IEC 61000 relates to the immunity requirements, test methods, and range of recommended test levels for equipment with regard to unidirectional surges caused by over-voltages from switching and lightning transients. Several test levels are defined which relate to different environment and installation conditions. These requirements are developed for and are applicable to electrical and electronic equipment.

The object of this standard is to establish a common reference for evaluating the immunity of electrical and electronic equipment when subjected to surges. The test method documented in this part of IEC 61000 describes a consistent method to assess the immunity of an equipment or system against a defined phenomenon.

**NOTE** As described in IEC Guide 107, this is a basic EMC publication for use by product committees of the IEC. As also stated in Guide 107, the IEC product committees are responsible for determining whether this immunity test standard is applied or not, and if applied, they are responsible for determining the appropriate test levels and performance criteria. TC 77 and its sub-committees are prepared to co-operate with product committees in the evaluation of the value of particular immunity test levels for their products.

This standard defines:

- a range of test levels;
- test equipment;
- test setups;
- test procedures.

The task of the described laboratory test is to find the reaction of the equipment under test (EUT) under specified operational conditions to surge voltages caused by switching and lightning effects.

It is not intended to test the capability of the EUT's insulation to withstand high-voltage stress. Direct injections of lightning currents, i.e. direct lightning strikes, are not considered in this standard.

## **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)* (available at [www.electropedia.org](http://www.electropedia.org))