

INTERNATIONAL STANDARD

NORME INTERNATIONALE



BASIC EMC PUBLICATION

PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 4-7: Testing and measurement techniques – General guide on harmonics
and interharmonics measurements and instrumentation, for power supply
systems and equipment connected thereto**

**Compatibilité électromagnétique (CEM) –
Partie 4-7: Techniques d'essai et de mesure – Guide général relatif aux mesures
d'harmoniques et d'interharmoniques, ainsi qu'à l'appareillage de mesure,
applicable aux réseaux d'alimentation et aux appareils qui y sont raccordés**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE



BASIC EMC PUBLICATION

PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 4-7: Testing and measurement techniques – General guide on harmonics
and interharmonics measurements and instrumentation, for power supply
systems and equipment connected thereto**

**Compatibilité électromagnétique (CEM)
Partie 4-7: Techniques d'essai et de mesure – Guide général relatif aux mesures
d'harmoniques et d'interharmoniques, ainsi qu'à l'appareillage de mesure,
applicable aux réseaux d'alimentation et aux appareils qui y sont raccordés**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

CJ

ICS 33.100.10; 33.100.20

ISBN 2-8318-1062-6

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Definitions, symbols and indices.....	8
3.1 Definitions related to frequency analysis	8
3.2 Definitions related to harmonics	9
3.3 Definitions related to distortion factors	10
3.4 Definitions related to interharmonics	11
3.5 Notations.....	12
3.5.1 Symbols	12
3.5.2 Subscripts	13
4 General concepts and common requirements for all types of instrumentation.....	14
4.1 Characteristics of the signal to be measured	14
4.2 Accuracy classes of instrumentation.....	14
4.3 Types of measurement	14
4.4 General structure of the instrument	14
4.4.1 Main instrument.....	14
4.4.2 Post-processing parts.....	16
5 Harmonic measurements	16
5.1 Current input circuit.....	16
5.2 Voltage input circuit.....	17
5.3 Accuracy requirements	17
5.4 Measurement set-up and supply voltage.....	19
5.4.1 Measurement set-up for emission assessment.....	19
5.4.2 Supply voltage for emission assessment	19
5.4.3 Equipment power	21
5.5 Assessment of harmonic emissions	21
5.5.1 Grouping and smoothing.....	21
5.5.2 Compliance with emission limits	23
5.6 Assessment of voltage harmonic subgroups	23
6 Other analysis principles	23
7 Transitional period.....	24
8 General	24
Annex A (informative) Measurement of interharmonics	25
Annex B (informative) Measurements above the harmonic frequency range up to 9 kHz.....	27
Annex C (informative) Technical considerations for grouping method.....	32
Bibliography.....	41

Figure 1 – General structure of the measuring instrument	15
Figure 2 – Measurement set-up for single-phase emission measurement	19
Figure 3 – Measurement set-up for three-phase emission measurements	19
Figure 4 – Illustration of harmonic and interharmonic groups (here shown for a 50-Hz supply)	21
Figure 5 – Realization of a digital low-pass filter: z^{-1} designates a window width delay, α and β are the filter coefficients (see Table 2 for values)	22
Figure 6 – Illustration of a harmonic subgroup and an interharmonic centred subgroup (here shown for a 50 Hz supply)	23
Figure B.1 – Illustration of frequency bands for measurement in the range above the 40 th harmonic order for 50 Hz power system up to 9 kHz	28
Figure B.2 – General measurement setup	29
Figure B.3 – Artificial mains network for 16-A current and below	30
Figure B.4 – Artificial mains network impedance viewed by the EUT	31
Figure C.1 – Large 5th harmonic current fluctuation	35
Figure C.2 – Large 5th harmonic voltage fluctuation	35
Figure C.3 – Fluctuating 3rd harmonic current of a micro-wave appliance	36
Figure C.4 – Communication signal of 178 Hz together with 3rd and 5th harmonics	37
Figure C.5 – Interharmonic at 287 Hz, 5th and 6th harmonic	37
Figure C.6 – Modulated 5th harmonic and interharmonic at 287 Hz	39
Figure C.7 – Component vectors at frequencies of 245 Hz and 255 Hz	40
Table 1 – Accuracy requirements for current, voltage and power measurements	18
Table 2 – Smoothing filter coefficients according to the window width	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –**Part 4-7: Testing and measurement techniques –
General guide on harmonics and interharmonics measurements and
instrumentation, for power supply systems and
equipment connected thereto**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereinafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some cases, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-7 has been prepared by subcommittee 77A: Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This consolidated version of IEC 61000-4-7 consists of the second edition (2002) [documents 77A/382/FDIS and 77A/387/RVD], its amendment 1 (2008) [documents 77A/645/FDIS and 77A/651/RVD] and its corrigendum of July 2004.

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 2.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This standard forms part 4-7 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

Annexes A, B and C are for information only.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts, according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)
Definitions, terminology

Part 2: Environment

Description of the environment
Classification of the environment
Compatibility levels

Part 3: Limits

Emission limits
Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques
Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines
Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as International Standards or as technical specifications or technical reports, some of which have already been published as sections. Other will be published with the part number followed by a dash and a second number identifying the subdivision (example: 61000-6-1).

These publications will be published in chronological order and numbered accordingly.

This part is an International Standard for the measurement of harmonic currents and voltages in power supply systems and harmonic currents emitted by equipment. It also specifies the performance of a standard measuring instrument.

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

1 Scope

This part of IEC 61000 is applicable to instrumentation intended for measuring spectral components in the frequency range up to 9 kHz which are superimposed on the fundamental of the power supply systems at 50 Hz and 60 Hz. For practical considerations, this standard distinguishes between harmonics, interharmonics and other components above the harmonic frequency range, up to 9 kHz.

This standard defines the measurement instrumentation intended for testing individual items of equipment in accordance with emission limits given in certain standards (for example, harmonic current limits as given in IEC 61000-3-2) as well as for the measurement of harmonic currents and voltages in actual supply systems. Instrumentation for measurements above the harmonic frequency range, up to 9 kHz is tentatively defined (see Annex B).

NOTE 1 This document deals in detail with instruments based on the discrete Fourier transform.

NOTE 2 The description of the functions and structure of the measuring instruments in this standard is very explicit and meant to be taken literally. This is due to the necessity of having reference instruments with reproducible results irrespective of the characteristics of the input signals.

NOTE 3 The instrument is defined to accommodate measurements of harmonics up to the 50th order.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60050-161, *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility*

IEC 61000-2-2, *Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-12, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current >16 A and ≤ 75 A per phase*