

INTERNATIONAL STANDARD

**Multicore and symmetrical pair/quad cables for digital communications –
Part 14: Symmetrical single pair cables with transmission characteristics up to
20 MHz – Work area wiring – Sectional specification**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) Online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	8
4 Installation considerations.....	8
4.1 General remarks.....	8
4.2 Bending radius of installed cable.....	8
4.3 Climatic conditions.....	8
5 Materials and cable construction.....	9
5.1 General remarks.....	8
5.2 Cable construction.....	8
5.3 Conductor.....	8
5.4 Insulation.....	9
5.5 Cable element.....	9
5.6 Screening of the cable element.....	9
5.7 Cable make-up.....	9
5.8 Screening of the cable core.....	9
5.9 Sheath.....	9
5.10 Identification.....	9
5.11 Finished cable.....	10
6 Characteristics and requirements.....	10
6.1 General remarks.....	10
6.2 Electrical characteristics and tests.....	10
6.2.1 Conductor resistance.....	10
6.2.2 Resistance unbalance within a pair.....	10
6.2.3 Dielectric strength.....	10
6.2.4 Insulation resistance.....	10
6.2.5 Mutual capacitance.....	10
6.2.6 Capacitance unbalance.....	10
6.2.7 Transfer impedance.....	11
6.2.8 Low frequency coupling attenuation.....	11
6.2.9 Current carrying capacity.....	11
6.3 Transmission characteristics.....	11
6.3.1 Velocity of propagation (phase velocity).....	11
6.3.2 Phase delay.....	11
6.3.3 Attenuation (α).....	12
6.3.4 Unbalance attenuation (TCL and EL TCTL).....	13
6.3.5 Alien (exogenous) near-end crosstalk (PS ANEXT).....	14
6.3.6 Alien (exogenous) far-end crosstalk (PS AACR-F).....	14
6.3.7 Impedance.....	14
6.3.8 Return loss (RL).....	15
6.4 Mechanical and dimensional characteristics and requirements.....	15
6.4.1 Dimensional requirements.....	15
6.4.2 Elongation at break of the conductors.....	15
6.4.3 Tensile strength of the insulation.....	15
6.4.4 Elongation at break of the insulation.....	15

6.4.5	Adhesion of the insulation to the conductor.....	15
6.4.6	Elongation at break of the sheath	15
6.4.7	Tensile strength of the sheath	16
6.4.8	Crush test of the cable	16
6.4.9	Impact test of the cable	16
6.4.10	Bending under tension.....	16
6.4.11	Repeated bending of the cable	16
6.4.12	Tensile performance of the cable	16
6.4.13	Shock test requirements of the cable	16
6.4.14	Bump test requirements of the cable	16
6.4.15	Vibration test requirements of a cable	16
6.5	Environmental characteristics	16
6.5.1	Shrinkage of insulation	16
6.5.2	Wrapping test of insulation after thermal ageing	16
6.5.3	Bending test of insulation at low temperature	16
6.5.4	Elongation at break of the sheath after ageing	17
6.5.5	Tensile strength of the sheath after ageing	17
6.5.6	Sheath pressure test at high temperature	17
6.5.7	Cold bend test of the cable	17
6.5.8	Heat shock test.....	17
6.5.9	Damp heat steady state.....	17
6.5.10	Solar radiation (UV test)	17
6.5.11	Solvents and contaminating fluids.....	17
6.5.12	Salt mist and sulphur dioxide	17
6.5.13	Water immersion.....	17
6.5.14	Hygroscopicity.....	17
6.5.15	Wicking.....	17
6.5.16	Flame propagation characteristics of a single cable	18
6.5.17	Flame propagation characteristics of bunched cables	18
6.5.18	Halogen gas evolution	18
6.5.19	Smoke generation.....	18
6.5.20	Toxic gas emission.....	18
6.5.21	Integrated fire test.....	18
7	Bundled cables requirements.....	18
8	Introduction to the blank detail specification (BDS).....	18
Annex A (informative) Blank detail specification.....		19
Annex B (informative) Background information for coupling attenuation and low frequency coupling attenuation requirements.....		24
Bibliography.....		25
Table 1 – Transfer impedance		11
Table 2 – Low frequency coupling attenuation		11
Table 3 – Attenuation equation constants.....		12
Table 4 – Attenuation temperature coefficients		12

Table 5 – TCL requirements	13
Table 6 – EL TCTL requirements.....	14
Table 7 – PS ANEXT requirements.....	14
Table 8 – PS AACR-F requirements	14
Table 9 – RL requirements	15

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES
FOR DIGITAL COMMUNICATIONS –**
**Part 14: Symmetrical single pair cables with transmission characteristics
up to 20 MHz – Work area wiring – Sectional specification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61156-14 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46C/1296/CDV	46C/1313/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61156 series, published under the general title *Multicore and symmetrical pair/quad cables for digital communications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 14: Symmetrical single pair cables with transmission characteristics up to 20 MHz – Work area wiring – Sectional specification

1 Scope

This part of IEC 61156 specifies cables for work area wiring intended to be used for transmission of 10 Mb/s over a single twisted pair in channels for distances of up to 1 km. The transmission characteristics of these cables are specified up to a frequency of 20 MHz and at a temperature of 20 °C. Depending on the MICE environment and the installation conditions, either unscreened or screened cables can be used. Furthermore, to consider different maximum transmission lengths, two sets of requirements are specified. The cable type A-1000W does not have attenuation de-rating compared to the A-1000 type according to IEC 61156-13 and is a design supporting up to 1 km channel length. The cable type A-400W has attenuation de-rating compared to the A-400 type according to IEC 61156-13. A blank detail specification can be found in Annex A.

The cables covered by this document are intended to operate with voltages and currents normally encountered in communication systems. While these cables are not intended to be used in conjunction with low impedance sources, for example the electric power supplies of public utility mains, they are intended to be used to support the delivery of DC low voltage remote powering applications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60708, *Low-frequency cables with polyolefin insulation and moisture barrier polyolefin sheath*

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC TS 61156-2, *Multicore and symmetrical pair/quad cables for digital communications – Part 1-2: Electrical transmission characteristics and test methods of symmetrical pair/quad cables*

IEC 61156-6, *Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification*

IEC 62153-4-3, *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-9:2018, *Metallic communication cable test methods – Part 4-9: Electromagnetic compatibility (EMC) – Coupling attenuation of screened balanced cables, triaxial method*

IEC 62153-4-9:2018/AMD1:2020/

IEC 62153-4-9:2018/AMD2:2024