

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 4-25: Data-link layer protocol specification – Type 25 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-25: Spécification du protocole de la couche liaison de données –
Éléments de type 25**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 4-25: Data-link layer protocol specification – Type 25 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-25: Spécification du protocole de la couche liaison de données –
Éléments de type 25**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-9142-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications	8
1.3 Procedures	8
1.4 Applicability	9
1.5 Conformance	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviations and conventions	9
3.1 Reference model terms and definitions	10
3.2 Service convention terms and definitions	11
3.3 Terms and definitions.....	11
3.4 Symbols and abbreviations	13
3.5 Common conventions.....	14
3.6 Additional Type 25 conventions	16
3.6.1 Primitive conventions.....	16
3.6.2 State machine conventions.....	16
4 Overview of the DL-protocol	17
4.1 General.....	17
4.2 Overview of the medium access control	17
4.2.1 General	17
4.2.2 Network topology.....	18
4.2.3 Priority control with VLAN.....	19
4.2.4 The maximum delivery delay in Type 25 network	20
4.2.5 Traffic control for real time communication	21
4.3 Service assumed from P.....	21
4.4 DL Layer architecture	22
4.5 Local parameters and variables	23
4.5.1 Overview.....	23
4.5.2 Variable, parameter, counter and timer	23
5 General structure and encoding of PhPDUs and DLPDU and related elements of procedure	24
5.1 Overview	24
5.2 Common MAC frame structure, encoding and elements of procedure.....	24
5.2.1 MAC frame structure.....	24
5.2.2 Elements of the MAC frame	25
6 DLPDU-specific structure, encoding and elements of procedure	27
6.1 General.....	27
6.2 Structure of the RCL DLPDU.....	27
6.2.1 RCL header	27
7 DLE elements of procedure	29
7.1 Overview	29
7.2 RCL communication control (RCLC).....	29
7.2.1 General	29
7.2.2 Primitive definitions	29

7.2.3	RCLC state machine.....	32
7.2.4	Function of RCLC.....	48
7.3	Real-time communication control (RTC).....	48
7.3.1	General.....	48
7.3.2	Primitive definitions.....	48
7.3.3	RTC state machine.....	50
7.3.4	Function of RTC.....	51
7.4	Transmit/Receive control (TRC).....	52
7.4.1	General.....	52
7.4.2	Primitive definitions.....	52
7.4.3	TRC state machine.....	52
7.4.4	Function of TRC.....	57
7.5	DLL management protocol (DLM).....	58
7.5.1	Overview.....	58
7.5.2	Primitive definitions.....	58
7.5.3	DLM state machine (DLM_SM).....	59
	Bibliography.....	61
	Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL addresses.....	16
	Figure 2 – Ring control in Type 25 network.....	18
	Figure 3 – Communication ranges of Type 25 frames.....	19
	Figure 4 – Priority control with VLAN of Type 25 network.....	20
	Figure 5 – The mechanism of transmission delay in a node.....	20
	Figure 6 – The maximum delay in Type 25 network.....	21
	Figure 7 – Data-Link layer internal architecture.....	22
	Figure 8 – Type 25 fieldbus DLPDU frame format.....	25
	Figure 9 – RCL frame format.....	26
	Figure 10 – State transition diagram of RHE_SM-A.....	33
	Figure 11 – State transition diagram of RHE_SM-B.....	36
	Figure 12 – The state diagram of RCLNode_SM.....	39
	Figure 13 – The state diagram of RCLTR_SM.....	46
	Figure 14 – The state diagram of RTTR_SM.....	51
	Figure 15 – The state diagram of TRC_SM.....	52
	Figure 16 – The state diagram of DLM_SM.....	59
	Table 1 – State transition descriptions.....	16
	Table 2 – Descriptions of state machine elements.....	17
	Table 3 – Conventions used in state machine.....	17
	Table 4 – Characteristics of the node states.....	18
	Table 5 – Characteristic of the frame classes.....	19
	Table 6 – VLAN priority mapping of Type 25 network.....	19
	Table 7 – Data-link layer components.....	22
	Table 8 – Destination address format.....	25
	Table 9 – VLAN tag format.....	26
	Table 10 – Types and classes of RCL frames.....	27

Table 11 – Structure of RCL header.....	28
Table 12 – Class field format	28
Table 13 – Destination address field format	28
Table 14 – Source address field format.....	29
Table 15 – CMD field format	29
Table 16 – The primitives and parameters for DLS-user interface	30
Table 17 – Parameters used with primitives exchanged between RCLC and DLS-user	30
Table 18 – The primitives and parameters for TRC interface.....	31
Table 19 – Parameters used with primitives exchanged between RCLC and TRC	31
Table 20 – The primitives and parameters for DLM interface.....	32
Table 21 – Parameters used with primitives exchanged between RCLC and DLM.....	32
Table 22 – Transitions of RHE_SM-A at RCL communication.....	33
Table 23 – Transitions of RHE_SM-B at RCL communication.....	36
Table 24 – Transitions of RCLNode_SM at RCL communication	39
Table 25 – Transitions of RCLTR_SM at RCL communication	47
Table 26 – RCLC function table	48
Table 27 – The primitives and parameters for DLS-user interface.....	49
Table 28 – Parameters used with primitives exchanged between RTC and DLS-user.....	49
Table 29 – The primitives and parameters for TRC interface.....	49
Table 30 – Parameters used with primitives exchanged between RTC and TRC	50
Table 31 – The primitives and parameters for DLM interface.....	50
Table 32 – Parameters used with primitives exchanged between RTC and DLM	50
Table 33 – Transitions of RTTR_SM at RT communication	51
Table 34 – RTC function table.....	51
Table 35 – The primitives and parameters for DLM interface.....	52
Table 36 – Parameters used with primitives exchanged between TRC and DLM	52
Table 37 – Transitions of TRC_SM	53
Table 38 – TRC function table.....	57
Table 39 – Primitives exchanged between DLM and DLS-user.....	58
Table 40 – Parameters used with primitives exchanged between DLM and DLS-user.....	59
Table 41 – Transitions of DLM_SM	60

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
 FIELDBUS SPECIFICATIONS –**
**Part 4-25: Data-link layer protocol specification –
 Type 25 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization, comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with the conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, issue to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61158-4-25 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/946/FDIS	65C/955/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Currently in preview, click buy full version

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementers and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the profile parts. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning Type 25 elements and possibly other types given in this document as follows:

JP4074631 [HI]	Transmission line system, frame transmitter therein, and transmission line switching method
JP4653800 [HI]	Transmission line system, frame transmission apparatus, method and program for switching transmission line in transmission line system
JP4944986 [HI]	Transmission line system and transmission line construction method
CN1964307 [HI]	Transfer path system and frame transfer device in same system, transfer path handover method and system
CN101515887 [HI]	Transmission line system, frame transmitter therein, transmission line switching method and program

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

[HI] Hitachi, Ltd.
Intellectual Property Division
20-2, Saiwai-cho 1-chome, Hitachi-shi,
Ibaraki-ken, 317-0073 Japan

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-25: Data-link layer protocol specification – Type 25 elements

1 Scope

1.1 General

The data-link layer provides basic time-critical messaging communications between devices in an automation environment.

This protocol provides communication opportunities to all participating data-link entities

- a) in a synchronously-starting cyclic manner, according to a pre-established schedule, and
- b) in a cyclic or acyclic asynchronous manner, as requested each cycle by each of those data-link entities.

Thus this protocol can be characterized as one which provides cyclic and acyclic access asynchronously but with a synchronous restart of each cycle.

1.2 Specifications

This document specifies

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed datalink service provider;
- b) procedures for giving communications opportunities to all participating DL-entities, sequentially and in a cyclic manner, for deterministic and synchronized transfer at cyclic intervals up to one millisecond;
- c) procedures for giving communication opportunities available for time-critical data transmission together with non-time-critical data transmission without prejudice to the time-critical data transmission;
- d) procedures for giving cyclic and acyclic communication opportunities for time-critical data transmission with prioritized access;
- e) procedures for giving communication opportunities based on ISO/IEC/IEEE 8802-3 medium access control, with provisions for nodes to be added or removed during normal operation;
- f) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this document, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of

- a) the interactions between peer DL-entities (DLEs) through the exchange of fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.