

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 4-28: Data-link layer protocol specification – Type 28 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-28: Spécification du protocole de la couche liaison de données –
Éléments de type 28**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or request further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications preview. With a subscription you will always have access to up-to-date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 4-28: Data-link layer protocol specification – Type 28 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-28: Spécification du protocole de la couche liaison de données –
Éléments de type 28**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040

ISBN 978-2-8322-6557-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications	8
1.3 Procedures	8
1.4 Applicability	8
1.5 Conformance	8
2 Normative references	9
3 Terms, definitions, symbols, abbreviated terms and conventions	9
3.1 Reference model terms and definitions	9
3.2 Service convention terms and definitions	11
3.3 Common terms and definitions.....	12
3.4 Additional Type 28 terms and definitions.....	13
3.5 Additional Type 28 symbols and abbreviations.....	15
4 Overview of the DL-protocol	16
4.1 DLL protocol architecture	16
4.2 DLL working mechanism	18
4.2.1 Node	18
4.2.2 Addressing	18
4.2.3 Multicast.....	19
4.2.4 Resource mapping and scheduling.....	19
5 DLPDU structure	21
5.1 Universal DLPDU structure	21
5.2 Basic configuration DLPDU.....	23
5.3 Address assignment DLPDU.....	25
5.4 Multicast assignment DLPDU.....	25
5.5 Resource allocation DLPDU.....	26
5.6 Access notification DLPDU	28
5.7 Resource application DLPDU.....	29
5.8 Resource release DLPDU	30
5.9 Status query DLPDU.....	30
5.10 Status response DLPDU	31
5.11 Announcement DLPDU	32
5.12 Clock synchronization DLPDU.....	33
5.13 Common DLPDU.....	34
6 Working procedure	35
6.1 Initialization procedure.....	35
6.1.1 Basic configuration	35
6.1.2 Resource mapping configuration.....	35
6.2 DLL node management procedure	37
6.2.1 DLL maintenance.....	37
6.2.2 Node join	38
6.2.3 Node query.....	39
6.2.4 Node leave	39
6.3 Data transmission procedure	40

6.4	Clock synchronization procedure	42
7	State machine	44
7.1	DLDE state machine	44
7.2	DLME state machine	47
7.3	DLCE state machine	48
8	Error handling.....	49
8.1	General.....	49
8.2	Possible sources and characteristics of errors	49
8.3	Error handling of MN / TN	50
8.4	PhL error source	50
8.4.1	General	50
8.4.2	Lost connection	50
8.4.3	CRC error	50
8.4.4	Buffer overflow	50
8.4.5	Symbol resource conflict.....	50
8.4.6	Symbol resource insufficient.....	50
	Annex A (informative) Example for NodeID and MAC address mapping	51
	Annex B (informative) Example for multicast group working mechanism	52
	Bibliography.....	53
	Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	12
	Figure 2 – Bitmap data type diagram.....	15
	Figure 3 – DLL in Type 28 protocol stack architecture	16
	Figure 4 – Relationship of the fieldbus DLL to other fieldbus layers and to users of the fieldbus DLS	17
	Figure 5 – Type 28 DLL protocol architecture diagram	17
	Figure 6 – Resource mapping between DLL and PhL.....	20
	Figure 7 – DLL resource mapping message queue scheduling diagram	21
	Figure 8 – Universal DLPDU structure	22
	Figure 9 – Basic configuration DLPDU structure	23
	Figure 10 – General configuration block structure	24
	Figure 11 – Address allocation DLPDU structure.....	25
	Figure 12 – Multicast assignment DLPDU structure.....	26
	Figure 13 – Resource allocation DLPDU structure	27
	Figure 14 – Access notification DLPDU structure	28
	Figure 15 – Resource application DLPDU structure.....	29
	Figure 16 – Resource release DLPDU structure.....	30
	Figure 17 – Status query DLPDU structure	31
	Figure 18 – Status response DLPDU structure.....	31
	Figure 19 – Announcement DLPDU structure.....	32
	Figure 20 – Clock synchronization DLPDU structure	34
	Figure 21 – Common DLPDU structure	35
	Figure 22 – Resource mapping configuration diagram.....	36
	Figure 23 – Initial access configuration procedure diagram	37
	Figure 24 – The random access configuration procedure diagram.....	38

Figure 25 – Node leave procedure diagram.....	40
Figure 26 – DLS data sending procedure diagram.....	41
Figure 27 – DLS data receiving procedure diagram.....	42
Figure 28 – Clock synchronization delay measurement procedure diagram.....	43
Figure 29 – Clock register structure diagram.....	43
Figure 30 – Clock synchronization procedure.....	44
Figure 31 – DLDE state machine	45
Figure 32 – DLME state machine	47
Figure 33 – DLCE state machine	48
Figure B.1 – Multicast working mechanism diagram	52
Table 1 – NodeID address assignment of Type 28 DLL.....	18
Table 2 – NodeID and MAC address mapping table	18
Table 3 – Members of multicast group mapping table.....	19
Table 4 – DLDE state transition	46
Table 5 – DLME state machine state transition	48
Table 6 – DLCE state machine state transition.....	49
Table A.1 – Example of NodeID and MAC address mapping table based on TN	51

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 4-28: Data-link layer protocol specification –
Type 28 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE – Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-4-28 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1206/FDIS	65C/1235/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementers and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standard positioned within the OSI or fieldbus reference models, otherwise incompatible systems could work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-28: Data-link layer protocol specification – Type 28 elements

1 Scope

1.1 General

The data-link layer provides several types of messaging communications between devices in an automation environment.

This part of IEC 61158 provides a means of connecting devices through a partial mesh network, such that most failures of an interconnection between two devices can be circumvented. In common practice, the devices are interconnected in a non-redundant, hierarchical manner reflecting application needs.

1.2 Specifications

This document specifies

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed data-link service provider;
- b) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this document, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of

- a) the interactions between peer DL-entities (DLEs) through the exchange of the fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.

1.4 Applicability

These procedures are applicable to instances of communication between systems which support time-critical communications services within the data-link layer of the OSI or the fieldbus reference models, and which require the ability to interconnect in an open systems interconnection environment.

1.5 Conformance

This document also specifies conformance requirements for systems implementing these procedures. This document does not contain tests to demonstrate compliance with such requirements.