

# INTERNATIONAL STANDARD

---

**Industrial communication networks – Fieldbus specifications –  
Part 5-25: Application layer service definition – 1 to 25 elements**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### IEC Glossary - [webstore.iec.ch/glossary](http://webstore.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

# INTERNATIONAL STANDARD

---

**Industrial communication networks – Fieldbus specifications –  
Part 5-25: Application layer service definition – Type 25 elements**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-6767-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 Overview .....	8
1.2 Specification .....	9
1.3 Conformance .....	9
2 Normative references .....	9
3 Terms, definitions, symbols, abbreviations and conventions.....	10
3.1 Referenced terms and definitions.....	10
3.1.1 ISO/IEC 7498-1 terms .....	10
3.1.2 ISO/IEC 8822 terms.....	10
3.1.3 ISO/IEC 9545 terms.....	10
3.1.4 ISO/IEC 8824-1 terms .....	11
3.2 Additional Type 25 terms and definitions.....	11
3.3 Symbols and abbreviations .....	13
3.4 Conventions.....	14
3.4.1 General conventions.....	14
3.4.2 Conventions for class definitions .....	14
3.4.3 Conventions for service definitions .....	15
4 Concept.....	16
5 Data type ASE.....	17
5.1 Overview .....	17
5.2 Fixed length types .....	17
5.2.1 Numeric types .....	17
5.3 String types .....	19
5.3.1 OctetString.....	19
6 Communication model specification.....	19
6.1 Communication model .....	19
6.1.1 General .....	19
6.1.2 Cyclic communication model.....	19
6.1.3 Acyclic communication model.....	19
6.2 ASE type S.....	20
6.2.1 Overview .....	20
6.2.2 Cyclic data type S.....	20
6.2.3 Acyclic data ASE type S .....	25
6.3 ASE type N.....	29
6.3.1 Overview type N .....	29
6.3.2 Cyclic data ASE type N.....	29
6.3.3 Acyclic data ASE type N.....	33
6.4 AR type S .....	46
6.4.1 Cyclic control type S.....	47
6.4.2 Remote control .....	51
6.4.3 RCL communication control.....	53
6.4.4 RT communication control .....	55
6.5 AR type N.....	59
6.5.1 Cyclic transmission control .....	59

6.5.2	Acyclic transmission control.....	63
6.5.3	RT communication control type N .....	68
	Bibliography.....	71
Figure 1	– Cyclic communication model (n:n communication with shared memory) .....	19
Figure 2	– Acyclic communication model (client server model).....	20
Figure 3	– Acyclic communication model (push model) .....	20
Figure 4	– Structure of ASE type S of FAL Type 25 .....	20
Figure 5	– Structure of ASE type N of FAL Type 25 .....	29
Figure 6	– Structure of AR type S of FAL Type 25 .....	46
Figure 7	– Structure of AR type N of FAL Type 25 .....	59
Table 1	– Put_cyclicdata service parameters .....	22
Table 2	– Get_cyclicdata service parameters.....	23
Table 3	– Ctl_cyclic service parameters.....	24
Table 4	– Send_ctldata service parameters .....	26
Table 5	– Send_infodata service parameters .....	27
Table 6	– Send_rmtctl service parameters.....	28
Table 7	– Put_cyclicdata service parameters.....	30
Table 8	– Get_cyclicdata service parameters.....	31
Table 9	– Control_cyclic service parameters.....	33
Table 10	– Put message service parameters .....	35
Table 11	– Get message service parameters.....	36
Table 12	– Put inquiry message service parameters .....	39
Table 13	– Put ninquiry message service parameters .....	40
Table 14	– Put reply message service parameters .....	41
Table 15	– Send aliveinfo service parameters.....	42
Table 16	– Receive aliveinfo service parameters .....	43
Table 17	– Control_acyclic service parameters .....	45
Table 18	– CYC_WRITE service parameters.....	48
Table 19	– CYC_READ service parameters .....	49
Table 20	– CTL_CYCLIC service parameters.....	50
Table 21	– SendRMTCTL service parameters.....	52
Table 22	– RCL_START service parameters.....	54
Table 23	– RCL_STOP service parameters.....	55
Table 24	– SendCTL service parameters .....	56
Table 25	– SendINFO service parameters .....	57
Table 26	– SendCTL_RMT service parameters.....	58
Table 27	– SendCYC service parameters .....	58
Table 28	– Write_cyclicdata service parameters .....	60
Table 29	– Ctl_cyclic service parameters.....	61
Table 30	– Transmit_acyclicdata1 service parameters .....	64
Table 31	– Transmit_acyclicdata2 service parameters .....	66

Table 32 – Ctl\_acyclic service parameters ..... 67  
Table 33 – Send\_cyclicdata service parameters ..... 69  
Table 34 – Send\_acyclicdata service parameters ..... 70

Currently in preview, click buy full version

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS –  
 FIELDBUS SPECIFICATIONS –

**Part 5-25: Application layer service definition –  
 Type 25 elements**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible in any way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, issue IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61158-5-25 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/947/FDIS	65C/950/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Currently in preview, click buy full version

## INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

## INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

### Part 5-25: Application layer service definition – Type 25 elements

#### 1 Scope

##### 1.1 Overview

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This International Standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 25 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the application requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document defines in an abstract way the externally visible service provided by the different Types of the fieldbus Application Layer in terms of:

- a) an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service;
- b) the primitive actions and events of the service;
- c) the parameters associated with each primitive action and event, and the form which they take; and
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to:

- a) the FAL user at the boundary between the user and the Application Layer of the Fieldbus Reference Model; and
- b) Systems Management at the boundary between the Application Layer and Systems Management of the Fieldbus Reference Model.

This document specifies the structure and services of the IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they