

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 6-2: Application layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-2: Spécification du protocole de la couche application – Éléments de
type 2**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications preview. With a subscription you will always have access to up-to-date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 6-2: Application layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-2: Spécification du protocole de la couche application – Éléments de
type 2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40, 35.100.70, 35.110

ISBN 978-2-8322-7787-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	14
INTRODUCTION.....	17
1 Scope.....	18
1.1 General.....	18
1.2 Specifications	18
1.3 Conformance	19
2 Normative references	19
3 Terms, definitions, symbols, abbreviated terms and conventions	21
3.1 Terms and definitions from other ISO/IEC standards.....	21
3.1.1 Terms and definitions from ISO/IEC 7498	21
3.1.2 Terms and definitions from ISO/IEC 9545	21
3.1.3 Terms and definitions from ISO/IEC 8824	22
3.1.4 Terms and definitions from ISO/IEC 8825	22
3.2 Terms and definitions from IEC 61158	22
3.3 Additional terms and definitions	22
3.4 Abbreviated terms and symbols	30
3.5 Conventions.....	30
3.5.1 General concept	30
3.5.2 Attribute specification	31
3.5.3 Common services	31
3.5.4 State machine conventions.....	34
4 Abstract syntax.....	36
4.1 FAL PDU abstract syntax.....	36
4.1.1 General	36
4.1.2 PDU structure.....	36
4.1.3 UCMM_PDUs	39
4.1.4 Transport_Headers.....	40
4.1.5 CM_PDUs.....	43
4.1.6 CM PDU components	56
4.1.7 MR headers.....	65
4.1.8 OM_Service_PDU.....	66
4.1.9 Message and connection paths.....	130
4.1.10 Class, attribute and service codes	146
4.1.11 Error codes.....	154
4.2 Data abstract syntax specification.....	169
4.2.1 Transport format specification.....	169
4.2.2 Abstract syntax notation	170
4.2.3 Control network data specification	170
4.2.4 Data type specification / dictionaries.....	172
4.3 Encapsulation abstract syntax.....	174
4.3.1 Encapsulation protocol	174
4.3.2 Encapsulation messages	175
4.3.3 Command descriptions	178
4.3.4 Common packet format.....	190
5 Transfer syntax.....	194
5.1 Compact encoding	194

5.1.1	Encoding rules.....	194
5.1.2	Encoding constraints	195
5.1.3	Examples.....	195
5.2	Data type reporting	202
5.2.1	Object data representation.....	202
5.2.2	Elementary data type reporting	202
5.2.3	Constructed data type reporting.....	203
6	Structure of FAL protocol state machines	209
7	AP-Context state machine	210
7.1	Overview.....	210
7.2	Connection object state machine	210
7.2.1	I/O Connection instance behavior	210
7.2.2	Bridged Connection instance behavior	215
7.2.3	Explicit Messaging Connection instance behavior	217
8	FAL service protocol machine (FSPM).....	219
8.1	General.....	219
8.2	Primitive definitions.....	219
8.3	Parameters of primitives	224
8.4	FSPM state machines	225
9	Application relationship protocol machines (ARPMs)	225
9.1	General.....	225
9.2	Connection-less ARPM (UCMM)	226
9.2.1	General	226
9.2.2	Primitive definitions	226
9.2.3	Parameters of primitives	227
9.2.4	UCMM state machines.....	228
9.2.5	Examples of UCMM sequences	233
9.2.6	Management UCMM	235
9.3	Connection-oriented ARPMs (transports)	236
9.3.1	Transport PDU header.....	236
9.3.2	Transport classes	237
9.3.3	Common primitive definitions.....	237
9.3.4	Parameters of common primitives	238
9.3.5	Transport state machines – class 0.....	238
9.3.6	Transport state machines – class 1.....	242
9.3.7	Transport state machines – class 2.....	247
9.3.8	Transport state machines – class 3.....	255
10	DLI mapping protocol machine 1 (DMPM 1).....	265
10.1	General.....	265
10.2	Link producer	265
10.3	Link consumer	266
10.4	Primitive definitions.....	266
10.4.1	Primitives exchanged between DMPM and ARPM.....	266
10.4.2	Parameters of ARPM/DMPM primitives	266
10.4.3	Primitives exchanged between data-link layer and DMPM.....	266
10.4.4	Parameters of DMPM/Data-link Layer primitives	267
10.4.5	Network connection ID.....	268
10.5	DMPM state machine	268

10.5.1	DMPM states	268
10.5.2	Functions used by DMPM	270
10.6	Data-link Layer service selection.....	270
11	DLL mapping protocol machine 2 (DMPM 2).....	270
11.1	General.....	270
11.2	Mapping of UCMM PDUs	270
11.2.1	General	270
11.2.2	Common requirements for Connection Manager PDU's.....	272
11.2.3	Forward_Open PDU for class 2 and class 3 connections	274
11.2.4	Forward_Open for class 0 and class 1 connections.....	274
11.2.5	Forward_close.....	274
11.3	Mapping of transport class 0 and class 1 PDUs.....	279
11.3.1	Class 0 and class 1 PDUs.....	279
11.3.2	No dependency on TCP connections	279
11.3.3	Class 0 and class 1 packet ordering	280
11.3.4	Screening incoming connected data	280
11.4	Mapping of transport class 2 and class 3 PDU's.....	280
11.5	IGMP Usage	281
11.5.1	Background (informative).....	281
11.5.2	IGMP Membership Report messages	282
11.5.3	IGMP Leave Group messages	282
11.6	Quality of Service (QoS) for Type 2 Ethernet messages.....	282
11.6.1	Overview	282
11.6.2	DSCP format	283
11.6.3	IEEE Std 802.1Q-2018 format.....	284
11.6.4	Mapping Type 2 traffic to DSCP and IEEE Std 802.1Q-2018.....	284
11.6.5	Usage of DSCP for Type 2 Ethernet	285
11.6.6	Usage of IEEE Std 802.1Q-2018 for Type 2 Ethernet.....	285
11.6.7	User considerations with IEEE Std 802.1Q-2018	286
11.7	Encapsulation using TCP.....	286
11.7.1	General	286
11.7.2	Management of a TCP encapsulation session.....	286
11.7.3	TCP connection management.....	287
11.8	Encapsulation using UDP.....	288
12	DLL mapping protocol machine 3 (DMPM 3).....	288
	Bibliography.....	289
	Figure 1 – Attribute table format and terms	31
	Figure 2 – Service request/response parameter.....	31
	Figure 3 – Example of an STD	34
	Figure 4 – Network connection parameters	56
	Figure 5 – Priority/Tick_time bit definition	59
	Figure 6 – Member ID/EX description (WORD).....	74
	Figure 7 – Transport Class Trigger attribute.....	118
	Figure 8 – DN_initial_comm_characteristics attribute format.....	122
	Figure 9 – Segment type.....	131
	Figure 10 – Port segment.....	132

Figure 11 – Logical segment encoding	134
Figure 12 – Extended network segment	141
Figure 13 – Symbolic segment encoding	142
Figure 14 – Encapsulation message	175
Figure 15 – FixedLengthBitString compact encoding bit placement rules	199
Figure 16 – Example compact encoding of a SWORD FixedLengthBitString	199
Figure 17 – Example compact encoding of a WORD FixedLengthBitString	199
Figure 18 – Example compact encoding of a DWORD FixedLengthBitString	200
Figure 19 – Example compact encoding of a LWORD FixedLengthBitString	200
Figure 20 – Example 1 of formal encoding of a structure type specification	205
Figure 21 – Example 2 of formal encoding of a structure type specification	205
Figure 22 – Example 3 of formal encoding of a handle structure type specification	206
Figure 23 – Example 4 of formal encoding of a handle structure type specification	206
Figure 24 – Example 5 of abbreviated encoding of a structure type specification	207
Figure 25 – Example 1 of formal encoding of an array type specification	207
Figure 26 – Example 2 of formal encoding of an array type specification	208
Figure 27 – Example 1 of abbreviated encoding of an array type specification	209
Figure 28 – Example 2 of abbreviated encoding of an array type specification	209
Figure 29 – I/O Connection object state transition diagram	210
Figure 30 – Bridged Connection object state transition diagram	215
Figure 31 – Explicit Messaging Connection object state transition diagram	217
Figure 32 – State transition diagram of UCMM client	229
Figure 33 – State transition diagram of high-end UCMM server	231
Figure 34 – State transition diagram of low-end UCMM server	233
Figure 35 – Sequence diagram for a UCMM with one outstanding message	234
Figure 36 – Sequence diagram for a UCMM with multiple outstanding messages	235
Figure 37 – TPDU buffer	236
Figure 38 – Data flow diagram using a client transport class 0 and server transport class 0	239
Figure 39 – Sequence diagram of data transfer using transport class 0	239
Figure 40 – Class 0 client STD	240
Figure 41 – Class 0 server STD	241
Figure 42 – Data flow diagram using client transport class 1 and server transport class 1	242
Figure 43 – Sequence diagram of data transfer using client transport class 1 and server transport class 1	243
Figure 44 – Class 1 client STD	245
Figure 45 – Class 1 server STD	246
Figure 46 – Data flow diagram using client transport class 2 and server transport class 2	248
Figure 47 – Diagram of data transfer using client transport class 2 and server transport class 2 without returned data	249
Figure 48 – Sequence diagram of data transfer using client transport class 2 and server transport class 2 with returned data	250
Figure 49 – Class 2 client STD	251

Figure 50 – Class 2 server STD 253

Figure 51 – Data flow diagram using client transport class 3 and server transport class 3 256

Figure 52 – Sequence diagram of data transfer using client transport class 3 and server transport class 3 without returned data 257

Figure 53 – Sequence diagram of data transfer using client transport class 3 and server transport class 3 with returned data 258

Figure 54 – Class 3 client STD 260

Figure 55 – Class 3 server STD 263

Figure 56 – Data flow diagram for a link producer and consumer 265

Figure 57 – State transition diagram for a link producer 267

Figure 58 – State transition diagram for a link consumer 270

Figure 59 – DS field in the IP header 284

Figure 60 – IEEE Std 802.1Q-2018 tagged frame 284

Table 1 – Get_Attributes_All response service rules 32

Table 2 – Example class level object/service specific response data of Get_Attributes_All 32

Table 3 – Set_Attributes_All request service rules 33

Table 4 – Example request data of Set_Attributes_All 33

Table 5 – State event matrix format 35

Table 6 – Example state event matrix 35

Table 7 – UCMM_PDU header format 39

Table 8 – UCMM command codes 39

Table 9 – Transport class 0 header 40

Table 10 – Transport class 1 header 40

Table 11 – Transport class 2 header 40

Table 12 – Transport class 3 header 41

Table 13 – Real-time data header – exclusive owner 41

Table 14 – Real-time data header – redundant owner 41

Table 15 – Forward_Open request format 46

Table 16 – Forward_Open_Good response format 47

Table 17 – Forward_Open_Bad response format 47

Table 18 – Large_Forward_Open request format 48

Table 19 – Large_Forward_Open_Good response format 49

Table 20 – Large_Forward_Open_Bad response format 49

Table 21 – Forward_Close request format 50

Table 22 – Forward_Close_Good response format 50

Table 23 – Forward_Close_Bad response format 51

Table 24 – Unconnected_Send request format 52

Table 25 – Unconnected_Send_Good response format 52

Table 26 – Unconnected_Send_Bad response format 53

Table 27 – Get_Connection_Data request format 54

Table 28 – Get_Connection_Data response format 54

Table 29 – Search_Connection_Data request format	55
Table 30 – Get_Connection_Owner request format	55
Table 31 – Get_Connection_Owner response format	56
Table 32 – Time-out multiplier.....	59
Table 33 – Tick time units	60
Table 34 – Encoded application path ordering.....	64
Table 35 – Transport class, trigger and Is_Server format	65
Table 36 – MR_Request_Header format	65
Table 37 – MR_Response_Header format.....	66
Table 38 – Structure of Get_Attributes_All_ResponsePDU body	66
Table 39 – Structure of Set_Attributes_All_RequestPDU body	67
Table 40 – Structure of Get_Attribute_List_RequestPDU body	67
Table 41 – Structure of Get_Attribute_List_ResponsePDU body	67
Table 42 – Structure of Set_Attribute_List_RequestPDU body	67
Table 43 – Structure of Set_Attribute_List_ResponsePDU body.....	68
Table 44 – Structure of Reset_RequestPDU body	68
Table 45 – Structure of Reset_ResponsePDU body	68
Table 46 – Structure of Start_RequestPDU body	68
Table 47 – Structure of Start_ResponsePDU body.....	68
Table 48 – Structure of Stop_RequestPDU body.....	69
Table 49 – Structure of Stop_ResponsePDU body	69
Table 50 – Structure of Create_RequestPDU body	69
Table 51 – Structure of Create_ResponsePDU body.....	69
Table 52 – Structure of Delete_RequestPDU body.....	69
Table 53 – Structure of Delete_ResponsePDU body	70
Table 54 – Structure of Get_Attribute_Single_ResponsePDU body	70
Table 55 – Structure of Set_Attribute_Single_RequestPDU body	70
Table 56 – Structure of Set_Attribute_Single_ResponsePDU body	70
Table 57 – Structure of Find_Next_Object_Instance_RequestPDU body	71
Table 58 – Structure of Find_Next_Object_Instance_ResponsePDU body	71
Table 59 – Structure of Apply_Attributes_RequestPDU body	71
Table 60 – Structure of Apply_Attributes_ResponsePDU body	71
Table 61 – Structure of Save_RequestPDU body	71
Table 62 – Structure of Save_ResponsePDU body	72
Table 63 – Structure of Restore_RequestPDU body.....	72
Table 64 – Structure of Restore_ResponsePDU body	72
Table 65 – Structure of Get_Member_ResponsePDU body	72
Table 66 – Structure of Set_Member_RequestPDU body	72
Table 67 – Structure of Set_Member_ResponsePDU body.....	73
Table 68 – Structure of Insert_Member_RequestPDU body.....	73
Table 69 – Structure of Insert_Member_ResponsePDU body	73
Table 70 – Structure of Remove_Member_ResponsePDU body	73
Table 71 – Common structure of _Member_RequestPDU body (basic format).....	74

Table 72 – Common structure of _Member_ResponsePDU body (basic format)	75
Table 73 – Common structure of _Member_RequestPDU body (extended format).....	75
Table 74 – Common structure of _Member_ResponsePDU body (extended format)	75
Table 75 – Extended Protocol ID.....	76
Table 76 – Structure of _Member_RequestPDU body (Multiple Sequential Members)	76
Table 77 – Structure of _Member_ResponsePDU body (Multiple Sequential Members).....	76
Table 78 – Structure of _Member_RequestPDU body (International String Selection)	77
Table 79 – Structure of _Member_ResponsePDU body (International String Selection).....	77
Table 80 – Structure of Group_Sync_RequestPDU body.....	77
Table 81 – Structure of Group_Sync_ResponsePDU body	77
Table 82 – Structure of Multiple_Service_Packet_RequestPDU body.....	78
Table 83 – Structure of Multiple_Service_Packet_ResponsePDU body	78
Table 84 – Structure of Get_Connection_Point_Member_List_ResponsePDU body.....	79
Table 85 – Identity object class attributes	80
Table 86 – Identity object instance attributes	80
Table 87 – Identity object Vendor ID ranges	83
Table 88 – Identity object bit definitions for status instance attribute.....	83
Table 89 – Default values for extended device status field (bits 0-7) of status instance attribute	83
Table 90 – Identity object bit definitions for protection mode instance attribute	84
Table 91 – Identity object bit definitions for features supported attribute	84
Table 92 – Class level object/service specific response data of Get_Attributes_All	84
Table 93 – Instance level object/service specific response data of Get_Attributes_All.....	85
Table 94 – Object-specific request parameter for Reset.....	86
Table 95 – Reset service parameter values	86
Table 96 – Communication link attributes that shall be preserved	86
Table 97 – Structure of Flash_LEDs_RequestPDU body	87
Table 98 – Message Router object class attributes	87
Table 99 – Message Router object instance attributes	87
Table 100 – Class level object/service specific response data of Get_Attributes_All	88
Table 101 – Instance level object/service specific response data of Get_Attributes_All.....	88
Table 102 – Structure of Symbolic_Translation_RequestPDU body.....	88
Table 103 – Structure of Symbolic_Translation_ResponsePDU body	88
Table 104 – Object specific status for Symbolic_Translation service	89
Table 105 – Structure of Send_Receive_Fragment_RequestPDU body – Phase 1	89
Table 106 – Structure of Send_Receive_Fragment_RequestPDU body – Phase 2	89
Table 107 – Structure of Send_Receive_Fragment_ResponsePDU body – Phase 2.....	90
Table 108 – Request/Response Fragmentation Flags	90
Table 109 – Fragmentation Flags Usage.....	90
Table 110 – Object specific status for Send_Receive_Fragment service	91
Table 111 – Assembly object class attributes.....	92
Table 112 – Assembly object instance attributes.....	92
Table 113 – Assembly Instance ID ranges	93

Table 114 – Standard Network Diagnostic assembly content and ordering	94
Table 115 – Object-specific request parameter for Create.....	94
Table 116 – Object-specific response parameter for Create	95
Table 117 – Acknowledge Handler object class attributes	95
Table 118 – Acknowledge Handler object instance attributes	95
Table 119 – Structure of Add_AckData_Path_RequestPDU body	96
Table 120 – Structure of Remove_AckData_Path_RequestPDU body	96
Table 121 – Time Sync object class attributes	96
Table 122 – Time Sync object instance attributes	97
Table 123 – ClockIdentity encoding for different network implementations	101
Table 124 – ClockClass values	101
Table 125 – TimeAccuracy values.....	102
Table 126 – TimePropertyFlags bit values	102
Table 127 – TimeSource values	103
Table 128 – Types of Clock	103
Table 129 – Network protocol to PortPhysicalAddressInfo mapping	103
Table 130 – Time Sync connection point 1, Standard Network Diagnostics	104
Table 131 – Class level object/service specific response data of Get_Attributes_All	104
Table 132 – Parameter object class attributes.....	105
Table 133 – Parameter Class Descriptor bit values	105
Table 134 – Parameter object instance attributes.....	106
Table 135 – Semantics of Descriptor Instance attribute.....	107
Table 136 – Descriptor Scaling bits usage	107
Table 137 – Minimum and Maximum Value semantics.....	108
Table 138 – Scaling Formula attributes	109
Table 139 – Scaling links	109
Table 140 – Class level object/service specific response data of Get_Attributes_All	110
Table 141 – Instance level object/service specific response data of Get_Attributes_All (Parameter object stub)	110
Table 142 – Instance level object/service specific response data of Get_Attributes_All (full Parameter object)	111
Table 143 – Structure of Get_Enum_String_RequestPDU body.....	112
Table 144 – Structure of Get_Enum_String_ResponsePDU body	112
Table 145 – Enumerated strings Type versus Parameter data type	112
Table 146 – Connection Manager object class attributes.....	113
Table 147 – Connection Manager object instance attributes.....	113
Table 148 – Connection Manager connection point 1, Standard Network Diagnostics	114
Table 149 – Class level object/service specific response data of Get_Attributes_All	114
Table 150 – Instance level object/service specific response data of Get_Attributes_All.....	115
Table 151 – Instance level object/service specific request data of Set_Attributes_All.....	115
Table 152 – Connection object class attributes	116
Table 153 – Connection object instance attributes	116
Table 154 – Values assigned to the state attribute	117
Table 155 – Values assigned to the instance_type attribute	118

Table 156 – Possible values within Direction Bit	119
Table 157 – Possible values within Production Trigger Bits.....	119
Table 158 – Possible values within Transport Class Bits.....	120
Table 159 – TransportClass_Trigger attribute values summary	120
Table 160 – Transport Class 0 client behavior summary	121
Table 161 – Transport Class 1, 2 and 3 client behavior summary.....	121
Table 162 – Values defined for the DN_produced_connection_id attribute	121
Table 163 – Values defined for the DN_consumed_connection_id attribute.....	122
Table 164 – Values for the Initial Production Characteristics nibble	123
Table 165 – Values for the Initial Consumption Characteristics nibble.....	124
Table 166 – Values for the watchdog_timeout_action.....	127
Table 167 – Object-specific response parameters for Apply_Attributes	129
Table 168 – Object-specific response parameter for Set_Attribute_Single.....	129
Table 169 – Structure of Connection_Bind_RequestPDU body.....	129
Table 170 – Object specific status for Connection_Bind service	129
Table 171 – Structure of Producing_Application_Lookup_RequestPDU body	130
Table 172 – Structure of Producing_Application_Lookup_ResponsePDU body.....	130
Table 173 – Producing_Application_Lookup Service status codes.....	130
Table 174 – Possible port segment examples	133
Table 175 – TCP/IP link address examples	134
Table 176 – Extended Logical Type	135
Table 177 – Electronic key segment format.....	136
Table 178 – Key Format Table (key type 4).....	137
Table 179 – Serial Number Key Format Table (key type 5)	137
Table 180 – Logical segments examples.....	138
Table 181 – Network segments	139
Table 182 – Extended network segment subtype definitions.....	141
Table 183 – Symbolic segment examples	143
Table 184 – Data segment.....	143
Table 185 – ANSI_Extended_Symbol segment	144
Table 186 – Addressing categories	146
Table 187 – Class code ID ranges	147
Table 188 – Class Attribute ID ranges.....	147
Table 189 – Instance Attribute ID ranges	147
Table 190 – Connection Point ranges	148
Table 191 – Service code ranges	148
Table 192 – Class codes.....	149
Table 193 – Reserved class attributes for all object class definitions	150
Table 194 – Common services list	151
Table 195 – Identity object specific services list.....	151
Table 196 – Message Router object specific services list.....	152
Table 197 – Acknowledge Handler object specific services list.....	152
Table 198 – Parameter object specific services list.....	152

Table 199 – Services specific to Connection Manager	152
Table 200 – Services specific to Connection object.....	153
Table 201 – Device type numbering	153
Table 202 – Implementation profile numbering.....	154
Table 203 – Connection Manager service request error codes	155
Table 204 – General status codes.....	165
Table 205 – Extended status code for a general status of "Key Failure in path.....	167
Table 206 – Identity object status codes	168
Table 207 – TCP port numbers	174
Table 208 – UDP port numbers.....	175
Table 209 – Encapsulation header	175
Table 210 – Encapsulation command codes	176
Table 211 – Encapsulation status codes	177
Table 212 – Nop request encapsulation header	178
Table 213 – RegisterSession request encapsulation header	179
Table 214 – RegisterSession request data portion	179
Table 215 – RegisterSession reply encapsulation header	180
Table 216 – RegisterSession reply data portion (successful)	180
Table 217 – UnRegisterSession request encapsulation header	181
Table 218 – ListServices request encapsulation header.....	182
Table 219 – ListServices reply encapsulation header.....	182
Table 220 – ListServices reply data portion (successful).....	182
Table 221 – Communications capability flags.....	183
Table 222 – ListIdentity request encapsulation header.....	184
Table 223 – ListIdentity reply encapsulation header.....	185
Table 224 – ListIdentity reply data portion (successful).....	185
Table 225 – Type 2 identity item	186
Table 226 – Type 2 Ethernet Capability item.....	186
Table 227 – ListInterfaces request encapsulation header.....	187
Table 228 – ListInterfaces reply encapsulation header.....	187
Table 229 – SendRRData request encapsulation header	188
Table 230 – SendRRData request data portion	188
Table 231 – SendRRData reply encapsulation header	189
Table 232 – SendUnitData request encapsulation header	189
Table 233 – SendUnitData request data portion.....	190
Table 234 – Common packet format.....	190
Table 235 – CPF item format	190
Table 236 – Item Type ID numbers	191
Table 237 – Null address item.....	191
Table 238 – Connected address item.....	192
Table 239 – Sequenced address item	192
Table 240 – Unconnected data item.....	192
Table 241 – Connected data item	193

Table 242 – Sockaddr info items	193
Table 243 – Usage of CPF items	194
Table 244 – BOOLEAN encoding	195
Table 245 – Example compact encoding of a BOOL value	195
Table 246 – Encoding of SignedInteger values	196
Table 247 – Example compact encoding of a SignedInteger value	196
Table 248 – UnsignedInteger values	196
Table 249 – Example compact encoding of an UnsignedInteger	196
Table 250 – FixedLengthReal values	196
Table 251 – Example compact encoding of a REAL value	197
Table 252 – Example compact encoding of a LREAL value	197
Table 253 – FixedLengthReal values	197
Table 254 – STRING value	198
Table 255 – STRING2 value	198
Table 256 – STRINGN value	198
Table 257 – SHORT_STRING value	198
Table 258 – Example compact encoding of a STRING value	198
Table 259 – Example compact encoding of STRING2 value	199
Table 260 – SHORT_STRING type	199
Table 261 – Example compact encoding of a single dimensional ARRAY	200
Table 262 – Example compact encoding of a multi-dimensional ARRAY	201
Table 263 – Example compact encoding of a STRUCTURE	201
Table 264 – Identification codes and descriptions of elementary data types	203
Table 265 – Identification codes and descriptions of constructed data types	204
Table 266 – Formal structure encoding definition	204
Table 267 – Formal structure with handles encoding definition	205
Table 268 – Abbreviated structure encoding definition	206
Table 269 – Formal array encoding definition	207
Table 270 – Abbreviated array encoding definition	208
Table 271 – I/O Connection state event matrix	211
Table 272 – Bridged Connection state event matrix	216
Table 273 – Explicit Messaging Connection state event matrix	217
Table 274 – Primitives issued by FAL user to FSPM	220
Table 275 – Primitives issued by FAL user to FSPM	221
Table 276 – Primitives issued by FSPM to FAL user	223
Table 277 – Parameters used with primitives exchanged between FAL user and FSPM	225
Table 278 – Primitives issued by FSPM to ARPM	227
Table 279 – Primitives issued by ARPM to FSPM	227
Table 280 – Parameters used with primitives exchanged between FSPM and ARPM	228
Table 281 – UCMM client states	228
Table 282 – State event matrix of UCMM client	229
Table 283 – High-end UCMM server states	230
Table 284 – State event matrix of high-end UCMM server	231

Table 285 – Low-end UCMM server states	232
Table 286 – State event matrix of low-end UCMM server	233
Table 287 – Notification	236
Table 288 – Transport classes	237
Table 289 – Primitives issued by FSPM to ARPM	237
Table 290 – Primitives issued by ARPM to FSPM	238
Table 291 – Parameters used with primitives exchanged between FSPM and ARPM	238
Table 292 – Class 0 transport client states	240
Table 293 – Class 0 client SEM	240
Table 294 – Class 0 transport server states	241
Table 295 – Class 0 server SEM	241
Table 296 – Class 1 transport client states	244
Table 297 – Class 1 client SEM	245
Table 298 – Class 1 transport server states	246
Table 299 – Class 1 server SEM	247
Table 300 – Class 2 transport client states	251
Table 301 – Class 2 client SEM	252
Table 302 – Class 2 transport server states	253
Table 303 – Class 2 server SEM	254
Table 304 – Class 3 transport client states	259
Table 305 – Class 3 client SEM	260
Table 306 – Class 3 transport server states	262
Table 307 – Class 3 server SEM	264
Table 308 – Primitives issued by ARPM to DMPM	266
Table 309 – Primitives issued by DMPM to ARPM	266
Table 310 – Parameters used with primitives exchanged between ARPM and DMPM	266
Table 311 – Primitives exchanged between data-link layer and DMPM	267
Table 312 – Parameters used with primitives exchanged between DMPM and Data-link	267
Table 313 – Selection of connection ID	268
Table 314 – Link producer states	268
Table 315 – State event matrix of link producer	269
Table 316 – Link consumer states	269
Table 317 – State event matrix of link consumer	270
Table 318 – UCMM request	271
Table 319 – UCMM reply	272
Table 320 – Network Connection ID selection	273
Table 321 – Sockaddr Info usage	275
Table 322 – Example multicast assignments	278
Table 323 – UDP data format for class 0 and class 1	279
Table 324 – Transport class 2 and class 3 connected data	281
Table 325 – Default DSCP and IEEE Std 802.1Q-2018 mapping	285

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 6-2: Application layer protocol specification –
Type 2 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-6-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of normative and bibliographic references;
- b) review of Get/Set_Attributes_All parameter format in 3.5.3;
- c) new services in 4.1.2.1, 4.1.8.1 and 8.2, 8.3;
- d) clarifications of services in 4.1.5;
- e) definition of specific connection path in 4.1.6.12;
- f) clarifications and updates of Get/Set_attribute_list services in 4.1.8.1;
- g) clarifications, new attributes for the Identity object in 4.1.8.2;
- h) new attributes, service parameters and service for the Message Router object in 4.1.8.3;
- i) clarifications, new attribute and other extensions for the Assembly object in 4.1.8.4;
- j) clarifications, new attributes, service parameters, services and diagnostics connection points for the Time Sync object in 4.1.8.6;
- k) clarifications, new services and addition of diagnostics connection points for the Connection Manager object in 4.1.8.9;
- l) clarifications and extensions of Path Segments in 4.1.9;
- m) updates and extensions of class, attribute and service codes in 4.1.10;
- n) clarifications and additions of error codes in 4.1.11;
- o) update of STIME, UTIME and NTIME data types in 4.2.3 and 5.1.3.5;
- p) updates of encapsulation protocol in 4.3.1;
- q) addition of internal services in 7.1;
- r) removal of obsoleted transport options and related services in Clause 9 and Clause 11;
- s) updates of DMPM2 in Clause 11;
- t) removal of all references to CPF and CPs (material moved to profile documents);
- u) miscellaneous editorial corrections.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1204/FDIS	65C/1245/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementers and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems can work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-2: Application layer protocol specification – Type 2 elements

1 Scope

1.1 General

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs."

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 2 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document specifies interactions between remote applications and defines the externally visible behavior provided by the Type 2 fieldbus application layer in terms of

- the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- the application context state machine defining the application service behavior visible between communicating application entities;
- the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this document is to define the protocol provided to

- define the wire-representation of the service primitives defined in IEC 61158-5-2, and
- define the externally visible behavior associated with their transfer.

This document specifies the protocol of the Type 2 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this document is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-2.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols.