

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –  
Part 6-26: Application layer protocol specification – Type 26 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –  
Partie 6-26: Spécification du protocole de la couche application – Éléments de  
type 26**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2023 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications preview. With a subscription you will always have access to up-to-date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

#### [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Industrial communication networks – Fieldbus specifications –  
Part 6-26: Application layer protocol specification – Type 26 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –  
Partie 6-26: Spécification du protocole de la couche application – Éléments de  
type 26**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 25.040.40, 35.100.70, 35.110

ISBN 978-2-8322-7824-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
1.1 General.....	14
1.2 Specifications .....	15
1.3 Conformance .....	15
2 Normative references .....	15
3 Terms, definitions, symbols, abbreviated terms and conventions .....	16
3.1 Terms and definitions from other ISO/IEC standards.....	17
3.1.1 Terms and definitions from ISO/IEC 7498-1 .....	17
3.1.2 Terms and definitions from ISO/IEC 8822 .....	17
3.1.3 Terms and definitions from ISO/IEC 9545 .....	17
3.1.4 Terms and definitions from ISO/IEC 8824-1 .....	17
3.1.5 Terms and definitions from ISO/IEC 8825-1 .....	18
3.2 Type 26 specific terms and definitions .....	18
3.3 Abbreviated terms and symbols .....	22
3.4 Conventions.....	24
3.4.1 Conventions used in state machines.....	24
3.4.2 Convention for abstract syntax description.....	26
3.4.3 Convention for reserved bits and octets.....	26
3.4.4 Conventions for bit description in octets .....	26
4 FAL syntax description .....	27
4.1 General.....	27
4.2 Overview of Type 26 fieldbus .....	27
4.2.1 Application field and Common-memory .....	27
4.2.2 Structure of Type 26 protocol.....	28
4.2.3 Structure of Type 26 FAL.....	29
4.2.4 Data link layer .....	30
4.3 Operating principle .....	31
4.3.1 Overview.....	31
4.3.2 Logic ring maintenance.....	31
4.3.3 Node addition .....	34
4.3.4 Node in logical ring.....	38
4.3.5 Node drop-out .....	39
4.3.6 Data transmission.....	39
4.3.7 Data transmission frames .....	49
4 FAL PDU abstract syntax .....	52
4.4.1 Basic abstract syntax.....	52
4.4.2 Transparent-msg- PDU .....	55
4.4.3 Token-PDU.....	55
4.4.4 Participation-req-PDU.....	56
4.4.5 Byte-block-read PDUs .....	56
4.4.6 Byte-block-write PDUs.....	56
4.4.7 Word-block-read PDUs .....	56
4.4.8 Word-block-write PDUs.....	57
4.4.9 Network-parameter-read PDUs .....	57
4.4.10 Network-parameter-write PDUs.....	57

4.4.11	Stop-command PDUs .....	57
4.4.12	Operation-command PDUs .....	58
4.4.13	Profile-read PDUs .....	58
4.4.14	Trigger-PDU .....	58
4.4.15	Log-data-read PDUs .....	58
4.4.16	Log-data-clear PDUs .....	59
4.4.17	Message-return PDUs .....	59
4.4.18	Vendor-specific-msg PDUs .....	59
4.4.19	Start-TK-hld-time-mrmt PDUs .....	60
4.4.20	Terminate-TK-hld-time-mrmt PDUs .....	60
4.4.21	Start-GP_Comm-sndr-log PDUs .....	60
4.4.22	Terminate-GP_Comm-sndr-log PDUs .....	60
4.4.23	Set-remote-node-config-para PDUs .....	61
4.4.24	Read-rmt-partici-node-mgt-info-para PDUs .....	61
4.4.25	Read-rmt-node-mgt-info-para PDUs .....	61
4.4.26	Read-rmt-node-set-info-para PDUs .....	61
4.4.27	Reset-node PDUs .....	62
4.4.28	Cyclic-data PDUs .....	62
4.4.29	Extended-rticipation-req-PDU .....	62
4.4.30	Extended-network-parameter-read PDUs .....	63
4.4.31	Extended-network-parameter-write PDUs .....	63
4.5	Data type assignments .....	63
5	Transfer syntax .....	65
5.1	Encoding rules .....	65
5.1.1	Basic encoding .....	65
5.1.2	Fixed length Unsigned encoding .....	65
5.1.3	Fixed length BitString encoding .....	65
5.1.4	OctetString encoding .....	65
5.1.5	SEQUENCE encoding .....	65
5.2	PDU elements encoding .....	65
5.2.1	FALARHeader .....	65
5.2.2	Transparent msg PDU .....	69
5.2.3	Token-PDU .....	70
5.2.4	Participation-req-PDU .....	71
5.2.5	Byte-block-read PDUs .....	72
5.2.6	Byte-block-write PDUs .....	74
5.2.7	Word-block-read PDUs .....	75
5.2.8	Word-block-write PDUs .....	77
5.2.9	Network-parameter-read PDUs .....	79
5.2.10	Network-parameter-write PDUs .....	83
5.2.11	Stop-command PDUs .....	85
5.2.12	Operation-command PDUs .....	87
5.2.13	Profile-read PDUs .....	89
5.2.14	Trigger-PDU .....	92
5.2.15	Log-data-read PDUs .....	92
5.2.16	Log-data-clear PDUs .....	98
5.2.17	Message-return PDUs .....	100
5.2.18	Vendor-specific-msg PDUs .....	102
5.2.19	Start-TK-hld-time-mrmt PDUs .....	105

5.2.20	Terminate-TK-hld-time-mrmt PDUs .....	106
5.2.21	Start-GP_Comm-sndr-log PDUs.....	110
5.2.22	Terminate-GP_Comm-sndr-log PDUs .....	111
5.2.23	Set-remote-node-config-para PDUs .....	114
5.2.24	Read-rmt-partici-node-mgt-info-para PDUs .....	117
5.2.25	Read-rmt- node-mgt-info-para PDUs.....	120
5.2.26	Read-rmt-node-set-info-para PDUs.....	123
5.2.27	Reset-node PDUs .....	125
5.2.28	Cyclic-data PDUs .....	126
5.2.29	Extended-participation-request PDU .....	129
5.2.30	Extended-network-parameter-read PDUs.....	129
5.2.31	Extended-network-parameter-write PDUs .....	132
6	FAL protocol state machines structure .....	135
6.1	Overview.....	135
6.2	Common variables, parameters, timers, counters, lists and queues .....	136
6.2.1	V(3CWT), P(3CWT), T(3CWT): Three-lap-time-period-of-the-token-circulation.....	136
6.2.2	V(ACK): ACK received .....	136
6.2.3	V(ACK_TN): ACK to this node .....	137
6.2.4	V(AWT), P(AWT), T(AWT): Waiting-time-period-for-receiving-message-acknowledge.....	137
6.2.5	V(CBN): Current fragment number for fragmented cyclic-data transmission .....	137
6.2.6	V(CTFG): Cyclic-data fragment transfer .....	137
6.2.7	V(CTRen), P (CTRen): Cyclic-data on CM1 and CM2 receive enable .....	137
6.2.8	V(CTRQ): Cyclic-data transfer request.....	137
6.2.9	V(ExCTRQ): Cyclic-data of CM3 transfer request .....	138
6.2.10	C(ExCT): Cumulative count of extended-cyclic-data transmission .....	138
6.2.11	V(ExCTRen), P(ExCTRen): Cyclic-data on CM3 receive enable.....	138
6.2.12	V(ExTBN), P(ExTBN): Total fragment number of Cyclic-data on CM3 .....	138
6.2.13	V(ExTSZ), P(ExTSZ): Total cyclic-data size on CM3.....	138
6.2.14	C(MCNT): Cumulative count of message transmission carried over .....	138
6.2.15	V(MCV): Message transmission carried over.....	138
6.2.16	V(MFT), P(MFT), T(MFT): Allowable-minimum-frame-interval-time.....	138
6.2.17	V(MnCrType): Measurement control type .....	139
6.2.18	V(MRVRQ): Message receive request.....	139
6.2.19	V(MSRQ): Message transfer request .....	139
6.2.20	Q(MSRXQ): Message-RX-Queue .....	139
6.2.21	Q(MTXQ): Message-TX-Queue .....	139
6.2.22	V(NMTP): No message transmission in previous cycle.....	139
6.2.23	V(PAT), P(PAT), T(PAT): Participation-request-frame-acceptance-time .....	140
6.2.24	V(PnMgtIF): Participation-node-management-information List.....	140
6.2.25	V(PWT), T(PWT): Participation-request-frame-transmission-waiting-time.....	140
6.2.26	V(RCT): Allowable-refresh-cycle-time .....	140
6.2.27	V(RMT), T(RMT): Refresh-cycle-measurement-time.....	140
6.2.28	C(RTX): Retransmission count.....	141
6.2.29	V(SEQ): Sequence number value List.....	141
6.2.30	V(SN): Successor node .....	141
6.2.31	V(SrtMmt): Measurement started .....	141

6.2.32	Q(SVRXQ): Server-RX Queue .....	141
6.2.33	Q(SVTXQ): Server-TX Queue .....	141
6.2.34	V(TBN), P(TBN): Total fragment number of Cyclic-data on CM1 and CM2 .....	141
6.2.35	V(TDT), P(TDT), T(TDT): Joining-token-detection-time .....	141
6.2.36	V(THT), P(THT), T(THT): Token-holding-time .....	142
6.2.37	V(TK): Token holding .....	142
6.2.38	V(TKH): Token holding node .....	142
6.2.39	V(TN): Node identifier number .....	142
6.2.40	V(TrWT), T(TrWT): Trigger-frame-transmission-waiting-time .....	142
6.2.41	V(TSZ), P(TSZ): Total cyclic-data size on CM1 and CM2 .....	142
6.2.42	V(TW), P(TW), T(TW)( ): Token-watchdog-time .....	142
6.2.43	V(VSEQ): Version of sequence number value List .....	142
6.3	Functions used in state tables .....	143
7	FAL service protocol machine (FSPM) .....	146
7.1	Overview .....	146
7.2	Cyclic-data protocol machine .....	146
7.2.1	Overview .....	146
7.2.2	Cyclic-data primitives between FAL user and FSPM .....	146
7.2.3	State table .....	147
7.3	Message data protocol machine .....	149
7.3.1	Overview .....	149
7.3.2	Message-data primitive between FAL user and FSPM .....	149
7.3.3	State table .....	153
7.4	Load measurement protocol machine .....	163
7.4.1	Overview .....	163
7.4.2	Load measurement primitive between FAL user and FSPM .....	163
7.4.3	State table .....	164
7.5	General purpose communication server protocol machine .....	168
7.5.1	Overview .....	168
7.5.2	GP command server primitives between FAL user and FSPM .....	168
7.5.3	State table .....	168
7.6	Network management protocol machine .....	170
7.6.1	Overview .....	170
7.6.2	Network management primitives .....	170
7.6.3	State table .....	171
8	Application relationship protocol machine (ARPM) .....	174
8.1	Overview .....	174
8.2	Cyclic-TX/RX control .....	175
8.2.1	Overview .....	175
8.2.2	Cyclic-TX/RX control primitives between FSPM and ARPM .....	175
8.2.3	State table .....	176
8.3	Message-TX/RX control .....	176
8.3.1	Overview .....	176
8.3.2	Message-TX/RX control primitives between FSPM and ARPM .....	176
8.3.3	State table .....	177
8.4	Command server TX/RX control .....	177
8.4.1	Overview .....	177
8.4.2	Command server TX/RX primitives between FSPM and ARPM .....	178

8.4.3	State table .....	178
8.5	AR control .....	178
8.5.1	Overview .....	178
8.5.2	AR control primitives between FSPM and ARPM .....	179
8.5.3	State table .....	179
9	DLL mapping protocol machine (DMPM) .....	202
9.1	Overview .....	202
9.2	Mapping of DMPM service primitives and DLL service primitives .....	202
9.3	Mapping DMPM service port to DLSAP .....	204
9.4	Mapping of Network address to each node .....	204
	Bibliography .....	206
	Figure 1 – Bit identification in an octet .....	26
	Figure 2 – Bit identification in multiple octets (four-octet case) .....	27
	Figure 3 – Data sharing with the CM .....	28
	Figure 4 – Protocol stack for Type 26 fieldbus .....	29
	Figure 5 – The structure of ASEs for Type 26 FAL .....	30
	Figure 6 – A token circulation on a logical ring .....	32
	Figure 7 – Logical ring recovery .....	34
	Figure 8 – An example in case of start simultaneously with another node .....	36
	Figure 9 – Start alone case .....	37
	Figure 10 – Node addition: in-ring start-up state .....	38
	Figure 11 – Data sharing with the CM .....	40
	Figure 12 – Configuration of the Common-memory .....	41
	Figure 13 – Example of train of multiple extended-cyclic-data frames .....	42
	Figure 14 – APDUs of cyclic-data frames containing fragmented data .....	43
	Figure 15 – Example of sequential diagram of ACK over UDP channel .....	46
	Figure 16 – Delivery confirmation checked by TCP protocol .....	47
	Figure 17 – Train of data frames and a token frame .....	49
	Figure 18 – Frame structure .....	50
	Figure 19 – Structure of Trans-msgData .....	70
	Figure 20 – Structure of B_BlK_Rd_rspData with M_RLT = 0 .....	73
	Figure 21 – Structure of B_BlK_Rd_rspData in case of M_RLT = 1 .....	73
	Figure 22 – Structure of B_BlK_Wt_reqDat .....	75
	Figure 23 – Structure of B_BlK_Wt_rspData in case of M_RLT = 1 .....	75
	Figure 24 – Structure of W_BlK_Rd_rspData with M_RLT = 0 .....	77
	Figure 25 – Structure of W_BlK_Rd_rspData in case of M_RLT = 1 .....	77
	Figure 26 – Structure of W_BlK_Wt_reqDat .....	79
	Figure 27 – Structure of W_BlK_Wt_rspData in case of M_RLT = 1 .....	79
	Figure 28 – Structure of Net-para-Rd-rspData with M_RLT = 0 .....	81
	Figure 29 – Structure of Net-para-Rd-rspData with M_RLT = 1 .....	82
	Figure 30 – Structure of Net-para-Wrt-reqData .....	84
	Figure 31 – Structure of Net-para-Wrt-rspData with M_RLT = 1 .....	85
	Figure 32 – Structure of Stop-cmdData with M_RLT = 1 .....	87

Figure 33 – Structure of Op-cmdData with M_RLT = 1 .....	88
Figure 34 – Structure of Profile-readData with M_RLT = 0 .....	90
Figure 35 – Structure of Profile-readData with M_RLT = 1 .....	92
Figure 36 – Structure of Log-readData with M_RLT = 0.....	94
Figure 37 – Structure of Log-readData with M_RLT = 1.....	98
Figure 38 – Structure of Log-clearData .....	99
Figure 39 – Structure of Msg-return-reqData .....	101
Figure 40 – Structure of Msg-return-rspData .....	102
Figure 41 – Structure of V_msg_reqData .....	104
Figure 42 – Structure of V_msg_rspData in case of M_RLT = 0 .....	104
Figure 43 – Structure of V_msg_rspData in case of M_RLT = 1 .....	105
Figure 44 – Token-holding-time measurement result.....	109
Figure 45 – Structure of Sndr-logData.....	114
Figure 46 – Structure of Set-remote-node-config-para-ReqData.....	116
Figure 47 – Structure of Set-remote-node-config-para-RspData .....	117
Figure 48 – Structure of Read-rmt-partici-node-mgt-info-ReqData.....	119
Figure 49 – Structure of Read-rmt-partici-node-mgt-info-RspData.....	119
Figure 50 – Structure of Rmt-node-mgt-info-paraData.....	122
Figure 51 – Structure of Set-info-para-read-data .....	124
Figure 52 – Structure of ACKdata .....	128
Figure 53 – Structure of Ex-Net-para-Rd-rspData with M_RLT = 0 .....	131
Figure 54 – Structure of Ex-Net-para-Rd-rspData with M_RLT = 1 .....	132
Figure 55 – Structure of Ex-Net-para-Wrt-rec-Data .....	134
Figure 56 – Structure of Ex-Net-para-Wrt-rec-Data with M_RLT = 1 .....	135
Figure 57 – Relationship between FA protocol machines .....	136
Figure 58 – Overall structure of FS.M .....	146
Figure 59 – State transition diagram of Cyclic-data protocol machine.....	147
Figure 60 – State transition diagram of Message-data protocol machine .....	154
Figure 61 – State transition diagram of Load measurement protocol machine .....	164
Figure 62 – State transition diagram of GP-command-server protocol machine .....	169
Figure 63 – State transition diagram of Network management protocol machine .....	172
Figure 64 – Overall structure of ARPM.....	175
Figure 65 – State transition diagram of Cyclic-TX/RX control .....	176
Figure 66 – State transition diagram of Message-TX/RX control.....	177
Figure 67 – State transition diagram of Command server TX/RX protocol machine .....	178
Figure 68 – Overall state transition diagram of AR control protocol machine .....	180
Figure 69 – State transition diagram for message-data transmission.....	196
Figure 70 – State transition diagram for ACK creation and message-data reception.....	199
Figure 71 – Overall structure of DMPM .....	202
Figure 72 – DLSAP mapping.....	204
Figure 73 – Structure of IP address .....	205
Table 1 – Conventions used for state machines .....	25

Table 2 – Conventions used in state machine .....	25
Table 3 – Available functions to message-data transfer on UDP channel .....	44
Table 4 – Data transmission frame and the TCD value .....	50
Table 5 – Upper layer operating condition matrix .....	67
Table 6 – Transparent-msg-PDU specific values .....	70
Table 7 – Token-PDU specific values .....	71
Table 8 – Participation-req -PDU specific values .....	71
Table 9 – Byte-block-read-req-PDU specific values .....	72
Table 10 – Byte-block-read-rsp-PDU specific values .....	72
Table 11 – Byte-block-write-req-PDU specific values .....	74
Table 12 – Byte-block-write-rsp-PDU specific values .....	74
Table 13 – Word-block-read-req-PDU specific values .....	76
Table 14 – Word-block-read-rsp-PDU specific values .....	76
Table 15 – Word-block-write-req-PDU specific values .....	78
Table 16 – Word-block-write-rsp-PDU specific values .....	78
Table 17 – Network-parameter-read-req-PDU specific values .....	80
Table 18 – Network-parameter-read-rsp-PDU specific values .....	80
Table 19 – Values of data elements of Net-para-Rd-rspData .....	82
Table 20 – Network-parameter-write-req-PDU specific values .....	83
Table 21 – Network-parameter-write-rsp-PDU specific values .....	83
Table 22 – Values of the data elements of Net-para-Wrt-reqData .....	84
Table 23 – Stop-command-req-PDU specific values .....	85
Table 24 – Stop-command-rsp-PDU specific values .....	86
Table 25 – Operation-command-req-PDU specific values .....	87
Table 26 – Operation-command-rsp-PDU specific values .....	88
Table 27 – Profile-read-req-PDU specific values .....	89
Table 28 – Profile-read-rsp-PDU specific values .....	90
Table 29 – Trigger-PDU specific values .....	92
Table 30 – Log-data-read-req-PDU specific values .....	93
Table 31 – Log-data-read-rsp-PDU specific values .....	93
Table 32 – Contents of Log-readData .....	94
Table 33 – Log-data-clear-req-PDU specific values .....	98
Table 34 – Log-data-clear-rsp-PDU specific values .....	99
Table 35 – Message-return-req-PDU specific values .....	100
Table 36 – Message-return-rsp-PDU specific values .....	100
Table 37 – Vendor-specific-msg-req-PDU specific values .....	102
Table 38 – Vendor-specific-msg-rsp-PDU specific values .....	103
Table 39 – Start-TK-hld-time-mrmt-req-PDU specific values .....	105
Table 40 – Start-TK-hld-time-mrmt-rsp-PDU specific values .....	106
Table 41 – Terminate-TK-hld-time-mrmt-req-PDU specific values .....	107
Table 42 – Terminate-TK-hld-time-mrmt-rsp-PDU specific values .....	108
Table 43 – Value of the data element of TK-hld-timeData .....	109
Table 44 – Start-GP_Comm-sndr-log-req-PDU specific values .....	110

Table 45 – Start-GP_Comm-sndr-log-rsp-PDU specific values .....	111
Table 46 – Terminate-GP_Comm-sndr-log-req-PDU specific values .....	112
Table 47 – Terminate-GP_Comm-sndr-log-req-PDU specific values .....	113
Table 48 – Value of the data element of Sndr-logData .....	114
Table 49 – Set-remote-node-config-para-req-PDU specific values .....	115
Table 50 – Set-remote-node-config-para-rsp-PDU specific values .....	115
Table 51 – Value of the data element of Set-remote-node-config-para-ReqData .....	116
Table 52 – Bit definition of Update flag .....	117
Table 53 – Value of the data element of Set-remote-node-config-para-RspData .....	117
Table 54 – Read-rmt-partici-node-mgt-info-para-req-PDU specific values .....	118
Table 55 – Read-rmt-partici-node-mgt-info-para-rsp-PDU specific values .....	118
Table 56 – Value of the data element of Read-rmt-partici-node-mgt-info-RspData .....	120
Table 57 – Read-rmt- node-mgt-info-para-req-PDU specific values .....	120
Table 58 – Read-rmt- node-mgt-info-para-rsp-PDU specific values .....	121
Table 59 – Value of the data element of Rmt-node-mgt-info-paraData .....	122
Table 60 – Bit definition of Node status .....	123
Table 61 – Read-rmt-node-set-info-para-req-PDU specific values .....	123
Table 62 – Read-rmt-node-set-info-para-rsp-PDU specific values .....	124
Table 63 – Value of the data element of Set-info-para-read-data .....	125
Table 64 – Rest-node-req-PDU specific values .....	125
Table 65 – Rest-node-rsp-PDU specific values .....	126
Table 66 – Cyclic-data-w/wo-ACK-PDU specific values .....	126
Table 67 – Extended-cyclic-data-PDU specific values .....	127
Table 68 – Value of the element of ACKdata .....	128
Table 69 – Value of R_STSx field .....	128
Table 70 – Extended-participation-req-PDU specific values .....	129
Table 71 – Extended-network-parameter-read-req-PDU specific values .....	130
Table 72 – Extended-network-parameter-read-rsp-PDU specific values .....	131
Table 73 – Values of data elements of Ex-Net-para-Rd-rspData .....	131
Table 74 – Ex-network-parameter-write-req-PDU specific values .....	133
Table 75 – Ex-network-parameter-write-rsp-PDU specific values .....	134
Table 76 – Values of data elements of Ex-Net-para-Wrt-reqData .....	135
Table 77 – Value of R_STSx field .....	137
Table 78 – Functions used in state tables .....	143
Table 79 – Cyclic-data primitives between FAL user and FSPM .....	147
Table 80 – State table of Cyclic-data protocol machine .....	148
Table 81 – Message-data primitives between FAL user and FSPM .....	150
Table 82 – State table of Message-data protocol machine .....	154
Table 83 – Load measurement primitives between FAL user and FSPM .....	163
Table 84 – State table of Load measurement protocol machine .....	164
Table 85 – GP command server primitives between FAL user and FSPM .....	168
Table 86 – State table of General purpose command server protocol machine .....	169
Table 87 – Primitives used in network management protocol machine .....	170

Table 88 – State table of Network management protocol machine.....	172
Table 89 – Cyclic-TX/RX control primitives between FSPM and ARPM .....	175
Table 90 – State table of Cyclic-TX/RX control.....	176
Table 91 – Message-TX/RX control primitives between FSPM and ARPM.....	177
Table 92 – State table of Message-TX/RX control .....	177
Table 93 – Command server TX/RX primitives between FSPM and ARPM .....	178
Table 94 – State table of Command server TX/RX protocol machine.....	178
Table 95 – AR control primitives between FSPM and ARPM .....	179
Table 96 – Overall AR control state table .....	181
Table 97 – State table for message-data transmission .....	196
Table 98 – State table for ACK creation and message-data reception .....	200
Table 99 – Mapping of DMPM primitives and DLL service primitives .....	203
Table 100 – Supposed Transport service primitives .....	203
Table 101 – Mapping of output and input ports to DL-SAP .....	204

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –  
FIELDBUS SPECIFICATIONS –****Part 6-26: Application layer protocol specification –  
Type 26 elements**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-6-26 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This second edition cancels and replaces the first edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) expand Common-memory-area as a new Common-memory-area-3 (CM3);
- b) add new protocol elements with expansion of Common-memory-area:
  - Extended-cyclic-data transfer element;
  - Extended-participation-request element;
  - Extended-network-parameter-read element;
  - Extended-network-parameter-write element.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1204/FDIS	65C/1245/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementers and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems can work together in any combination.

## INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

### Part 6-26: Application layer protocol specification – Type 26 elements

## 1 Scope

### 1.1 General

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs".

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 26 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document defines in an abstract way the externally visible behavior provided by the Type 26 of the fieldbus Application Layer in terms of:

- the abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- the transfer syntax defining the application layer protocol data units conveyed between communicating application entities;
- the application context state machine defining the application service behavior visible between communicating application entities; and
- the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this document is to define the protocol provided to:

- define the wire-representation of the service primitives defined in IEC 61158-5-26, and
- define the externally visible behavior associated with their transfer.

This document specifies the protocol of the Type 26 fieldbus Application Layer, in conformance to the OSI Basic Reference Model (see ISO/IEC 7498-1) and the OSI Application Layer Structure (see ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.