

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Maritime navigation and radiocommunication equipment and systems – Digital interfaces –

Part 1: Single talker and multiple listeners

Matériels et systèmes de navigation et de radiocommunication maritimes – Interfaces numériques –

Partie 1: Emetteur unique et récepteurs multiples



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Maritime navigation and radiocommunication equipment and systems – Digital interfaces –
Part 1: Single talker and multiple listeners**

**Matériels et systèmes de navigation et de radiocommunication maritimes –
Interfaces numériques –
Partie 1: Emetteur unique et récepteurs multiples**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 47.020.70

ISBN 978-2-8322-5356-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
2 Normative references.....	11
3 Terms and definitions.....	13
3.1 General.....	13
3.2 Terms and definitions.....	13
4 Manufacturer's documentation	13
5 Hardware specification.....	13
5.1 General.....	13
5.2 Interconnecting wire	13
5.3 Conductor definitions.....	13
5.4 Electrical connections/shield requirements	14
5.5 Connector	14
5.6 Electrical signal characteristics.....	14
5.6.1 General	14
5.6.2 Signal state definitions	14
5.6.3 Talker drive circuits.....	14
5.6.4 Listener receive circuits	14
5.6.5 Electrical isolation.....	15
5.6.6 Maximum voltage on bus.....	15
6 Data transmission	15
7 Data format protocol	16
7.1 Characters	16
7.1.1 General	16
7.1.2 Reserved characters	16
7.1.3 Valid characters.....	16
7.1.4 Undefined characters	16
7.1.5 Character symbols.....	16
7.2 Fields.....	16
7.2.1 String.....	16
7.2.2 Address field.....	16
7.2.3 Data fields	17
7.2.4 Checksum field.....	18
7.2.5 Sequential message identifier field	18
7.3 Sentences.....	19
7.3.1 General structure	19
7.3.2 Description of approved sentences.....	19
7.3.3 Parametric sentences	19
7.3.4 Encapsulation sentences.....	20
7.3.5 Query sentences.....	22
7.3.6 Proprietary sentences	23
7.3.7 Command sentences	24
7.3.8 Valid sentences	24
7.3.9 Multi-sentence messages.....	25
7.3.10 Sentence transmission timing.....	25

7.3.11	Additions to approved sentences.....	25
7.4	Error detection and handling.....	25
7.5	Handling of deprecated sentences.....	25
8	Data content.....	26
8.1	Character definitions.....	26
8.2	Field definitions.....	28
8.3	Approved sentences.....	31
8.3.1	General format.....	31
8.3.2	AAM – Waypoint arrival alarm.....	31
8.3.3	ABK – AIS addressed and binary broadcast acknowledgement.....	31
8.3.4	ABM – AIS addressed binary and safety related message.....	32
8.3.5	ACA – AIS channel assignment message.....	33
8.3.6	ACK – Acknowledge alarm.....	35
8.3.7	ACN – Alert command.....	35
8.3.8	ACS – AIS channel management information source.....	36
8.3.9	AIR – AIS interrogation request.....	36
8.3.10	AKD – Acknowledge detail alarm condition.....	37
8.3.11	ALA – Report detailed alarm condition.....	38
8.3.12	ALC – Cyclic alert list.....	39
8.3.13	ALF – Alert sentence.....	40
8.3.14	ALR – Set alarm state.....	42
8.3.15	APB – Heading/track controller (autopilot) sentence B.....	42
8.3.16	ARC – Alert command refused.....	43
8.3.17	BBM – AIS broadcast binary message.....	44
8.3.18	BEC – Bearing and distance to waypoint – Dead reckoning.....	45
8.3.19	BOD – Bearing origin to destination.....	45
8.3.20	BWC – Bearing and distance to waypoint – Great circle.....	45
8.3.21	BWR – Bearing and distance to waypoint – Rhumb line.....	45
8.3.22	BWW – Bearing waypoint to waypoint.....	46
8.3.23	CUR – Water current layer – Multi-layer water current data.....	46
8.3.24	DBT – Depth below transducer.....	47
8.3.25	DDC – Display dimming control.....	47
8.3.26	DOR – Door status detection.....	48
8.3.27	DPT – Depth.....	49
8.3.28	DSC – Digital selective calling information.....	49
8.3.29	DSE – Expanded digital selective calling.....	50
8.3.30	DTM – Datum reference.....	50
8.3.31	EPV – Command or report equipment property value.....	51
8.3.32	ETL – Engine telegraph operation status.....	52
8.3.33	EVE – General event message.....	53
8.3.34	FIR – Fire detection.....	54
8.3.35	FSI – Frequency set information.....	55
8.3.36	GBS – GNSS satellite fault detection.....	56
8.3.37	GEN – Generic binary information.....	57
8.3.38	GFA – GNSS fix accuracy and integrity.....	58
8.3.39	GGA – Global positioning system (GPS) fix data.....	59
8.3.40	GLL – Geographic position – Latitude/longitude.....	59
8.3.41	GNS – GNSS fix data.....	60
8.3.42	GRS – GNSS range residuals.....	62

8.3.43	GSA – GNSS DOP and active satellites.....	64
8.3.44	GST – GNSS pseudorange noise statistics.....	66
8.3.45	GSV – GNSS satellites in view.....	67
8.3.46	HBT – Heartbeat supervision sentence.....	68
8.3.47	HCR – Heading correction report.....	69
8.3.48	HDG – Heading, deviation and variation.....	69
8.3.49	HDT – Heading true.....	70
8.3.50	HMR – Heading monitor receive.....	70
8.3.51	HMS – Heading monitor set.....	71
8.3.52	HRM – heel angle, roll period and roll amplitude measurement device.....	71
8.3.53	HSC – Heading steering command.....	72
8.3.54	HSS – Hull stress surveillance systems.....	72
8.3.55	HTC – Heading/track control command; HTD – Heading /track control data.....	72
8.3.56	LR1 – AIS long-range reply sentence 1.....	74
8.3.57	LR2 – AIS long-range reply sentence 2.....	74
8.3.58	LR3 – AIS long-range reply sentence 3.....	75
8.3.59	LRF – AIS long-range function.....	75
8.3.60	LRI – AIS long-range interrogation.....	76
8.3.61	MOB – Man over board notification.....	77
8.3.62	MSK – MSK receiver interface.....	79
8.3.63	MSS – MSK receiver signal status.....	79
8.3.64	MTW – Water temperature.....	79
8.3.65	MWD – Wind direction and speed.....	79
8.3.66	MWV – Wind speed and angle.....	80
8.3.67	NAK – Negative acknowledgement.....	80
8.3.68	NRM – NAVTEX receiver message.....	81
8.3.69	NRX – NAVTEX received message.....	82
8.3.70	NSR – Navigation status report.....	84
8.3.71	OSD – Own ship data.....	85
8.3.72	POS – Device position and ship dimensions report or configuration command.....	86
8.3.73	PRC – Propulsion remote control status.....	87
8.3.74	RLM – Return link message.....	88
8.3.75	RMA – Recommended minimum specific LORAN-C data.....	89
8.3.76	PMB – Recommended minimum navigation information.....	89
8.3.77	RMC – Recommended minimum specific GNSS data.....	90
8.3.78	ROR – Rudder order status.....	91
8.3.79	ROT – Rate of turn.....	92
8.3.80	RRT – Report route transfer.....	92
8.3.81	RPM – Revolutions.....	93
8.3.82	RSA – Rudder sensor angle.....	93
8.3.83	RSD – Radar system data.....	93
8.3.84	RTE – Routes.....	94
8.3.85	SFI – Scanning frequency information.....	95
8.3.86	SM1 – SafetyNET Message, All Ships/NavArea.....	95
8.3.87	SM2 – SafetyNET Message, Coastal Warning Area.....	97
8.3.88	SM3 – SafetyNET Message, Circular Area address.....	99
8.3.89	SM4 – SafetyNET Message, Rectangular Area Address.....	101

8.3.90	SMB – IMO SafetyNET Message Body	104
8.3.91	SPW – Security password sentence	105
8.3.92	SSD – AIS ship static data	106
8.3.93	STN – Multiple data ID	106
8.3.94	THS – True heading and status	107
8.3.95	TLB – Target label	107
8.3.96	TLL – Target latitude and longitude	107
8.3.97	TRC – Thruster control data	108
8.3.98	TRL – AIS transmitter-non-functioning log	109
8.3.99	TRD – Thruster response data	110
8.3.100	TTD – Tracked target data	110
8.3.101	TTM – Tracked target message.....	112
8.3.102	TUT – Transmission of multi-language text.....	113
8.3.103	TXT – Text transmission	114
8.3.104	UID – User identification code transmission.....	115
8.3.105	VBW – Dual ground/water speed.....	115
8.3.106	VDM – AIS VHF data-link message	116
8.3.107	VDO – AIS VHF data-link own-vessel report.....	117
8.3.108	VDR – Set and drift	117
8.3.109	VER – Version	118
8.3.110	VHW – Water speed and heading	118
8.3.111	VLW – Dual ground/water distance.....	119
8.3.112	VPW – Speed measured parallel to wind.....	119
8.3.113	VSD – AIS voyage static data.....	119
8.3.114	VTG – Course over ground and ground speed	120
8.3.115	WAT – Water level detection	120
8.3.116	WCV – Waypoint closure velocity	121
8.3.117	WNC – Distance waypoint to waypoint.....	122
8.3.118	WPL – Waypoint location	122
8.3.119	XDR – Transducer measurements.....	122
8.3.120	XTE – Cross-track error, measured.....	123
8.3.121	XTR – Cross-track error, dead reckoning	124
8.3.122	ZDA – Time and date	124
8.3.123	ZDL – Time and distance to variable point.....	124
8.3.124	ZFO – UTC and time from origin waypoint	124
8.3.125	ZTG – UTC and time to destination waypoint.....	125
9	Applications	125
9.1	Example parametric sentences.....	125
9.1.1	General	125
9.1.2	Example 1 – LORAN-C latitude/longitude	125
9.1.3	Example 2 – LORAN-C arrival alarm	125
9.1.4	Example 3 – Proprietary sentence	126
9.1.5	Example 4 – RMA examples.....	126
9.1.6	Example 5 – FSI examples.....	127
9.1.7	Example 6 – MSK/MSS examples	127
9.1.8	Example 7 – DSC and DSE sentences	127
9.1.9	Example 8 – FIR, DOR and WAT sentences.....	128
9.2	Example encapsulation sentences.....	128
9.3	Examples of receiver diagrams.....	128

Annex A (informative) Glossary	130
Annex B (normative) Guidelines for methods of testing and required test results	137
B.1 General.....	137
B.2 Definition of environmental conditions for the tests	137
B.3 Examination of the manufacturer's documentation	137
B.4 Test of hardware	138
B.4.1 Interface units.....	138
B.4.2 Input circuit test	138
B.4.3 Check of electrical isolation.....	138
B.4.4 Maximum input voltage test.....	138
B.4.5 Test arrangement for performance tests according to IEC 60945.....	138
B.4.6 Test under maximum interface workload	138
B.4.7 Test for correct parsing of sentences	139
B.4.8 Test under long term conditions	140
B.4.9 Protocol test of the interface of the EUT	140
Annex C (normative) Six-bit binary field conversion	146
Annex D (normative) Alarm system fields	149
Annex E (informative) Example of use of FIR, DOR and WAT sentences	158
E.1 Example of the use of system status messages.....	158
E.2 Use of system division codes.....	158
E.3 Send complete status	159
E.4 Change measurement point status	160
E.5 Point status change during a status update	160
E.6 Failure in a sub-system	160
E.7 Status updates when a sub-system is in fault.....	161
E.8 Signal a correction of a sub-system fault	161
Annex F (informative) Example encapsulation sentence.....	162
F.1 Example encapsulation sentence.....	162
F.2 AIS VHF data-link message vDM sentence encapsulation example	162
F.3 Background discussion on Encapsulation coding	162
F.4 Decoding the encapsulated string.....	164
F.5 Conversion from symbols to binary bits.....	164
F.6 Organising the binary message data.....	165
F.7 Interpreting the decoded binary strings	165
Bibliography	168
Figure 1 – Listener receive circuit.....	15
Figure 2 – Data transmission format	15
Figure 3 – Example 1, J-FET, N channel, opto-isolator based listener circuit.....	129
Figure 4 – Example 2, NPN opto-isolator based listener circuit	129
Figure C.1 – 6-bit binary code converted to valid IEC 61162-1 character	147
Figure C.2 – Valid IEC 61162-1 character converted to 6-bit binary code	148
Figure E.1 – Example system diagram.....	159
Figure F.1 – Message data format	163
Figure F.2 – Work sheet for decoding and interpreting encapsulated string	167

Table 1 – Reserved characters.....	26
Table 2 – Valid characters.....	26
Table 3 – Character symbol.....	27
Table 4 – Talker identifier mnemonics	28
Table 5 – Field type summary.....	30
Table B.1 – Example – Special characters.....	139
Table B.2 – Example – Parsing	139
Table B.3 – Example – Future extensions.....	140
Table B.4 – Example – Data string GGA sent by the EUT to the test receiver (listener)	141
Table B.5 – Example – Checksum data sent.....	141
Table B.6 – Example – Data string GNS received by the EUT	143
Table B.7 – Example – Checksum data received	144
Table B.8 – Example – Break of data line	145
Table B.9 – Example – Receiving interval.....	145
Table B.10 – Example – Talker ID	145
Table C.1 – Six-bit binary field conversion table.....	146
Table D.1 – System alarm fields.....	149
Table F.1 – Example message from ITU-R M.1371.....	166

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION
EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –****Part 1: Single talker and multiple listeners**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61162-1 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This bilingual version (2018-02) corresponds to the English version, published in 2016-08.

This fifth edition cancels and replaces the fourth edition published in 2010, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- new identifiers have been added to Table 4;
- the sentences CBR and MEB have been removed as they are now solely used by AIS shore based equipment;

- new sentences ACN, ALC, ALF, ARC, EPV, HCR, HRM, MOB, NSR, RLM, RRT, SM1, SM2, SM3, SM4, SMB, SPW and TRL have been added;
- revisions have been made to ABK, ABM, GNS, NAK, NRM, RMC, ROR and TTD;
- the methods of testing in Annex B have been revised.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/799/FDIS	80/806/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

A list of all parts in the IEC 61162 series, published under the general title *Maritime navigation and radiocommunication equipment and systems – Digital interface*, can be found on the IEC website.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61162 Maritime navigation and radiocommunication equipment and systems – Digital interfaces consists of 5 parts which specify digital interfaces for application in marine navigation, radiocommunication and system integration, as follows:

- Part 1: *Single talker and multiple listeners;*
- Part 2: *Single talker and multiple listeners, high speed transmission;*
- Part 3: *Multiple talkers and multiple listeners – Serial data instrument network;*
- Part 450: *Multiple talkers and multiple listeners – Ethernet interconnection;*
- Part 460: *Multiple talkers and multiple listeners – Ethernet interconnection – Safety and security*

IEC technical committee 80 interface standards are developed with input from manufacturers, private and government organisations and equipment operators. The information is intended to meet the needs of users at the time of publication, but users should recognise that as applications and technology change, interface standards should change as well. Users of this standard are advised to immediately inform the IEC of any perceived inadequacies therein.

The first edition of IEC 61162-1 was published in 1995. The second edition published in 2000 removed some sentences which were no longer in use, added some new sentences and included details of the ship equipment defined in IMO resolutions together with appropriate sentences for communication between them. This information was subsequently removed from the third edition when it became the practice to specify the sentence formatters in the individual standards for equipment.

The third edition published in 2007 introduced a re-arrangement of the text and new sentences particularly to support the Automatic Identification System and the Voyage Data Recorder. The third edition also introduced a further type of start of sentence delimiter. The conventional delimiter “\$” was retained for the conventional sentences which are now called parametric sentences. The new delimiter “!” identifies sentences that conform to special purpose encapsulation.

The fourth edition removed some sentences which were not in use, added some new sentences for new applications and made some corrections and additions. In particular the sentences of relevance to satellite navigation receivers were expanded to facilitate the description of new satellite systems.

This fifth edition also removes some sentences which are no longer in use, adds some new sentences for new applications and makes some corrections and additions.

Liaison has been maintained with NMEA and this edition has been aligned where appropriate with NMEA 0183 version 4.10.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 1: Single talker and multiple listeners

1 Scope

This part of IEC 61162 contains the requirements for data communication between maritime electronic instruments, navigation and radiocommunication equipment when interconnected via an appropriate system.

This part of IEC 61162 is intended to support one-way serial data transmission from a single talker to one or more listeners. These data are in printable ASCII form and may include information such as position, speed, depth, frequency allocation, etc. Typical messages may be from about 11 to a maximum of 79 characters in length and generally require transmission no more rapidly than one message per second.

The electrical definitions in this standard are not intended to accommodate high-bandwidth applications such as radar or video imagery, or intensive database or file transfer applications. Since there is no provision for guaranteed delivery of messages and only limited error checking capability, this standard should be used with caution in all safety applications.

For applications where a faster transmission rate is necessary, reference should be made to IEC 61162-2.

For applications to shore based equipment of the automatic identification system (AIS) reference should be made to the IEC 62320 series.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61097-6, *Global maritime distress and safety system (GMDSS) – Part 6: Narrowband direct-printing telegraph equipment for the reception of navigational and meteorological warnings and urgent information to ships (NAVTEX)*

IEC 61108 (all parts), *Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS)*

IEC 61162 (all parts), *Maritime navigation and radiocommunication equipment and systems – Digital interface*

IEC 61162-2:1998, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high-speed transmission*