

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Lamp controlgear –
Part 2-7: Particular requirements for ~~battery~~ electric source for safety services
(ESSS) supplied electronic controlgear for emergency lighting (self-contained)

Appareillages de lampes –
Partie 2-7: ~~Règles~~ Exigences particulières relatives aux appareillages
électroniques alimentés par ~~batteries~~ source électrique de sécurité (ESSS)
pour l'éclairage de secours (autonome)



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications provided. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Lamp controlgear –

Part 2-7: Particular requirements for ~~battery~~ electric source for safety services (ESSS) supplied electronic controlgear for emergency lighting (self-contained)

Appareillages de lampes –

Partie 2-7: ~~Règles~~ Exigences particulières relatives aux appareillages électroniques alimentés par ~~batteries~~ source électrique de sécurité (ESSS) pour l'éclairage de secours (autonome)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.99

ISBN 978-2-8322-1063-6

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

Currently in preview, click buy full version

REDLINE VERSION

VERSION REDLINE



Lamp controlgear –

Part 2-7: Particular requirements for ~~battery~~ electric source for safety services (ESSS) supplied electronic controlgear for emergency lighting (self-contained)

Appareillages de lampes –

Partie 2-7: ~~Règles~~ Exigences particulières relatives aux appareillages électroniques alimentés par ~~batteries~~ source électrique de sécurité (ESSS) pour l'éclairage de secours (autonome)

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
INTRODUCTION to Amendment 1	6
INTRODUCTION to Amendment 2	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 General requirements.....	9
5 General notes on tests	12
6 Classification.....	12
7 Marking.....	12
8 Protection against accidental contact with live parts	15
9 Terminals	15
10 Provisions for protective earthing	15
11 Moisture resistance and insulation.....	15
12 Electric strength	15
13 Thermal endurance test for windings of ballasts controlled by electronic devices	15
14 Fault conditions Void	15
15 Starting conditions.....	15
16 Lamp current.....	16
17 Supply current.....	16
18 Maximum current in any lead (with cathode preheating)	16
19 Lamp operating current waveforms	16
20 Functional safety (EBLF, EOF _x)	17
21 Changeover operation	21
22 Recharging device.....	21
23 Protection against excessive discharge	25
24 Indicator	26
25 Remote control, rest mode, inhibition mode	26
26 Temperature cycling test and endurance test	28
27 Polarity reversal	28
28 Fault conditions	29
29 Construction	29
30 Creepage distances and clearances	29
31 Screws, current-carrying parts and connections.....	29
32 Resistance to heat, fire and tracking.....	29
33 Resistance to corrosion	29
34 Abnormal lamp conditions	30
35 Protection of associated components	35
Annex A (normative) Test to establish whether a conductive part is a live part, which may cause an electric shock	37

Annex B (normative) Particular requirements for thermally protected lamp controlgear	37
Annex C (normative) Particular requirements for electronic lamp controlgear with means of protection against overheating.....	37
Annex D (normative) Requirements for carrying out the heating test of thermally protected lamp controlgear	37
Annex E (normative) Use of constant S other than 4 500 in t_w tests.....	37
Annex F (normative) Draught-proof enclosure.....	37
Annex G (normative) Explanation of the derivation of the values of pulse voltages	38
Annex H (normative) Tests	38
Annex I (normative) Batteries ESSSs for emergency lighting luminaires	38
Annex J (informative) Rest mode and inhibition mode facilities	38
Annex K (normative) Ballasts Controlgear incorporating an automatic testing function for emergency lighting operation.....	39
Annex L (informative) Compatibility between normal mains operation electronic controlgear and battery electric source for safety services (ESSS) powered emergency operation controlgear.....	42
Annex M (informative) Example of battery manufacturer's declaration of design for a Li battery	45
Bibliography.....	46
Figure 1 – Suitable circuit for the measurement of lamp current and luminous flux.....	19
Figure 2 – Circuit for testing rectifying effect test	32
Figure 3 – Circuit to test whether a controlgear can withstand a leaking burner	34
Figure 4 – Circuit to test whether a ballast controlgear can withstand rectification	35
Figure L.1 – Timing diagram: changeover operation.....	43
Figure L.2 – Supply voltage for the function test	44
Table 1 – Voltage per cell to which the battery is discharged	22
Table 2 – Relation between r.m.s. RMS working voltage and maximum peak voltage.....	36
Table 3 – Voltage, current and temperature values per cell.....	25
Table K.1 – Relevant requirements of IEC 62034.....	39
Table M.1 – Example of battery manufacturer's declaration of design for a Li battery.....	45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LAMP CONTROLGEAR –

Part 2-7: Particular requirements for ~~battery~~ electric source for safety services (ESSS) supplied electronic controlgear for emergency lighting (self-contained)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparatory work. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters expressed, as far as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 61347-2-7 edition 3.1 contains the third edition (2011-12) [documents 34C/995/FDIS and 34C/1002/RVD], its amendment 1 (2017-10) [documents 34C/1354/FDIS and 34C/1359/RVD] and its amendment 2 (2021-12) [documents 34C/1536/FDIS and 34C/1540/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61347-2-7 has been prepared by subcommittee 34C: Auxiliaries for lamps, of IEC technical committee 34: Lamps and related equipment.

This third edition constitutes a technical revision.

Significant changes introduced into this third edition include:

- modification of IEC 61347-2-7 to become a standard exclusively for d.c. battery supplied electronic controlgear for emergency lighting (self-contained). IEC 61347-2-3 Annex J is intended to cover centrally supplied emergency controlgear;
- update of Clause 22 – Recharging devices;
- modification of Clause 20 battery voltage characterisation to support “BL” measurement. This to simplify and increase reproducibility of testing;
- rationalisation of requirements between IEC 61347-2-7 and IEC 60598-2-22 requirements of IEC 60598-2-22 being transferred to IEC 61347-2-7.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard shall be used in conjunction with IEC 61347-1. This part 2 supplements or modifies the corresponding clauses in IEC 61347-1.

NOTE In this standard, the following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

A list of all parts of the IEC 61347 series, published under the general title *Lamp controlgear*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The formatting into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

This standard, and the parts which make up IEC 61347-2, in referring to any of the clauses of IEC 61347-1, specify the extent to which such a clause is applicable and the order in which the tests are to be performed; they also include additional requirements, as necessary. All parts which make up IEC 61347-2 are self-contained and, therefore, do not include reference to each other.

Where the requirements of any of the clauses of IEC 61347-1 are referred to in this standard by the phrase "The requirements of Clause n of IEC 61347-1 apply", this phrase is interpreted as meaning that all requirements of the clause in question of Part 1 apply, except any which are clearly inapplicable to the specific type of lamp controlgear covered by this particular part of IEC 61347-2.

INTRODUCTION to Amendment 1

EBLF is the ratio of the light output of a light source in emergency mode to the rated light output under normal conditions. EBLF is controlled by the output characteristics (current, voltage, power) of the controlgear with which the light source is operated.

For conventional lamps like fluorescent lamps, the EBLF is defined by the light output ratio of the lamp operated at 100 % and in emergency mode.

$$EBLF = \Phi_{\text{emergency}} / \Phi_{100\%}$$

For this measurement no special lamp is required, it is expected that all lamps of the same type show a very similar light output ratio independent of its manufacturer. The measurement is done at an ambient temperature of 25 °C. Due to the same dimensions and the identical cooling system (free air) the thermal conditions are identical for all lamps. The result is fully reproducible without any additional condition.

Special requirements for LED light sources

The light output of LED light sources depends also on the temperature at which they are operated. Typically the temperature is controlled by a heat sink on which it is mounted (e.g. luminaire surface).

This amendment describes a test method to evaluate the EBLF via an output factor (EOF_X) taking into account that the ratio of the forward current of the LED controlgear is directly proportional to the LED light output. Any non-linearity due to the increased efficacy at lower operation temperature leads to an increased tolerance of the light output in the emergency mode but always positive.

Controlgear, which operates the LED light source in normal operation as well as in emergency operation can be marked directly with the output factor. Controlgear, operating the LED module in emergency mode only needs to be marked with the output value, for example the forward current $I_{\text{emergency}}$.

INTRODUCTION to Amendment 2

The following significant technical changes have been introduced in this Amendment 2:

- a) clarification of rest mode and inhibiting mode requirements;
- b) introduction of requirements for controlgear using lithium batteries;
- c) introduction of requirements for controlgear using electric double-layer capacitors (EDLCs);
- d) introduction of the term "electric source for safety services (ESSS)" to cover both batteries and EDLCs;
- e) clarification of changeover operation requirements.

LAMP CONTROLGEAR –

Part 2-7: Particular requirements for ~~battery~~ electric source for safety services (ESSS) supplied electronic controlgear for emergency lighting (self-contained)

1 Scope

This part of IEC 61347 specifies particular safety requirements for ~~battery~~ electric source for safety services (ESSS) supplied electronic controlgear for maintained and non-maintained emergency lighting purposes.

It includes specific requirements for electronic controlgear and control units for self-contained luminaires for emergency lighting as specified ~~by~~ in IEC 60598-2-22.

It is intended for controlgear for fluorescent lamps, ~~but it is also applicable to~~ and other lamp types ~~e.g.~~ for example incandescent lamps, high pressure discharge lamps and LEDs.

This ~~standard~~ document covers the emergency mode operation of a controlgear. For controlgear with a combination of normal and emergency lighting operation, the normal lighting operation aspects are covered by the appropriate Part 2 of the IEC 61347 series.

DC supplied electronic controlgear for emergency lighting ~~may~~ can (or ~~may~~ not) include ~~batteries~~ the electric source for safety services (ESSS).

~~This standard also includes operational requirements for electronic controlgear, which, in the case of d.c. supplied electronic controlgear, are regarded as performance requirements. This is because non-operational emergency lighting equipment presents a safety hazard. It~~ This document does not apply to d.c. supplied electronic controlgear for emergency lighting, which are intended for connection to a ~~centralised~~ centralized emergency power supply system. A ~~centralised~~ centralized emergency power system could be a central battery system.

NOTE Annex J of IEC 61347-2-3:2011/AMD1:2016 applies to a.c., a.c./d.c. or d.c. supplied electronic controlgear for connection to ~~centralised~~ centralized emergency power supply systems that are also intended for emergency lighting operations from a.c./d.c. supplies.

2 Normative references

For the purpose of this part of IEC 61347, the normative references given in Clause 2 of IEC 61347-1, which are mentioned in this standard, apply, together with the following normative references.

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 60598-2-22:2021, *Luminaires – Part 22: Particular requirements – Luminaires for emergency lighting*

IEC 60901, *Single-capped fluorescent lamps – Performance specifications*

IEC 60921, *Ballasts for tubular fluorescent lamps – Performance requirements*

IEC 60929, *AC and/or DC-supplied electronic control gear for tubular fluorescent lamps – Performance requirements*