

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Electronic railway equipment – Train communication network (TCN) –  
Part 2-3: TCN communication profile**

**Matériel électronique ferroviaire – Réseau embarqué de train (TCN) –  
Partie 2-3: Profil de communication TCN**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2015 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Electronic railway equipment – Train communication network (TCN) –  
Part 2-3: TCN communication profile**

**Matériel électronique ferroviaire – Réseau embarqué de train (TCN) –  
Partie 2-3: Profil de communication TCN**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 45.060.01

ISBN 978-2-8322-6098-2

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	13
INTRODUCTION.....	15
1 Scope.....	16
2 Normative references.....	17
3 Terms, definitions, abbreviations, acronyms, and conventions.....	18
3.1 Terms and definitions.....	18
3.2 Abbreviations and acronyms.....	26
3.3 Conventions.....	28
3.3.1 Base of numeric values.....	28
3.3.2 Character strings and citations.....	28
3.3.3 Naming conventions.....	29
3.3.4 Diagram conventions.....	29
3.3.5 Annotation of data structures.....	29
4 Architecture.....	31
4.1 General.....	31
4.2 Physical train architecture (system breakdown).....	31
4.2.1 General.....	31
4.2.2 Train network architectures.....	31
4.2.3 Closed Trains.....	35
4.2.4 Directions.....	36
4.2.5 Consist and vehicle basic properties.....	37
4.3 Logical Train Architecture (Functional Breakdown).....	38
4.3.1 General.....	38
4.3.2 Service classification.....	38
4.3.3 Operational Services Overview.....	39
4.3.4 Service Provider.....	40
5 Common ETB framework.....	40
5.1 General.....	40
5.1.1 Overview.....	40
5.1.2 Interoperability.....	40
5.2 CSTINFO program.....	41
5.2.1 General.....	41
5.2.2 Closed train support (Option).....	41
5.2.3 Protocol.....	41
5.2.4 CSTINFO classes.....	41
5.2.5 CSTINFO Notification Message.....	42
5.2.6 CSTINFO Request.....	43
5.3 Train topology database.....	45
5.3.1 General.....	45
5.3.2 Computation of the TTDB.....	47
5.3.3 Data structure.....	52
5.3.4 Train Topology Database for multiple ETBs (Option).....	60
5.4 Service Addressing.....	62
5.4.1 General.....	62
5.4.2 TCN Domain Name System (TCN-DNS).....	63
5.4.3 TCN Domain Names.....	64
5.4.4 TCN-URI Scheme.....	64

5.4.5	Mapping TCN-URI to IP address .....	71
5.4.6	Support of other URI schemas .....	74
5.5	TCN-DNS Server.....	74
5.5.1	General .....	74
5.5.2	Architecture .....	75
5.5.3	Functional address resolution.....	75
5.5.4	Protocol .....	77
5.5.5	Multiple ETBs .....	78
5.6	Data exchange .....	78
5.6.1	General .....	78
5.6.2	Operational network communication.....	78
5.6.3	OMTS network communication.....	79
5.6.4	Quality of Service (QoS).....	79
5.7	Service discovery .....	80
5.8	Train Info Service.....	80
6	Services of the communication profile – ETB Control Service .....	80
6.1	General.....	80
6.2	Communication model.....	80
6.3	ECSP Supervision.....	81
6.4	ECSP Interconnection .....	81
6.4.1	General .....	81
6.4.2	ETBCTRL telegram exchange selection .....	81
6.4.3	ETBCTRL telegram transmission .....	82
6.4.4	Structure of the ETBCTRL telegram .....	82
6.4.5	Operational train directory computation process .....	85
6.5	Function “Leading” .....	87
6.5.1	General .....	87
6.5.2	Function primitives.....	88
6.5.3	ECSP to ECSP protocol .....	89
6.6	Function Confirmation/ Connection .....	93
6.6.1	General .....	93
6.6.2	Function primitives.....	93
6.6.3	ECSP to ECSP protocol .....	95
6.6.4	State diagram .....	98
6.6.5	ECSP failure.....	100
6.7	Computation of the operational train directory.....	100
6.7.1	General .....	100
6.7.2	Action setCorrInfo.....	101
6.7.3	Action computeOpTrnDir.....	104
6.8	Function Sleep Mode (Option) .....	107
6.8.1	General .....	107
6.8.2	Sleep Mode Use Case (informal).....	107
6.8.3	Exclusivity.....	109
6.8.4	Function primitives.....	109
6.8.5	ECSP to ECSP protocol .....	111
Annex A (normative)	Train Real-Time Data Protocol (TRDP) .....	115
A.1	General.....	115
A.2	Lower Layers .....	115
A.2.1	Data link layer.....	115

A.2.2	Network Layer.....	115
A.2.3	Transport Layer .....	116
A.3	TRDP FCS Computation.....	117
A.4	Interaction between TRDP user and TRDP Layer.....	119
A.5	Communication Identifier (ComId) .....	119
A.6	Process Data .....	121
A.6.1	Communication model.....	121
A.6.2	Roles .....	121
A.6.3	Communication pattern .....	121
A.6.4	Addressing.....	126
A.6.5	PD-PDU.....	126
A.6.6	Interaction between application and TRDP protocol layer.....	129
A.6.7	Topography counter check .....	136
A.6.8	State Machine.....	137
A.7	Message Data .....	141
A.7.1	Communication model.....	141
A.7.2	Roles .....	142
A.7.3	Communication pattern .....	142
A.7.4	Addressing.....	143
A.7.5	MD-PDU .....	143
A.7.6	Interaction between application and TRDP layer.....	147
A.7.7	Topography counter check .....	151
A.7.8	MD protocol state machine.....	152
A.7.9	TCP Connection Handling .....	161
A.8	Message data echo server (option).....	162
Annex B (normative)	Safe Data Transmission (SDTv2).....	163
B.1	General.....	163
B.2	Overview of SDTv2 (informative).....	163
B.3	Safety functional requirements .....	164
B.4	Safety measures .....	164
B.5	Operational states of the SDTv2 channel.....	165
B.6	Data presentation .....	166
B.7	SC-32 .....	166
B.8	SID .....	169
B.9	Vital Data Packet .....	170
B.10	Exclusivity.....	171
B.11	Configuration time parameters.....	171
B.12	Safe data source (SDSRC).....	171
B.12.1	General .....	171
B.12.2	Safe Data Preparation (Application) .....	171
B.12.3	Safe data sending .....	172
B.13	Safe data sink (SDSINK) .....	173
B.13.1	General .....	173
B.13.2	Definitions .....	174
B.13.3	SDSINK States .....	175
B.13.4	VDP Sampling.....	176
B.13.5	VDP Integrity Check.....	177
B.13.6	Sink time supervision .....	178
B.13.7	Guard time check.....	178

B.13.8	Latency monitoring.....	179
B.13.9	Channel monitoring.....	181
B.13.10	SDTV2 Application Interface.....	182
B.13.11	Change of operational train composition.....	183
B.14	Diagnosis and statistics.....	183
B.15	Safe data transmission over MVB (informative).....	184
B.15.1	General.....	184
B.15.2	MVB-VDP.....	184
B.15.3	SDTV2 protocol deviations for MVB.....	185
B.16	SDTV2 with TRDP message data.....	186
Annex C (informative)	Train Real-Time Data Protocol Configuration (TRDP).....	187
C.1	General.....	187
C.2	Device Parameters.....	188
C.3	Device Configuration Parameters.....	189
C.4	Bus Interface List.....	189
C.4.1	General.....	189
C.4.2	Bus Interface Configuration.....	190
C.5	Mapped Device Parameters.....	201
C.5.1	General.....	201
C.5.2	Mapped Bus Interface Parameters.....	202
C.6	Communication Parameters (ComPar).....	204
C.6.1	General.....	204
C.6.2	Default Communication Parameters.....	205
C.7	DataSet Parameters.....	205
C.7.1	General.....	205
C.7.2	DataSet Element.....	207
C.7.3	Examples of DataSets.....	209
Annex D (informative)	Access to End Device (ED) statistics.....	213
D.1	General.....	213
D.2	Structures.....	213
D.2.1	General.....	213
D.2.2	tlc_getSubsStatistics.....	215
D.2.3	tlc_getPubStatistics.....	215
D.2.4	tlc_getUcpListStatistics, tlc_getTcpListStatistics.....	215
D.2.5	tlc_getEdStatistics.....	216
D.3	ED interface for statistic data access.....	216
D.3.1	General.....	216
D.3.2	TRDP interface.....	216
Annex E (informative)	Service interface.....	218
E.1	General.....	218
E.2	Service provider.....	219
E.2.1	Proxies.....	219
E.2.2	Performance.....	219
E.3	ECSP interface.....	219
E.3.1	General.....	219
E.3.2	ECSP control telegram.....	219
E.3.3	ECSP status telegram.....	221
E.3.4	ECSP Confirmation/Correction Request.....	224
E.4	TTDB manager interface.....	227

E.4.1	General .....	227
E.4.2	TTDB status information .....	227
E.4.3	TTDB notification .....	228
E.4.4	TTDB information – train directory .....	228
E.4.5	TTDB information – static consist information .....	229
E.4.6	TTDB information – train network directory information .....	230
E.4.7	Operational train directory information .....	231
E.4.8	Read TTDB .....	232
E.5	DNS server interface .....	233
E.5.1	DNS standard interface .....	233
E.5.2	DNS TCN interface .....	233
E.6	ETBN control interface .....	239
E.6.1	General .....	239
E.6.2	ETBN control and status data .....	240
E.6.3	ETBN train network directory .....	243
Annex F (normative)	Communication profile conformance test guideline .....	244
F.1	General .....	244
F.2	Scope of conformance test .....	244
F.3	Conformance test overview .....	245
F.4	Test laboratory .....	245
F.4.1	General .....	245
F.4.2	Tasks .....	245
F.5	Guideline for writing conformance test specifications .....	246
F.5.1	Overview of the main components .....	246
F.5.2	Protocol Implementation Conformance Statement (PICS) .....	246
F.5.3	Abstract test architecture .....	247
F.5.4	Protocol Implementation exchange information for Testing (PIXIT) .....	247
F.5.5	Test suite structure .....	247
F.6	Abstract test architecture (continuation) .....	247
F.6.1	General .....	247
F.6.2	Test architecture with one ETB .....	248
F.6.3	Test architecture for multiple ETB .....	248
F.6.4	Set-up for automatic test .....	248
F.7	Test of conformity to the common ETB framework .....	249
F.7.1	General .....	249
F.7.2	Test of CSTINFO telegram .....	249
F.7.3	Test of TTDB .....	249
F.7.4	Test of service addressing and TCN-DNS server .....	249
F.7.5	Test of data exchange .....	250
F.7.6	Test of service discovery .....	251
F.7.7	Test of train info service .....	251
F.8	ETB Control Service conformity test .....	251
F.8.1	General .....	251
F.8.2	Test control interface for the test of ETB control services .....	251
F.9	Echo function .....	259
F.9.1	General .....	259
F.9.2	TRDP echo test .....	259
F.9.3	Reverse-Echo test .....	260
F.10	Statement of conformity .....	261

Annex G (informative) SNMP Management Information Base (MIB) .....	263
G.1    General.....	263
G.2    TTDB-MIB.....	263
G.3    TRDP-MIB.....	268
Bibliography .....	279

Figure 1 – IEC 61375-2-3 as connecting element between train backbone and application .....	17
Figure 2 – Train structure in accordance to IEC 61375-1 (example) .....	31
Figure 3 – Train structure seen from viewpoint of the communication profile (example).....	31
Figure 4 – Train network (example) .....	32
Figure 5 – Possible couplings of operational network and multimedia network.....	33
Figure 6 – Gateway between operational network and multimedia network (example).....	34
Figure 7 – Example: three coupled Consists .....	35
Figure 8 – Example: Closed Train.....	36
Figure 9 – Service classification .....	39
Figure 10 – CSTINFO notification data .....	43
Figure 11 – CSTINFOCTRL telegram .....	45
Figure 12 – TTDB management block diagram .....	45
Figure 13 – TTDB Content.....	46
Figure 14 – TTDB computation block diagram .....	47
Figure 15 – Train directory computation state diagram .....	48
Figure 16 – TTDB class diagram (example).....	52
Figure 17 – TTDB adoption (in this example shown for the first consist).....	61
Figure 18 – TCN-DNS name space with division into zones .....	63
Figure 19 – TCN-URI Schema.....	65
Figure 20 – Directions, orientations and numbers in train.....	66
Figure 21 – TCN-URI resolving in train .....	75
Figure 22 – DNS protocol (case a without, case b with TTDB interrogation) .....	78
Figure 23 – ETB control service model .....	80
Figure 24 – ETBCTRL telegram exchange.....	81
Figure 25 – ETBCTRL telegram.....	82
Figure 26 – Operational train directory computation block diagram.....	85
Figure 27 – ETBCTRL processing state diagram.....	86
Figure 28 – Leading sequence diagram .....	88
Figure 29 – Leading vehicle function state machine block diagram.....	90
Figure 30 – State diagram of leading function .....	91
Figure 31 – Confirmation sequence diagram.....	94
Figure 32 – Confirmation/correction function state machine block diagram.....	95
Figure 33 – Correction/confirmation protocol sequence chart (example).....	97
Figure 34 – Unconfirm protocol sequence chart (example).....	98
Figure 35 – Confirmation/correction state diagram .....	99
Figure 36 – Action “setCorrInfo” block diagram .....	101
Figure 37 – Train composition consistency check examples.....	104

Figure 38 – Computation of the operational train directory .....	105
Figure 39 – computeOpTrnDir state chart .....	106
Figure 40 – Use case “sleep mode” state diagram .....	109
Figure 41 – Sleep control sequence diagram .....	110
Figure 42 – Sleep control function state machine block diagram .....	111
Figure 43 – Sleep request protocol sequence chart (example) .....	112
Figure 44 – Sleep control state diagram .....	113
Figure A.1 – Overview of the protocol stack .....	115
Figure A.2 – FCS Computation .....	117
Figure A.3 – FCS Table .....	118
Figure A.4 – TRDP service model .....	119
Figure A.5 – PD push pattern (point to point) .....	122
Figure A.6 – PD push pattern (point to multipoint) .....	122
Figure A.7 – PD pull pattern (point to point, sink knows source) .....	123
Figure A.8 – PD pull pattern (multipoint to point, sink does not know source) .....	124
Figure A.9 – PD pull pattern (point to multipoint, sink knows source) .....	125
Figure A.10 – PD pull pattern (multipoint to multipoint, sink does not know source) .....	126
Figure A.11 – PD-PDU .....	127
Figure A.12 – Interaction sequence chart for PD pull pattern .....	134
Figure A.13 – Interaction sequence chart for PD push pattern .....	135
Figure A.14 – Interaction sequence chart for redundant PD handling .....	136
Figure A.15 – PD State diagram publisher .....	137
Figure A.16 – PD State diagram requester .....	139
Figure A.17 – PD State diagram subscriber .....	140
Figure A.18 – Message data transfer options .....	142
Figure A.19 – MD-PDU .....	144
Figure A.20 – Interaction sequence chart .....	151
Figure A.21 – TRDP layer MD caller state chart .....	154
Figure A.22 – TRDP layer MD replier state chart .....	157
Figure A.23 – TRDP layer MD telegram reception .....	160
Figure B.1 – SDTV2 Channel .....	163
Figure B.2 – SDTV2 Channel States .....	166
Figure B.3 – SC-32 Computation .....	167
Figure B.4 – SC-32 Table .....	168
Figure B.5 – SID Computation .....	169
Figure B.6 – ETB-VDP .....	170
Figure B.7 – Format of ETB-VDP .....	171
Figure B.8 – Redundancy Group (Example with 2 SDSRC) .....	173
Figure B.9 – SDSINK state diagram .....	175
Figure B.10 – Window of expected SSC (example) .....	177
Figure B.11 – Guard time violation (example) .....	179
Figure B.12 – Latency violation sequence chart (example) .....	180
Figure B.13 – MVB-VDP .....	184

Figure B.14 – Format of MVB-VDP .....	185
Figure C.1 – TRDP configuration block diagram .....	187
Figure C.2 – Exchange Parameters with the central key ComId.....	195
Figure C.3 – DataSet structure .....	206
Figure D.1 – TRDP statistics data telegrams.....	216
Figure E.1 – Service interfaces block diagram .....	218
Figure E.2 – ECSP interface telegrams.....	219
Figure E.3 – ECSP control data .....	220
Figure E.4 – ECSP status data .....	222
Figure E.5 – ECSP confirm/correction request data .....	225
Figure E.6 – ECSP confirm/correction reply data .....	226
Figure E.7 – TTDB manager interface telegrams .....	227
Figure E.8 – TCN-URI resolving .....	233
Figure E.9 – DNS resolving request data .....	236
Figure E.10 – DNS resolving reply data .....	238
Figure E.11 – ETBN control interface telegrams .....	239
Figure E.12 – ETBN control request data.....	240
Figure E.13 – ETBN status reply data .....	241
Figure F.1 – Consist interface on ETB level .....	244
Figure F.2 – Scope of conformance test .....	245
Figure F.3 – Abstract test architecture (1 ETB) .....	248
Figure F.4 – Abstract test architecture (2 ETBs) .....	248
Figure F.5 – Unit under test abstract architecture .....	249
Figure F.6 – Conformance test control telegram .....	252
Figure F.7 – Conformance test control telegram data.....	252
Figure F.8 – Conformance test status telegram .....	253
Figure F.9 – Conformance test status telegram data.....	254
Figure F.10 – (Un-)confirmation request .....	254
Figure F.11 – Conformance test confirmation/correction request data .....	255
Figure F.12 – Conformance test confirmation/correction reply data .....	256
Figure F.13 – Conformance test operational train directory request.....	257
Figure F.14 – Conformance test operational train directory request data .....	257
Figure F.15 – Conformance test operational train directory reply data .....	258
Figure F.16 – Echo test .....	259
Figure F.17 – Reverse-Echo test .....	260
Figure F.18 – Conformance test message data telegram data.....	261
Table 1 – Data type keywords and notations .....	30
Table 2 – ETB control service.....	40
Table 3 – Train directory computation – triggers .....	49
Table 4 – Train directory computation – guards .....	49
Table 5 – Train directory computation – actions .....	49
Table 6 – TCN URI basic syntax.....	64

Table 7 – General schema syntax.....	64
Table 8 – Device label syntax .....	67
Table 9 – Device label definition .....	67
Table 10 – vehicle label syntax.....	68
Table 11 – Veh (vehicle) label definition .....	68
Table 12 – Consist label syntax .....	69
Table 13 – Consist label definition .....	69
Table 14 – Closed train label syntax .....	70
Table 15 – Closed train label definition .....	70
Table 16 – Train label syntax.....	70
Table 17 – Train label definition.....	70
Table 18 – General decomposition of IP MC groups addresses.....	71
Table 19 – Decomposition of all-train groups .....	71
Table 20 – Decomposition of ETB-related groups .....	72
Table 21 – Decomposition of consist-limited groups.....	72
Table 22 – Well-known TCN-URI.....	73
Table 23 – TCN-URI resolving – Example 1.....	76
Table 24 – TCN-URI resolving – Example 2.....	76
Table 25 – TCN-URI resolving – Example 3.....	77
Table 26 – TCN-URI resolving – Example 4.....	77
Table 27 – Data class priorities .....	79
Table 28 – ETBCTRL processing – triggers .....	86
Table 29 – ETBCTRL processing – guards .....	86
Table 30 – ETBCTRL processing – actions.....	86
Table 31 – Leading function primitives – F_leadingStatusRequest .....	88
Table 32 – Leading function primitives – F_leadingSetRequest .....	88
Table 33 – Leading function primitives – F_leadingResetRequest .....	89
Table 34 – Leading function control flags.....	89
Table 35 – Leading function – triggers .....	92
Table 36 – Leading function – guards .....	92
Table 37 – Leading function – actions.....	92
Table 38 – Confirmation function primitives – F_confirmStatusRequest.....	94
Table 39 – Confirmation function primitives – F_confirmRequest .....	94
Table 40 – Confirmation function primitives – F_unconfirmRequest.....	94
Table 41 – Confirmation function control flags .....	95
Table 42 – Confirmation/correction state diagram – Trigger .....	99
Table 43 – Confirmation/correction state diagram – Guard.....	99
Table 44 – Confirmation/correction state diagram – Action.....	100
Table 45 – Confirmation/Correction rules.....	101
Table 46 – Operation Train Directory computation state diagram – Trigger.....	106
Table 47 – Operation Train Directory computation state diagram – Guards .....	106
Table 48 – Operation Train Directory computation state diagram – Action .....	107
Table 49 – Example of operational train directory .....	107

Table 50 – ETBN operating conditions.....	108
Table 51 – Sleep mode function primitives – F_sleepStatus.....	110
Table 52 – Sleep mode function primitives – F_sleepRequest.....	110
Table 53 – Sleep mode function primitives – F_sleepCancel.....	110
Table 54 – Sleep mode function primitives – F_nodeAwake.....	111
Table 55 – Sleep control function control flags.....	111
Table 56 – Sleep control state diagram – trigger.....	113
Table 57 – Sleep control state diagram – guards.....	113
Table 58 – Sleep control state diagram – action.....	114
Table A.1 – UDP/TCP port assignments.....	116
Table A.2 – Reserved ComIds.....	120
Table A.3 – PD-PDU parameters.....	128
Table A.4 – TRDP service primitives.....	129
Table A.5 – Topography counter check.....	136
Table A.6 – PD publisher state diagram – guards.....	137
Table A.7 – PD publisher state diagram – triggers.....	138
Table A.8 – PD publisher state diagram – actions.....	138
Table A.9 – PD publisher state diagram – states.....	138
Table A.10 – PD publisher state diagram – guards.....	139
Table A.11 – PD requester state diagram – triggers.....	139
Table A.12 – PD requester state diagram – actions.....	139
Table A.13 – PD requester state diagram – states.....	139
Table A.14 – PD subscriber state diagram – triggers.....	140
Table A.15 – PD subscriber state diagram – guards.....	140
Table A.16 – PD subscriber state diagram – actions.....	141
Table A.17 – PD subscriber state diagram – states.....	141
Table A.18 – MD-PDU parameters.....	145
Table A.19 – TRDP service primitives – Caller.....	147
Table A.20 – TRDP service primitives – Replier.....	148
Table A.21 – Topography counter check.....	152
Table A.22 – MD caller state diagram – triggers.....	154
Table A.23 – MD caller state diagram – guards.....	154
Table A.24 – MD caller state diagram – actions.....	155
Table A.25 – MD caller state diagram – states.....	155
Table A.26 – MD replier state diagram – triggers.....	158
Table A.27 – MD replier state diagram – guards.....	158
Table A.28 – MD replier state diagram – actions.....	158
Table A.29 – MD replier state diagram – states.....	159
Table A.30 – MD receiver state diagram – triggers.....	160
Table A.31 – MD receiver state diagram – guards.....	160
Table A.32 – MD receiver state diagram – actions.....	161
Table A.33 – MD receiver state diagram – states.....	161
Table B.1 – Deployed measures to communication errors.....	165

Table B.2 – SDSINK state diagram – triggers .....	176
Table B.3 – SDSINK state diagram – guards .....	176
Table B.4 – SDSINK state diagram – operations .....	176
Table B.5 – SDTV2 statistic counters .....	184
Table C.1 – Attributes for device tag .....	189
Table C.2 – Attributes for device-configuration tag .....	189
Table C.3 – Attributes for bus-interface tag .....	191
Table C.4 – Attributes for trdp-process tag .....	191
Table C.5 – Default values for thread/task .....	192
Table C.6 – Attributes for pd-com-parameter tag .....	192
Table C.7 – Default values for pd-com-parameter .....	193
Table C.8 – Attributes for md-com-parameter tag .....	194
Table C.9 – Default values for md-com-parameter .....	195
Table C.10 – Attributes for telegram tag .....	196
Table C.11 – Attributes for md-parameter tag .....	197
Table C.12 – Attributes for pd-parameter tag .....	198
Table C.13 – Attributes for source tag .....	199
Table C.14 – Attributes for destination tag .....	200
Table C.15 – Attributes for sdt-parameter tag .....	200
Table C.16 – Default values for sdt-parameter tag .....	201
Table C.17 – Attributes for mapped-device tag .....	202
Table C.18 – Attributes for mapped-bus-interface tag .....	203
Table C.19 – Attributes for mapped-telegram tag .....	203
Table C.20 – Attributes for mapped-pd-parameter tag .....	203
Table C.21 – Attributes for mapped-source tag .....	203
Table C.22 – Attributes for mapped-destination tag .....	204
Table C.23 – Attributes for mapped-SDTV2-parameter tag .....	204
Table C.24 – Attributes for com-parameter tag .....	205
Table C.25 – Default communication parameters .....	205
Table C.26 – Basic data types .....	206
Table C.27 – Attributes for data-set tag .....	207
Table C.28 – Attributes for element tag .....	208
Table C.29 – Use of element array size .....	209
Table F.1 – Conformance testing summary .....	262

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRONIC RAILWAY EQUIPMENT –  
TRAIN COMMUNICATION NETWORK (TCN) –**

**Part 2-3: TCN communication profile**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61375-2-3 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This bilingual version (2019-01) corresponds to the monolingual English version, published in 2015-07.

The text of this standard is based on the following documents:

FDIS	Report on voting
9/2029/FDIS	9/2048/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61375 series, published under the general title *Electronic railway equipment – Train communication network (TCN)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigenda of December 2015 and October 2016 have been included in this copy.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The IEC 61375 standard series specifies a Train Communication Network for usage in railway vehicles (trains) mainly intended for the exchange of TCMS related information, but not restricted to it. The specification starts from the physical layer up to the application layer and it involves different communication technologies.

This part of IEC 61375 (IEC 61375-2-3) defines the communication profile of the Train Communication Network so as to achieve interoperability between Consists connected by Ethernet Train Backbones as defined in IEC 61375-2-5.

The reasons for prompting the preparation of this part of IEC 61375 are:

- definition of the requirements necessary for communication interoperability on Ethernet Train Backbone level;
- full documentation of the requirements of all users, aligning them and setting them out in standard form;
- providing guidelines for the technical solution adopted for the train backbone interoperable communication;
- defining a conformance test guideline (Annex F) which gives guidance for checking the conformity of consists to the communication profile.

Concrete train applications for certain functionalities are not dealt with in this part of IEC 61375. They are contained in IEC 61375-2-4.

# **ELECTRONIC RAILWAY EQUIPMENT – TRAIN COMMUNICATION NETWORK (TCN) –**

## **Part 2-3: TCN communication profile**

### **1 Scope**

This part of IEC 61375 specifies rules for the data exchange between consists in trains. The aggregation of these rules defines the TCN communication profile.

The objective of the communication profile is to ensure interoperability between consists of the said trains with respect to the exchange of information. For this it defines all those items which are necessary for communication interoperability:

- an architecture with defined train directions related to different train views;
- a common functional addressing concept;
- common communication protocol for data exchange between functions;
- a set of services for train communication control.

As a restriction, this communication profile is adhered to the Ethernet Train Backbone (ETB) technology as defined in IEC 61375-2-5. Towards the consist networks, a more abstract interface is defined which does not restrict the appliance of any consist network technology as for instance MVB (IEC 61375-3-1), CANOpen (IEC 61375-3-3) or ECN (IEC 61375-3-4).

It is not within the scope of the communication profile to define application data content and its meaning (e.g. syntax and semantics). This is within the responsibility of the application profiles. Namely two application profiles are explicitly supported as shown in Figure 1: the TCMS application profile as defined in IEC 61375-2-4, and the onboard multimedia and telematic services (OMTS) related profiles as defined in the IEC 62580 series.