

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wind energy generation systems –
Part 24: Lightning protection**

**Systèmes de génération d'énergie éolienne –
Partie 24: Protection contre la foudre**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wind energy generation systems –
Part 24: Lightning protection**

**Systèmes de génération d'énergie éolienne –
Partie 24: Protection contre la foudre**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.180

ISBN 978-2-8322-8688-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	11
1 Scope.....	13
2 Normative references	13
3 Terms and definitions	15
4 Symbols and units	21
5 Abbreviated terms	24
6 Lightning environment for wind turbine	25
6.1 General.....	25
6.2 Lightning current parameters and lightning protection levels (LPL).....	25
7 Lightning exposure assessment.....	26
7.1 General.....	26
7.2 Assessing the frequency of lightning affecting a single wind turbine or a group of wind turbines.....	28
7.2.1 Categorization of lightning events	28
7.2.2 Estimation of average number of lightning flashes to a single or a group of wind turbines	28
7.2.3 Estimation of average annual number of lightning flashes near the wind turbine (N_M)	31
7.2.4 Estimation of average annual number of lightning flashes to the service lines connecting the wind turbines (N_L)	31
7.2.5 Estimation of average annual number of lightning flashes near the service lines connecting the wind turbine (N_I)	32
7.3 Assessing the risk of damage	33
7.3.1 Basic equation.....	33
7.3.2 Assessment of risk component due to flashes to the wind turbine (S1).....	34
7.3.3 Assessment of the risk component due to flashes near the wind turbine (S2)	34
7.3.4 Assessment of risk components due to flashes to a service line connected to the wind turbine (S3)	35
7.3.5 Assessment of risk component due to flashes near a service line connected to the wind turbine (S4)	35
8 Lightning protection of subcomponents.....	36
8.1 General.....	36
8.1.1 Lightning protection level (LPL)	36
8.1.2 Lightning protection zones (LPZ)	37
8.2 Baffles	37
8.2.1 General	37
8.2.2 Requirements	37
8.2.3 Verification	38
8.2.4 Protection design considerations	38
8.2.5 Test methods.....	41
8.3 Nacelle and other structural components	42
8.3.1 General	42
8.3.2 Hub	42
8.3.3 Spinner.....	42
8.3.4 Nacelle	43
8.3.5 Tower	43
8.3.6 Verification methods	44

8.4	Mechanical drive train and yaw system	44
8.4.1	General	44
8.4.2	Bearings	44
8.4.3	Hydraulic systems	45
8.4.4	Spark gaps and sliding contacts	46
8.4.5	Verification	46
8.5	Electrical low-voltage systems and electronic systems and installations	47
8.5.1	General	47
8.5.2	Equipotential bonding within the wind turbine	51
8.5.3	LEMP protection and immunity levels	52
8.5.4	Shielding and line routing	53
8.5.5	SPD protection	54
8.5.6	Testing methods for system immunity tests	58
8.6	Electrical high-voltage (HV) power systems	58
9	Earthing of wind turbines	60
9.1	General	60
9.1.1	Purpose and scope	60
9.1.2	Basic requirements	60
9.1.3	Earth electrode arrangements	60
9.1.4	Earthing system impedance	61
9.2	Equipotential bonding	61
9.2.1	General	61
9.2.2	Lightning equipotential bonding for metal installations	61
9.3	Structural components	62
9.3.1	General	62
9.3.2	Metal tubular type tower	62
9.3.3	Metal reinforced concrete towers	62
9.3.4	Lattice tower	62
9.3.5	Systems inside the tower	63
9.3.6	Concrete foundation	63
9.3.7	Rocky area foundation	63
9.3.8	Metal monopole foundation	64
9.3.9	Offshore foundation	64
9.4	Electrode shape dimensions	64
9.5	Execution and maintenance of the earthing system	65
10	Personal safety	65
11	Documentation of lightning protection system	67
11.1	General	67
11.2	Documentation necessary during assessment for design evaluation	67
11.2.1	General	67
11.2.2	General documentation	67
11.2.3	Documentation for rotor blades	68
11.2.4	Documentation of mechanical systems	68
11.2.5	Documentation of electrical and electronic systems	68
11.2.6	Documentation of earthing and bonding systems	68
11.2.7	Documentation of nacelle cover, hub and tower lightning protection systems	68
11.3	Site-specific information	69
11.4	Documentation to be provided in the manuals for LPS inspections	69

11.5	Manuals	69
12	Inspection of lightning protection system	69
12.1	Scope of inspection	69
12.2	Order of inspections	70
12.2.1	General	70
12.2.2	Inspection during production of the wind turbine	70
12.2.3	Inspection during installation of the wind turbine	70
12.2.4	Inspection during commissioning of the wind turbine and periodic inspection	70
12.2.5	Inspection after dismantling or repair of main parts	71
12.3	Maintenance	72
Annex A	(informative) The lightning phenomenon in relation to wind turbines	73
A.1	Lightning environment for wind turbines	73
A.1.1	General	73
A.1.2	The properties of lightning	73
A.1.3	Lightning discharge formation and electrical parameters	73
A.1.4	Cloud-to-ground flashes	74
A.1.5	Upward initiated flashes	80
A.2	Lightning current parameters relevant to the point of strike	83
A.3	Leader current without return stroke	84
A.4	Lightning electromagnetic impulse, LEMP, effects	84
Annex B	(informative) Lightning exposure assessment	85
B.1	General	85
B.2	Methodology to estimate the average annual flashes or strokes to the wind turbines of a wind farm and upward lightning activity in wind turbines	85
B.2.1	General	85
B.2.2	Methodology to determine average annual flashes to turbines of a wind farm estimation by increase of the location factor to consider upward lightning from wind turbines	85
B.2.3	Upward lightning percentage in wind farms	89
B.3	Explanation of terms	89
B.3.1	Damage and loss	89
B.3.2	Composition of risk	91
B.3.3	Assessment of risk components	91
B.3.4	Frequency of damage	92
B.3.5	Assessment of probability, P_X , of damage	93
B.4	Assessing the probability of damage to the wind turbine	94
B.4.1	Probability, P_{AT} , that a lightning flash to a wind turbine will cause dangerous touch and step voltage	94
B.4.2	Probability, P_{AD} , that a lightning flash to the wind turbine will cause injury to an exposed person on the structure	95
B.4.3	Probability, P_B , that a lightning flash to the wind turbine will cause physical damage	96
B.4.4	Probability, P_C , that a lightning flash to the wind turbine will cause failure of internal systems	97
B.4.5	Probability, P_M , that a lightning flash near the wind turbine will cause failure of internal systems	97
B.4.6	Probability, P_U , that a lightning flash to a service line will cause injury to human beings owing to touch voltage	97
B.4.7	Probability, P_V , that a lightning flash to a service line will cause physical damage	98

B.4.8	Probability, P_W , that a lightning flash to a service line will cause failure of internal systems	99
B.4.9	Probability, P_Z , that a lightning flash near an incoming service line will cause failure of internal systems.....	99
B.4.10	Probability P_P that a person will be in a dangerous place	100
B.4.11	Probability P_e that equipment will be exposed to damaging event.....	100
B.5	Assessing the amount of loss L_X in a wind turbine	100
B.5.1	General	100
B.5.2	Mean relative loss per dangerous event.....	100
Annex C (informative)	Protection methods for blades	102
C.1	General.....	102
C.1.1	Types of blades and types of protection methods for blades	102
C.1.2	Blade damage mechanism	103
C.2	Protection methods	104
C.2.1	General	104
C.2.2	Lightning air-termination systems on the blade surface or embedded in the surface	105
C.2.3	Adhesive metallic tapes and segmented diverter strips	105
C.2.4	Internal down conductor systems	106
C.2.5	Conducting surface materials.....	106
C.3	CFRP structural components	107
C.4	Particular concerns with conducting component	108
C.5	Interception efficiency	109
C.6	Dimensioning of lightning protection systems	110
C.7	Blade-to-hub connection	112
C.8	WTG blade field exposure.....	113
C.8.1	General	113
C.8.2	Application.....	113
C.8.3	Field exposure.....	113
Annex D (normative)	Test specifications	114
D.1	General.....	114
D.2	High-voltage strike attachment tests	114
D.2.1	Verification of air termination system effectiveness.....	114
D.2.2	Initial leader attachment test.....	114
D.2.3	Subsequent stroke attachment test.....	124
D.3	High current physical damage tests	128
D.3.1	General	128
D.3.2	Arc entry test.....	128
D.3.3	Conducted current test	133
Annex E (informative)	Application of lightning environment and lightning protection zones (LPZ).....	138
E.1	Lightning environment for blades	138
E.1.1	Application.....	138
E.1.2	Examples of simplified lightning environment areas	138
E.1.3	Area transitions	140
E.2	Definition of lightning protection zones for turbines (not blades).....	140
E.2.1	General	140
E.2.2	LPZ 0	141
E.2.3	Other zones.....	142

E.2.4	Zone boundaries.....	143
E.2.5	Zone protection requirements.....	144
Annex F (informative)	Selection and installation of a coordinated SPD protection in wind turbines.....	147
F.1	Location of SPDs.....	147
F.2	Selection of SPDs.....	147
F.3	Installation of SPDs.....	147
F.4	Environmental stresses of SPDs.....	148
F.5	SPD status indication and SPD monitoring in case of an SPD failure.....	149
F.6	Selection of SPDs with regard to protection level (U_p) and system level immunity.....	149
F.7	Selection of SPDs with regard to overvoltages created within wind turbines.....	149
F.8	Selection of SPDs with regard to discharge current (I_n) and impulse current (I_{imp}).....	149
Annex G (informative)	Information on bonding and shielding and installation technique.....	151
G.1	Additional information on bonding.....	151
G.2	Additional information on shielding and installation technique.....	152
Annex H (informative)	Testing methods for system level immunity test.....	155
Annex I (informative)	Earth termination system.....	160
I.1	General.....	160
I.1.1	Types of earthing systems.....	160
I.1.2	Construction.....	160
I.2	Electrode shape dimensions.....	162
I.2.1	Type of arrangement.....	162
I.2.2	Frequency dependence on earthing impedance.....	164
I.3	Earthing resistance expressions for different electrode configurations.....	165
Annex J (informative)	Example of defined measuring points.....	168
Annex K (informative)	Classification of lightning damage based on risk management.....	170
K.1	General.....	170
K.2	Lightning damage in blade.....	170
K.2.1	Classification of blade damage due to lightning.....	170
K.2.2	Possible cause of blade damage due to lightning.....	171
K.2.3	Countermeasures against blade damage due to lightning.....	172
K.3	Lightning damage to other components.....	174
K.3.1	Classification of damage in other components due to lightning.....	174
K.3.2	Countermeasures against lightning damage to other components.....	174
K.4	Typical lightning damage questionnaire.....	174
K.4.1	General.....	174
K.4.2	Sample of questionnaire.....	174
Annex L (informative)	Monitoring systems.....	178
Annex M (informative)	Guidelines for small wind turbines.....	180
Annex N (informative)	Guidelines for verification of blade similarity.....	181
N.1	General.....	181
N.2	Similarity constraints.....	181
Annex O (informative)	Guidelines for validation of numerical analysis methods.....	184
O.1	General.....	184
O.2	Blade voltage and current distribution.....	184
O.3	Indirect effects analysis.....	185

Annex P (informative) Testing of rotating components	186
P.1 General.....	186
P.2 Test specimen	186
P.2.1 Test specimen representing a stationary / quasi stationary bearing	186
P.2.2 Test specimen representing a rotating bearing	186
P.3 Test setup.....	186
P.3.1 Test set-up representing a stationary/quasi-stationary bearing	186
P.3.2 Test set-up representing a rotating bearing.....	187
P.4 Test procedure.....	188
P.5 Pass/fail criteria	189
Annex Q (informative) Earthing systems for wind farms	190
Bibliography.....	191
Figure 1 – Collection area of the wind turbine	30
Figure 2 – Example of collection area for a complete wind farm (A_{DWF}) with n wind turbines (black points) considering overlapping.....	30
Figure 3 – Collection area of wind turbine of height H_a and another structure of height H_b connected by underground cable of length L_C	33
Figure 4 – Examples of possible SPM (surge protection measures)	50
Figure 5 – Interconnecting two LPZ 1 using SPDs.....	51
Figure 6 – Interconnecting two LPZ 1 using shielded cable or shielded cable ducts.....	51
Figure 7 –Magnetic field inside an enclosure due to a long connection cable from enclosure entrance to the SPD	54
Figure 8 –Additional protective measures	55
Figure 9 – Examples of placement of HV arresters in two typical main electrical circuits of wind turbines	59
Figure A.1 – Processes involved in the formation of a downward initiated cloud-to-ground flash.....	75
Figure A.2 – Typical profile of a negative cloud-to-ground flash	76
Figure A.3 – Definitions of short stroke parameters (typically $T_2 < 2$ ms)	76
Figure A.4 – Definitions of long stroke parameters (typically 2 ms $< T_{long} < 1$ s).....	77
Figure A.5 – Possible components of downward flashes (typical in flat territory and to lower structures).....	79
Figure A.6 – Typical profile of a positive cloud-to-ground flash.....	80
Figure A.7 – Processes involved in the formation of an upward initiated cloud-to-ground flash during summer and winter conditions.....	80
Figure A.8 – Typical profile of a negative upward initiated flash	81
Figure A.9 – Possible components of upward flashes (typical to exposed and/or higher structures).....	82
Figure B.1 – Winter lightning world map based on LLS data and weather conditions.....	87
Figure B.2 – Detailed winter lightning maps based on LLS data and weather conditions	88
Figure B.3 – Ratio h/d description	88
Figure C.1 – Types of wind turbine blades	102
Figure C.2 – Lightning protection concepts for large modern wind turbine blades.....	105
Figure C.3 – Voltages between lightning current path and sensor wiring due to the mutual coupling and the impedance of the current path	108
Figure D.1 – Example of initial leader attachment test setup A.....	116

Figure D.2 – Possible orientations for the initial leader attachment test setup A.....	117
Figure D.3 – Definition of the blade length axis during strike attachment tests	118
Figure D.4 – Example of the application of angles during the HV test.....	118
Figure D.5 – Example of leader connection point away from test specimen.....	119
Figure D.6 – Initial leader attachment test setup B	120
Figure D.7 – Typical switching impulse voltage rise to flashover (100 µs per division).....	122
Figure D.8 – Subsequent stroke attachment test arrangement	125
Figure D.9 – Lightning impulse voltage waveform	126
Figure D.10 – Lightning impulse voltage chopped on the front	126
Figure D.11 – HV electrode positions for the subsequent stroke attachment test.....	127
Figure D.12 – High-current test arrangement for the arc entry test.....	130
Figure D.13 – Typical jet diverting test electrodes	131
Figure D.14 – Example of an arrangement for conducted current tests.....	135
Figure E.1 – Examples of generic blade lightning environment definition.....	139
Figure E.2 – Rolling sphere method applied on wind turbine	142
Figure E.3 – Mesh with large mesh dimension for nacelle with GFRP cover.....	143
Figure E.4 – Mesh with small mesh dimension for nacelle with CFRP cover.....	143
Figure E.5 – Two cabinets both defined as LPZ 2 connected via the shield of a shielded cable.....	144
Figure E.6 – Example: division of wind turbine into different lightning protection zones.....	145
Figure E.7 – Example of how to document a surge protection measures (SPM) system by division of the electrical system into protection zones with indication of where circuits cross LPZ boundaries and showing the long cables running between tower base and nacelle.....	146
Figure F.1 – Point-to-point installation scheme.....	148
Figure F.2 – Earthing connection installation scheme.....	148
Figure G.1 – Two control cabinets located on different metallic planes inside a nacelle	151
Figure G.2 – Magnetic coupling mechanism.....	152
Figure G.3 – Measuring of transfer impedance.....	154
Figure H.1 – Example circuit of a SPD discharge current test under service conditions.....	156
Figure H.2 – Typical test set-up for injection of test current.....	158
Figure H.3 – Example circuit of an induction test for lightning currents.....	159
Figure I.1 – Minimum length (l_1) of each earth electrode according to the class of LPS	163
Figure I.2 – Frequency dependence on the impedance to earth	164
Figure J.1 – Example of measuring points.....	168
Figure K.1 – Recommended countermeasures schemes according to the incident classification.....	172
Figure K.2 – Blade outlines for marking locations of damage	177
Figure N.1 – Definitions of blade aerofoil nomenclature	183
Figure O.1 – Example geometry for blade voltage and current distribution simulations.....	184
Figure O.2 – Example geometry for nacelle indirect effects simulations	185
Figure P.1 – Possible test setup for a pitch bearing	186
Figure P.2 – Possible injection of test current into a pitch bearing.....	187
Figure P.3 – Possible test setup for a main bearing	188
Figure P.4 – Example measurement of the series resistance of the test sample.....	189

Table 1 – Maximum values of lightning parameters according to LPL (adapted from IEC 62305-1)	25
Table 2 – Minimum values of lightning parameters and related rolling sphere radius corresponding to LPL (adapted from IEC 62305-1).....	26
Table 3 – Collection areas A_L and A_I of service line depending on whether aerial or buried	33
Table 4 – Parameters relevant to the assessment of risk components for wind turbine (corresponds to IEC 62305-2).....	36
Table 5 – Verification of bearing and bearing protection design concepts.....	45
Table 6 – LPS General inspection intervals.....	71
Table A.1 – Cloud-to-ground lightning current parameters	78
Table A.2 – Upward initiated lightning current parameters	82
Table A.3 – Summary of the lightning threat parameters to be considered in the calculation of the test values for the different LPS components and for the different LPL.....	83
Table B.1 – Recommended values of individual location factors.....	86
Table B.2 – Range of upward lightning activity as a function of winter lightning activity for wind farm located in flat terrain.....	89
Table B.3 – Values of probability, P_A , that a lightning flash to a wind turbine will cause shock to human beings owing to dangerous touch and step voltages (corresponds to IEC 62305-2).....	94
Table B.4 – Values of reduction factor r_t as a function of the type of surface of soil or floor (corresponds to IEC 62305-2).....	94
Table B.5 – Values of factor P_O according to the position of a person in the exposed area (corresponds to IEC 62305-2).....	95
Table B.6 – Values of probability, P_{LPS} , depending on the protection measures to protect the exposed areas of the wind turbine against direct lightning flash and to reduce physical damage (corresponds to IEC 62305-2)	95
Table B.7 – Values of probability P_S that a flash to a wind turbine will cause dangerous sparking (corresponds to IEC 62305-2).....	96
Table B.8 – Values of reduction factor r_D as a function of provisions taken to reduce the consequences of fire (corresponds to IEC 62305-2).....	96
Table B.9 – Values of reduction factor r_f as a function of risk of fire of the wind turbine (corresponds to IEC 62305-2).....	96
Table B.10 – Values of probability P_{LI} depending on the line type and the impulse withstand voltage U_W of the equipment (corresponds to IEC 62305-2)	100
Table B.11 – Loss values for each zone (corresponds to IEC 62305-2).....	101
Table B.12 – Typical mean values of L_T , L_D , L_F and L_O (corresponds to IEC 62305-2).....	101
Table C.1 – Material, configuration and minimum nominal cross-sectional area of air-termination conductors, air-termination rods, earth lead-in rods and down conductors ^a (corresponds to IEC 62305-3).....	110
Table C.2 – Physical characteristics of typical materials used in lightning protection systems (corresponds to IEC 62305-1)	111
Table C.3 – Temperature rise [K] for different conductors as a function of W/R (corresponds to IEC 62305-1).....	112
Table C.4 – Range of distribution of direct strikes from field campaigns collecting data on attachment distribution vs. the distance from the tip of wind turbine blades, 39 m to 45 m blades with and without CFRP.....	113
Table D.1 – Test current parameters corresponding to LPL I.....	132
Table D.2 – Test current parameters for winter lightning exposure testing (duration maximum 1 s)	132

Table D.3 – Test current parameters corresponding to LPL I.....	136
Table D.4 – Test current parameters corresponding to LPL I (for flexible paths).....	136
Table D.5 – Test current parameters for winter lightning exposure testing (duration maximum 1 s)	137
Table E.1 – Blade area definition for the example in concept A.....	140
Table E.2 – Blade area definition for the example in concept B	140
Table E.3 – Definition of lightning protection zones according to IEC 62305-1	141
Table F.1 – Discharge and impulse current levels for TN systems given in IEC 60364-5-53	150
Table F.2 – Example of increased discharge and impulse current levels for TN systems.....	150
Table I.1 – Impulse efficiency of several ground rod arrangements relative to a 12 m vertical ground rod (100 %).....	165
Table I.2 – Symbols used in Tables I.3 to I.6.....	165
Table I.3 – Formulae for different earthing electrode configurations	166
Table I.4 – Formulae for buried ring electrode combined with vertical rods	166
Table I.5 – Formulae for buried ring electrode combined with radial electrodes.....	167
Table I.6 – Formulae for buried straight horizontal electrode combined with vertical rods....	167
Table J.1 – Measuring points and resistances to be recorded	169
Table K.1 – Classification of blade damage due to lightning.....	171
Table K.2 – Matrix of blade damages due to lightning, taking account of risk management.....	173
Table K.3 – Classification of damage to other components due to lightning.....	174
Table L.1 – Considerations relevant for wide area lightning detection systems.....	178
Table L.2 – Considerations relevant for local active lightning detection systems	179
Table L.3 – Considerations relevant for local passive lightning detection systems.....	179
Table N.1 – Items to be checked and verified when evaluating similarity.....	182
Table P.1 – Test sequence for high current testing of rotating components	189

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ENERGY GENERATION SYSTEMS –**Part 24: Lightning protection****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61400-24 has been prepared by IEC technical committee 88: Wind energy generation systems.

This second edition cancels and replaces the first edition, published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) it is restructured with a main normative part, while informative information is placed in annexes.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
88/709/FDIS	88/713/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

WIND ENERGY GENERATION SYSTEMS –

Part 24: Lightning protection

1 Scope

This part of IEC 61400 applies to lightning protection of wind turbine generators and wind power systems. Refer to Annex M guidelines for small wind turbines.

This document defines the lightning environment for wind turbines and risk assessment for wind turbines in that environment. It defines requirements for protection of blades, other structural components and electrical and control systems against both direct and indirect effects of lightning. Test methods to validate compliance are included.

Guidance on the use of applicable lightning protection, industrial electrical and EMC standards including earthing is provided.

Guidance regarding personal safety is provided.

Guidelines for damage statistics and reporting are provided.

Normative references are made to generic standards for lightning protection, low-voltage systems and high-voltage systems for machinery and installations and electromagnetic compatibility (EMC).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60364-4-44, *Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances*

IEC 60364-5-53, *Electrical installations of buildings – Part 5-53: Selection and erection of electrical equipment – Isolation, switching and control*

IEC 60364-5-54, *Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors*

IEC 60364-6, *Low-voltage electrical installations – Part 6: Verification*

IEC TS 60479-1, *Effects of current on human beings and livestock – Part 1: General aspects*

IEC TR 60479-4, *Effects of current on human beings and livestock – Part 4: Effects of lightning strokes*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 61000 (all parts), *Electromagnetic compatibility (EMC)*