

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wind energy generation systems –
Part 26-1: Availability for wind energy generation systems**

**Systèmes de génération d'énergie éolienne –
Partie 26-1: Disponibilité des systèmes de génération d'énergie éolienne**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wind energy generation systems –
Part 26-1: Availability for wind energy generation systems**

**Systèmes de génération d'énergie éolienne –
Partie 26-1: Disponibilité des systèmes de génération d'énergie éolienne**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.180

ISBN 978-2-8322-6797-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	12
2 Normative references	12
3 Terms, definitions and abbreviated terms	13
3.1 Terms and definitions.....	13
3.2 Abbreviated terms.....	15
4 Information model.....	18
4.1 Basic model	18
4.2 Information categories	18
4.3 Information category priority	19
4.4 Services.....	20
4.5 Service delivery layers	21
4.5.1 General	21
4.5.2 Time layer	21
4.5.3 Actual service delivery layer	21
4.5.4 Potential service delivery layer	21
4.5.5 Lost service	22
4.6 Modelling multiple services	22
4.7 Determination of information categories for the WEGs	24
4.8 Application of the information model to components of the WEGS.....	25
5 Information categories	25
5.1 INFORMATION AVAILABLE.....	25
5.2 OPERATIVE	26
5.3 IN SERVICE	26
5.3.1 General	26
5.3.2 FULL PERFORMANCE	26
5.3.3 PARTIAL PERFORMANCE	27
5.3.4 READY STANDBY	27
5.4 OUT OF SERVICE.....	28
5.4.1 General	28
5.4.2 TECHNICAL STANDBY	28
5.4.3 OUT OF ENVIRONMENTAL SPECIFICATION	28
5.4.4 REQUESTED SHUTDOWN.....	29
5.4.5 OUT OF ELECTRICAL SPECIFICATION	29
5.5 NON-OPERATIVE.....	30
5.5.1 General	30
5.5.2 SCHEDULED MAINTENANCE	30
5.5.3 PLANNED CORRECTIVE ACTION	30
5.5.4 FORCED OUTAGE	31
5.5.5 SUSPENDED.....	31
5.6 FORCE MAJEURE.....	32
5.7 INFORMATION UNAVAILABLE.....	32
Annex A (informative) Entry and exit conditions overview for WEGS.....	33
Annex B (informative) Optional information categories for WEGS information model – illustrative explanation and examples.....	34

B.1	General.....	34
B.2	PARTIAL PERFORMANCE – optional categories	34
B.2.1	Introduction of optional categories	34
B.2.2	Derated	34
B.2.3	Degraded.....	35
B.3	OUT OF ENVIRONMENTAL SPECIFICATION – optional categories	36
B.3.1	Introduction of optional categories	36
B.3.2	Calm winds.....	36
B.3.3	Other environmental	36
B.4	PLANNED CORRECTIVE ACTION – optional categories	37
B.4.1	Introduction of optional categories	37
B.4.2	Retrofit	37
B.4.3	Upgrade	37
B.4.4	Other planned corrective action	37
B.5	FORCED OUTAGE – optional category.....	38
B.5.1	Introduction of optional categories	38
B.5.2	Response	38
B.5.3	Diagnostic	39
B.5.4	Logistic.....	39
B.5.5	Repair	39
B.6	SUSPENDED – optional categories.....	40
B.6.1	Introduction of optional categories	40
B.6.2	Suspended scheduled maintenance.....	40
B.6.3	Suspended planned corrective action	40
B.6.4	Suspended forced outage.....	40
B.7	Considerations of competing assignment of lost service.....	41
Annex C (informative)	Examples of availability indicators.....	42
C.1	General.....	42
C.1.1	Introduction to the scope of this annex	42
C.1.2	Time-based availability	42
C.1.3	Production-based availability	42
C.1.4	Mapping of availability and unavailability	43
C.2	Time-based availability	43
C.2.1	General	43
C.2.2	Time-based availability – "operational availability"	43
C.2.3	Time based availability – "technical availability".....	45
C.3	Production-based availability	46
C.3.1	General	46
C.3.2	Production-based availability – "operational availability"	46
C.3.3	Production-based availability – "technical availability".....	47
C.4	Capacity factor and other performance indicators	48
C.4.1	General	48
C.4.2	Capacity factor	49
C.4.3	Production ratio	49
C.4.4	Mean-value based information	49
Annex D (informative)	Verification scenarios – examples	50
D.1	General.....	50
D.2	Time-based scenarios for a WTGS.....	50
D.2.1	Introduction to verification scenarios.....	50

D.2.2	Scenario 1 – communication aspects	51
D.2.3	Scenario 2 – partial operational aspects	52
D.2.4	Scenario 3 – maintenance aspects	53
D.2.5	Scenario 4 – operational aspects	54
D.2.6	Scenario 5 – grid/electrical network aspects	57
D.2.7	Scenario 6 – environmental aspects	58
D.3	Production-based scenarios for a WTGS	60
D.3.1	Introduction to verification scenarios	60
D.3.2	Scenarios under FULL PERFORMANCE	60
D.3.3	Scenarios under PARTIAL PERFORMANCE	62
D.3.4	Scenarios under READY STANDBY	64
D.3.5	Scenarios under TECHNICAL STANDBY	65
D.3.6	Scenarios under OUT OF ENVIRONMENTAL SPECIFICATION	66
D.3.7	Scenarios under REQUESTED SHUTDOWN	67
D.3.8	Scenarios under OUT OF ELECTRICAL SPECIFICATION	68
D.3.9	Scenarios under SCHEDULED MAINTENANCE	69
D.3.10	Scenarios under PLANNED CORRECTIVE ACTION	69
D.3.11	Scenarios under FORCED OUTAGE	70
D.3.12	Scenarios under SUSPENDED	71
D.3.13	Scenarios under FORCE MAJEURE	72
D.4	Production-based scenarios for a WTGS – calculation of lost production	72
D.4.1	Introduction to verification scenarios	72
D.4.2	Production-based availability algorithm based on mandatory information categories ("operational availability")	72
D.4.3	Production-based availability algorithm – including optional categories ("technical availability")	75
D.5	Production-based scenarios for WPS	76
D.5.1	Introduction to verification scenarios	76
D.5.2	Example 1: Normal operation – all WPS	76
D.5.3	Example 2: Normal operation – part of WPS	77
D.5.4	Example 3: Contaminated WTGSs blades – all WPS	78
D.5.5	Example 4: Contaminated WTGSs blades – part of WPS	79
D.5.6	Example 5: BOP limitations – all WPS	80
D.5.7	Example 6: BOP limitations – part of WPS	81
D.5.8	Example 7: "Spinning reserve" – part of WPS	82
D.5.9	Example 8: "Spinning reserve" – all WPS	83
D.5.10	Example 9: Noise restrictions – warranty related	84
D.5.11	Example 10: Noise restrictions – environmentally related	86
D.5.12	Example 11: Ice storm on grid – all WPS	87
Annex E (informative)	Possible methods for determination of potential WEGS energy production	89
E.1	General	89
E.2	Specific power curve and velocities methods	89
E.2.1	General	89
E.2.2	Nacelle anemometer wind measurement with power curve	89
E.2.3	Upstream wind measurement with power curve	90
E.2.4	Met mast wind measurement with correction factors and power curve	90
E.3	Power-based methods	91
E.3.1	General	91

E.3.2	Average production of WPS	91
E.3.3	Average production of representative comparison WTGSs	92
E.3.4	Data acquisition with comparison chart/database	93
E.3.5	Average wind speed of WPS	93
E.4	Determination of potential production for a WPS – examples	94
E.4.1	Overview	94
E.4.2	Primary service	94
E.4.3	Secondary services	94
Annex F (informative)	Balance of plant integration	96
F.1	WPS functions and services	96
F.2	Externally required functions and services	96
F.3	Internally required functions and services	96
F.4	Expansion of the information model for BOP functions and services	97
Bibliography	98
Figure 1	– Data stakeholders for a wind energy generation system	10
Figure 2	– Information category overview	19
Figure 3	– Information category priority	20
Figure 4	– Three-layer information model	21
Figure 5	– Information categories, definitions for layer 2 and layer 3, mandatory categories	23
Figure 6	– Examples of an information model representing active energy, reactive energy, high and low frequency response services	24
Figure A.1	– Overview of the entry and exit conditions of all mandatory information categories described in this document	33
Figure B.1	– Information category overview – mandatory and optional	35
Figure B.2	– Workflow breakdown structure	38
Figure B.3	– Example of simultaneous degradation and derating	41
Figure E.1	– Step 1: Calculation of wind speed based on working WEGS 1 to n	93
Figure E.2	– Step 2: Estimation of lost production for WEGS not in FULL PERFORMANCE	94
Table C.1	– Example of mapping of available and unavailable information categories	43
Table D.1	– Verification scenarios – time allocation to information categories	50
Table D.2	– Verification scenarios – communication aspects	51
Table D.3	– Verification scenarios – partial operational aspects	52
Table D.4	– Verification scenarios – maintenance aspects	53
Table D.5	– Verification scenarios – operational aspects	54
Table D.6	– Verification scenarios – grid / electrical network aspects	57
Table D.7	– Verification scenarios – environmental aspects	58
Table D.8	– FULL PERFORMANCE: By definition, actual energy production is equal to the potential energy production	60
Table D.9	– FULL PERFORMANCE: Actual energy production is less than potential energy production but within agreed uncertainty	61
Table D.10	– FULL PERFORMANCE: Actual energy production greater than potential energy production	61
Table D.11	– PARTIAL PERFORMANCE – derated: Grid constraint	62

Table D.12 – PARTIAL PERFORMANCE – derated: Grid constraint, actual energy production less than requested	62
Table D.13 – Partial performance – derated: Output constraint due to excessive noise of the WTGS	63
Table D.14 – PARTIAL PERFORMANCE – derated: Dirt on blades constrained performance	63
Table D.15 – PARTIAL PERFORMANCE – derated: Ice accumulated on blades has been detected, WTGS is allowed to operate although the power performance is ‘derated’	64
Table D.16 – PARTIAL PERFORMANCE – degraded: WTGS deterioration known to the WTGS user	64
Table D.17 – READY STANDBY: Avian detection system	65
Table D.18 – READY STANDBY: Automatic generation control – Var support	65
Table D.19 – TECHNICAL STANDBY: WTGS is cable unwinding	65
Table D.20 – OUT OF ENVIRONMENTAL SPECIFICATION – calm winds	66
Table D.21 – OUT OF ENVIRONMENTAL SPECIFICATION – high winds	66
Table D.22 – OUT OF ENVIRONMENTAL SPECIFICATION – temperature too high	66
Table D.23 – REQUESTED SHUTDOWN: ice on blades is detected and WTGS user requests shutdown of the WTGS	67
Table D.24 – REQUESTED SHUTDOWN: Sector management	67
Table D.25 – REQUESTED SHUTDOWN: Noise nuisance - warranty claim	68
Table D.26 – OUT OF ELECTRICAL SPECIFICATION: Low voltage	68
Table D.27 – SCHEDULED MAINTENANCE: WTGS is under scheduled maintenance work by the WTGS manufacturer or maintenance provider within the time allowance agreed by the maintenance contract	69
Table D.28 – PLANNED CORRECTIVE ACTION: WTGS manufacturer or maintenance provider performs corrective action to the WTGS at his discretion outside the time allowance of scheduled maintenance	69
Table D.29 – FORCED OUTAGE: Short circuit	70
Table D.30 – FORCED OUTAGE: Corrosion	70
Table D.31 – FORCED OUTAGE: Overheating	71
Table D.32 – SUSPENDED: Suspended repair work due to storm with lightning	71
Table D.33 – FORCED OUTAGE: No access to the WTGS due to flooding impacting infrastructure	72
Table D.34 – Production-based availability algorithm based on mandatory information categories on ‘operational availability’	73
Table D.35 – Production-based availability algorithm – including optional categories, ‘technical availability’	75
Table D.36 – Scenario, Example 1: Normal operation – all WPS	77
Table D.37 – Scenario, Example 2: Normal operation – part of WPS	78
Table D.38 – Scenario, Example 3: Contaminated WTGSs blades – all WPS	79
Table D.39 – Scenario, Example 4: Contaminated WTGSs blades – part of WPS	80
Table D.40 – Scenario, Example 5: BOP limitations – all WPS	81
Table D.41 – Scenario, Example 6: BOP limitations – part of WPS	82
Table D.42 – Scenario, Example 8: ‘Spinning reserve’ – part of WPS	83
Table D.43 – Scenario, Example 7: ‘Spinning reserve’ – all WPS	84
Table D.44 – Scenario, Example 9: Noise restrictions – all WPS	85

Table D.45 – Scenario, Example 10: Noise restrictions – all WPS..... 86
Table D.46 – Scenario, Example 11: Ice storm on grid – all WPS..... 87
Table E.1 – Examples on how to determine potential production..... 95

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ENERGY GENERATION SYSTEMS –

Part 26-1: Availability for wind energy generation systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61400-26-1 has been prepared by IEC technical committee 88: Wind energy generation systems.

This first edition cancels and replaces IEC TS 61400-26-1:2011, IEC TS 61400-26-2:2014 and IEC TS 61400-26-3:2016.

The text of this International Standard is based on the following documents:

CDV	Report on voting
88/665/CDV	88/705/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61400 series, under the general title *Wind energy generation systems*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

Mandatory information categories defined in this document are written in capital letters; optional information categories are written in bold letters.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The intention of this International Standard is to define a common basis for exchange of information on availability metrics between stakeholders in the wind power generation business such as owners, utilities, lenders, operators, manufacturers, maintenance providers, consultants, regulatory bodies, certification bodies and insurance companies. From this diverse group of stakeholders, a number of external and internal interfaces arise in the operation and delivery of power. Some of these are energy related and many are informational. Since the intention is for a common basis of informational exchange, many of these interfaces are illustrated in Figure 1, which identifies external and internal elements related to energy production and asset management and which also benefit from a defined set of terms. This is achieved by providing an information model specifying how time designations shall be split into information categories.




Figure 1 – Data stakeholders for a wind energy generation system

Throughout the document, reference is made to wind energy generation systems (WEGS); however, the document may be used for a single wind turbine (WTGS), as well as for any number of WTGSs combined with additional components to represent a complete wind power station (WPS). The designation WEGS used throughout the document thus shall be understood as the specifications being applicable to individual wind turbines as well as for wind power stations.

The information model specifies the terminology for reporting availability indicators. Availability indicators include time-based and production-based availability. A WEGs includes all equipment up to the point of interconnection¹, or in case of a single WTGS in a WPS, the interconnection point defined by the user. Availability indicators are based upon fractions of time and the amount a service is providing or capable of providing within the time fractions, taking internal and external aspects into account. Internal aspects will include the WEGs' components and their condition. External aspects are wind and other weather conditions, as well as grid and substation conditions.

¹ Defined in IEC 60050-415:1999, Definition 415-04-01.

WIND ENERGY GENERATION SYSTEMS –

Part 26-1: Availability for wind energy generation systems

1 Scope

This part of IEC 61400 defines an information model from which time-based, and production-based availability indicators for services can be derived and reported.

The purpose is to provide standardised metrics that can be used to create and organise methods for availability calculation and reporting according to the user's needs.

The document provides information categories, which unambiguously describe how data is used to characterise and categorise the operation. The information model specifies category priority for discrimination between possible concurrent categories. Further, the model defines entry and exit criteria to allocate fractions of time and production values to the proper information category. A full overview of all information categories, exit and entry criteria is given in Annex A, see Figure A.1.

The document can be applied to any number of WTGSs, whether represented by an individual turbine, a fleet of wind turbines, a wind power station or a portfolio of wind power stations. A wind power station is typically made up of all WTGSs, functional services and balance of plant elements as seen from the point of common coupling.

Examples are provided in informative annexes which provide guidelines for calculation of availability indicators:

- examples of optional information categories, Annex B;
- examples of application of the information categories for determination of availability, Annex C;
- examples of application scenarios, Annex D;
- examples on methods for determination of potential production, Annex E;
- examples of how to expand the model to balance of plant elements, Annex F.

This document does not prescribe how availability indicators shall be calculated. The standard does not specify the method of information acquisition, how to estimate the production terms or to form the basis for power curve performance measurements – which is the objective of IEC 61400-12.

A degree of uncertainty is inherent in both the measurement of a power curve and the calculation of potential energy production. The stakeholders should agree upon acceptable uncertainty parameters.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-415, *International Electrotechnical Vocabulary – Part 415: Wind turbine generator systems*