

# INTERNATIONAL STANDARD

**IEC  
61523-3**

First edition  
2004-09

**IEEE 1497™**

---

---

## Delay and power calculation standards –

### Part 3: Standard Delay Format (SLF) for the electronic design process

© IEEE 2004 — Copyright - all rights reserved

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Inc.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)

The Institute of Electrical and Electronics Engineers, Inc, 3 Park Avenue, New York, NY 10016-5997, USA  
Telephone: +1 732 562 3800 Telefax: +1 732 562 1571 E-mail: [stds-info@ieee.org](mailto:stds-info@ieee.org) Web: [www.standards.ieee.org](http://www.standards.ieee.org)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия



## CONTENTS

FOREWORD .....	3
IEEE Introduction.....	7
1. Overview.....	8
1.1 Scope.....	8
1.2 Organization of this standard .....	8
2. References.....	9
3. Conventions .....	9
3.1 Terminology conventions.....	9
3.2 Syntactic conventions.....	9
4. SDF in the design process .....	12
4.1 Sharing of timing data .....	12
4.2 Using multiple SDF files in one design.....	12
4.3 Timing data and constraints .....	13
4.4 Timing environments .....	13
4.5 Back-annotation of timing data for design analysis .....	13
4.6 Forward-annotation of timing constraints for design synthesis.....	15
4.7 Timing models supported by SDF.....	16
5. Defining the standard delay format .....	18
5.1 SDF file content .....	18
5.2 Header section.....	20
5.3 Cells .....	25
5.4 Delays.....	28
5.5 Timing checks .....	46
5.6 Labels.....	60
5.7 Timing environment.....	62
Annex A (normative) Syntax of SDF .....	74
Annex B (informative) SDF file examples .....	84
Annex C (informative) List of Participants.....	89

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DELAY AND POWER CALCULATION STANDARDS –**

**Part 3: Standard Delay Format (SDF)  
for the electronic design process**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees, any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters expressed, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC/IEEE 61523-3 has been processed through IEC technical committee 93: Design automation.

The text of this standard is based on the following documents:

IEC Std	FDIS	Report on voting
1497 (2001)	93/191/FDIS	93/196/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives.

The committee has decided that the contents of this publication will remain unchanged until 2006.

IEC 61523 consists of the following parts, under the general title *Delay and power calculation standards*:

IEC 61523-1, Part 1: *Integrated circuit delay and power calculation systems*

IEC 61523-2, Part 2: *Pre-layout delay calculation specification of CMOS ASIC libraries*  
IEC/IEEE 61523-3, Part 3: *Standard Delay Format (SDF) for the electronic process*

Currently in preview, click buy full version

## IEC/IEEE Dual Logo International Standards

This Dual Logo International Standard is the result of an agreement between the IEC and the Institute of Electrical and Electronics Engineers, Inc. (IEEE). The original IEEE Standard was submitted to the IEC for consideration under the agreement, and the resulting IEC/IEEE Dual Logo International Standard has been published in accordance with the ISO/IEC Directives.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEC/IEEE Dual Logo International Standard is wholly voluntary. The IEC and IEEE disclaim liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEC or IEEE Standard document.

The IEC and IEEE do not warrant or represent the accuracy or content of the material contained herein and expressly disclaim any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEC/IEEE Dual Logo International Standards documents are supplied "AS IS".

The existence of an IEC/IEEE Dual Logo International Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEC/IEEE Dual Logo International Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through development of the state of the art and comments received from users of the standard.

Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEC and IEEE are not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Neither the IEC nor IEEE is undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEC/IEEE Dual Logo International Standards or IEEE Standard document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations – Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretation is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since the IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments for revision of IEC/IEEE Dual Logo International Standards are welcome from any interested party, regardless of membership affiliation with the IEC or IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331, USA and/or General Secretary, IEC, 1, rue de Varembe, PO Box 131, 1211 Geneva 20, Switzerland.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

NOTE: Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

# IEEE Standard for Standard Delay Format (SDF) for the Electronic Design Process

Sponsor

**Design Automation Standards Committee  
of the  
IEEE Computer Society**

Approved 5 December 2001

**IEEE-SA Standards Board**

**Abstract:** The Standard Delay Format (SDF) is defined in this standard. SDF is a textual file format for representing the delay and timing information of electronic systems. While both human and machine readable, in its most common usage it will be machine written and machine read in support of timing analysis and verification tools, and of other tools requiring delay and timing information. The primary audience for this standard is the implementors of tools supporting the format, but anyone with a need to understand the format's contents will find it useful.

**Keywords:** computer, computer languages, delay, delay backannotation, digital systems, electronic systems, hardware, hardware design, SDF, timing, timing analysis, timing backannotation, timing verification

## IEEE Introduction

The Standard Delay Format (SDF) was designed to serve as a simple textual medium for communicating timing information and constraints between EDA tools. The original version was designed by Rajit C. Chandra in 1990 while at Cadence Design Systems, and was intended as a means of communicating macrocell and interconnect delays from Gate Ensemble to Verilog-XL, Veritime and other stand-alone tools requiring timing data.

Because it was originally targeted for annotation to tools using the Verilog language, many SDF constructs are analogous to those in Verilog specify blocks. Those already familiar with the Verilog specify blocks will find many of the SDF constructs familiar, such as SETUP and PATHPULSE. SDF also includes constructs for annotating interconnect delays, and can be used for forward annotation by specifying path delay constraints from timing analysis to floorplanners, and synthesis and layout tools.

SDF was first introduced into the EDA marketplace in 1991 where it won quick acceptance. Cadence placed SDF in the public domain in 1992 when it turned control over to Open Verilog International (OVI), and OVI delivered the first SDF standard, version 2.0, in June, 1993 (SDF version 1.0 was used by Cadence). OVI has since introduced version 2.1 in February, 1994, and version 3.0 in May, 1995. VHDL (IEEE 1076) also takes advantage of SDF through the VITAL standard.

In 1996 the OVI Board of Directors began an effort to establish SDF as an IEEE standard. With the approval of the IEEE Design Automation Standards Committee (DASC), the OVI Logic Modeling Technical Subcommittee became the IEEE SDF Study Group. With the approval of the Project Authorization Request (PAR) by the IEEE Standards Board on February 10, 1997, this group became the IEEE SDF Working Group.

This IEEE SDF standard builds upon OVI SDF version 3.0, and will be known as version 4.0. The changes from OVI 3.0 to IEEE 4.0 are small (LABEL construct added, NETDELAY construct restored), but the change from OVI standard to IEEE standard is significant, and so this is recognized by a new version number.

### Objective

The starting point for the IEEE P1497 SDF Working Group was the OVI LRM version 3.0 SDF standard, with the goal of soliciting further enhancements and improving the quality and rigor of the LRM. Since SDF has been in widespread use, no modifications that would invalidate current usage were considered.

### Acknowledgments

This standard is based on work originally developed by Cadence Design Systems, Inc. (in SDF 1.0) and Open Verilog International (in SDF 2.0, 2.1 and 3.0). The IEEE is grateful to Cadence Design Systems and Open Verilog International for permission to use their materials as the basis for this standard.

# DELAY AND POWER CALCULATION STANDARDS –

## Part 3: Standard Delay Format (SDF)

### for the electronic design process

## 1. Overview

### 1.1 Scope

The Standard Delay Format (SDF) is an existing OVI standard for the representation and interpretation of timing data for use at any stage of the electronic design process. The ASCII data in the SDF file is represented in a tool and language independent way and includes port delays, timing constraint values, interconnect delays and high level technology parameters. This standard describes the IEEE version of the SDF standard.

This standard should serve as a complete specification of the Standard Delay Format (SDF). It contains:

- Detailed information on how SDF is used in the design process.
- Detailed semantic descriptions of all SDF constructs.
- The formal syntax.
- Examples.

### 1.2 Organization of this standard

A synopsis of the clauses and annexes of this standard is presented as a quick reference. There are five clauses and two annexes. All the clauses and annexes are normative parts of this standard, with the exception of Annex B (informative).

**Clause 1: Overview**—Content overview.

**Clause 2: References**—References to other applicable standards that are assumed or required for SDF.

**Clause 3: Definitions and conventions**—Introduction to syntactic style and the major syntactic components.

**Clause 4: SDF in the design process**—The role and use of SDF in the design process.

**Clause 5: Defining the Standard Delay Format**—The content of an SDF file. For each part of the file, the purpose is discussed, the syntax is specified, the semantics are explained, and examples are presented.

**Annex A: Syntax of SDF**—SDF file syntax description. The syntax of the contents of an SDF file is described in this annex.

**Annex B: SDF file examples**—Informative examples of SDF files.

## 2. References

This standard shall be used in conjunction with the following publications. When the following standards are superseded by an approved revision, the revision shall apply.

IEEE Std 1076, 2000 Edition, IEEE Standard VHDL Language Reference Manual.<sup>1</sup>

IEEE Std 1364-2001, IEEE Standard Verilog<sup>®</sup> Hardware Description Language.

---

<sup>1</sup>IEEE publications are available from the Institute of Electrical and Electronics Engineers, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331, USA (<http://standards.ieee.org/>).