

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage surge protective devices –
Part 11: Surge protective devices connected to low-voltage power systems –
Requirements and test methods**

**Parafoudres basse tension –
Partie 11: Parafoudres connectés aux systèmes basse tension – Exigences et
méthodes d'essai**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour toute ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage surge protective devices –
Part 11: Surge protective devices connected to low voltage power systems –
Requirements and test methods**

**Parafoudres basse tension –
Partie 11: Parafoudres connectés aux systèmes basse tension – Exigences et
méthodes d'essai**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XD**
CODE PRIX

ICS 29.240; 29.240.10

ISBN 978-2-88912-350-6

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	10
3 Terms, definitions and abbreviations	10
3.1 Terms and definitions	11
3.2 Abbreviations	16
4 Service conditions	17
4.1 Frequency	18
4.2 Voltage.....	18
4.3 Air pressure and altitude	18
4.4 Temperatures	18
4.5 Humidity.....	18
5 Classification.....	18
5.1 Number of ports	18
5.1.1 One.....	18
5.1.2 Two.....	18
5.2 SPD design	18
5.2.1 Voltage switching	18
5.2.2 Voltage limiting.....	18
5.2.3 Combination	18
5.3 Class I, II and III tests	18
5.4 Location	19
5.4.1 Indoor.....	19
5.4.2 Outdoor	19
5.5 Accessibility	19
5.5.1 Accessible.....	19
5.5.2 Inaccessible.....	19
5.6 Mounting method.....	19
5.6.1 Fixed.....	19
5.6.2 Portable.....	19
5.7 Disconnectors (including overcurrent protection)	19
5.7.1 Location	19
5.7.2 Protection functions.....	19
5.8 Degree of protection provided by enclosures.....	19
5.9 Temperature and humidity range	20
5.9.1 Normal	20
5.9.2 Extended.....	20
5.10 Power system.....	20
5.10.1 AC between 47 Hz and 63 Hz.....	20
5.10.2 AC other than the range of 47 Hz to 63 Hz	20
5.11 Multipole SPD	20
5.12 SPD failure behaviour	20
5.12.1 open circuit (standard type SPD)	20
5.12.2 short-circuit (short-circuiting type SPD)	20

6	Preferred values for SPD.....	20
6.1	Preferred values of impulse discharge current I_{imp} for class I tests.....	20
6.2	Preferred values of nominal discharge current for class II tests I_n	20
6.3	Preferred values of open-circuit voltage for class III tests U_{oc}	20
6.4	Preferred values of voltage protection level U_p	20
6.5	Preferred values of r.m.s. maximum continuous operating voltage U_c	20
7	Requirements.....	21
7.1	General requirements.....	21
7.1.1	Identification.....	21
7.1.2	Marking.....	22
7.2	Electrical requirements.....	22
7.2.1	Protection against direct contact.....	22
7.2.2	Residual current I_{pE}	23
7.2.3	Voltage protection level U_p	23
7.2.4	Operating duty.....	23
7.2.5	Disconnectors and status indicators.....	23
7.2.6	Insulation resistance.....	24
7.2.7	Dielectric withstand.....	24
7.2.8	Behaviour under Temporary Overvoltages.....	24
7.3	Mechanical requirements.....	25
7.3.1	Mounting.....	25
7.3.2	Screws, current carrying parts and connections.....	25
7.3.3	External connections.....	25
7.3.4	Air clearances and creepage distances.....	27
7.3.5	Mechanical strength.....	27
7.4	Environmental and material requirements.....	27
7.4.1	Protection provided by enclosure (IP code).....	27
7.4.2	Heat resistance.....	27
7.4.3	Fire resistance.....	27
7.4.4	Tracking resistance.....	27
7.4.5	Electromagnetic compatibility.....	28
7.5	Additional requirements for specific SPD designs.....	28
7.5.1	Two port SPDs and one port SPDs with separate input/output terminals.....	28
7.5.2	Environmental tests for outdoor SPDs.....	28
7.5.3	SPDs with separate isolated circuits.....	28
7.5.4	Short-circuiting type SPDs.....	29
7.6	Additional requirements as may be declared by the manufacturer.....	29
7.6.1	One-port and two-port SPDs.....	29
7.6.2	Two port SPDs only.....	29
8	Type tests.....	29
8.1	General testing procedures.....	30
8.1.1	Impulse discharge current used for class I additional duty test.....	36
8.1.2	Current impulse used for class I and class II residual voltage and operating duty tests.....	36
8.1.3	Voltage impulse used for class I and II sparkover tests.....	37
8.1.4	Combination wave used for class III tests.....	37
8.2	Indelibility of markings.....	40
8.3	Electrical tests.....	40

8.3.1	Protection against direct contact.....	40
8.3.2	Residual current I_{PE}	40
8.3.3	Measured limiting voltage.....	41
8.3.4	Operating duty test.....	44
8.3.5	Disconnectors and safety performance of overstressed SPDs.....	48
8.3.6	Insulation resistance.....	54
8.3.7	Dielectric withstand.....	55
8.3.8	Behaviour under Temporary Overvoltages (TOVs).....	56
8.4	Mechanical tests.....	60
8.4.1	Reliability of screws, current-carrying parts and connections.....	60
8.4.2	Terminals for external conductors.....	61
8.4.3	Verification of air clearances and creepage distances.....	65
8.4.4	Mechanical strength.....	68
8.5	Environmental and material tests.....	72
8.5.1	Resistance to ingress of solid objects and to harmful ingress of water.....	72
8.5.2	Heat resistance.....	72
8.5.3	Ball pressure test.....	73
8.5.4	Resistance to abnormal heat and fire.....	74
8.5.5	Tracking resistance.....	75
8.6	Additional tests for specific SPD designs.....	75
8.6.1	Test for two-port SPDs and one-port SPDs with separate input/output terminals.....	75
8.6.2	Environmental tests for outdoor SPDs.....	78
8.6.3	SPDs with separate isolated circuits.....	78
8.6.4	Short-circuiting type SPDs.....	78
8.7	Additional tests for specific performance if declared by the manufacturer.....	78
8.7.1	Total discharge current test for multipole SPDs.....	78
8.7.2	Test to determine the voltage drop.....	79
8.7.3	Load-side surge withstand capability.....	79
8.7.4	Measurement of voltage rate of rise du/dt	80
9	Routine and acceptance tests.....	80
9.1	Routine tests.....	80
9.2	Acceptance tests.....	80
Annex A (normative)	Reference test voltages for SPDs U_{REF}	81
Annex B (normative)	TOV Ratings.....	86
Annex C (normative)	Tests to determine the presence of a switching component and the magnitude of the follow current.....	89
Annex D (normative)	Reduced test procedures.....	91
Annex E (informative)	Alternative circuits for testing SPDs under TOVs caused by faults in the high (medium) voltage system.....	93
Annex F (informative)	Environmental tests for outdoor SPDs.....	94
Annex G (normative)	Temperature rise limits.....	96
	Bibliography.....	97
	Figure 1 – Metallic screen test set-up.....	31
	Figure 2 – Example of a decoupling network for single-phase power.....	39
	Figure 3 – Example of a decoupling network for three-phase power.....	39
	Figure 4 – Alternate test for the measured limiting voltage.....	39

Figure 5 – Flow chart of testing to check the voltage protection level U_p	42
Figure 6 – Flow chart of the operating duty test	45
Figure 7 – Test set-up for operating duty test.....	46
Figure 8 – Operating duty test timing diagram for test classes I and II	47
Figure 9 – Additional duty test timing diagram for test class I.....	48
Figure 10 – Operating duty test timing diagram for test class III	48
Figure 11 – Test circuit for SPD with I_{fi} lower than the declared short-circuit rating.....	52
Figure 12 – Test circuit for SPD's failure mode simulation	53
Figure 13 – Timing diagram for SPD's failure mode simulation.....	53
Figure 14 – Example of a test circuit to perform the test under TOVs caused by faults in the low voltage system.....	57
Figure 15 – Timing diagram for the test under TOVs caused by faults in the low voltage system.....	57
Figure 16 – Example of circuit for testing SPDs for use in TT systems under TOVs caused by faults in high (medium) voltage system	59
Figure 17 – Timing diagram for use in testing SPDs under TOVs caused by faults in the high (medium) voltage system using circuit of Figure 16	60
Figure 18 – Test apparatus for impact test.....	69
Figure 19 – Striking element of the pendulum hammer.....	70
Figure 20 – Ball thrust tester.....	73
Figure 21 – Loading rod for ball thrust tester.....	73
Figure 22 – Examples for appropriate test circuits of the load side short-circuit test(s).....	77
Figure E.1 – Examples of a three-phase and single phase circuit for use in testing SPDs under TOVs caused by faults in the high (medium) voltage system	93
Table 1 – List of Abbreviations.....	17
Table 2 – Class I, II and III tests	19
Table 3 – Type test requirements for SPDs.....	32
Table 4 – Common pass criteria for type tests	34
Table 5 – Cross reference of pass criteria versus type tests	35
Table 6 – Preferred parameters for class I test	36
Table 7 – Tests to be performed to determine the measured limiting voltage	43
Table 8 – Prospective short-circuit current and power factor	50
Table 9 – Dielectric withstand	55
Table 10 – Screw thread diameters and applied torques	61
Table 11 – Cross-sections of copper conductors for screw-type or screwless terminals	62
Table 12 – Pulling forces (screw terminals).....	63
Table 13 – Conductor dimensions	63
Table 14 – Pulling forces (screwless terminals)	64
Table 15 – Air clearances for SPDs	66
Table 16 – Creepage distances for SPDs.....	67
Table 17 – Relationship between material groups and classifications.....	68
Table 18 – Fall distances for impact requirements	71
Table 19 – Test conductors for rated load current test	75

Table 20 – Current factor k for overload behaviour	76
Table 21 – Tolerances for proportional surge currents	79
Table A.1 – Reference test voltage values	82
Table B.1 – TOV test values for systems complying with IEC 60364 series	86
Table B.2 – TOV test parameters for North American systems	87
Table B.3 – TOV test parameters for Japanese systems	88
Table D.1 – Reduced test procedure for SPDs complying with IEC 61643-1:2005	92
Table G.1 – Temperature-rise limits	96

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SURGE PROTECTIVE DEVICES –**Part 11: Surge protective devices connected
to low-voltage power systems –
Requirements and test methods**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use, and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61643-11 has been prepared by subcommittee 37A: Low-voltage surge protective devices, of IEC technical committee 37: Surge arresters.

This first edition of IEC 61643-11 cancels and replaces the second edition of IEC 61643-1 published in 2005. This edition constitutes a technical revision.

The main changes with respect of the second edition of IEC 61643-1 are the complete restructuring and improvement of the test procedures and test sequences.

The text of this standard is based on the following documents:

FDIS	Report on voting
37A/229/FDIS	37A/232/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61643 series can be found, under the general title *Low-voltage surge protective devices*, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for national implementation not earlier than 12 months from the date of publication.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

This part of IEC 61643 addresses safety and performance tests for surge protective devices (SPDs).

There are three classes of tests:

The Class I test is intended to simulate partial conducted lightning current impulses. SPDs subjected to Class I test methods are generally recommended for locations at points of high exposure, e.g., line entrances to buildings protected by lightning protection systems.

SPDs tested to Class II or III test methods are subjected to impulses of shorter duration.

SPDs are tested on a “black box” basis as far as possible.

IEC 61643-12 addresses the selection and application principles of SPDs in practical situations.

LOW-VOLTAGE SURGE PROTECTIVE DEVICES –

Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods

1 Scope

This part of IEC 61643 is applicable to devices for surge protection against indirect and direct effects of lightning or other transient overvoltages. These devices are packaged to be connected to 50/60 Hz a.c. power circuits, and equipment rated up to 1 000 V r.m.s. Performance characteristics, standard methods for testing and ratings are established. These devices contain at least one nonlinear component and are intended to limit surge voltages and divert surge currents.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:1989, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60695-2-11:2000, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products*

IEC 61000 (all parts), *Electromagnetic compatibility (EMC)*

IEC 61180-1, *High-voltage test techniques for low voltage equipment – Part 1: Definitions, test and procedure requirements*

3 Terms, definitions and abbreviations

For the purposes of this document, the following terms, definitions and abbreviations apply.