

INTERNATIONAL STANDARD



Electroacoustics – Measurement of real-ear acoustical performance characteristics of hearing aids



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 61669

Edition 2.1 2025-01
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



Electroacoustics – Measurement of real-ear acoustical performance characteristics of hearing aids

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 17.140.50

ISBN 978-2-8327-0151-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Test setup diagrams	13
5 Limitations.....	15
6 Test equipment.....	16
6.1 Safety requirements.....	16
6.2 Ambient conditions.....	16
6.3 Test signal	16
6.4 Sound field source	17
6.5 Coupled sound source	17
6.6 Test signal range	17
6.7 Test signal level indication.....	17
6.8 Equalization	17
6.9 Frequency.....	17
6.10 Harmonic distortion.....	17
6.11 Probe microphone measurement.....	17
6.12 Noise floor of probe microphone measurement.....	17
6.13 Attenuation of probe microphone to external signals	18
6.14 Analysis characteristics.....	18
6.15 Output indication.....	18
6.16 Graphical printout	18
7 Test conditions	19
7.1 Ambient conditions in the test space	19
7.2 Background noise	19
7.3 Acoustical properties	19
7.4 Sound field characteristics	19
7.5 Calibration	19
7.6 Equalization	19
7.6.1 General.....	19
7.6.2 Substitution method.....	19
7.6.3 Modified pressure method – Stored equalization.....	20
7.6.4 Modified pressure method – Concurrent equalization.....	20
7.7 Test signal level.....	20
7.8 Location of the subject.....	20
7.9 Location of the tester	20
7.10 Location of the field reference point	20
7.11 Location of the measurement point	21
7.12 Instructions to the subject	21
7.13 Location and coupling of the hearing aid.....	21
7.14 Operating conditions for the hearing aid.....	21
8 Measurements.....	21
8.1 General.....	21
8.2 Real-ear unaided response (REUR) curve.....	21

8.3	Real-ear unaided gain (REUG) curve	22
8.4	Real-ear occluded response (REOR) curve	22
8.5	Real-ear occluded gain (REOG) curve	22
8.6	Real-ear aided response (REAR) curve	22
8.7	Real-ear aided gain (REAG) curve	23
8.8	Real-ear insertion gain (REIG) curve	23
8.9	Real-ear to coupler difference (RECD) curve	23
8.10	Real-ear to dial difference (REDD) curve	23
9	Measurement uncertainty for the performance requirements of Clause 6	24
Annex A (informative) Positioning the probe microphone sound inlet at the measurement point		
A.1	General	25
A.2	Visual positioning	25
A.3	Acoustically-assisted positioning	25
A.4	Acoustic positioning – Method 1	26
A.5	Acoustic positioning – Method 2	26
A.6	Geometrical positioning	26
Annex B (informative) Issues in RECD measurement and application		
B.1	General	27
B.2	Influence of the coupled sound source	27
B.3	Estimating ear canal SPL produced by a hearing aid	30
B.4	Correcting an HL audiogram obtained with an insert earphone and a standard eartip	32
B.5	Correcting an HL audiogram obtained with an insert earphone and a custom earmould	33
Annex C (informative) Relationship between tolerance interval, corresponding acceptance interval and the maximum permitted uncertainty of measurement		
Bibliography		
Figure 1 – Test set-up		
Figure 2 – Real-ear measurement arrangement		
Figure B.1 – Computer-simulated ECLD for an average adult ear		
Figure B.2 – Computer-simulated ECLD for an average 3-month old child’s ear		
Figure B.3 – Computer-simulated error in estimating SPL in an average adult ear		
Figure B.4 – Computer-simulated error in estimating SPL in an average 3-month old child’s ear		
Figure B.5 – Computer-simulated HL correction for an average 3 month old child’s ear		
Figure C.1 – Relationship between tolerance interval, corresponding acceptance interval and the maximum permitted uncertainty of measurement		
Table 1 – Tolerance limits, acceptance limits and U_{\max} for basic measurements		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTROACOUSTICS –
MEASUREMENT OF REAL-EAR ACOUSTICAL
PERFORMANCE CHARACTERISTICS OF HEARING AIDS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61669 edition 2.1 contains the second edition (2015-11) [documents 29/886/FDIS and 29/893/RVD] and its amendment 1 (2025-01) [documents 29/1179/CDV and 29/1194/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61669 has been prepared by IEC technical committee 29: Electroacoustics.

This second edition cancels and replaces the first edition of IEC 61669:2001 and the first edition of ISO 12124:2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 61669:2001 and ISO 12124:2001:

- a) the addition of the International Speech Test Signal as a preferred speech-like stimulus;
- b) definitions and test methods for the real-ear to dial difference;
- c) definitions and test methods for the real-ear to coupler difference and
- d) an annex dealing with issues in the measurement and application of the real-ear to coupler difference;

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under www.store.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The performance characteristics of hearing aids in actual use can differ significantly from those determined in accordance with standards such as IEC 60118-0, and IEC 60118-7, due to differing acoustic influence and coupling presented by individual ears. Measuring methods that take into account the acoustic coupling and the acoustic influence of the individual wearer on the performance of hearing aids are therefore important in the fitting of these devices. Such measuring methods have come to be known as “real-ear measurements” and are sometimes performed clinically in less than ideal acoustic environments. The accuracy and repeatability of measurements made under such conditions are complex functions of the sound field, the test environment, the nature of the test signal, the hearing aid under evaluation, the method of test signal control, the location of the sound field source, the nature of the data acquisition, analysis and presentation as well as the degree of subject movement permitted.

This standard provides definitions for terms used in the measurement of real-ear performance characteristics of hearing aids, provides procedural and reporting guidelines, and identifies essential characteristics to be reported by the manufacturer of equipment used for this purpose. Acceptable tolerances for the control and measurement of sound pressure levels are indicated. Where possible, sources of error have been identified and suggestions provided for their management.

ELECTROACOUSTICS – MEASUREMENT OF REAL-EAR ACOUSTICAL PERFORMANCE CHARACTERISTICS OF HEARING AIDS

1 Scope

This International Standard gives recommendations and requirements for the measurement and estimation of the real-ear acoustical performance characteristics of air-conduction hearing aids and for the measurement of certain acoustic properties of the ear related to the application of hearing aids.

Measurements of real-ear acoustical characteristics of hearing aids which apply non-linear or analytical processing techniques are valid only for the test signals used and conditions employed.

The purpose of this standard is to ensure that measurements of real-ear acoustical performance characteristics of a given hearing aid on a given human ear can be replicated in other locations with other test equipment.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60601-1, *Medical electrical equipment – Part 1: General requirements for basic safety and essential performance*

IEC 60601-1-2, *Medical electrical equipment – Part 1-2: General requirements for basic safety and essential performance – Collateral Standard: Electromagnetic disturbances – Requirements and tests*

IEC 60318-5, *Electroacoustics – Simulators of human head and ear – Part 5: 2 cm³ coupler for the measurement of hearing aids and earphones coupled to the ear by means of ear inserts*

IEC 60942, *Electroacoustics – Sound calibrators*

IEC 61260-1, *Electroacoustics – Octave-band and fractional-octave-band filters – Part 1: Specifications*

ISO 266, *Acoustics – Preferred frequencies*

ISO 8253-2, *Acoustics – Audiometric test methods – Part 2: Sound field audiometry with pure-tone and narrow-band test signals*

ISO/TR 25417, *Acoustics – Definitions of basic quantities and terms*