

# INTERNATIONAL STANDARD

---

**Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 11: HDV format for 1080i and 720p systems**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

**XE**

## CONTENTS

FOREWORD.....	8
1 Scope.....	10
2 Normative references .....	11
3 Terms, definitions, symbols, abbreviations and conventions .....	12
4 Environment and test conditions .....	13
4.1 Environment.....	13
4.2 Reference tape.....	14
5 Helical recordings.....	14
5.1 HD1 mode .....	14
5.1.1 Tape speed .....	14
5.1.2 Record location and dimensions .....	14
5.2 HD2 mode .....	14
5.2.1 Tape speed .....	14
5.2.2 Sectors.....	15
5.2.3 Record location and dimensions .....	15
6 Programme track data arrangement.....	18
6.1 HD1 mode .....	18
6.1.1 Labelling conversion.....	18
6.1.2 Audio sector .....	18
6.1.3 Video sector .....	18
6.1.4 Subcode sector .....	18
6.2 HD2 mode .....	18
6.2.1 General .....	18
6.2.2 ITI sector.....	21
6.2.3 Main sector.....	22
6.2.4 Subcode sector .....	28
7 HD1 mode for 480, 576 and 720 systems .....	29
7.1 General.....	29
7.2 Normal play data .....	29
7.2.1 Introduction .....	29
7.2.2 System layer .....	29
7.2.3 Transport packet layer.....	29
7.2.4 Adaptation field .....	29
7.2.5 PES packet .....	30
7.2.6 PSI.....	30
7.2.7 Video.....	34
7.2.8 Audio.....	36
7.2.9 Embedding of pack data .....	37
7.2.10 Bit rate .....	38
7.3 Trick play data.....	38
7.3.1 TPH and TPL.....	38
7.3.2 PES packet .....	38
7.3.3 Transport stream .....	38
7.3.4 Transmission via digital interface.....	38
7.4 Seamless playback at transition point.....	39

7.4.1	Management method of GOP recording position .....	39
7.4.2	PID .....	41
7.4.3	DIT .....	41
7.4.4	Recording data .....	41
7.4.5	Seamless playback stream .....	41
8	HD2 mode for 1080 system .....	42
8.1	Data structure .....	42
8.1.1	Main data .....	42
8.1.2	Structure of SB header .....	42
8.1.3	Null sync block .....	43
8.2	PES data .....	43
8.2.1	PES sync block .....	43
8.2.2	PES-A and PES-V .....	43
8.2.3	PES construction .....	44
8.2.4	PES packet restrictions .....	46
8.2.5	Audio processing .....	47
8.2.6	Video processing .....	47
8.3	AUX data .....	50
8.3.1	Structure of AUX sync block .....	50
8.3.2	Keyword .....	51
8.3.3	Structure of AUX pack data .....	51
8.3.4	ETN pack .....	52
8.3.5	Audio frame pack .....	53
8.3.6	Video frame pack .....	57
8.3.7	DV multi-pack .....	63
8.3.8	ECCTB pack .....	64
8.3.9	Other packs .....	69
8.3.10	AUX data at the editing point .....	71
8.4	Search data .....	71
8.4.1	Introduction .....	71
8.4.2	Recording pattern of search data .....	71
8.4.3	Search data processing .....	74
8.5	Subcode signal processing .....	85
8.5.1	Introduction .....	85
8.5.2	ID data .....	85
8.5.3	Subcode data .....	86
8.6	Recording positions on tape .....	88
8.6.1	Relation between TTC and stream data .....	88
8.6.2	Recommendation for the recording start position .....	90
8.6.3	Recording end position .....	92
8.6.4	Recording other positions .....	94
8.7	TS specifications .....	94
8.7.1	Definition of transport streams .....	94
8.7.2	System layer .....	94
8.7.3	Transport packet layer .....	94
8.7.4	Adaptation field .....	94
8.7.5	PSI .....	95
8.7.6	DIT .....	99
8.7.7	Descriptors .....	99

8.7.8	Partial_transport_stream_descriptor .....	103
8.7.9	Transport stream system target decoder.....	103
8.7.10	AUX PES packet .....	104
8.8	MIC (memory in cassette).....	106
8.9	Progressive video processing.....	106
8.9.1	Progressive recording.....	106
8.9.2	24p recording .....	107
Figure 1	– Location and dimensions of recorded track .....	15
Figure 2	– Sector location from SSA .....	16
Figure 3	– Sector arrangement on helical track .....	17
Figure 4	– Servo information and tracks.....	19
Figure 5	– Structure of main sector .....	23
Figure 6	– Main sync block ID code word bit assignments.....	24
Figure 7	– Data and inner parity of a data sync block for the main sector.....	25
Figure 8	– Data and outer parity of a data sync block for the main sector.....	27
Figure 9	– Interleaving on a 16-track basis (ECC unit) .....	28
Figure 10	– Structure of subcode sector .....	28
Figure 11	– ID data in subcode sector.....	29
Figure 12	– GOP frame management.....	41
Figure 13	– Structure of main sync block .....	42
Figure 14	– Recording pattern of PES sync block .....	43
Figure 15	– PES construction (1-1) .....	44
Figure 16	– PES construction (1-2) .....	45
Figure 17	– PES construction (2-1) .....	46
Figure 18	– PES construction (2-2) .....	46
Figure 19	– PES construction (2-3) .....	46
Figure 20	– Horizontal sampling timing .....	48
Figure 21	– Structure of ALX pack data .....	52
Figure 22	– Relation between ETN and track number.....	53
Figure 23	– Audio compensation 1 .....	56
Figure 24	– Audio compensation 2 .....	56
Figure 25	– Audio compensation 3 .....	57
Figure 26	– Recording pattern of search data .....	74
Figure 27	– Structure of search sync block .....	74
Figure 28	– Macro blocks for search picture.....	79
Figure 29	– Structure of search picture data .....	80
Figure 30	– Configuration of 8x speed search data .....	80
Figure 31	– 8x speed search base data on video screen.....	80
Figure 32	– 8x speed search helper data on video screen.....	81
Figure 33	– Configuration of 24x speed search data (1080i/60 system).....	81
Figure 34	– Configuration of 24x speed search data (1080i/50 system).....	82
Figure 35	– 24x speed search data on video screen .....	82
Figure 36	– Relation between search data and video frame (1080i/60 system).....	83

Figure 37 – Relation between search data and video frame (1080i/50 system).....	83
Figure 38 – Management example at the start of discontinuous recording (1080i/60 system).....	84
Figure 39 – Management example at the start of discontinuous recording (1080i/50 system).....	84
Figure 40 – Management example at the end of recording (1080i/60 system) .....	85
Figure 41 – Management example at the end of recording (1080i/50 system) .....	85
Figure 42 – Structure of ID data.....	86
Figure 43 – Subcode TTC interrelation (1080i/60 system).....	89
Figure 44 – Subcode TTC interrelation (1080i/50 system).....	89
Figure 45 – Relation between subcode TTC and video frame.....	90
Figure 46 – Recommendation for the recording start position of a tape .....	91
Figure 47 – Numbering of ABST and ETN for invalid tracks .....	91
Figure 48 – Recording start position (1080i/60 system).....	92
Figure 49 – Recording start position (1080i/50 system).....	92
Figure 50 – Recording end position.....	94
Figure 51 – Transport stream system target decoder .....	103
Figure 52 – Transport timing between PES-A and AUX-A .....	105
Figure 53 – Transport timing between PES-V and AUX-V .....	106
Figure 54 – Relation between ETN, DTS and TTC for 24p recording.....	108
Table 1 – Record location and dimensions.....	16
Table 2 – Length of each area (1080i/60 system).....	16
Table 3 – Length of each area (1080i/50 system).....	17
Table 4 – Scanner example .....	18
Table 5 – Application ID of video area .....	18
Table 6 – Randomization pattern used for data sync blocks of the main sector .....	20
Table 7 – Randomization pattern used for data sync blocks of the subcode sector.....	21
Table 8 – ID of track information .....	21
Table 9 – Bit stream of TIA for track F0 .....	22
Table 10 – Bit stream of TIA for track F1.....	22
Table 11 – Bit stream of TIA for track F2.....	22
Table 12 – Format type.....	24
Table 13 – Track pair number .....	24
Table 14 – Application ID of area 3 (AP3) .....	29
Table 15 – Possible descriptor locations .....	30
Table 16 – Registration_descriptors (descriptor_tag = 05h) .....	30
Table 17 – DTCP_descriptor (descriptor_tag = 88h).....	31
Table 18 – DTCP_CCI .....	31
Table 19 – Image_Constraint_Token.....	32
Table 20 – APS.....	32
Table 21 – Stream_identifier_descriptor (descriptor_tag = 52h) .....	32
Table 22 – Component_tag.....	32
Table 23 – Partial_transport_stream_descriptor (descriptor_tag = 63h).....	33

Table 24 – DIT (PID = 001Eh / table_id = 7Eh) .....	34
Table 25 – MPEG-2 parameters constraints for 30/60 frame system .....	35
Table 26 – MPEG-2 parameters constraint for 25/50 frame system .....	35
Table 27 – Expression method of the number of repetitions .....	36
Table 28 – Embedded pack data .....	37
Table 29 – GOP frame management pack .....	39
Table 30 – Servo frame length .....	39
Table 31 – Structure of SB header .....	42
Table 32 – Null sync block .....	43
Table 33 – PES packet restrictions .....	47
Table 34 – Construction of video signal sampling .....	48
Table 35 – Definition 1 of video ES .....	49
Table 36 – Definition 2 of video ES .....	49
Table 37 – Definition 3 of video ES .....	50
Table 38 – Definition 4 of video ES .....	50
Table 39 – AUX sync block .....	50
Table 40 – Keyword .....	51
Table 41 – ETN pack .....	52
Table 42 – Audio frame pack .....	54
Table 43 – Video frame pack .....	58
Table 44 – DV multi-pack .....	64
Table 45 – ECCTB pack .....	65
Table 46 – NO INFO pack .....	69
Table 47 – Maker option pack .....	69
Table 48 – Null pack .....	70
Table 49 – VBV pack .....	70
Table 50 – Configuration of search sync blocks for 8x speed search .....	72
Table 51 – Configuration of search sync blocks for 24x speed search .....	73
Table 52 – SB header and search SB header .....	75
Table 53 – Search pack data .....	75
Table 54 – Data structure of search header .....	76
Table 55 – Configuration of search pack for 8x speed search .....	78
Table 56 – Configuration of search pack for 24x speed search .....	78
Table 57 – Subcode data for user's tape .....	87
Table 58 – Subcode data for pre-recorded tape .....	88
Table 59 – PAT .....	95
Table 60 – PID assignments .....	96
Table 61 – PMT .....	97
Table 62 – Stream_type assignments .....	98
Table 63 – SIT .....	98
Table 64 – DIT (PID = 001Eh / table_id = 7Eh) .....	99
Table 65 – Descriptors .....	100
Table 66 – Registration_descriptor (descriptor_tag = 05h) .....	100

Table 67 – Stream_type in the registration_descriptor .....	101
Table 68 – Video frame pack data in jog encode stream .....	102
Table 69 – Partial_transport_stream_descriptor (descriptor_tag = 63h).....	103
Table 70 – $TB_n$ , $B_n$ , $RX_n$ for AUX-A data and AUX-V data stream .....	104
Table 71 – AUX-A PES packet.....	104
Table 72 – AUX-V PES packet.....	105
Table 73 – Progressive recording parameters .....	107

Currently in preview, click buy full version

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**RECORDING –  
HELICAL-SCAN DIGITAL VIDEO CASSETTE  
RECORDING SYSTEM USING 6,35 MM MAGNETIC  
TAPE FOR CONSUMER USE  
(525-60, 625-50, 1125-60 AND 1250-50 SYSTEMS) –**

**Part 11: HDV<sup>1</sup> format for 1080i and 720p systems**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC.

Information may be obtained from:

Sony Corporation

1-7-1 Konan, Minato-ku, Tokyo, 108-0075 Japan

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. The IEC shall not be held responsible for identifying any or all such patent rights.

---

<sup>1</sup> HDV is the trademark of Sony Corporation and Victor Company of Japan, Limited (JVC).

International Standard IEC 61834-11 has been prepared by TA 7: Moderate data rate storage media, equipment and systems, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1229/CDV	100/1306/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 61834 series, under the general title, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems)*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under <http://webstore.iec.ch> in the date related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**RECORDING –  
HELICAL-SCAN DIGITAL VIDEO CASSETTE  
RECORDING SYSTEM USING 6,35 MM MAGNETIC  
TAPE FOR CONSUMER USE  
(525-60, 625-50, 1125-60 AND 1250-50 SYSTEMS) –**

**Part 11: HDV<sup>2</sup> format for 1080i and 720p systems**

## 1 Scope

This part of IEC 61834 specifies the content, format, and recording method of data blocks containing video, audio, and system data on the helical scan digital video cassettes using 6,35 mm tape as defined in IEC 61834-1 for recording MPEG-2 streaming HD signals.

The MPEG-2 streaming HD signals defined in this standard have the following modes.

The HD1 mode is designed for the following systems:

- 525-line progressive with a frame frequency of 59,94 Hz (hereinafter referred to as 480p/60 system)
- 625-line progressive with a frame frequency of 50,00 Hz (hereinafter referred to as 576p/50 system)
- 525-line interlace with a field frequency of 59,94 Hz (hereinafter referred to as 480i/60 system)
- 625-line interlace with a field frequency of 50,00 Hz (hereinafter referred to as 576i/50 system)
- 525-line progressive with a frame frequency of 29,97 Hz (hereinafter referred to as 480p/30 system)
- 625-line progressive with a frame frequency of 25,00 Hz (hereinafter referred to as 576p/25 system)
- 750-line progressive with a frame frequency of 29,97 Hz (hereinafter referred to as 720p/30 system)
- 750-line progressive with a frame frequency of 25,00 Hz (hereinafter referred to as 720p/25 system)
- 750-line progressive with a frame frequency of 59,94 Hz (hereinafter referred to as 720p/60 system)
- 750-line progressive with a frame frequency of 50,00 Hz (hereinafter referred to as 720p/50 system)

The main specifications shall be as defined in IEC 61834-9 and IEC 61834-10. Other information, such as details about MPEG-2 stream descriptors, trick play data, system data, etc., are defined in Clause 7.

The HD2 mode is designed for the following systems:

- 1125-line interlace with a field frequency of 59,94 Hz (hereinafter referred to as 1080i/60 system)

---

<sup>2</sup> HDV is the trademark of Sony Corporation and Victor Company of Japan, Limited (JVC).

- 1125-line interlace with a field frequency of 50,00 Hz (hereinafter referred to as 1080i/50 system)

The main specifications for helical recordings and the program track data format shall be as defined in Clauses 5 and 6 of this standard. Other information, such as details about main data, PES data, search data, subcode data, MPEG-2 stream descriptors, etc., are defined in Clause 8.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61834-1, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 1: General specifications*

IEC 61834-2, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 2: SD format for 525-60 and 625-50 systems*

IEC 61834-4, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 4: Pack header table and contents*

IEC 61834-9, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 9: DVB format*

IEC 61834-10, *Recording – Helical-scan digital video cassette recording system using 6,35 mm magnetic tape for consumer use (525-60, 625-50, 1125-60 and 1250-50 systems) – Part 10: DTV format*

ISO/IEC 11172-3, *Coding of moving pictures and associated audio for digital storage – Part 3: Audio*

ISO/IEC 13818-1, *Information technology – Generic coding of moving pictures and associated audio information: Systems*

ISO/IEC 13818-2, *Information technology – Generic coding of moving pictures and associated audio information: Video*

ISO/IEC 13818-3, *Information technology – Generic coding of moving pictures and associated audio information – Part 3: Audio*

ISO/IEC 13818-9, *Information technology – Generic coding of moving pictures and associated audio information – Part 9: Extension for real time interface for systems decoder*

ITU-R Recommendation BT.709-5, *Parameter values for the HDTV standards for production and international programme exchange*

ETSI EN 300 468, V1.5.1:2003, *Digital Video Broadcasting (DVB); Specification for Service Information (SI) in DVB Systems*

ARIB STD-B10, *Service Information for Digital Broadcasting System*

ARIB STD-B20, *Transmission System for Digital Satellite Broadcasting*