

INTERNATIONAL STANDARD

IEC
61850-7-1

First edition
2003-07

Communication networks and systems in substations –

Part 7-1: Basic communication structure for substation and feeder equipment – Principles and models

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XE

For price, see current catalogue

CONTENTS

FOREWORD	7
INTRODUCTION	9
1 Scope	11
2 Normative references	12
3 Terms and definitions	12
4 Abbreviated terms	13
5 Overview of concepts the IEC 61850 series	13
5.1 Objective	13
5.2 Topology and communication functions of substation automation systems	14
5.3 The information models of substation automation systems	15
5.4 Applications modelled by logical nodes defined in IEC 61850-7-4	16
5.5 The semantic is attached to data	19
5.6 The services to exchange information	21
5.7 Services mapped to concrete communication protocols	22
5.8 The configuration of a substation	23
5.9 Summary	23
6 Modelling approach of the IEC 61850 series	24
6.1 Decomposition of application functions and information	24
6.2 Creating information models by stepwise composition	26
6.3 Example of an IED composition	29
6.4 Information exchange models	29
7 Application view	42
7.1 Introduction	42
7.2 First modelling step – Logical nodes and data	44
8 Device view	47
8.1 Introduction	47
8.2 Second modelling step – logical device model	47
9 Communication models	49
9.1 The service models of the IEC 61850 series	49
9.2 The implementation	52
9.3 Basic information exchange mechanisms	53
9.4 The client-server building blocks	54
9.5 Interfaces inside and between devices	57
10 Where physical devices, application models and communication meet	58
11 Relationships between IEC 61850-7-2, IEC 61850-7-3 and IEC 61850-7-4	59
11.1 Refinements of class definitions	59
11.2 Example 1 – Logical node and data class	60
11.3 Example 2 – Relationship of IEC 61850-7-2, IEC 61850-7-3, and IEC 61850-7-4	62
12 Mapping the ACSI to real communication systems	64
12.1 Introduction	64
12.2 Mapping example (IEC 61850-8-1)	66

13	Formal specification method	71
13.1	Notation of ACSI classes	71
13.2	Class modelling	72
13.3	Service tables	77
13.4	Referencing instances	78
14	Name spaces	80
14.1	General	80
14.2	Name spaces defined in IEC 61850-7-x	82
14.3	Specification of name spaces	85
14.4	Attributes for references to name spaces	87
14.5	Common rules for extensions of name spaces	87
15	Approaches for the definition of a new semantic	91
15.1	General	91
15.2	Semantic for new definition	92
15.3	Approach 1 (fixed semantic)	92
15.4	Approach 2 (flexible semantic)	92
15.5	Approach 3 (reusable flexible semantic)	93
	Annex A (informative) Overview of IEC 61850-7-x, IEC 61850-8-x, and IEC 61850-9-x	94
	Annex B (informative) Allocation of data to logical nodes	97
	Annex C (informative) Use of the substation configuration language (SCL)	100
	Annex D (informative) Applying the LN concept to options for future extensions	102
	Annex E (informative) Relation between logical nodes and PICOMs	107
	Annex F (informative) Relation between IEC 61850-7-x (IEC 61850-8-x) and UCA 2.0®	108
	Bibliography	109
	Index	111
	Figure 1 – Sample substation automation topology	14
	Figure 2 – Modelling approach (conceptual)	15
	Figure 3 – Logical node information categories	18
	Figure 4 – Build up of devices (principle)	18
	Figure 5 – Position information depicted as a tree (conceptual)	19
	Figure 6 – Service excerpt	21
	Figure 7 – Example of communication mapping	22
	Figure 8 – Summary	24
	Figure 9 – Decomposition and composition process (conceptual)	25
	Figure 10 – XCBR1 information depicted as a tree	28
	Figure 11 – Example of IED composition	29
	Figure 12 – Output and Input model (principle)	30
	Figure 13 – Output model (step 1) (conceptual)	31
	Figure 14 – Output model (step 2) (conceptual)	31
	Figure 15 – GSE output model (conceptual)	32
	Figure 16 – Setting data (conceptual)	33

Figure 17 – Input model for analogue values (step 1) (conceptual).....	34
Figure 18 – Deadbanded value (conceptual)	35
Figure 19 – Input model for analogue values (step 2) (conceptual).....	35
Figure 20 – Range values	36
Figure 21 – Reporting and logging model (conceptual).....	36
Figure 22 – Data set members and reporting.....	37
Figure 23 – Buffered report control block (conceptual)	38
Figure 24 – Buffer time.....	39
Figure 25 – Data set members and inclusion-bitstring	40
Figure 26 – Log control block - conceptual	40
Figure 27 – Peer-to-peer data value publishing model (conceptual).....	41
Figure 28 – Real world devices	43
Figure 29 – Logical nodes and data (IEC 61850-7-2).....	44
Figure 30 – Simple example of modelling	45
Figure 31 – Basic building blocks	45
Figure 32 – Logical nodes and PICOM	46
Figure 33 – Logical nodes connected (outside view in IEC 61850-7-x)	46
Figure 34 – Logical device building block	47
Figure 35 – Logical devices and LLN0/LPHD.....	48
Figure 36 – Logical devices in proxies or gateways.....	49
Figure 37 – ACSI communication methods	50
Figure 38 – Virtualisation	52
Figure 39 – Virtualisation and usage	52
Figure 40 – Information flow and modelling	53
Figure 41 – Application of the GSE model.....	53
Figure 42 – Server building blocks	54
Figure 43 – Interaction between an application process and application layer (client/server).....	55
Figure 44 – Example for a service	55
Figure 45 – Client/server and logical nodes.....	56
Figure 46 – Client and server role	56
Figure 47 – Logical nodes communicate with logical nodes	57
Figure 48 – Interfaces inside and between devices	57
Figure 49 – Component hierarchy of different views (excerpt)	58
Figure 50 – Refinement of the DATA class	59
Figure 51 – Instances of a DATA class (conceptual).....	62
Figure 52 – Relation between parts of the IEC 61850 series	63
Figure 53 – ACSI mapping to an application layer	64
Figure 54 – ACSI mappings (conceptual)	65
Figure 55 – ACSI mapping to communication stacks/profiles.....	66
Figure 56 – Mapping to MMS (conceptual)	66
Figure 57 – Mapping approach.....	67
Figure 58 – Mapping detail of mapping to a MMS named variable	68

Figure 59 – Example of MMS named variable (process values)	68
Figure 60 – Use of MMS named variables and named variable list	69
Figure 61 – MMS Information Report message	70
Figure 62 – Mapping example	71
Figure 63 – Abstract data model example for IEC 61850-7	73
Figure 64 – Relation of TrgOp and Reporting	76
Figure 65 – Sequence diagram	78
Figure 66 – References	78
Figure 67 – Use of FCD and FCDA	79
Figure 68 – Object names and object reference	80
Figure 69 – Definition of names and semantics	81
Figure 70 – One name with two meanings	81
Figure 71 – Name space as class repository	82
Figure 72 – All instances derived from classes in a single name space	83
Figure 73 – Instances derived from multiple name spaces	84
Figure 74 – Inherited name spaces	84
Figure 75 – Example of logical node and data name spaces	86
Figure 76 – Example common data class name spaces	87
Figure 77 – Extensions of name spaces (conceptual)	90
Figure 78 – Use of extended name space (conceptual)	91
Figure A.1 – Overall communication system architecture	94
Figure B.1 – Example for control and protection LNs combined in one physical device	97
Figure B.2 – Merging unit and sampled value exchange (topology)	98
Figure B.3 – Merging unit and sampled value exchange (data)	98
Figure C.1 – Application of SCL for LNs (conceptual)	100
Figure C.2 – Application of SCL for data (conceptual)	101
Figure D.1 – Seamless communication (simplified)	102
Figure D.2 – Example for new logical nodes	103
Figure D.3 – Example for control center view and mapping to substation view	105
Figure E.1 – Exchanged data between subfunctions (logical nodes)	107
Figure E.2 – Relationship between PICOMS and client/server model	107
Figure F.1 – Relation between the IEC 61850 series and UCA	108
Table 1 – Guide for the reader	10
Table 2 – LN groups	16
Table 3 – Logical node class XCBB (conceptual)	27
Table 4 – Excerpt of integer status setting	33
Table 5 – Comparison of the data access methods	37
Table 6 – ACSI models and services	50
Table 7 – Logical node circuit breaker	60
Table 8 – Controllable double point (DPC)	61
Table 9 – ACSI class definition	72
Table 10 – Single point status common data class (SPS)	74

Table 11 – Quality components attribute definition	74
Table 12 – Basic status information template (excerpt)	75
Table 13 – Trigger option	75
Table 14 – Logical node class (LN) definition	76
Table 15 – Excerpt of logical node name plate common data class (LPL).....	87
Table 16 – Excerpt of common data class	88
Table A.1 – Excerpt of data classes for measurands	95
Table A.2 – List of common data classes	96

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS IN SUBSTATIONS –**Part 7-1: Basic communication structure for substation
and feeder equipment – Principles and models**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61850-7-1 has been prepared by IEC technical committee 57: Power system control and associated communications.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/637/FDIS	57/646/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61850 consists of the following parts, under the general title *Communication networks and systems in substations*.

- Part 1: Introduction and overview
- Part 2: Glossary ¹
- Part 3: General requirements
- Part 4: System and project management
- Part 5: Communication requirements for functions and device models
- Part 6: Configuration description language for communication in electrical substations related to IEDs ²
- Part 7-1: Basic communication structure for substation and feeder equipment – Principles and models
- Part 7-2: Basic communication structure for substation and feeder equipment – Abstract communication service interface (ACSI)
- Part 7-3: Basic communication structure for substation and feeder equipment – Common data classes
- Part 7-4: Basic communication structure for substation and feeder equipment – Compatible logical node classes and data classes
- Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS (ISO/IEC 9506-1 and ISO/IEC 9506-2) and to ISO/IEC 8802-3 ²
- Part 9-1: Specific communication service mapping (SCSM) – Sampled values over serial unidirectional multidrop point to point link
- Part 9-2: Specific communication service mapping (SCSM) – Sampled values over ISO/IEC 8802-3 ²
- Part 10: Conformance testing ²

The content of this part is based on existing or emerging standards and applications.

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication may be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

¹ To be published.

² Under consideration.

INTRODUCTION

This part of the IEC 61850 series provides an overview of the architecture for communication and interactions between substation devices such as protection devices, breakers, transformers, substation hosts etc.

This document is part of a set of specifications which details a layered substation communication architecture. This architecture has been chosen to provide abstract definitions of classes (representing hierarchical information models) and services such that the specifications are independent of specific protocol stacks, implementations, and operating systems.

The goal of the IEC 61850 series is to provide interoperability between the IEDs from different suppliers or, more precisely, between functions to be performed in a substation but residing on equipment (physical devices) from different suppliers. Interoperable functions may be those functions that represent interfaces to the process (for example, circuit breaker) or substation automation functions such as protection functions. This part of the IEC 61850 series uses simple examples of functions to describe the concepts and methods applied in the IEC 61850 series.

This part of the IEC 61850 series describes the relationships between other parts of the IEC 61850 series. Finally this part defines how inter-operability is reached.

NOTE Interchangeability, i.e. the ability to replace a device from the same vendor, or from different vendors, utilising the same communication interface and as a minimum, providing the same functionality, and with no impact on the rest of the system. If differences in functionality are accepted, the exchange may require some changes somewhere in the system also. Interchangeability implies a standardisation of functions and, in a strong sense, of devices which are both outside the scope of this standard. Interchangeability is outside the scope, but it will be supported following this standard for interoperability.

Table 1 – Guide for the reader

User		IEC 61850-1 (Introduction and overview)	IEC 61850-5 (Requirements)	IEC 61850-7-1 (Principles)	IEC 61850-7-4 (Logical nodes and data classes)	IEC 61850-7-3 (Common data classes)	IEC 61850-7-2 (Information exchange)	IEC 61850-6 ^a (Configuration language)	IEC 61850-8-x IEC 61850-9-x ^a (Concrete communication stack)
Utility	Manager	x	-	Clause 5	-	-	-	-	-
	Engineer	x	x	x	x	x	In extracts	x	-
Vendor	Application engineer	x	x	x	x	x	In extracts	-	In extracts
	Communication engineer	x	x	x	-	-	x	-	x
	Product manager	x	x	x	x	In extracts	In extracts	In extracts	-
	Marketing	x	x	Clause 5	In extracts	In extracts	In extracts	In extracts	-
Consultant	Application engineer	x	x	x	x	x	-	x	-
	Communication engineer	x	-	x	-	-	x	x	x
All others		x	x	x	-	-	-	-	-
<p>The “x” means that this part of the IEC 61850 series should be read.</p> <p>The “in extracts” means that extracts of this part of the IEC 61850 series should be read to understand the conceptual approach used.</p> <p>The “-” means that this part of the IEC 61850 series may be read.</p> <p>^a These documents are under consideration.</p>									

This part of the IEC 61850 series is intended for all stakeholders of standardised communication and standardised systems in the utility industry. It provides an overview of and an introduction to IEC 61850-7-4, IEC 61850-7-3, IEC 61850-7-2, IEC 61850-6, and IEC 61850-8-1.

Table 1 provides a simplified guide as to which parts of the IEC 61850 series should be read by various stakeholders. Four groups are shown: utility, vendor, various consultants, and others.

COMMUNICATION NETWORKS AND SYSTEMS IN SUBSTATIONS –

Part 7-1: Basic communication structure for substation and feeder equipment – Principles and models

1 Scope

This part of the IEC 61850 series introduces the modelling methods, communication principles, and information models that are used in the parts of IEC 61850-7-x. The purpose of this part of the IEC 61850 series is to provide – from a conceptual point of view – assistance to understand the basic modelling concepts and description methods for:

- substation-specific information models for substation automation systems,
- device functions used for substation automation purposes, and
- communication systems to provide interoperability within substations.

Furthermore, this part of the IEC 61850 series provides explanations and provides detailed requirements relating to the relation between IEC 61850-7-4, IEC 61850-7-3, IEC 61850-7-2 and IEC 61850-5. This part explains how the abstract services and models of IEC 61850-7-x are mapped to concrete communication protocols as defined in IEC 61850-8-1.

The concepts and models provided in this part of the IEC 61850 series may also be applied to describe information models and functions for:

- substation to substation information exchange,
- substation to control centre information exchange,
- information exchange for distributed automation,
- information exchange for metering,
- condition monitoring and diagnosis, and
- information exchange with engineering systems for device configuration.

NOTE 1 This part of IEC 61850 uses examples and excerpts from other parts of the IEC 61850 series. These excerpts are used to explain concepts and methods. These examples and excerpts are informative in this part of IEC 61850.

NOTE 2 Examples in this part use names of classes (e.g. XCBR for a class of a logical node) defined in IEC 61850-7-4, IEC 61850-7-3, and service names defined in IEC 61850-7-2. The normative names are defined in IEC 61850-7-4, IEC 61850-7-3, and IEC 61850-7-2 only.

NOTE 3 This part of IEC 61850 does not provide a comprehensive tutorial. It is recommended that this part be read first – in conjunction with IEC 61850-7-4, IEC 61850-7-3, and IEC 61850-7-2. In addition, it is recommended that IEC 61850-1 and IEC 61850-5 also be read.

NOTE 4 This part of IEC 61850 does not discuss implementation issues.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61850-2, *Communication networks and systems in substations – Part 2: Glossary*³

IEC 61850-5, *Communication networks and systems in substations – Part 5: Communication requirements for functions and devices models*³

IEC 61850-7-2, *Communication networks and systems in substations – Part 7-2: Basic communication structure for substation and feeder equipment – Abstract communication service interface (ACSI)*

IEC 61850-7-3, *Communication networks and systems in substations – Part 7-3: Basic communication structure for substation and feeder equipment – Common data classes*

IEC 61850-7-4, *Communication networks and systems in substations – Part 7-4: Basic communication structure for substation and feeder equipment – Compatible logical node classes and data classes*

ISO/IEC 8802-3:2000, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 8825 (all parts), *Information technology – ASN.1 encoding rules*

ISO 9506-1:2003, *Industrial automation systems – Manufacturing Message Specification – Part 1: Service definition*

ISO 9506-2:2003, *Industrial automation systems – Manufacturing Message Specification – Part 2: Protocol specification*