

# INTERNATIONAL STANDARD

**IEC**  
**61937-4**

First edition  
2003-05

---

---

## Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 61937 –

### Part 4: Non-linear PCM bitstreams according to the MPEG audio format

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE

**M**

*For price, see current catalogue*

## CONTENTS

FOREWORD .....	3
1 Scope .....	5
2 Normative references.....	5
3 Terms and definitions .....	5
3.1 Definitions .....	5
3.2 Abbreviations.....	5
3.3 Presentation convention .....	6
4 Mapping of the audio bitstream on to IEC 61937.....	6
5 Format of MPEG audio data-burst.....	6
5.1 General .....	6
5.2 Pause data-burst .....	6
5.3 Audio data-types.....	7
5.3.1 MPEG-1 layer-1 .....	7
5.3.2 MPEG-1 layer-2 or -3, or MPEG-2 without extension.....	7
5.3.3 MPEG-2 with extension.....	8
5.3.4 MPEG-2 layer-1 low sampling frequency.....	10
5.3.5 MPEG-2 layer-2 Low sampling frequency.....	11
5.3.6 MPEG-2 layer-3 low sampling frequency.....	11
Bibliography.....	13
Figure 1 – MPEG-1 layer-1 data-burst.....	7
Figure 2 – Data-burst with MPEG-1 layer 2 or 3 or MPEG-2 without extension .....	8
Figure 3 – Latency of MPEG-1 layer 2 or 3 or MPEG-2 without extension .....	8
Figure 4 – Format of MPEG-base-frame and MPEG-extension-frame .....	9
Figure 5 – MPEG 2 with extension data-burst.....	9
Figure 6 – Latency of MPEG-2 with extension .....	10
Figure 7 – MPEG-2 layer-1 low sampling frequency data-burst.....	10
Figure 8 – MPEG-2 layer-2 low sampling frequency data-burst.....	11
Figure 9 – MPEG-2 layer-3 low sampling frequency data-burst.....	12
Table 1 – Fields of burst-info.....	6
Table 2 – Repetition period of pause data-bursts .....	7
Table 3 – Data-type-dependent info for data-types 5 and 6 .....	9

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL AUDIO –  
INTERFACE FOR NON-LINEAR PCM ENCODED  
AUDIO BITSTREAMS APPLYING IEC 60958 –**

**Part 4: Non-linear PCM bitstreams  
according to the MPEG audio formats**

## FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible to their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61937-4 has been prepared by technical area 4: Digital system interfaces, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This standard cancels and replaces IEC 61937, published in 2000, which has been divided into four parts (see below). This first edition constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/647/FDIS	100/673/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61937 consists of the following parts under the general title *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*:

Part 1: General

Part 2: Burst-info

Part 3: Non-linear PCM bitstreams according to the AC-3 format

Part 4: Non-linear PCM bitstreams according to the MPEG audio formats

Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theatre Systems) format(s)

Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC format

Part 7: Non-linear PCM bitstreams according to the ATRAC and ATRAC2/3 formats

The committee has decided that the contents of this publication will remain unchanged until October 2005. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of March 2004 have been included in this copy.

**DIGITAL AUDIO –  
INTERFACE FOR NON-LINEAR PCM ENCODED  
AUDIO BITSTREAMS APPLYING IEC 60958 –**

**Part 4: Non-linear PCM bitstreams  
according to the MPEG audio formats**

## **1 Scope**

This part of IEC 61937 specifies the method for the digital audio interface specified in IEC 60958 to convey non-linear PCM bitstreams encoded in accordance with the MPEG audio.

## **2 Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958 (all parts), *Digital audio interface*

IEC 61937-1, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*