



IEC 61996-1

Edition 1.0 2007-11

INTERNATIONAL STANDARD

**Maritime navigation and radiocommunication equipment and systems –
Shipborne voyage data recorder (VDR) –
Part 1: Voyage data recorder (VDR) – Performance requirements, methods of
testing and required test results**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XA**

ICS 47.020.70

ISBN 2-8318-9355-0

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references.....	7
3 Terms, definitions and abbreviations.....	8
3.1 Definitions.....	8
3.2 Abbreviations.....	9
4 Performance requirements.....	10
4.1 General.....	10
4.2 Purpose.....	10
4.3 Operational requirements.....	10
4.3.1 Design and construction.....	10
4.3.2 Maintenance of sequential records.....	11
4.3.3 Co-relation in date and time.....	11
4.3.4 Protective capsule.....	11
4.3.5 Interfaces.....	12
4.4 Data selection and security.....	12
4.4.1 Selection of data items.....	13
4.4.2 Configuration data.....	13
4.4.3 Resistance to tampering.....	13
4.4.4 Recording integrity.....	13
4.5 Operation.....	14
4.5.1 Recording and saving of data.....	14
4.5.2 Power source.....	14
4.5.3 Dedicated reserve power source.....	14
4.5.4 Recording period and duration.....	14
4.6 Data items to be recorded.....	15
4.6.1 Date and time.....	15
4.6.2 Ship's position.....	15
4.6.3 Speed.....	15
4.6.4 Heading.....	15
4.6.5 Bridge audio.....	15
4.6.6 Communications audio.....	16
4.6.7 Radar data – post-display selection.....	16
4.6.8 Echo sounder.....	16
4.6.9 Main alarms.....	16
4.6.10 Rudder order and response.....	16
4.6.11 Engine order and response.....	16
4.6.12 Hull openings (doors) status.....	16
4.6.13 Watertight and fire door status.....	17
4.6.14 Accelerations and hull stresses.....	17
4.6.15 Wind speed and direction.....	17
5 Technical characteristics.....	17
5.1 Co-relation in date and time.....	17
5.2 Particular design requirements for the protective capsule.....	17
5.3 Location beacon(s) for the protective capsule.....	17
5.4 Survivability of recorded data.....	18

5.4.1	Long-term retention under normal conditions	18
5.4.2	Survival following an incident	18
5.5	Information to be included in the manufacturer's documentation	18
5.5.1	Installation guidelines	18
5.5.2	Operation and maintenance manual	19
5.5.3	Information for use by an investigation authority	19
5.6	Bridge audio specifications	19
5.6.1	Input interface	19
5.6.2	Reference signal	19
5.6.3	Audio frequency response	19
5.6.4	Quality index	20
5.6.5	Audio noise level – signal to noise and distortion	20
5.7	Communications audio	20
5.7.1	Input interfaces	20
5.7.2	Reference signal	20
5.7.3	Audio frequency response	20
5.7.4	Quality index	20
5.7.5	Audio noise level – signal to no signal	21
5.7.6	Audio noise level – signal to noise and distortion (S/N/D)	21
5.8	Radar data – post-display selection	21
5.8.1	Input interface	21
5.8.2	Image outputs	21
6	Methods of testing and required test results	22
6.1	General	22
6.1.1	Test setup	22
6.1.2	Download and playback equipment	23
6.1.3	Sequence of tests	23
6.1.4	Requirements to be checked by inspection only	23
6.1.5	Environmental test conditions for normal operation	23
6.1.6	Recording duration	24
6.1.7	Reserve power source	24
6.1.8	Recharging of reserve source of power	24
6.1.9	Brief interruption of electrical power	24
6.1.10	System integrity	25
6.1.11	Maintenance of sequential records	25
6.1.12	Co-relation in date and time	25
6.1.13	Design and construction of the protective capsule	25
6.1.14	Selection of data items	28
6.1.15	Power source	28
6.2	Data items to be recorded	28
6.2.1	Date/time – ship's position – speed – heading	28
6.2.2	Bridge audio	28
6.2.3	Communications audio	32
6.2.4	Radar data, post-display selection	35
6.2.5	Echo sounder – main alarms – rudder order and response – engine order and response – hull openings (doors) status – watertight and doors status – acceleration and hull stresses – wind speed and direction	43
6.2.6	Interfaces	44

Annex A (normative) IEC 61162 sentence formats	45
Annex B (informative) Mandatory alarms	46
Annex C (normative) Download and playback equipment for investigating authorities	48
Annex D (informative) Requirement/test – cross references	52
Bibliography	54
Figure 1 – Test set-up block diagram.....	37
Figure 2 – Comparison of images	41
Table 1 – Bridge audio, signal to no signal measurements	31
Table 2 – Bridge audio, signal to noise and distortion (SINAD) measurements	32
Table 3 – Communications audio, signal to no-signal measurements	34
Table 4 – Communications audio, signal to noise and distortion (SINAD) measurements	35
Table 5 – Intersection colours of test images 1 and 2	39
Table A.1 – References in this standard	45
Table B.1 – IMO instrument: SOLAS Chapter II-1	46
Table B.2 – IMO instrument: SOLAS Chapter II-2	47
Table B.3 – IMO instrument: Resolution A.481.....	47
Table D.1 – Subject list and subclauses	52

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION
EQUIPMENT AND SYSTEMS –
SHIPBORNE VOYAGE DATA RECORDER (VDR) –****Part 1: Voyage data recorder (VDR) –
Performance requirements, methods of testing
and required test results**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61996-1 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This first edition cancels and replaces IEC 61996 published in 2000 and constitutes a technical revision. A new requirement has been added to 4.3.5 for an interface to be used for downloading the stored data to an external computer. This is defined in Annex C which is derived from amendments published by the IMO in resolution MSC.214(81). An optional LAN interface for connection to radar has been added in 5.8. Some corrections to the text have also been made. Subclause 4.3.5 (Assessment of final recording medium) has been renumbered as 4.3.4.2 and subclause 4.3.6 (Interfaces) has been renumbered as 4.3.5.

The text of this standard is based on the following documents:

CDV	Report on voting
80/470/CDV	80/499/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61996 series, under the general title *Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – SHIPBORNE VOYAGE DATA RECORDER (VDR) –

Part 1: Voyage data recorder (VDR) – Performance requirements, methods of testing and required test results

1 Scope

This part of IEC 61996 specifies the minimum performance requirements, technical characteristics and methods of testing, and required test results, for shipborne voyage data recorder (VDR) installations as required by Chapter V of the International Convention for Safety of Life at Sea (SOLAS), as amended. It takes account of IMO resolution A.694(17) and is associated with IEC 60945. When a requirement in this standard is different from IEC 60945, the requirement in this standard takes precedence.

This standard incorporates the applicable parts of the performance standards included in IMO Resolutions A.861(20) and MSC.214(81) Annex 1.

NOTE All text of this standard, whose wording is identical to that of IMO Resolution A.861, is printed in *italics*, and the Resolution and associated performance standard paragraph numbers are indicated in brackets.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-27:1987, *Environmental testing – Part 2: Tests – Test Ea and guidance: Shock*

IEC 60268-16:2003, *Sound system equipment – Part 16: Objective rating of speech intelligibility by speech transmission index*

IEC 60945:2002, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61097-2:2002, *Global maritime distress and safety system (GMDSS) – Part 2: COSPAS SARSAT EPIRB – Satellite emergency position indicating radio beacon operating on 406 MHz – Operational and performance requirements, methods of testing and required test results*

IEC 61097-7:1996, *Global maritime distress and safety system (GMDSS) – Part 7: Shipborne VHF radiotelephone transmitter and receiver – Operational and performance requirements, methods of testing and required test results*

IEC 61162-1, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61162-2, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high-speed transmission*

IEC 61260:1995, *Electroacoustics – Octave-band and fractional-octave-band filters*

IEC 61672-1:2002, *Electroacoustics – Sound level meters – Part 1: Specifications*

IMO A.658(16): *Use and fitting of retro-reflective materials on life-saving appliances*

IMO A.662(16): *Performance standards for float-free release and activation arrangements for emergency radio equipment*

IMO A.694(17): *General requirements for shipborne radio equipment forming part of the Global maritime distress and safety system (GMDSS) and for electronic navigational aids*

IMO A.810(19): *Performance standards for float-free satellite emergency position-indicating radiobeacons (EPIRBs) operating on 406 MHz*

IMO A.830(19): *Code on alarms and indicators*

IMO A.861(20): *Performance standards for shipborne voyage data recorder (VDRs)* IMO A.689:1991, *Testing of life saving appliances*

IMO MSC.214(81): Annex 1: *Amendments to the recommendation on performance standards for shipborne voyage data recorders (VDRs) (Resolution A.861(20))*

IMO:1974, *International Convention for the Safety of Life at Sea (SOLAS), as amended*

ITU-R M.633-1:1990, *Transmission characteristics of a satellite emergency position-indicating radiobeacon (satellite EPIRB) system operating through a polar-orbiting satellite system in the 406 MHz band*

Eurocae: ED56A Amendment 1 – *Minimum operational performance specification (MOPS) for cockpit voice recorder system*

VESA:1996, *Video electronics standards association – Discrete monitor timings standard 1.0, Revision 0.7 (DMTS)*

SAE AS8045:1988, *Engineering Society for advancing mobility land sea air and space – Minimum performance standard for underwater locating devices – acoustic-self-powered*