



IEC 62002-2

Edition 2.0 2008-05

# INTERNATIONAL STANDARD

---

**Mobile and portable DVB-T/H radio access –  
Part 2: Interface conformance testing**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

**X**

---

ICS 33.170

ISBN 2-8318-9749-1

## CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references .....	8
3 Abbreviations .....	8
4 Test conditions .....	10
4.1 General test conditions.....	10
4.1.1 General .....	10
4.1.2 Temperature.....	10
4.1.3 Voltage.....	11
4.2 Terminal categories and summarized measurement conditions .....	11
4.3 Required equipment .....	12
4.4 Reference model and test point.....	12
4.5 Degradation criteria and resynchronization.....	13
4.6 Definition of <i>C/N</i> .....	15
4.7 Definition of measurement signals.....	15
4.7.1 Wanted DVB-T/H signal and interfering DVB-T signal definition.....	15
4.7.2 Interfering signal definitions.....	16
5 <i>C/N</i> performance .....	18
5.1 Definition and applicability.....	18
5.2 Minimum requirements .....	18
5.2.1 <i>C/N</i> performance in Gaussian channel.....	18
5.2.2 <i>C/N</i> performance in portable channel.....	19
5.2.3 <i>C/N</i> performance in portable indoor (PI) and portable outdoor (PO) channels.....	19
5.2.4 <i>C/N</i> performance in mobile channels.....	20
5.3 Test purpose .....	21
5.4 Method of test .....	22
5.4.1 Initial conditions .....	22
5.4.2 Measurement setup .....	22
5.4.3 Procedure.....	23
5.5 Test requirement.....	23
6 Receiver minimum and maximum input signal levels.....	24
6.1 Definition and applicability.....	24
6.2 Minimum requirements .....	24
6.2.1 Minimum input levels .....	24
6.2.2 Maximum input levels for wanted signals .....	24
6.3 Test purpose .....	24
6.4 Method of test .....	24
6.4.1 Initial conditions .....	24
6.4.2 Measurement setup .....	25
6.4.3 Procedure.....	25
6.5 Test requirement.....	25
7 Immunity to analogue and/or digital signals in other channels.....	26
7.1 Definition and applicability.....	26
7.2 Minimum requirements .....	26
7.2.1 Immunity to pattern S1 .....	26

7.2.2	Immunity to pattern S2 .....	27
7.2.3	Immunity to pattern L1 .....	27
7.2.4	Immunity to pattern L2 .....	28
7.2.5	Immunity to pattern L3 .....	28
7.2.6	Immunity to pattern L4 .....	29
7.3	Test purpose .....	30
7.4	Method of test .....	30
7.4.1	Initial conditions .....	30
7.4.2	Measurement setup .....	34
7.4.3	Procedure .....	35
7.5	Test requirement .....	35
8	Immunity to co-channel interference from analogue TV signals .....	35
8.1	Definition and applicability .....	35
8.2	Minimum requirements .....	35
8.3	Test purpose .....	36
8.4	Method of test .....	36
8.4.1	Initial conditions .....	36
8.4.2	Measurement setup .....	36
8.4.3	Procedure .....	37
8.5	Test requirement .....	37
9	Guard interval utilization: echoes within guard interval .....	37
9.1	Definition and applicability .....	37
9.2	Minimum requirements .....	37
9.3	Test purpose .....	37
9.4	Method of test .....	37
9.4.1	Initial conditions .....	37
9.4.2	Measurement setup .....	38
9.4.3	Procedure .....	38
9.5	Test requirement .....	39
10	Guard interval utilization: echoes outside the guard interval .....	39
10.1	Definition and applicability .....	39
10.2	Minimum requirements .....	39
10.3	Test purpose .....	40
10.4	Method of test .....	40
10.4.1	Initial conditions .....	40
10.4.2	Measurement setup .....	40
10.4.3	Procedure .....	41
10.5	Test requirement .....	41
11	Tolerance to impulse interference .....	41
11.1	Definition and applicability .....	41
11.2	Minimum requirements .....	41
11.3	Test purpose .....	42
11.4	Method of test .....	42
11.4.1	Initial conditions .....	42
11.4.2	Measurement setup .....	42
11.4.3	Procedure .....	43
11.5	Test requirement .....	43
12	GSM900 TX signal blocking test .....	43

12.1	Definition and applicability.....	43
12.2	Minimum requirements .....	44
12.2.1	Minimum input levels .....	44
12.3	Test purpose .....	44
12.4	Method of test .....	44
12.4.1	Initial conditions .....	44
12.4.2	Measurement setup .....	44
12.4.3	Procedure.....	45
12.5	Test requirements .....	45
13	Mobile SFN channel test.....	45
13.1	Definition and applicability.....	45
13.2	Minimum requirements .....	45
13.3	Test purpose .....	47
13.4	Method of test .....	47
13.4.1	Initial conditions .....	47
13.4.2	Measurement setup .....	47
13.4.3	Procedure.....	47
13.5	Test requirements .....	48
	Bibliography.....	49
	Figure 1 – Reference model.....	13
	Figure 2 – DVB-H measurement stream.....	15
	Figure 3 – PAL interfering signals .....	17
	Figure 4 – SECAM L interfering signal .....	17
	Figure 5 – Example of a possible measurement setup in <i>C/N</i> performance tests .....	22
	Figure 6 – Example of a possible measurement setup in minimum and maximum receiver signal input level tests .....	25
	Figure 7 – Pattern S1: wanted DVB-T/H channel with <i>N</i> +1 or <i>N</i> -1 analogue interferer.....	30
	Figure 8 – Pattern S2: wanted DVB-T/H channel with <i>N</i> + 1 or <i>N</i> – 1 digital DVB-T interferer.....	31
	Figure 9 – Pattern L1: wanted DVB-T/H channel with one analogue signal on <i>N</i> + 4 channel and one digital DVB-T signal on <i>N</i> + 2 channel .....	32
	Figure 10 – Pattern L2: wanted DVB-T/H channel with one analogue signal on <i>N</i> + 4 channel and another analogue signal on <i>N</i> + 2 channel.....	32
	Figure 11 – Pattern L3: Wanted DVB-T/H signal with one digital DVB-T signal on <i>N</i> + 4 channel and another digital DVB-T signal on <i>N</i> + 2 channel .....	33
	Figure 12 – Pattern L4: Wanted DVB-T/H signal with one analogue signal in C4/VHF III and one DVB-T signal in C21/UHF .....	34
	Figure 13 - Example of a possible measurement setup to test the immunity to analogue and/or to digital signals in other channels .....	34
	Figure 14 – Example of a possible measurement setup to test the immunity to co-channel interference from analogue TV signals.....	36
	Figure 15 – Example of possible measurement setup to test echoes within the guard interval .....	38
	Figure 16 – Echo outside guard interval mask.....	39
	Figure 17 – Example of a possible measurement setup to test echoes outside guard interval .....	40
	Figure 18 – Definition of the impulse interference test pattern.....	42

Figure 19 – Example of a measurement setup to test impulse noise interference .....	43
Figure 20 – Example of a measurement setup to test GSM900 TX signal blocking .....	44
Figure 21 – Example of a measurement setup in mobile SFN test .....	47
Table 1 – Valid conformance measurements for different terminal categories .....	11
Table 2 – Delta values between picture failure point and reference <i>BER</i> .....	14
Table 3 – DVB-H measurement streams .....	16
Table 4 – <i>C/N</i> (dB) in Gaussian channel .....	18
Table 5 – DVB-H <i>C/N</i> (dB) for 5 % <i>MFER</i> in Gaussian channel .....	18
Table 6 – <i>C/N</i> (dB) in portable channel .....	19
Table 7 – <i>C/N</i> (dB) for 5 % <i>MFER</i> in portable channel .....	19
Table 8 – <i>C/N</i> (dB) for 5 % <i>ESR</i> in PI & PO channel .....	19
Table 9 – <i>C/N</i> (dB) for 5 % <i>MFER</i> in PI & PO channel .....	20
Table 10 – <i>C/N</i> (dB) for 5 % <i>ESR</i> in typical urban channel .....	20
Table 11 – <i>C/N</i> (dB) for <i>MFER</i> 5 % for DVB-H .....	21
Table 12 – Immunity to pattern S1 .....	26
Table 13 – Immunity to pattern S1 for DVB-H .....	26
Table 14 – Immunity to pattern S2 .....	27
Table 15 – Immunity to pattern S2 for DVB-H .....	27
Table 16 – Immunity to pattern L1 .....	28
Table 17 – Immunity to pattern L1 for DVB-H .....	28
Table 18 – Immunity to pattern L2 .....	28
Table 19 – Immunity to pattern L2 for DVB-H .....	28
Table 20 – Immunity to pattern L3 .....	29
Table 21 – Immunity to pattern L3 for DVB-H .....	29
Table 22 – Signal levels for pattern L4 .....	29
Table 23 – Immunity to pattern L4 .....	29
Table 24 – Immunity to pattern L4 for DVB-H .....	29
Table 25 – Immunity to analogue co-channel .....	35
Table 26 – Immunity to co-channel interference from analogue signals for DVB-H .....	36
Table 27 – Performance with echoes within the guard interval .....	37
Table 28 – Paths to echoes within guard interval measurement .....	38
Table 29 – Delay of the corner point <i>T<sub>c</sub></i> .....	39
Table 30 – Definition of the value $\Delta$ .....	39
Table 31 – Definition of the inflection point .....	40
Table 32 – Measurement conditions, modes and requirements used for impulse noise .....	41
Table 33 – <i>C/N</i> (dB) for <i>MFER</i> 5 % for DVB-H .....	45
Table 34 – Mobile SFN-channel for weak long echo .....	46
Table 35 – Mobile SFN-channel for strong long echo .....	46
Table 36 – Mobile SFN-channel for strong short echo .....	47

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## MOBILE AND PORTABLE DVB-T/H RADIO ACCESS –

## Part 2: Interface conformance testing

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative References cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62002-2 has been prepared by technical area 1: Terminals for audio, video and data services and content, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition, published in 2005 and constitutes a technical revision.

The main changes with respect to the previous edition are listed below.

- DVB-H has been included as a part of the main specification.
- All the performance figures have been revised as new simulation results have been made available as well as new reference receivers for DVB-H have been developed.
- DVB-H now includes all the different MPE-FEC code rates.
- New portable indoor and portable outdoor channel models have been included as well as performance figures for those.
- A new 2x TU-6 mobile SFN test channel has been included.

- A new L4 linearity pattern has been added.
- Dedicated performance figures for DVB-H for S1, S2, L1 to L4 interference patterns have been included.
- A new GSM-interference measurement method has been added.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1290/CDV	100/1381/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62002 series, under the general title *Mobile and portable DVB-T/H radio access*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## MOBILE AND PORTABLE DVB-T/H RADIO ACCESS –

### Part 2: Interface conformance testing

#### 1 Scope

This part of IEC 62002 provides the conformance testing rules and guidelines for equipment built to meet the Mobile and portable DVB-T/H radio access interface specification (IEC 62002-1).

One aim is to limit the number of tests to a practical level. Nevertheless, the manufacturer is responsible of guaranteeing that the terminal fulfils all aspects of the mobile and portable DVB-T/H radio access interface specification (see IEC 62002-1).

#### 2 Normative references

The following references are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62002-1, *Mobile and portable DVB-T/H radio access – Part 1: Interface specification*

ETSI EN 300 744:2007, *Digital Video Broadcasting (DVB) – Framing structure, channel coding and modulation for digital terrestrial television*, 1.5.2

ITU-R BT.1701-1, *Characteristics of radiated signals of conventional analogue television systems*