

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS/COSEM suite –
Part 3-1: Use of local area networks on twisted pair with carrier signalling**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –
Partie 3-1: Utilisation des réseaux locaux sur paire torsadée avec signal de
porteuse**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications provided. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS/COSEM suite –
Part 3-1: Use of local area networks on twisted pair with carrier signalling**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –
Partie 3-1: Utilisation des réseaux locaux sur paire torsadée avec signal de
porteuse**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.220.20; 35.110; 91.140.50

ISBN 978-2-8322-9940-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	6
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	9
3.1 Terms and definitions	9
3.2 Abbreviated terms	9
4 General description	10
4.1 Basic vocabulary	10
4.2 Profiles, layers and protocols	11
4.3 Specification language	12
4.4 Communication services for local bus data exchange without DLMS	12
4.5 Communication services for local bus data exchange with DLMS	21
4.6 Systems management	22
5 Local bus data exchange without DLMS	23
5.1 Physical layer	23
5.2 Data Link layer	35
5.3 Application layer	43
6 Local bus data exchange with DLMS	46
6.1 Physical layer	46
6.2 Data Link layer	47
6.3 Application layer	56
7 Local bus data exchange with DLMS/COSEM	56
7.1 Model	56
7.2 Physical Layer	56
7.3 Data Link layer	67
7.4 Support Manager layer	76
7.5 Transport Layer	80
7.6 Application Layer	84
8 Local bus data exchange – Hardware	85
8.1 General	85
8.2 General characteristics	85
8.3 Bus specification	90
8.4 Magnetic plug	92
8.5 Functional specifications of Primary Station transmitter (for 50 kHz signal)	94
8.6 Functional specifications of Primary Station receiver (for 50 kHz signal)	95
8.7 Functional specification of Secondary Station transmitter (for 50 kHz signal)	96
8.8 Functional specifications of Secondary Station receiver (for 50 kHz signal)	97
9 Unidirectional local data transmission interface	98
9.1 Introduction	98
9.2 General description	98
9.3 Historical TIC	98
9.4 Standard TIC	102
9.5 Unidirectional TIC Hardware	103
Annex A (normative) Specification language	110
A.1 Vocabulary and operating rules	110

A.2	Entity and Entity Invocation.....	111
Annex B (normative)	Timing types and characteristics	112
B.1	Timing type definition.....	112
B.2	Timing measurements and characteristics.....	113
Annex C (normative)	List of fatal errors.....	114
Annex D (normative)	Coding the command code field of frames.....	115
D.1	Command codes for local bus data exchange (Table D.1).....	115
D.2	Codes of commands for data exchange on the local bus with DLMS or DLMS/COSEM	115
Annex E (normative)	Principle of the CRC	117
E.1	General.....	117
E.2	Operations on the polynomials.....	117
E.3	Check procedure.....	117
E.4	Operating parameters	118
Annex F (normative)	Random integer generation for response from forgotten stations	119
F.1	General.....	119
F.2	Criterion for a random integer	119
F.3	Operating parameters	119
Annex G (normative)	Random number generation for authentication (profile without DLMS)	120
Annex H (normative)	Systems management implementation	121
Annex I (informative)	Information about exchanges.....	122
I.1	Non-energized station session (Figure I.1).....	122
I.2	Remote reading and programming exchanges (Figure I.2)	123
I.3	Bus initialization frame (Figure I.3).....	124
I.4	Forgotten station call exchange (Figure I.4)	125
Bibliography.....		126
Figure 1	– IEC 62056-3-1 communication profiles	11
Figure 2	– Alarm mechanism	21
Figure 3	– Exchanges in continuous operation.....	25
Figure 4	– Alarm event without any communication in progress	26
Figure 5	– Alarm event with a communication in progress.....	26
Figure 6	– Signal envelope on the bus	86
Figure 7	– Bus representation.....	87
Figure 8	– Power supply characteristics.....	87
Figure 9	– States associated to a session: for selected Secondary Station	88
Figure 10	– States associated to a session: for non-selected Secondary Station.....	88
Figure 11	– Simple and multiple Secondary stations	89
Figure 12	– Equivalent diagram of the test equipment.....	91
Figure 13	– Ferrite pot and bobbin	92
Figure 14	– Associated components of the magnetic plug	93
Figure 15	– Associated components of the energy supply plug	94
Figure 16	– Character transmission	99
Figure 17	– Historical TIC: information group structure	100
Figure 18	– Standard TIC: Application information group structure.....	102

Figure 19 – Standard TIC: Timestamped information group structure	102
Figure 20 – Equivalent diagram of the test equipment	106
Figure 21 – Signal envelope on the bus	107
Figure B.1 – Logical timing type	112
Figure B.2 – Physical timing type	112
Figure B.3 – Results processing for timing defined with low and high limits	113
Figure B.4 – Results processing for timing defined by a nominal value	113
Figure I.1 – Non-energized station session	122
Figure I.2 – Remote reading and programming exchanges	123
Figure I.3 – Bus initialization	124
Figure I.4 – Forgotten station call exchange	125
Table 1 – Primary Station timing	24
Table 2 – Secondary Station timing	25
Table 3 – Physical services and service primitives	26
Table 4 – <i>Physical-62056-3-1</i> state transitions: Primary Station	27
Table 5 – Power supply management state transitions (only for non-energized Secondary Station)	30
Table 6 – <i>Physical-62056-3-1</i> state transitions: Secondary Station	31
Table 7 – Meaning of the states listed in the previous tables	32
Table 8 – Definition of the procedures, functions and events classified in alphabetical order	33
Table 9 – Error summary table	35
Table 10 – Data Link services and service primitives	36
Table 11 – <i>Link-62056-3-1</i> state transitions: Primary Station	37
Table 12 – <i>Link-62056-3-1</i> State transitions: Secondary Station	40
Table 13 – Meaning of the states listed in the previous tables	41
Table 14 – Definition of the procedures and functions classified in alphabetical order	41
Table 15 – Error summary table	42
Table 16 – Application services and service primitives	43
Table 17 – <i>Application-62056-3-1</i> state transitions: Primary Station	44
Table 18 – <i>Application-62056-3-1</i> state transitions: Secondary Station	45
Table 19 – Meaning of the states listed in the previous tables	45
Table 20 – Definition of the procedures and functions classified in alphabetical order	46
Table 21 – Error summary table	46
Table 22 – Data Link services and service primitives	48
Table 23 – <i>Link-E/D</i> state transitions: Primary Station	49
Table 24 – <i>Link-E/D</i> state transitions: Secondary Station	51
Table 25 – Meaning of the states listed in the previous tables	53
Table 26 – Definition of the procedures and functions classified in alphabetical order	54
Table 27 – Error summary table	55
Table 28 – Client_connect function definition	56
Table 29 – E/COSEM Physical services and service primitives	57
Table 30 – <i>E/COSEM Physical</i> state transitions: Primary Station	59

Table 31 – Power supply management state transitions (only for non-energized Secondary Station)	61
Table 32 – <i>E/COSEM Physical</i> State transitions: Secondary Station	63
Table 33 – Meaning of the states listed in the previous tables	64
Table 34 – Definition of the procedures, functions and events classified in alphabetical order	65
Table 35 – Error summary table	67
Table 36 – Data Link services and service primitives	68
Table 37 – <i>DLMS/COSEM Data Link E/D</i> state transitions: Primary Station	70
Table 38 – <i>DLMS/COSEM Link E/D</i> state transitions: Secondary Station	72
Table 39 – Meaning of the states listed in the previous tables	74
Table 40 – Definition of the procedures and functions classified in alphabetical order	75
Table 41 – Commands managed by the Support Manager layer	76
Table 42 – List of parameters	78
Table 43 – Support Manager layer state transitions: Primary Station	78
Table 44 – Support Manager layer state transitions: Secondary Station	79
Table 45 – Meaning of the states listed in the previous table	79
Table 46 – Definition of procedures, functions and events	79
Table 47 – Transport services and services primitive	81
Table 48 – Transport state transitions	81
Table 49 – Meaning of the states listed in the previous table	83
Table 50 – Definition of the procedures and functions classified in alphabetical order	83
Table 51 – Primary station transmitter: $Tev0$ and $Tev1$ values	95
Table 52 – Primary station receiver: $Tev0$ and $Tev1$ values	95
Table 53 – Secondary station transmitter: $Tev0$ and $Tev1$ values	96
Table 54 – Secondary station receiver: $Tev0$ and $Tev1$ values	97
Table 55 – TIC terminal board pin out	104
Table 56 – Power supply characteristics	104
Table 57 – Signal characteristics	106
Table C.1 – FatalError error numbers	114
Table D.1 – Command codes for local bus data exchange	115
Table D.2 – Command codes with DLMS and DLMS/COSEM	116
Table H.1 – Discovery service	121
Table H.2 – Service specification	121

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICITY METERING DATA EXCHANGE –
THE DLMS/COSEM SUITE –****Part 3-1: Use of local area networks on twisted pair
with carrier signalling**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62056-3-1 has been prepared by IEC technical committee 13: Electrical energy, measurement and control.

This second edition cancels and replaces the first edition of IEC 62056-3-1, issued in 2013, and constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

- addition of a profile which makes use of the IEC 62056 DLMS/COSEM Application layer and COSEM object model;
- review of the data link layer which is split into two parts:
 - a pure Data Link layer;
 - a "Support Manager" entity managing the communication media;
- ability to negotiate the communication speed, bringing baud rate up to 9 600 bauds.

The text of this International Standard is based on the following documents:

CDV	Report on voting
13/1794/CDV	13/1823/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS/COSEM suite*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 3-1: Use of local area networks on twisted pair with carrier signalling

1 Scope

This part of IEC 62056 describes two sets of profiles: the first set of profiles allows bidirectional communication between a client and a server. This set of profiles is made of three profiles allowing local bus data exchange with stations either energized or not. For non-energized stations, the bus supplies energy for data exchange. Three different profiles are supported:

- base profile: this three-layer profile provides remote communication services.
NOTE 1 This first profile was published in IEC 61142:1993 and became known as the Euridis standard.
- profile with DLMS: this profile allows using DLMS services as specified in IEC 61334-4-41;
NOTE 2 This second profile was published in IEC 62056-31:1999.
- profile with DLMS/COSEM: this profile allows using the DLMS/COSEM Application layer and the COSEM object model as specified in IEC 62056-5-1 and in IEC 62056-6-2 respectively.

The three profiles use the same physical layer and they are fully compatible, meaning that devices implementing any of these profiles can be operated on the same bus. The transmission medium is twisted pair using carrier signalling and is known as the Euridis Bus.

The second set of profiles allows unidirectional communication between a given Energy Metering device and a Customer Energy Management System. This second set is made up of three profiles.

Subclause 4.2.1 to Clause 8 included specify the bidirectional communication using twisted pair signalling and Clause 9 to 9.5 the unidirectional communication using twisted pair signalling.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments), applies.

IEC 61334-4-41:1996, *Distribution automation using distribution line carrier systems – Part 4: Data communication protocols – Section 41: Application protocols – Distribution line message specification*

IEC 62056-51:1998, *Electricity metering – Data exchange for meter reading, tariff and load control – Part 51: Application layer protocols*

IEC 62056-5-3:2017, *Electricity metering data exchange – The DLMS/COSEM suite – Part 5-3: DLMS/COSEM application layer*

IEC 62056-6-2:2017, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-2: COSEM interface classes*