

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS®/COSEM suite –
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –
Partie 6-2: Classes d'interfaces COSEM**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications preview. With a subscription you will always have access to up-to-date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS[®]/COSEM suite –
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –
Partie 6-2: Classes d'interfaces COSEM**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.220, 35.110, 91.140.50

ISBN 978-2-8322-7344-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	12
INTRODUCTION.....	14
1 Scope.....	16
2 Normative references	16
3 Terms, definitions and abbreviated terms	18
3.1 Terms and definitions related to the Image transfer process (see 4.4.6).....	19
3.2 Terms and definitions related to the S-FSK PLC setup classes (see 4.10)	20
3.3 Terms and definitions related to the PRIME NB OFDM PLC setup ICs (see 4.12).....	21
3.4 Terms and definitions related to the ISO/IEC 14908 setup ICs (see 4.18)	22
3.5 Terms and definitions related to ZigBee® (see 4.15).....	23
3.6 Terms and definitions related to Payment metering interface classes (see 4.6).....	24
3.7 Terms and definitions related to the Arbitrator IC (see 4.5.12)	28
3.8 Abbreviated terms.....	29
4 The COSEM interface classes	33
4.1 Basic principles.....	33
4.1.1 General	33
4.1.2 Referencing methods.....	34
4.1.3 Reserved base_names for special COSEM objects.....	35
4.1.4 Class description notation.....	35
4.1.5 Common data types.....	38
4.1.6 Data formats.....	39
4.1.7 The COSEM server model.....	44
4.1.8 The COSEM logical device.....	45
4.1.9 Information security	46
4.2 Overview of the COSEM interface classes	47
4.3 Interface classes for parameters and measurement data	53
4.3.1 Data (class_id = 1, version = 0)	53
4.3.2 Register (class_id = 3, version = 0)	54
4.3.3 Extended register (class_id = 4, version = 0)	58
4.3.4 Demand register (class_id = 5, version = 0).....	60
4.3.5 Register activation (class_id = 6, version = 0).....	64
4.3.6 Profile generic (class_id = 7, version = 1)	66
4.3.7 Utility tables (class_id = 26, version = 0)	72
4.3.8 Register table (class_id = 61, version = 0).....	73
4.3.9 Status mapping (class_id = 63, version = 0)	76
4.3.10 Compact data (class_id: 62, version: 1).....	77
4.4 Interface classes for access control and management	85
4.4.1 Overview	85
4.4.2 Client user identification	85
4.4.3 Association SN (class_id = 12, version = 4).....	86
4.4.4 Association LN (class_id = 15, version = 3)	91
4.4.5 SAP assignment (class_id = 17, version = 0)	98
4.4.6 Image transfer (class_id = 18, version = 0).....	98
4.4.7 Security setup (class_id = 64, version = 1)	106
4.4.8 Push interface classes and objects	112

4.4.9	COSEM data protection (class_id = 30, version = 0)	125
4.4.10	Function control (class_id: 122, version: 0)	140
4.4.11	Array manager (class_id = 123, version = 0)	142
4.4.12	Communication port protection (class_id = 124, version = 0)	147
4.5	Interface classes for time- and event bound control	150
4.5.1	Clock (class_id = 8, version = 0)	150
4.5.2	Script table (class_id = 9, version = 0)	154
4.5.3	Schedule (class_id = 10, version = 0)	155
4.5.4	Special days table (class_id = 11, version = 0)	158
4.5.5	Activity calendar (class_id = 20, version = 0)	160
4.5.6	Register monitor (class_id = 21, version = 0)	164
4.5.7	Single action schedule (class_id = 22, version = 0)	165
4.5.8	Disconnect control (class_id = 70, version = 0)	166
4.5.9	Limiter (class_id = 71, version = 0)	170
4.5.10	Parameter monitor (class_id = 65, version = 1)	172
4.5.11	Sensor manager (class_id = 67, version = 0)	176
4.5.12	Arbitrator (class_id = 68, version = 0)	180
4.5.13	Modelling examples: tariffication and billing	184
4.6	Payment metering related interface classes	186
4.6.1	Overview of the COSEM accounting model	186
4.6.2	Account (class_id = 111, version = 0)	188
4.6.3	Credit interface class (class_id = 112, version = 0)	197
4.6.4	Charge (class_id = 113, version = 0)	208
4.6.5	Token gateway (class_id = 115, version = 0)	214
4.7	Interface classes for setting up data exchange via local ports and modems	216
4.7.1	IEC local port setup (class_id = 19, version = 1)	216
4.7.2	IEC HDLC setup (class_id = 20, version = 1)	218
4.7.3	IEC twisted pair (1) setup (class_id = 24, version = 1)	220
4.7.4	Modem configuration (class_id = 27, version = 1)	223
4.7.5	Auto answer (class_id = 28, version = 2)	224
4.7.6	Auto connect (class_id = 29, version = 2)	228
4.7.7	GPRS modem setup (class_id = 45, version = 0)	230
4.7.8	GSM diagnostic (class_id: 47, version: 2)	231
4.7.9	LTE monitoring (class_id: 151, version: 1)	233
4.8	Interface classes for setting up data exchange via M-Bus	236
4.8.1	Overview	236
4.8.2	M-Bus slave port setup (class_id = 25, version = 0)	237
4.8.3	M-Bus client (class_id = 72, version = 1)	238
4.8.4	Wireless Mode Q channel (class_id = 73, version = 1)	242
4.8.5	M-Bus master port setup (class_id = 74, version = 0)	243
4.8.6	DLMS®/COSEM server M-Bus port setup (class_id = 76, version = 0)	244
4.8.7	M-Bus diagnostic (class_id = 77, version = 0)	246
4.9	Interface classes for setting up data exchange over the Internet	248
4.9.1	TCP-UDP setup (class_id = 41, version = 0)	248
4.9.2	IPv4 setup (class_id = 42, version = 0)	250
4.9.3	IPv6 setup (class_id = 48, version = 0)	253
4.9.4	MAC address setup (class_id = 43, version = 0)	257
4.9.5	PPP setup (class_id = 44, version = 0)	257
4.9.6	SMTP setup (class_id = 46, version = 0)	262

4.9.7	NTP setup (class_id = 100, version = 0)	263
4.10	Interface classes for setting up data exchange using S-FSK PLC.....	264
4.10.1	General	264
4.10.2	Overview	265
4.10.3	S-FSK Phy&MAC set-up (class_id = 50, version = 1)	267
4.10.4	S-FSK Active initiator (class_id = 51, version = 0)	272
4.10.5	S-FSK MAC synchronization timeouts (class_id = 52, version = 0).....	274
4.10.6	S-FSK MAC counters (class_id = 53, version = 0).....	276
4.10.7	IEC 61334-4-32 LLC setup (class_id = 55, version = 1)	279
4.10.8	S-FSK Reporting system list (class_id = 56, version = 0).....	280
4.11	Interface classes for setting up the LLC layer for ISO/IEC 8802-2	281
4.11.1	General	281
4.11.2	ISO/IEC 8802-2 LLC Type 1 setup (class_id = 57, version = 0).....	281
4.11.3	ISO/IEC 8802-2 LLC Type 2 setup (class_id = 58, version = 0).....	282
4.11.4	ISO/IEC 8802-2 LLC Type 3 setup (class_id = 59, version = 0).....	283
4.12	Interface classes for setting up and managing DLMS®/COSEM narrowband OFDM PLC profile for PRIME networks	285
4.12.1	Overview	285
4.12.2	Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC attributes	286
4.12.3	61334-4-32 LLC SCS setup (class_id = 80, version = 0).....	288
4.12.4	PRIME NB OFDM PLC Physical layer parameters	289
4.12.5	PRIME NB OFDM PLC Physical layer counters (class_id = 81, version = 0).....	289
4.12.6	PRIME NB OFDM PLC MAC setup (class_id = 82, version = 0)	290
4.12.7	NB OFDM PLC MAC functional parameters (class_id = 83 version = 0)	292
4.12.8	PRIME NB OFDM PLC MAC counters (class_id = 84, version = 0).....	294
4.12.9	PRIME NB OFDM PLC MAC network administration data (class_id = 85, version = 0)	295
4.12.10	PRIME NB OFDM PLC MAC address setup (class_id = 83, version = 0)	298
4.12.11	PRIME NB OFDM PLC Application identification (class_id = 86, version = 0).....	298
4.13	Interface classes for setting up and managing the DLMS®/COSEM narrowband OFDM PLC profile for G3-PLC networks	299
4.13.1	Overview	299
4.13.2	Mapping of G3-PLC PIB attributes to COSEM IC attributes	300
4.13.3	G3-PLC MAC layer counters (class_id = 90, version = 1).....	301
4.13.4	G3-PLC MAC setup (class_id = 91, version = 2)	303
4.13.5	G3-PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 2).....	311
4.14	Interface classes for setting up and managing DLMS®/COSEM HS-PLC ISO/IEC 12139-1 neighbourhood networks.....	318
4.14.1	Overview	318
4.14.2	HS-PLC ISO/IEC 12139-1 MAC setup (class_id = 140, version = 0).....	318
4.14.3	HS-PLC ISO/IEC 12139-1 CPAS setup (class_id = 141, version = 0)	320
4.14.4	HS-PLC ISO/IEC 12139-1 IP SSAS setup (class_id = 142, version = 0).....	320
4.14.5	HS-PLC ISO/IEC 12139-1 HDLC SSAS setup (class_id = 143, version = 0).....	321
4.15	ZigBee® setup classes	322
4.15.1	Overview	322
4.15.2	ZigBee® SAS startup (class_id = 101, version = 0).....	324
4.15.3	ZigBee® SAS join (class_id = 102, version = 0).....	326

4.15.4	ZigBee® SAS APS fragmentation (class_id = 103, version = 0)	327
4.15.5	ZigBee® network control (class_id = 104, version = 0).....	328
4.15.6	ZigBee® tunnel setup (class_id = 105, version = 0)	334
4.16	Interface classes for setting up and managing the DLMS®/COSEM profile for LPWAN networks	335
4.16.1	General	335
4.16.2	Generic interface classes	335
4.16.3	LPWAN specific interface classes	341
4.17	Interface classes for setting up and managing the DLMS®/COSEM profile for Wi-SUN networks.....	348
4.17.1	Wi-SUN setup (class_id = 95, version 0).....	348
4.17.2	Wi-SUN diagnostic (class_id = 96, version 0)	352
4.17.3	RPL diagnostic (class_id = 97, version 0)	356
4.17.4	MPL diagnostic (class_id = 98, version 0).....	358
4.18	Interface classes for setting up and managing the DLMS®/COSEM profile for ISO/IEC 14908 PLC networks	360
4.18.1	General	360
4.18.2	ISO/IEC 14908 identification (class_id = 130, version = 0).....	360
4.18.3	ISO/IEC 14908 protocol setup (class_id = 131, version = 0)	361
4.18.4	ISO/IEC 14908 protocol status (class_id = 132, version = 0).....	361
4.18.5	ISO/IEC 14908 diagnostic (class_id = 133, version = 0).....	363
5	Previous versions of interface classes	366
5.1	General.....	366
5.1.1	New versions of interface classes	366
5.1.2	New interface classes	366
5.1.3	Removal of interface classes	366
5.2	Previous versions of interface classes – general	366
5.3	Previous versions of interface classes for parameters and measurement data	366
5.3.1	Profile generic (class_id = 7, version = 0).....	366
5.3.2	Compact data (class_id = 62, version = 0).....	370
5.4	Previous versions of interface classes for access control and management	373
5.4.1	Association LN (class_id = 12, version = 0)	373
5.4.2	Association SN (class_id = 12, version = 1)	375
5.4.3	Association SN (class_id = 12, version = 2)	378
5.4.4	Association SN (Class_id = 12, version =3)	382
5.4.5	Association LN (class_id = 15, version = 0)	387
5.4.6	Association LN (class_id = 15, version = 1)	392
5.4.7	Association LN (class_id = 15, version = 2)	397
5.4.8	Security setup (class_id = 64, version = 0)	403
5.4.9	Push Setup (class_id = 40, version = 0).....	405
5.4.10	Push Setup (class_id = 40, version = 1).....	410
5.5	Previous versions of interface classes for time- and event-bound control	417
5.5.1	Parameter monitor (class_id = 65, version = 0).....	417
5.6	Previous versions of payment metering related interface classes	418
5.7	Previous versions of interface classes for setting up data exchange via local ports and modems	419
5.7.1	IEC local port setup (class_id = 19, version = 0)	419
5.7.2	IEC HDLC setup, (class_id = 23, version = 0)	420
5.7.3	IEC twisted pair (1) setup (class_id = 24, version = 0)	422

5.7.4	PSTN modem configuration (class_id = 27, version = 0)	424
5.7.5	Auto answer (class_id = 28, version = 0)	426
5.7.6	PSTN auto dial (class_id = 29, version = 0)	428
5.7.7	Auto connect (class_id = 29, version = 1)	429
5.7.8	GSM diagnostic (class_id = 47, version = 0)	431
5.7.9	GSM diagnostic (class_id: 47, version: 1)	433
5.7.10	LTE monitoring (class_id: 151, version: 0)	435
5.8	Previous versions of interface classes for setting up data exchange via M-Bus	436
5.8.1	M-Bus client (class_id = 72, version = 0)	436
5.9	Previous versions of interface classes for setting up data exchange over the internet	441
5.10	Previous versions of interface classes for data exchange using S-FSK PLC	441
5.10.1	S-FSK Phy&MAC setup (class_id = 50, version = 0)	441
5.10.2	S-FSK IEC 61334-4-32 LLC setup (class_id = 55, version = 0)	446
5.11	Previous versions of interface classes for setting up the LLC layer for ISO/IEC 8802-2	447
5.12	Previous versions of interface classes for setting up and managing DLMS®/COSEM narrowband OFDM PLC profile for PRIME networks	447
5.13	Previous versions of interface classes for setting up and managing DLMS®/COSEM narrowband OFDM PLC profile for G3-PLC networks	447
5.13.1	Mapping of G3-PLC IB attributes to COSEM IC attributes (Original version)	447
5.13.2	G3 NB OFDM PLC MAC layer counter (class_id = 90, version = 0)	449
5.13.3	G3 NB OFDM PLC MAC setup (class_id = 91, version = 0)	450
5.13.4	G3 NB OFDM PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 0)	454
5.13.5	Mapping of G3-PLC PIB attributes to COSEM IC attributes (previous version)	460
5.13.6	G3-PLC MAC setup (class_id = 91, version = 1)	462
5.13.7	G3-PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 1)	468
5.14	Previous versions of interface classes for setting up and managing DLMS®/COSEM NB-PLC ISO/IEC 12139-1 neighbourhood networks	474
5.15	Previous version of ZigBee® setup classes	474
6	Relation to OBIS	474
6.1	General	474
6.2	Abstract COSEM objects	475
6.2.1	Use of value group C	475
6.2.2	Data of historical billing periods	476
6.2.3	Billing period values / reset counter entries	478
6.2.4	Other abstract general purpose OBIS codes	478
6.2.5	Clock objects (class_id = 8)	479
6.2.6	Modem configuration and related objects	479
6.2.7	Script table objects (class_id = 9)	480
6.2.8	Special days table objects (class_id = 11)	481
6.2.9	Schedule objects (class_id = 10)	481
6.2.10	Activity calendar objects (class_id = 20)	482
6.2.11	Register activation objects (class_id = 6)	482
6.2.12	Single action schedule objects (class_id = 22)	482
6.2.13	Register monitor objects (class_id = 21)	483
6.2.14	Parameter monitor objects (class_id = 65)	483

6.2.15	Limiter objects (class_id = 71)	483
6.2.16	Array manager objects (class_id = 123)	483
6.2.17	Payment metering related objects	483
6.2.18	IEC local port setup objects (class_id = 19)	484
6.2.19	Standard readout profile objects (class_id = 7)	484
6.2.20	IEC HDLC setup objects (class_id = 23)	485
6.2.21	IEC twisted pair (1) setup objects (class_id = 24)	485
6.2.22	Objects related to data exchange over M-Bus	486
6.2.23	Objects to set up data exchange over the Internet	487
6.2.24	Objects to set up Push Setup (class_id = 40)	488
6.2.25	Objects for setting up data exchange using S-FSK PLC	489
6.2.26	Objects for setting up the ISO/IEC 8802-2 LLC layer	489
6.2.27	Objects for data exchange using narrowband OFDM PLC for PRIME networks	490
6.2.28	Objects for data exchange using narrow-band OFDM PLC for G3-PLC networks	490
6.2.29	ZigBee® setup objects	491
6.2.30	Objects for setting up and managing data exchange using ISO/IEC 14908 PLC networks	491
6.2.31	Objects for data exchange using HS-PLC ISO/IEC 12139-1 ISO/IEC 12139-1 networks	491
6.2.32	Objects for data exchange using Wi-SUN networks	492
6.2.33	Association objects (class_id = 12, 15)	492
6.2.34	SAP assignment object (class_id = 17)	493
6.2.35	COSEM logical device name object	493
6.2.36	Information security related objects	493
6.2.37	Image transfer objects (class_id = 18)	494
6.2.38	Function control objects (class_id = 122)	494
6.2.39	Communication port protection objects (class_id = 124)	494
6.2.40	Utility table objects (class_id = 26)	494
6.2.41	Compact data objects (class_id = 62)	495
6.2.42	Device ID objects	495
6.2.43	Metering profile objects	496
6.2.44	Parameter changes and calibration objects	496
6.2.45	I/O control signal objects	496
6.2.46	Disconnect control objects (class_id = 70)	496
6.2.47	Arbitrator objects (class_id = 68)	497
6.2.48	Status of internal control signals objects	497
6.2.49	Internal operating status objects	497
6.2.50	Battery entries objects	498
6.2.51	Power failure monitoring objects	498
6.2.52	Operating time objects	499
6.2.53	Environment related parameters objects	499
6.2.54	Status register objects	499
6.2.55	Event code objects	499
6.2.56	Communication port log parameter objects	500
6.2.57	Consumer message objects	500
6.2.58	Currently active tariff objects	500
6.2.59	Event counter objects	500
6.2.60	Profile entry digital signature objects	501

6.2.61	Profile entry counter objects	501
6.2.62	Meter tamper event related objects	501
6.2.63	Error register objects	502
6.2.64	Alarm register, Alarm filter and Alarm descriptor objects	502
6.2.65	General list objects	503
6.2.66	Event log objects (class_id 7)	503
6.2.67	Inactive objects	504
6.3	Electricity related COSEM objects	504
6.3.1	Value group D definitions	504
6.3.2	ID numbers – Electricity	504
6.3.3	Billing period values / reset counter entries	505
6.3.4	Other electricity related general purpose objects	505
6.3.5	Measurement algorithm	506
6.3.6	Metering point ID (electricity related)	508
6.3.7	Electricity related status objects	508
6.3.8	List objects – Electricity (class_id = 7)	508
6.3.9	Threshold values	509
6.3.10	Register monitor objects (class_id = 21)	510
6.4	Coding of OBIS identifications	510
Annex A (informative)	Additional information on Auto answer and Auto connect ICs	512
Annex B (informative)	Additional information to M-Bus client (class_id = 72, version 1)	514
Annex C (informative)	Additional information on IPv6 setup class (class_id = 48, version = 0)	516
C.1	General	516
C.2	IPv6 addressing	516
C.3	IPv6 header format	517
C.4	IPv6 header extensions	519
C.4.1	Overview	519
C.4.2	Hop-by-Hop options	519
C.4.3	Destination option	520
C.4.4	Routing options	520
C.4.5	Fragment options	520
C.4.6	Security options	520
Annex D (informative)	Overview of the narrow-band OFDM PLC technology for PRIME networks	521
Annex E (informative)	Overview of the narrow-band OFDM PLC technology for G3-PLC networks	522
Annex F (informative)	Significant technical changes with respect to IEC 62056-6-2, Edition 3.0:2017	523
Bibliography	524
Figure 1	– The meaning of the definitions concerning the Image	19
Figure 2	– An interface class and its instances	34
Figure 3	– The COSEM server model	44
Figure 4	– Combined metering device	45
Figure 5	– Overview of the interface classes – Part 1	48
Figure 6	– Overview of the interface classes – Part 2	49
Figure 7	– Overview of the interface classes – Part 3	50

Figure 8 – The time attributes when measuring sliding demand	60
Figure 9 – The attributes in the case of block demand	61
Figure 10 – The attributes in the case of sliding demand (number of periods = 3)	61
Figure 11 – Image transfer process flow chart.....	104
Figure 12 – COSEM model of push operation	113
Figure 13 – Push windows and delays	115
Figure 14 – COSEM model of data protection	126
Figure 15 – Example: Read <i>protection_buffer</i> attribute.....	128
Figure 16 – Example of managing an array	143
Figure 17 – The generalized time concept.....	151
Figure 18 – State diagram of the Disconnect control IC.....	167
Figure 19 – Definition of upper and lower thresholds.....	180
Figure 20 – COSEM tariffication model (example).....	185
Figure 21 – COSEM billing model (example).....	185
Figure 22 – Outline Account model	187
Figure 23 – Diagram of attribute relationships.....	188
Figure 24 – Credit States when priority >0	198
Figure 25 – Operation of <i>current_credit_status</i> flags	201
Figure 26 – Interaction of <i>current_credit_amount</i> and <i>available_credit</i> with Token “Credit” and Emergency “Credit”	207
Figure 27 – Object model of DLMS®/COSEM servers	265
Figure 28 – Object model of DLMS®/COSEM servers	286
Figure 29 – Example of a ZigBee® network	323
Figure 30 – Push windows and delays	406
Figure 31 – Data of historical billing periods – example with module 12, VZ = 5.....	477
Figure A.1 – Network connectivity example for a GSM/GPRS network	512
Figure B.1 – Encryption key status diagram	514
Figure C.1 – IPv6 address formats.....	517
Figure C.2 – IPv6 header format	518
Figure C.3 – Traffic class parameter format	518
Table 1 – Reserved <i>base_names</i> for SN referencing.....	35
Table 2 – Interface class overview	35
Table 3 – Common data types	38
Table 4 – List of interface classes by <i>class_id</i>	50
Table 5 – Enumerated values for physical units	56
Table 6 – Examples for <i>scaler_unit</i>	58
Table 7 – Parameters for selective access to the buffer attribute	70
Table 8 – Parameters for selective access to the buffer attribute	72
Table 9 – Daily billing data.....	81
Table 10 – Attributes of the “Compact data” object	81
Table 11 – A-XDR encoding of the data (SEQUENCE OF Get-Data-Result).....	82
Table 12 – Diagnostic and Alarm data.....	82

Table 13 – Attributes of the “Compact data” object	83
Table 14 – Encoding the data read from the buffer attribute of a “Profile generic” object.....	83
Table 15 – Logbook data	83
Table 16 – Attributes of the “Compact data” object	84
Table 17 – Attributes of the “Compact data” object	84
Table 18 – A-XDR encoding of the data read from the <i>buffer</i> attribute.....	85
Table 19 – Parameters for selective access to the <i>object_list</i> and <i>access_rights_list</i> attribute	89
Table 20 – Parameters for selective access to the <i>object_list</i> attribute.....	93
Table 21 – Encoding of selective access parameters with <i>data_index</i>	124
Table 22 – Key information required to establish data protection keys	135
Table 23 – Protection parameters of <i>protection_parameters_get</i> attribute	136
Table 24 – Protection parameters of <i>protection_parameters_set</i> attribute	137
Table 25 – Protection parameters of <i>get_protected_attributes</i> method	138
Table 26 – Protection parameters of <i>set_protected_attributes</i> method	139
Table 27 – Protection parameters of <i>invoke_protected_method</i> method.....	140
Table 28 – Example values for NCA and CLT	149
Table 29 – Schedule	155
Table 30 – Special days table	155
Table 31 – Disconnect control IC – states and state transitions.....	168
Table 32 – Explicit presentation of threshold value arrays.....	180
Table 33 – Explicit presentation of <i>action_sets</i>	180
Table 34 – Credit states.....	198
Table 35 – Credit state transitions	199
Table 36 – ADS address elements	222
Table 37 – Fatal error register	223
Table 38 – Mapping IEC 61334-4-512:2001 MIB variables to COSEM IC attributes / methods.....	266
Table 39 – MAC addresses in the S-FSK profile.....	272
Table 40 – Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC attributes.....	287
Table 41 – Mapping of G3-PLC IB attributes to COSEM IC attributes.....	300
Table 42 – Use of ZigBee® setup COSEM interface classes	323
Table 43 – C/D Rule 1	339
Table 44 – Parameters for selective access to the <i>object_list</i> attribute.....	376
Table 45 – Parameters for selective access to the <i>object_list</i> and <i>access_rights_list</i> attribute	381
Table 46 – Parameters for selective access to the <i>object_list</i> attribute.....	385
Table 47 – Parameters for selective access to the <i>object_list</i> attribute.....	391
Table 48 – Encoding of selective access parameters with <i>data_index</i>	410
Table 49 – ADS address elements	423
Table 50 – Mapping of G3-PLC IB attributes specified in ITU-T G.9903:2017 to COSEM IC attributes	448
Table 51 – Mapping of G3-PLC IB attributes to COSEM IC attributes.....	461
Table 52 – Use of value group C for abstract objects in the COSEM context.....	475

Table 53 – Representation of various values by appropriate ICs 504

Table 54 – Measuring algorithms – enumerated values 507

Table 55 – Threshold objects, electricity 509

Table 56 – Register monitor objects, electricity 510

Table B.1 – Encryption key is preset in the slave and cannot be changed 515

Table B.2 – Encryption key is preset in the slave and new key is set after installation..... 515

Table B.3 – Encryption key is not preset in the slave, but can be set, case a) 515

Table B.4 – Encryption key is not preset in the slave, but can be set, case b) 515

Table C.1 – IPv6 header vs. IPv6 IC 519

Table C.2 – Optional IPv6 header extensions vs. IPv6 IC..... 519

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICITY METERING DATA EXCHANGE –
THE DLMS®/COSEM SUITE –****Part 6-2: COSEM interface classes**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62056-6-2 has been prepared by IEC technical committee 13: Electrical energy measurement and control. It is an International Standard.

This fourth edition cancels and replaces the third edition of IEC 62056-6-2 published in 2017. It constitutes a technical revision.

The significant technical changes with respect to the previous edition are listed in Annex F (Informative).

The text of this International Standard is based on the following documents:

Draft	Report on voting
13/1891/FDIS	13/1906/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all the parts in the IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS®/COSEM suite*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This fourth edition of IEC 62056-6-2 has been prepared by IEC TC13 WG14 with a significant contribution of the DLMS® User Association, its A-type liaison partner.

This edition is in line with the DLMS® UA Blue Book Edition 14. The main new features are the “Array manager” IC, version 1 of the “Compact data” IC, version 1 of the “GSM diagnostic” IC, the “LTE monitoring” IC, the “NTP setup” IC, the HS-PLC setup ICs and the related new OBIS codes.

Object modelling and data identification

Driven by the business needs of the energy market participants – generally in a liberalized, competitive environment – and by the desire to manage natural resources efficiently and to involve the consumers, the utility meter became part of an integrated metering, control and billing system. The meter is not any more a simple data recording device but it relies critically on communication capabilities. Ease of system integration, interoperability and data security are important requirements.

COSEM, the *Companion Specification for Energy Metering*, addresses these challenges by looking at the utility meter as part of a complex measurement and control system. The meter has to be able to convey measurement results from the metering points to the business processes which use them. It also has to be able to provide information to the consumer and manage consumption and eventually local generation.

COSEM achieves this by using *object modelling* techniques to model all functions of the meter, without making any assumptions about which functions need to be supported, how those functions are implemented and how the data are transported. The formal specification of COSEM interface classes forms a major part of COSEM.

To process and manage the information it is necessary to uniquely identify all data items in a manufacturer-independent way. The definition of OBIS, the *Object Identification System* is another essential part of COSEM. It is based on DIN 43863-3:1997, *Electricity meters – Part 3: Tariff metering device as additional equipment for electricity meters – EDIS – Energy Data Identification System*. The set of OBIS codes has been considerably extended over the years to meet new needs.

COSEM models the utility meter as a *server* application – see 4.1.7 – used by *client* applications that retrieve data from, provide control information to, and instigate known actions within the meter via controlled access to the COSEM objects. The *clients* act as agents for third parties, i.e. the business processes of energy market participants.

The standardized COSEM interface classes form an extensible library. Manufacturers use elements of this library to design their products that meet a wide variety of requirements.

The server offers means to retrieve the functions supported, i.e. the COSEM objects instantiated. The objects can be organized to *logical devices and application associations* and to provide specific access rights to various clients.

The concept of the standardized interface class library provides different users and manufacturers with a maximum of diversity while ensuring interoperability.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this International Standard may involve the use of a maintenance service concerning the stack of protocols on which the present standard IEC 62056-6-2 is based.

The IEC takes no position concerning the evidence, validity and scope of this maintenance service.

The provider of the maintenance service has assured the IEC that he is willing to provide services under reasonable and non-discriminatory terms and conditions for applicants throughout the world. In this respect, the statement of the provider of the maintenance service is registered with the IEC. Information may be obtained from:

DLMS¹ User Association
www.dlms.com

Acknowledgement

The actual document has been established by the WG Maintenance of the DLMS® UA.

Subclauses 4.4.7 and 4.4.9 are based on parts of NIST documents. Reprinted courtesy of the National Institute of Standards and Technology, Technology Administration, U.S. Department of Commerce. Not copyrightable in the United States.

¹ Device Language Message Specification.

ELECTRICITY METERING DATA EXCHANGE – THE DLMS®/COSEM SUITE –

Part 6-2: COSEM interface classes

1 Scope

This part of IEC 62056 specifies a model of a meter as it is seen through its communication interface(s). Generic building blocks are defined using object-oriented methods, in the form of interface classes to model meters from simple up to very complex functionality.

Annexes A to F (informative) provide additional information related to some interface classes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13757-2:2004, *Communication system for and remote reading of meters – Part 2: Physical and link layer*

EN 13757-3:2004, *Communication systems for and remote reading of meters – Part 3: Dedicated application layer*

NOTE This standard is referenced in the “M-Bus client setup” interface class version 0.

EN 13757-3:2013, *Communication systems for and remote reading of meters – Part 3: Dedicated application layer*

NOTE This standard is referenced in the M-Bus client setup interface class version 1.

EN 13757-4:2013, *Communication system for and remote reading of meters – Part 4: Wireless meter (Radio meter reading for operation in SRD bands)*

EN 13757-5:2015, *Communication systems for meters – Part 5: Wireless M-Bus relaying*

IEC 61334-4-32:1996, *Distribution automation using distribution line carrier systems – Part 4: Data communication protocols – Section 32: Data link layer – Logical link control (LLC)*

IEC 61334-4-41:1996, *Distribution automation using distribution line carrier systems – Part 4: Data communication protocols – Section 41: Application protocols – Distribution line message specification*

IEC 61334-4-511:2000, *Distribution automation using distribution line carrier systems – Part 4-511: Data communication protocols – Systems management – CIASE protocol*

IEC 61334-4-512:2001, *Distribution automation using distribution line carrier systems – Part 4-512: Data communication protocols – System management using profile 61334-5-1 – Management Information Base (MIB)*