

# INTERNATIONAL STANDARD



**Metallic communication cable test methods –  
Part 4-9: Electromagnetic compatibility (EMC) related test method for measuring  
coupling attenuation of screened balanced cables – Triaxial method**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 62153-4-9

Edition 2.2 2024-06  
CONSOLIDATED VERSION

# INTERNATIONAL STANDARD



**Metallic communication cable test methods –  
Part 4-9: Electromagnetic compatibility (EMC) related test method for measuring  
coupling attenuation of screened balanced cables – Triaxial method**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 33.100.10; 33.120.10

ISBN 978-2-8322-9242-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION to Amendment 1 .....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions and symbols.....	8
4 Principle of the measuring method.....	10
4.1 General.....	10
4.2 Procedure A: measuring with standard tube (standard head) .....	11
4.3 Procedure B: measuring with open head .....	11
5 Screening parameters .....	13
5.1 General.....	13
5.2 Transfer impedance .....	13
5.3 Screening attenuation .....	13
5.4 Unbalance attenuation .....	14
5.5 Coupling attenuation .....	14
6 Measurement.....	15
6.1 General.....	15
6.2 Equipment .....	15
6.3 Balun requirements.....	15
6.4 TP-connecting unit requirements.....	16
6.5 Sample preparation.....	16
6.6 Procedure .....	17
6.7 Test length.....	17
6.8 Measurement precautions .....	18
7 Expression of results .....	18
7.1 Procedure A: measuring with a standard head .....	18
7.2 Procedure B: measuring with an open head .....	18
8 Test report.....	19
9 Requirements .....	20
10 Plots of coupling attenuation versus frequency (typical results) .....	20
Annex A (normative) Insertion loss of absorber with triaxial set-up.....	22
Annex B (informative) Physical background .....	24
B.1 Unbalance attenuation $a_U$ .....	24
B.2 Screening attenuation $a_S$ .....	25
B.3 Coupling attenuation $a_C$ .....	25
Annex C (informative) Mixed mode parameters .....	27
C.1 Definition of mixed mode S-Parameters .....	27
C.2 Reference impedance of VNA .....	29
Annex D (normative) Measuring the screening effectiveness of unscreened single or multiple balanced pairs .....	30
D.1 General.....	30
D.2 Background.....	30
D.3 Triaxial set-up for unscreened balanced pairs .....	30
D.3.1 Principle .....	30
D.3.2 Inner and outer system .....	31

D.4	Unscreened single pairs.....	31
D.4.1	Near-end coupling attenuation of a single unscreened balanced pair.....	31
D.4.2	Far end screening attenuation and coupling attenuation of single unscreened balanced pairs.....	32
D.5	Screening- and coupling attenuation measurement of multiple unscreened balanced pairs.....	32
D.6	Measurement.....	33
D.7	Expression of test results.....	33
D.8	Low frequency coupling attenuation.....	33
D.9	Set-up verification and measurement uncertainties.....	34
Annex E (normative) Coupling attenuation expressed by mixed mode scattering parameter and an envelope line.....		35
E.1	General.....	36
E.2	Coupling attenuation expressed by mixed mode scattering parameter.....	36
E.3	Envelope line of coupling attenuation.....	36
Bibliography.....		38
Figure 1 – Coupling attenuation, principle test set-up with balun and standard tube.....		10
Figure 2 – Coupling attenuation, principle test set-up with balun and open head.....		11
Figure 3 – Coupling attenuation, principle set-up with multipoint VNA and standard head.....		12
Figure 4 – Coupling attenuation, principle set-up with multipoint VNA and open head.....		12
Figure 5 – Definition of transfer impedance.....		13
Figure 6 – Termination of the cable under test with balun feeding.....		17
Figure 7 – Test set-up to measure $a_{tube}$ .....		19
Figure 8 – Coupling attenuation Twinax 105, open head procedure.....		20
Figure 9 – Coupling attenuation Cat 7a, standard head procedure.....		21
Figure 10 – Coupling attenuation Cat 6A, open head procedure.....		21
Figure A.1 – Insertion loss of absorber with triaxial set-up.....		22
Figure A.2 – Insertion loss of absorber with triaxial set-up.....		22
Figure C.1 – Common two-port network.....		27
Figure C.2 – Common four port network.....		27
Figure C.3 – Physical and logical ports of VNA.....		28
Figure C.4 – Nomenclature of mixed mode S-Parameters.....		28
Figure C.5 – Measurement configuration, single ended response.....		29
Figure C.6 – Measurement configuration, differential mode response.....		29
Figure D.1 – Basic triaxial tube procedure according to IEC 62153-4-3 / IEC 62153-4-4.....		30
Figure D.2 – Screening effectiveness of unscreened balanced pairs, principle set-up.....		31
Figure D.3 – Configuration for near end coupling measurement of an unscreened single pair, principle set-up.....		32
Figure D.4 – Far end screening attenuation and coupling attenuation ( $S_{Sc21}$ and $S_{Sd21}$ ) of an unscreened balanced pair, principle set-up.....		32
Figure D.5 – Basic configuration of screening attenuation and coupling attenuation test of multiple unscreened balanced pairs.....		33
Figure D.6 – Low frequency coupling attenuation $a_{C,lf}$ of a single screened and unscreened balanced pair, 3 m.....		34
Figure D.7 – Reflected mode conversion parameter $S_{cd11}$ with a TP-connecting unit having an open loop.....		35

Figure E.1 – Example of coupling attenuation with envelope line ..... 37

Table 1 – Balun performance characteristics (1 MHz to 1 GHz)..... 16

Table 2 – TP-connecting unit performance characteristics (1 MHz to 2 GHz) ..... 16

Currently in preview, click buy full version

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### METALLIC COMMUNICATION CABLE TEST METHODS –

#### Part 4-9: Electromagnetic compatibility (EMC) – Coupling attenuation of screened balanced cables, triaxial method

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, accept IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This constitutes a redline version of the official IEC Standard and its amendments has been prepared for user convenience.**

**IEC 62153-4-9 edition 2.2 contains the second edition (2018-05) [documents 46/681/FDIS and 46/685/RVD], its amendment 1 (2020-07) [documents 46/773/FDIS and 46/776/RVD] and its amendment 2 (2024-06) [documents 46/990/FDIS and 46/1002/RVD].**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**

International Standard IEC 62153-4-9 has been prepared by IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- two test procedures, open head and standard head procedure;
- measuring with balun or with multipoint respectively mixed mode VNA;
- extension of frequency range up to and above 2 GHz.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62153 series can be found, under the general title *Metallic communication cable test methods*, on the IEC website.

The committee has decided that the contents of this document and its amendments will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION to Amendment 1

The goal of this amendment is to extend IEC 62153-4-9 such that also the coupling attenuation of unscreened single or multiple balanced pairs or unscreened quads can be measured with the triaxial test procedure.

Further complement is the extension of the usable frequency range down to frequencies below 9 kHz to measure the low frequency coupling attenuation of screened and unscreened balanced pairs or quads.

Currently in preview, click buy full version

## METALLIC COMMUNICATION CABLE TEST METHODS –

### Part 4-9: Electromagnetic compatibility (EMC) – Coupling attenuation of screened balanced cables, triaxial method

#### 1 Scope

This part of IEC 62153 applies to metallic communication cables. It specifies a test method for determining the coupling attenuation  $a_C$  of screened balanced cables. Due to the concentric outer tube, measurements are independent of irregularities on the circumference and external electromagnetic fields.

A wide dynamic and frequency range can be applied to test even super screened cables with normal instrumentation from low frequencies up to the limit of defined transversal waves in the outer circuit at approximately 4 GHz. However, when using a balun, the upper frequency is limited by the properties of the balun.

Measurements can be performed with standard tube procedure (respectively with standard test head) according to IEC 62153-4-4 or with open tube (open test head) procedure.

The procedure described herein to measure the coupling attenuation  $a_C$  is based on the procedure to measure the screening attenuation  $a_S$  according to IEC 62153-4-4.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-726, *International Electrotechnical Vocabulary – Chapter 726: Transmission lines and waveguides*

IEC TS 62153-4-1, *Metallic communication cable test methods – Part 4-1: Electromagnetic compatibility (EMC) – Introduction to electromagnetic screening measurements*

IEC 62153-4-3, *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-4, *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Test method for measuring of the screening attenuation as up to and above 3 GHz, triaxial method*

IEC 62153-4-5, *Metallic communication cables test methods – Part 4-5: Electromagnetic compatibility (EMC) – Coupling or screening attenuation – Absorbing clamp method*

#### 3 Terms, definitions and symbols

For the purposes of this document, the terms and definitions given in IEC 60050-726, IEC TS 62153-4-1 and IEC 62153-4-4, as well as the following symbols apply.