

# INTERNATIONAL STANDARD

# IEC 62243

First edition  
2005-07

# IEEE 1232™

---

---

## Artificial intelligence exchange and service tie to all test environments (AI-ES/AIE)

© IEEE 2005 — Copyright - all rights reserved

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Inc.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)

The Institute of Electrical and Electronics Engineers, Inc, 3 Park Avenue, New York, NY 10016-5997, USA  
Telephone: +1 732 562 3800 Telefax: +1 732 562 1571 E-mail: [stds-info@ieee.org](mailto:stds-info@ieee.org) Web: [www.standards.ieee.org](http://www.standards.ieee.org)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия



# CONTENTS

FOREWORD .....	3
IEEE Introduction .....	6
1. Overview.....	7
1.1 Scope.....	8
1.2 Purpose .....	8
1.3 Conventions used in this standard.....	9
2. References .....	9
3. Definitions and acronyms .....	9
3.1 Definitions.....	9
3.2 Acronyms.....	11
4. Description of AI-ESTATE .....	11
4.1 AI-ESTATE architecture .....	11
4.2 Interchange format.....	14
4.3 Binding strategy .....	14
4.4 Extensibility.....	15
4.5 Status codes.....	16
4.6 Conformance.....	17
4.7 Service order dependence.....	18
5. Models.....	21
5.1 Common Element Model.....	21
5.2 Diagnostic Inference Model.....	54
5.3 Dynamic Context Model .....	58
5.4 Enhanced Diagnostic Inference Model.....	89
5.5 Fault Tree Model.....	93
6. Services.....	97
6.1 Model management services .....	98
6.2 Reasoner manipulation services.....	103
Annex A (informative) Bibliography .....	111
Annex B (informative) Overview of EXPRESS.....	113
Annex C (informative) List of Participants.....	121

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### ARTIFICIAL INTELLIGENCE EXCHANGE AND SERVICE TIE TO ALL TEST ENVIRONMENTS (AI-ESTATE)

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC/IEEE 62243 has been processed through IEC technical committee 93: Design automation.

The text of this standard is based on the following documents:

IEEE Std	FDIS	Report on voting
1232 (2002)	93/214/FDIS	93/220/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives.

The committee has decided that the contents of this publication will remain unchanged until 2007.

## IEC/IEEE Dual Logo International Standards

This Dual Logo International Standard is the result of an agreement between the IEC and the Institute of Electrical and Electronics Engineers, Inc. (IEEE). The original IEEE Standard was submitted to the IEC for consideration under the agreement, and the resulting IEC/IEEE Dual Logo International Standard has been published in accordance with the ISO/IEC Directives.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEC/IEEE Dual Logo International Standard is wholly voluntary. The IEC and IEEE disclaim liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEC or IEEE Standard document.

The IEC and IEEE do not warrant or represent the accuracy or content of the material contained herein, and expressly disclaim any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEC/IEEE Dual Logo International Standards documents are supplied "AS IS".

The existence of an IEC/IEEE Dual Logo International Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEC/IEEE Dual Logo International Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEC and IEEE are not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Neither the IEC nor IEEE is undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEC/IEEE Dual Logo International Standards or IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations – Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments for revision of IEC/IEEE Dual Logo International Standards are welcome from any interested party, regardless of membership affiliation with the IEC or IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331, USA and/or General Secretary, IEC, 3, rue de Varembe, PO Box 131, 1211 Geneva 20, Switzerland.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

NOTE – Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

# **IEEE Standard for Artificial Intelligence Exchange and Service Tie to All Test Environments (AI-ESTATES)**

Sponsor

**IEEE Standards Coordinating Committee 20**

Approved 13 November 2002

**American National Standards Institute**

Approved 13 June 2002

**IEEE-SA Standards Board**

**Abstract:** AI-ESTATE is a set of specifications for data interchange and for standard services for the test and diagnostic environment. The purpose of AI-ESTATE is to standardize interfaces between functional elements of an intelligent diagnostic reasoner and representations of diagnostic knowledge and data for use by such diagnostic reasoners. Formal information models are defined to form the basis for a format to facilitate exchange of persistent diagnostic information between two reasoners, and also to provide a formal typing system for diagnostic services. This standard then defines the services to manipulate diagnostic information and to control a diagnostic reasoner.

**Keywords:** AI-ESTATE, diagnosis, diagnostic interference, diagnostic model, diagnostic services, dynamic content, fault tree, knowledge exchange, system test

## **IEEE Introduction**

This AI-ESTATE standard provides a formal framework for exchanging diagnostic knowledge and constructing diagnostic reasoners. The intent is to provide a standard framework for identifying required information for diagnosis and defining the diagnostic information in a machine-processable way. In addition, software interfaces are defined whereby diagnostic tools can be developed to process the diagnostic information in a consistent and reliable way.

# **Artificial intelligence exchange and service tie to all test environments (AI-ESTATE)**

## **1. Overview**

The Artificial Intelligence Exchange and Service Tie to All Test Environments (AI-ESTATE) standard was developed by the Diagnostic and Maintenance Control (D & MC) Subcommittee of the IEEE Standards Coordinating Committee 20 (SCC 20) on Test and Diagnosis for Electronic Systems to serve as a standard for the application of artificial intelligence to system test and diagnosis. This AI-ESTATE standard defines interfaces among reasoners and reasoning system users, test information knowledge bases, and more conventional databases. In addition to interface standards, the AI-ESTATE standard includes a set of formal data specifications to facilitate the exchange of system under test related diagnostic information.

This standard describes a set of formal data and knowledge specifications consisting of the logical representation of devices, their constituents, the failure modes of those constituents, and tests of those constituents. The data and knowledge specification provides a standard representation of the common data elements required for system test and diagnosis. This will facilitate portability of test-related knowledge bases for intelligent system test and diagnosis.


The goals of this standard are summarized as follows:

- Incorporate domain specific terminology
- Facilitate portability of diagnostic knowledge
- Permit extensibility of diagnostic knowledge
- Enable the consistent exchange and integration of diagnostic capabilities

This standard provides a controlled extension mechanism to allow inclusion of new diagnostic technology outside the scope of the AI-ESTATE specification.

One of the purposes of this standard is to define information models for knowledge bases to be used in the context of test and diagnosis and, from these models, to derive a data interchange format. The specifications in this standard shall support fully portable diagnostic knowledge. No host computer dependence is contained in the AI-ESTATE standard.

AI-ESTATE defines key data and knowledge specification formats. Implementations that use only these specification formats will be portable. This does not preclude use of AI-ESTATE interfaces with nonconformant specification formats; however, such implementations may not be portable. As shown in Figure 1, a diagnostic model can be moved from one AI-ESTATE implementation to another by translating it into the interchange format. Another AI-ESTATE implementation can then utilize this information as a complete package by translating the data and knowledge from the interchange format to its own internal form.



**Figure 1—An example of AI-ESTATE’s portability mechanism for data and knowledge**

The translation step is not a requirement; an AI-ESTATE implementation may use the interchange format for its own internal form.

Software specifications defined in this standard will ensure the interchangeability of diagnostic reasoners through the definition of encapsulated services. This will allow diagnostic reasoners to be interchanged within an AI-ESTATE conformant system with no effect on the other elements of the system.

## 1.1 Scope

The AI-ESTATE standard defines formal specifications for supporting system diagnosis. These specifications support the exchange and processing of diagnostic information and the control of diagnostic processes. Diagnostic processes include, but are not limited to, testability analysis, diagnosability assessment, diagnostic reasoning, maintenance support, and diagnostic maturation.

## 1.2 Purpose

The AI-ESTATE standard provides formal models of diagnostic information to ensure unambiguous access to an understanding of the information supporting system test and diagnosis. The standard unifies and expands on the specifications published in IEEE Std 1232<sup>TM</sup>-1995 [B3],<sup>1</sup> IEEE Std 1232.1<sup>TM</sup>-1997 [B4], and IEEE Std 1232.2<sup>TM</sup>-1998 [B5].

<sup>1</sup>The numbers in brackets correspond to those of the bibliography in Annex A.

### 1.3 Conventions used in this standard

This standard specifies information models using the EXPRESS language and uses the following conventions in their presentation:

All specifications in the EXPRESS language are given in the Courier type font. This includes references to entity and attribute names in the supporting text. The EXPRESS models found in Clause 5 include comment delimiters “(\*)” and “\*\*,” thus allowing extraction of the models from an electronic version of the standard for direct use.

Each entity of each EXPRESS schema is presented in a separate subclause. Within a schema, subclauses are listed in alphabetical order by constants, types, enumerated types, select types, entities, and then functions. The subclause structure begins with the actual EXPRESS specification, then each attribute of the entity is described below the attribute definition heading. If any constraints have been specified, these are described below the formal propositions heading.

This standard uses the vocabulary and definitions of relevant IEEE standards. In case of conflict of definitions, the following precedence shall be observed: 1) AI-ESTATE definitions (Clause 3); 2) SCC20 documentation and standards; and 3) IEEE 100™, *The Authoritative Dictionary of IEEE Standards Terms*, Seventh Edition [B2].

Clause 6 of this standard presents the formal specification of the encapsulated services of this standard. EXPRESS is used to represent the interface of each individual service, defining the semantics and type of the required value to be returned.

## 2. References

This standard shall be used in conjunction with the following publications.

ISO 10303-11:1994, Industrial Automation Systems and Integration—Product Data Representation and Exchange—Part 11: Description Methods: The EXPRESS Language Reference Manual.<sup>2</sup>

ISO 10303-21:2002, Industrial Automation Systems and Integration—Product Data Representation and Exchange—Part 21: Implementation Methods: Clear Text Encoding of the Exchange Structure.

<sup>2</sup>ISO publications are available from the ISO Central Secretariat, Case Postale 56, 1 rue de Varembe, CH-1211, Genève 20, Switzerland/Suisse (<http://www.iso.ch/>). ISO publications are also available in the United States from the Sales Department, American National Standards Institute, 11 West 42nd Street, 13th Floor, New York, NY 10036, USA (<http://www.ansi.org/>).