



IEC 62295

Edition 1.0 2007-11

# INTERNATIONAL STANDARD

---

**Multimedia systems – Common communication protocol for inter-connectivity  
on heterogeneous networks**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XB**

---

ICS 33.040.40; 33.160; 35.100

ISBN 2-8318-9351-8

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope and object.....	9
2 Normative references .....	10
3 Terms, definitions, abbreviations and conventions.....	10
3.1 Terms and definitions .....	10
3.2 Abbreviations .....	13
3.3 Conventions .....	13
4 Requirements.....	14
4.1 Home server interface requirements.....	15
4.1.1 Basic requirements for data delivery.....	15
4.1.2 Functional requirements for HNMP .....	15
4.1.3 Home server interface requirements for unicast, multicast and broadcast .....	15
4.2 CCP device requirements.....	16
4.2.1 Requirements for device registration .....	16
4.2.2 Requirements for classification of CCP devices.....	16
5 Common communication protocol (CCP) layer.....	17
5.1 CCP layer.....	17
5.2 Data delivery over heterogeneous networks .....	19
6 CCP addressing .....	20
6.1 General.....	20
6.2 An addressing structure to facilitate traffic switching for the home server.Version 0.....	20
6.2.1 Domain address.....	21
6.2.2 Cluster address.....	21
6.2.3 Device ID field.....	21
7 CCP packet format and fields.....	21
7.1 General.....	21
7.2 CCP packet format.....	22
7.2.1 CCP identification (CCPID).....	22
7.2.2 CCP header version (CCPHDRVER) .....	22
7.2.3 CCP address version (CCPADDRVER).....	23
7.2.4 Destination address (DESTADDR).....	23
7.2.5 Source address (SRCADDR) .....	23
7.2.6 Type (TYPE) field .....	23
7.2.7 Reserved (RSV) field.....	25
7.2.8 CCP payload length (CCPLEN) field.....	25
7.2.9 CCP payload field.....	25
8 Home network management protocol (HNMP) .....	25
8.1 General.....	25
8.2 HNMP packet format .....	26
8.2.1 Transaction ID (TID).....	26
8.2.2 HNMP command (HNMPCMD).....	26
8.2.3 Reserved (RSV) field.....	26

8.2.4	HNMP payload length (HNMPPLEN) field .....	26
8.2.5	HNMP payload .....	26
8.3	Home server registration .....	27
8.4	Device registration .....	27
8.4.1	Device registration request (DEV_REG_REQ) packet.....	27
8.4.2	Device registration response (DEV_REG_RES) packet.....	28
8.5	Device management.....	29
8.5.1	Add device (ADD_DEV) packet.....	31
8.5.2	Delete device (DEL_DEV) packet .....	31
8.5.3	Initialize device (INI_DEV) packet.....	32
8.5.4	Alive-check request (ALV_CHK_REQ) packet.....	32
8.5.5	Alive-check response (ALV_CHK_RES) packet .....	32
8.6	Address and name information of devices .....	32
8.6.1	Device address and name information request (DEV_INFO_REQ) packet .....	33
8.6.2	Device address and name information response (DEV_INFO_RES) packet .....	33
8.7	Other management functions.....	34
9	Universal home control protocol (UHCP) .....	34
9.1	UHCP packet format.....	34
9.1.1	Transaction ID (TID).....	35
9.1.2	Message type (MT) and action type (AT) .....	35
9.1.3	Reserved (RSV) field.....	36
9.1.4	UHCP payload length (UHCPPLEN) field.....	36
9.1.5	UHCP payload.....	36
9.2	Execution messages (EXE) .....	36
9.2.1	Execution of registration (EXE_REG) .....	36
9.2.2	Execution of control (EXE_CTRL).....	37
9.2.3	Response OK (EXE_RESOK) .....	38
9.2.4	Response NOK (EXE_RESNOK) .....	38
9.3	Query messages (QUE) .....	38
9.3.1	Query of registration status (QUE_REGSTAT).....	38
9.3.2	Query of control status (QUE_CTRLSTAT) .....	39
9.3.3	Query of all status (QUE_ALLSTAT).....	39
9.3.4	Response OK (QUE_RESOK).....	40
9.3.5	Response NOK (QUE_RESNOK).....	40
9.4	Notification messages (NTFY).....	40
9.5	UHCP payload syntax.....	40
9.5.1	Basic syntax for UHCP payload .....	40
9.5.2	Syntax for UHCP registration.....	41
9.5.3	Syntax for device control .....	42
9.5.4	Syntax for query of controlling and monitoring status .....	43
9.5.5	Syntax for notification .....	44
10	Home data service protocol (HDSP) .....	45
10.1	Functional requirements of HDSP.....	45
10.1.1	Interoperability with CCP .....	45
10.1.2	File and directory services.....	45
10.1.3	Messaging service.....	46
10.2	HDSP packet format.....	46

10.2.1	Transaction ID (TID) .....	46
10.2.2	HDSP command .....	46
10.2.3	HDSP payload length (HDSPPLEN) field .....	47
10.2.4	HDSP payload .....	47
10.3	Messages for directory services .....	47
10.3.1	Query request message (DIR_QUE_REQ) .....	48
10.3.2	Query response message (DIR_QUE_RES) .....	48
10.3.3	Deletion request message (DIR_DEL_REQ) .....	49
10.3.4	Deletion response message (DIR_DEL_RES) .....	49
10.3.5	Renaming request message (DIR_REN_REQ) .....	49
10.3.6	Renaming response message (DIR_REN_RES) .....	49
10.3.7	Making request message (DIR_MAKE_REQ) .....	49
10.3.8	Making response message (DIR_MAKE_RES) .....	50
10.4	Messages for file services .....	50
10.4.1	Query request message (FILE_QUE_REQ) .....	53
10.4.2	Query response message (FILE_QUE_RES) .....	53
10.4.3	Deletion request message (FILE_DEL_REQ) .....	53
10.4.4	Deletion response message (FILE_DEL_RES) .....	53
10.4.5	Renaming request message (FILE_REN_REQ) .....	53
10.4.6	Renaming response message (FILE_REN_RES) .....	54
10.4.7	Negotiation request message (FILE_NEGO_REQ) .....	54
10.4.8	Negotiation response message (FILE_NEGO_RES) .....	54
10.4.9	Getting request message (FILE_GET_REQ) .....	54
10.4.10	Getting response message (FILE_GET_RES) .....	54
10.4.11	Putting request message (FILE_PUT_REQ) .....	55
10.4.12	Putting response message (FILE_PUT_RES) .....	55
10.5	Messages for messaging service .....	55
10.5.1	Sending request message (MSG_PUT_REQ) .....	56
10.5.2	Sending response message (MSG_PUT_RES) .....	56
10.6	Error codes .....	56
11	Home multimedia service protocol (HMSP) .....	57
11.1	Functional requirements of HMSP .....	58
11.1.1	Interoperability with CCP .....	58
11.1.2	Management of multimedia resource .....	58
11.1.3	Stream and play of multimedia resource .....	58
	Annex A (informative) FSM of FS-CCPDEV supporting HNMP .....	60
	Annex B (informative) FSM of FS-CCPDEV for supporting UHCP .....	63
	Figure 1 – Communication layer structures of network technologies .....	10
	Figure 2 – Server interface .....	11
	Figure 3 – Cluster and domain network .....	12
	Figure 4 – Classification of CCP devices .....	16
	Figure 5 – Definitions of application program, CCP API, lower protocol layers interface, and lower protocol layers .....	18
	Figure 6 – Location of CCP layer .....	18
	Figure 7 – Example of data transmission over heterogeneous networks using CCP layer .....	20

Figure 8 – CCP address format of CCP address by version 0 .....	21
Figure 9 – CCP packet format of CCP header by version 0 .....	22
Figure 10 – Type fields .....	23
Figure 11 – HNMP packet format .....	26
Figure 12 – DEV_REG_REQ and DEV_REG_RES packets .....	28
Figure 13 – Example of HNMP command sequence for device registration .....	29
Figure 14 – ADD_DEV, DEL_DEV and INI_DEV packets .....	30
Figure 15 – ALV_CHK_REQ and ALV_CHK_RES packets .....	30
Figure 16 – Example of HNMP command sequence for device management .....	31
Figure 17 – DEV_INFO_REQ and DEV_INFO_RES packets .....	33
Figure 18 – Example of HNMP command sequence for retrieving device address and name information .....	33
Figure 19 – UHCP packet format .....	35
Figure 20 – Message type and action type fields of UHCP packet .....	36
Figure 21 – Example of registration process .....	37
Figure 22 – Example of EXE_CTRL message .....	38
Figure 23 – Example of QUE_REGSTAT message .....	39
Figure 24 – Example of QUE_CTRLSTAT message .....	39
Figure 25 – Example of QUE_ALLSTAT message .....	40
Figure 26 – HDSP packet format .....	46
Figure 27 – Example of usage of directory service messages .....	50
Figure 28 – Example of usage of file service messages .....	52
Figure 29 – Example of usage of Messaging service messages .....	56
Figure A.1 – FSM of FS-CCPDEV for supporting HNMP .....	60
Figure B.1 – FSM of FS-CCPDEV for supporting UHCP .....	63
Table 1 – Cast type field .....	24
Table 2 – Traffic type field .....	24
Table 3 – Payload type field .....	25
Table 4 – HDSP commands .....	47
Table 5 – Messages for directory services .....	48
Table 6 – Messages for file services .....	51
Table 7 – Messages for messaging services .....	55
Table 8 – Error codes for HDSP .....	57

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MULTIMEDIA SYSTEMS –  
COMMON COMMUNICATION PROTOCOL  
FOR INTER-CONNECTIVITY ON HETEROGENEOUS NETWORKS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national Electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative References cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62295 has been prepared by technical area 8: Multimedia home server systems of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1200/CDV	100/1283/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Currently in preview, click buy full version

## INTRODUCTION

Numerous wired and wireless home network technologies of various types have been developed and are in use today. However, since these technologies have been developed for specific functions such as control, A/V and data services, interoperability is not guaranteed among products employing these technologies. Hence, users who wish to implement the home network environment either purchase devices that are based on a single technology for interoperability or install independent, non-compatible networks in their home.

To solve these problems, home network businesses and service providers have taken into account and developed a number of specific technologies in order to allow interoperability among home network technologies. However, most of these technologies are local and offer interoperability between a limited range of devices and give rise to new problems caused by complexity and diversity in technologies of different companies.

In order to incorporate such complex and diverse technologies, there is a need to develop a new convergence technology that can integrate not only current technologies but also those expected to surface in the future.

The needs for the new convergence technology are the following:

- provide interoperability and interconnectivity among heterogeneous networks through a specific convergence layer;
- provide expandability for applications in not only current network technologies, but also new technologies to be developed in the future;
- are applicable in small devices with low processing capabilities by providing protocols such as simple signaling in the convergence layer;
- available at a low cost and simple to implement on a device;
- able to provide diverse home network services (or applications).

## MULTIMEDIA SYSTEMS – COMMON COMMUNICATION PROTOCOL FOR INTER-CONNECTIVITY ON HETEROGENEOUS NETWORKS

### 1 Scope and object

This International Standard specifies the common communication protocol (CCP) layer that is capable of providing interoperability and interconnectivity between heterogeneous network technologies, as well as the basic data transmission scheme between devices linked to heterogeneous networks through the CCP layer. The standard also specifies the packet structure in the CCP layer and the common addressing scheme that can be understood among heterogeneous devices. Furthermore, there are specifications regarding protocols capable of providing diverse home network applications through the CCP layer such as the home network management protocol (HNMP), universal home control protocol (UHCP), home multimedia service protocol (HMSP) and home data service protocol (HDSP).

NOTE HNMP is the overall home network management protocol that detects or registers devices. UHCP controls and monitors devices from remote locations. HMSP is the A/V protocol for home entertainment services. HDSP deals with data and messaging services.

This standard is to be applied to systems with network capabilities and those that constitute home networks such as electronic appliances, A/V components, control devices, network terminals and home servers. Moreover, this standard is applicable to a home network consisting of a single home server.

This International Standard gives

- a definition of the CCP layer,
- a data transmission scheme in the CCP layer,
- a CCP packet structure,
- a CCP addressing scheme,
- a home network management protocol (HNMP),
- a universal home control protocol (UHCP),
- a home data service protocol (HDSP),
- requirements of home multimedia service protocol (HMSP).

A home network provides interoperability and interconnectivity regardless of the appliance manufacturer or the network type so that the user is able to receive desired services at any point in time. However, current home network technologies have independent communication protocol layer structures, as shown in Figure 1, with different addressing schemes, data transmission schemes, data processing methods and data formats.

In order to solve problems associated with interoperability and interconnectivity among heterogeneous network technologies, this standard aims to define the CCP layer as a type of convergence layer.

Further objectives of this standard include specifying the data transmission method, packet structure and common addressing scheme as well as the signaling protocol for providing home network management, control, A/V and data services.