

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Digital addressable lighting interface –
Part 305: Particular requirements – Input devices – Colour sensor**

**Interface d'éclairage adressable numérique –
Partie 305: Exigences particulières – Dispositifs d'entrée – Capteur de couleur**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications preview. With a subscription you will always have access to up-to-date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Digital addressable lighting interface –
Part 305: Particular requirements – Input devices – Colour sensor**

**Interface d'éclairage adressable numérique –
Partie 305: Exigences particulières – Dispositifs d'entrée – Capteur de couleur**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.50, 29.140.99

ISBN 978-2-8322-7474-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|--|----|
| FOREWORD..... | 4 |
| INTRODUCTION..... | 6 |
| 1 Scope..... | 8 |
| 2 Normative references | 8 |
| 3 Terms and definitions | 8 |
| 4 General | 9 |
| 4.1 General requirements | 9 |
| 4.2 Version number | 9 |
| 4.3 Insulation..... | 9 |
| 5 Electrical specification..... | 9 |
| 6 Bus power supply | 9 |
| 7 Transmission protocol structure..... | 9 |
| 8 Timing | 9 |
| 9 Method of operation..... | 9 |
| 9.1 General..... | 9 |
| 9.2 Instance type | 9 |
| 9.3 Input signal and value..... | 10 |
| 9.3.1 General | 10 |
| 9.3.2 Input value encoding | 10 |
| 9.4 Events | 10 |
| 9.4.1 Priority use | 10 |
| 9.4.2 Bus usage | 10 |
| 9.4.3 Encoding | 10 |
| 9.4.4 Event configuration..... | 11 |
| 9.4.5 Event generation | 12 |
| 9.5 Configuring the input device..... | 12 |
| 9.5.1 Using the report timer..... | 12 |
| 9.5.2 Using the default timer | 13 |
| 9.5.3 Setting the times | 13 |
| 9.5.4 Setting the hysteresis | 14 |
| 9.5.5 Manual configuration | 14 |
| 9.6 Exception handling..... | 14 |
| 9.6.1 Physical sensor failure..... | 14 |
| 9.6.2 Manufacturer-specific errors | 14 |
| 9.6.3 Error value..... | 15 |
| 10 Declaration of variables | 15 |
| 11 Definition of commands | 16 |
| 11.1 General..... | 16 |
| 11.2 Overview sheets | 16 |
| 11.2.1 General | 16 |
| 11.2.2 Standard commands..... | 17 |
| 11.3 Event messages | 17 |
| 11.3.1 INPUT NOTIFICATION (<i>device/instance, event</i>)..... | 17 |
| 11.3.2 POWER NOTIFICATION (<i>device</i>) | 17 |
| 11.4 Device control instructions | 17 |
| 11.5 Device configuration instructions..... | 17 |

| | | |
|-----------------------|--|----|
| 11.6 | Device queries | 17 |
| 11.7 | Instance control instructions | 17 |
| 11.8 | Instance configuration instructions | 17 |
| 11.8.1 | General | 17 |
| 11.8.2 | SET EVENT FILTER (<i>DTR0</i>) | 18 |
| 11.8.3 | SET REPORT TIMER (<i>DTR0</i>) | 18 |
| 11.8.4 | SET HYSTERESIS (<i>DTR0</i>) | 18 |
| 11.8.5 | SET DEADTIME TIMER (<i>DTR0</i>) | 18 |
| 11.8.6 | SET HYSTERESIS MIN (<i>DTR0</i>) | 18 |
| 11.9 | Instance queries | 18 |
| 11.9.1 | General | 18 |
| 11.9.2 | QUERY COLOUR SENSOR (<i>DTR0</i>) | 18 |
| 11.9.3 | QUERY DEADTIME TIMER | 19 |
| 11.9.4 | QUERY INSTANCE ERROR | 19 |
| 11.9.5 | QUERY REPORT TIMER | 19 |
| 11.9.6 | QUERY HYSTERESIS | 20 |
| 11.9.7 | QUERY HYSTERESIS MIN | 20 |
| 11.10 | Special commands | 20 |
| Annex A (informative) | Explanation of radiometric parameters of colour sensors | 21 |
| Bibliography | | 23 |
| Figure 1 | – IEC 62386 graphical overview | 6 |
| Figure A.1 | – Example sensor sensitivity | 21 |
| Table 1 | – Input value encoding | 10 |
| Table 2 | – Colour value events | 11 |
| Table 3 | – Colour report | 11 |
| Table 4 | – Event filter | 11 |
| Table 5 | – Event timer setting | 13 |
| Table 6 | – " <i>manualCapability</i> " values | 14 |
| Table 7 | – " <i>instanceError</i> " values | 15 |
| Table 8 | – Declaration of device variables | 15 |
| Table 9 | – Restrictions to instance variables defined in IEC 62386-103:2022 | 16 |
| Table 10 | – Declaration of instance variables | 16 |
| Table 11 | – Standard commands | 17 |
| Table 12 | – DTR reference | 19 |
| Table A.1 | – Example answers to QUERY COLOUR SENSOR (<i>DTR0</i>) | 22 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DIGITAL ADDRESSABLE LIGHTING INTERFACE –

Part 305: Particular requirements –
Input devices – Colour sensor

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publications"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as far as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62386-305 has been prepared by IEC technical committee 34: Lighting. It is an International Standard.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|--------------|------------------|
| 34/1065/FDIS | 34/1080/RVD |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is intended to be used in conjunction with:

- IEC 62386-101, which contains general requirements for system components;
- IEC 62386-103, which contains general requirements for control devices.

A list of all parts in the IEC 62386 series, published under the general title *Digital addressable lighting interface*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62386 series specifies a bus system for control by digital signals of electronic lighting equipment and contains several parts, referred to as series. The IEC 62386-1xx series includes the basic specifications. IEC 62386-101 contains general requirements for system components, IEC 62386-102 extends this information with general requirements for control gear and IEC 62386-103 extends it further with general requirements for control devices. IEC 62386-104 and IEC 62386-105 can be applied to control gear or control devices. IEC 62386-104 gives requirements for wireless and alternative wired system components. IEC 62386-105 describes firmware transfer. IEC 62386-150 gives requirements for an auxiliary power supply which can be stand-alone, or built into control gear or control devices.

The IEC 62386-2xx series extends the general requirements for control gear with lamp specific extensions (mainly for backward compatibility with Edition 1 of IEC 62386) and with control gear specific features.

The IEC 62386-3xx series extends the general requirements for control devices with input device specific extensions describing the instance types as well as some common features that can be combined with multiple instance types.

This first edition of IEC 62386-305 is intended to be used in conjunction with IEC 62386-101, and IEC 62386-103. The division into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

The setup of the standards is graphically represented in Figure 1 below.




Figure 1 – IEC 62386 graphical overview

When this part of IEC 62386 refers to any of the clauses of the IEC 62386-1xx series, the extent to which such a clause is applicable is specified. The other parts also include additional requirements, as necessary.

All numbers used in this document are decimal numbers unless otherwise noted. Hexadecimal numbers are given in the format 0xVV, where VV is the value. Binary numbers are given in the format XXXXXXXXb or in the format XXXX XXXX, where X is 0 or 1; "x" in binary numbers means "don't care".

The following typographic expressions are used:

Variables: "*variableName*" or "*variableName*[3:0]", giving only bits 3 to 0 of "*variableName*";

Range of values: [lowest, highest];

Command: "COMMAND NAME".

Currently in preview, click buy full version

DIGITAL ADDRESSABLE LIGHTING INTERFACE –

Part 305: Particular requirements – Input devices – Colour sensor

1 Scope

This part of IEC 62386 is applicable to input devices that provide the lighting control system with colour information by colour sensing.

This document is only applicable to IEC 62386-103 input devices that deliver colour information to the lighting control system through colour sensing.

2 Normative references

The following documents are referred to in the text in such a way that none or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62386-101:2022, *Digital addressable lighting interface – Part 101: General requirements – System components*

IEC 62386-103:2022, *Digital addressable lighting interface – Part 103: General requirements – Control devices*

IEC 62386-333, *Digital addressable lighting interface – Part 333: Particular requirements for control devices – Manual configuration (feature type 33)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62386-101 and IEC 62386-103 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 observed colour

observed colour signal processing unit of an input device

[SOURCE: IEC 62386-101:2022, 3.29, modified – Addition of "observed colour".]

3.2 strictly monotonic

either entirely increasing or decreasing without repeating values