

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Maritime navigation and radiocommunication equipment and systems –  
Shipborne radar – Performance requirements, methods of testing and required  
test results**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Radar de bord – Exigences de performance, méthodes d'essai et résultats  
exigés**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Maritime navigation and radiocommunication equipment and systems –  
Shipborne radar – Performance requirements, methods of testing and required  
test results**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Radar de bord – Exigences de performance, méthodes d'essai et résultats  
exigés**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.060; 47.020.70

ISBN 978-2-8322-4515-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	11
1 Scope.....	14
2 Normative references .....	14
3 Terms and definitions .....	15
4 General .....	27
4.1 Overview .....	27
4.2 Purpose.....	28
4.3 Application of these standards.....	28
4.4 Equipment categories.....	28
4.5 Establishing equipment type and status.....	29
4.6 Conditions of measurement and related definitions.....	30
4.7 Quality requirements .....	30
5 Tests.....	30
5.1 Test sites and simulation .....	30
5.1.1 Environmental and RF testing.....	30
5.1.2 Over-sea radar performance tests .....	30
5.1.3 Test targets and target simulation for performance tests.....	31
5.2 Test terminology and format.....	31
5.2.1 General .....	31
5.2.2 Test requirement terminology .....	31
5.2.3 Testing method terminology.....	32
6 Radar performance.....	32
6.1 General.....	32
6.2 Transmission and interference .....	32
6.2.1 Transmission frequency.....	32
6.2.2 Interference.....	33
6.3 Performance optimisation and monitoring .....	33
6.3.1 General .....	33
6.3.2 Optimised performance .....	33
6.4 Gain and anti-clutter functions.....	34
6.4.1 General .....	34
6.4.2 Gain function .....	34
6.4.3 Manual and automatic sea anti-clutter .....	34
6.4.4 Rain anti-clutter .....	35
6.5 Signal processing.....	35
6.5.1 General .....	35
6.5.2 Target enhancement.....	35
6.5.3 Radar signal correlation.....	36
6.5.4 Signal processing and radar image latency.....	36
6.5.5 Second-time-around echoes .....	36
6.5.6 Transmission format .....	37
6.5.7 Picture update .....	37
6.5.8 Additional processing .....	37
6.5.9 Signal processing description .....	37
6.6 Operation with SARTs, target enhancers (RTEs) and beacons .....	38
6.6.1 General .....	38

6.6.2	Radar beacons, SARTs and enhancers .....	38
6.7	Minimum range and range compensation .....	38
6.7.1	General .....	38
6.7.2	Range compensation .....	39
6.7.3	Minimum range .....	39
6.8	Range and bearing discrimination .....	40
6.8.1	General .....	40
6.8.2	Measurement conditions .....	40
6.8.3	Range discrimination .....	40
6.8.4	Bearing discrimination .....	40
6.8.5	Fundamental radar accuracy .....	41
6.9	Target detection performance assessment .....	41
6.9.1	General .....	41
6.9.2	Range of first detection in minimal clutter .....	42
6.9.3	Assessment of target detection with clutter .....	44
6.9.4	Radar performance documentation .....	49
6.10	Radar antenna (including pitch and roll) .....	50
6.10.1	General .....	50
6.10.2	Vertical radiation pattern/pitch and roll .....	50
6.10.3	Antenna horizontal pattern .....	51
6.10.4	Antenna side lobes .....	51
6.11	Radar availability – Standby and transmit .....	52
6.11.1	Requirements .....	52
6.11.2	Methods of test and required results .....	52
7	Display presentation .....	53
7.1	General .....	53
7.1.1	Requirements .....	53
7.1.2	Methods of test and required results .....	53
7.2	Linearity and index delay .....	53
7.2.1	Requirements .....	53
7.2.2	Methods of test and required results .....	53
7.3	Use and discrimination of colour .....	53
7.3.1	Requirements .....	53
7.3.2	Methods of test and required results .....	53
8	CCRP and own ship .....	54
8.1	Consistent common reference point (CCRP) .....	54
8.1.1	CCRP .....	54
8.1.2	CCRP position .....	54
8.1.3	Measurements .....	54
8.1.4	Antenna offset .....	55
8.2	Own ship .....	55
8.2.1	General .....	55
8.2.2	Own ship's outline and minimised symbol .....	55
8.2.3	Heading line .....	55
8.2.4	Stern line .....	56
9	Navigation tools .....	56
9.1	General .....	56
9.2	Units of measurement .....	56
9.2.1	Requirements .....	56

9.2.2	Methods of test and required results .....	57
9.3	Presentation .....	57
9.3.1	Requirements .....	57
9.3.2	Methods of test and required results .....	57
9.4	Display range scales .....	57
9.4.1	Mandatory range scales.....	57
9.5	Variable range marker (VRM) .....	58
9.5.1	General .....	58
9.5.2	VRM measurements .....	58
9.6	Electronic bearing line (EBL) .....	59
9.6.1	General .....	59
9.6.2	EBL measurements .....	59
9.6.3	EBL origin position .....	60
9.7	Cursor .....	60
9.7.1	General .....	60
9.7.2	Cursor measurement .....	60
9.7.3	Selection by cursor .....	61
9.8	Offset measurement of range and bearing .....	61
9.8.1	General .....	61
9.8.2	Electronic range and bearing line (ERBL) .....	61
9.9	Parallel index lines (PI) .....	62
9.9.1	General .....	62
9.9.2	PI lines and positioning.....	62
9.10	Bearing scale .....	63
9.10.1	General .....	63
9.10.2	Bearing scale presentation .....	63
9.11	Range rings.....	64
9.11.1	General .....	64
9.11.2	Range ring presentation and measurement.....	64
9.12	Radar maps.....	65
9.12.1	General .....	65
9.12.2	Map functions and display simple user-defined maps .....	65
9.12.3	Map memory and transfer .....	65
9.12.4	Map presentation properties .....	66
9.13	Navigation routes .....	66
9.13.1	General .....	66
9.13.2	Route display and monitoring .....	67
10	Orientation, motion and stabilisation .....	67
10.1	General .....	67
10.2	Azimuth orientation .....	67
10.2.1	Accuracy of alignment .....	67
10.2.2	Heading readout and reference .....	68
10.2.3	Azimuth stabilisation update .....	69
10.3	Motion and orientation modes.....	69
10.3.1	General .....	69
10.3.2	True and relative motion .....	69
10.4	Off-centring .....	70
10.4.1	General .....	70
10.4.2	Manual and automatic off-centring.....	70

10.4.3	Automatic reset .....	70
10.4.4	Display orientation .....	71
10.5	Ground and sea stabilisation .....	72
10.5.1	Mode and source .....	72
10.5.2	Ground stabilisation .....	72
10.5.3	Sea stabilisation .....	73
11	Aids for collision avoidance .....	73
11.1	General .....	73
11.2	Target trails and past positions .....	73
11.2.1	General .....	73
11.2.2	Time and plot requirements .....	74
11.2.3	Trails/past position availability .....	74
11.3	Target tracking (TT) .....	75
11.3.1	General .....	75
11.3.2	Presentation of targets .....	75
11.3.3	Tracking calculations .....	76
11.3.4	Target tracking availability .....	76
11.3.5	Classification and tracked target capacity .....	77
11.3.6	Manual acquisition .....	78
11.3.7	Automatic acquisition .....	78
11.3.8	Motion trend .....	78
11.3.9	Visibility of 50 % .....	79
11.3.10	Tracking algorithm .....	79
11.3.11	Target swap .....	79
11.3.12	Cease tracking .....	79
11.3.13	Target tracking scenarios .....	79
11.3.14	Target motion and tracking accuracy .....	80
11.3.15	Tracker range and bearing accuracy .....	88
11.3.16	Reference target .....	89
11.4	Tracking limitations .....	89
11.4.1	Tracking warnings .....	89
11.4.2	Documentation .....	90
11.4.3	Requirements .....	90
11.4.4	Methods of test and required results .....	90
11.5	Automatic identification system .....	90
11.5.1	General .....	90
11.5.2	AIS targets and data report capacity .....	90
11.5.3	AIS target filtering .....	92
11.5.4	Activation and deactivation of AIS targets .....	92
11.5.5	AIS functionality and presentation .....	93
11.6	Radar and AIS target data .....	95
11.6.1	Requirements .....	95
11.6.2	Methods of test and required results .....	95
11.6.3	Bow crossing range and time (BCR/BCT) .....	96
11.7	Operational target alerts .....	96
11.7.1	CPA and TCPA .....	96
11.7.2	New target warning .....	97
11.7.3	Lost tracked radar target .....	97
11.7.4	Lost AIS target criteria .....	98

11.8	Target association .....	99
11.8.1	General .....	99
11.8.2	Association and priority .....	99
11.9	Trial manoeuvre .....	103
11.9.1	General .....	103
11.9.2	Trial functions.....	103
12	Chart radar (optional classification) .....	104
12.1	General requirements.....	104
12.1.1	General.....	104
12.1.2	Chart operation and source .....	104
12.1.3	Chart elements and availability.....	105
12.1.4	Chart reference .....	106
12.1.5	Primary chart information set.....	106
12.1.6	Chart stabilisation and chart redraw .....	107
12.1.7	Chart position and latency.....	108
12.1.8	Matching and adjustment.....	108
12.1.9	Chart symbols, colours, and size .....	109
12.1.10	Chart display size.....	110
12.1.11	Chart alerts and indications.....	110
12.1.12	Chart malfunction .....	111
12.1.13	Chart radar malfunction.....	111
12.2	Additional requirements for standalone radar with chart facilities.....	111
12.2.1	General .....	111
12.2.2	Provision and updating of chart information .....	111
12.2.3	Content and structure of chart data.....	112
12.3	Additional requirements for ECDIS back-up (optional) .....	112
12.3.1	General .....	112
12.3.2	Requirements .....	112
12.3.3	Test Methods and required results.....	112
13	Ergonomic criteria (control functions and display).....	112
13.1	General.....	112
13.2	Operational controls .....	112
13.2.1	Requirements .....	112
13.2.2	Methods of test and required results.....	113
13.3	Primary controls .....	113
13.3.1	Requirements .....	113
13.3.2	Methods of test and required results.....	113
13.4	Control properties.....	114
13.4.1	Requirements .....	114
13.4.2	Methods of test and required results.....	114
13.5	Default control setting and saved user control settings .....	114
13.5.1	Requirements .....	114
13.5.2	Test methods and required results.....	115
14	Interfacing.....	116
14.1	General.....	116
14.2	Input interfacing .....	116
14.2.1	Input data .....	116
14.2.2	Input quality, integrity and latency .....	117
14.3	Output interfacing.....	117

14.3.1	Output format .....	117
14.3.2	Output target data .....	117
14.3.3	VDR interface .....	118
15	Design, servicing and installation .....	119
15.1	General .....	119
15.2	Fault diagnosis and servicing .....	119
15.2.1	Requirements .....	119
15.2.2	Methods of test and required results .....	120
15.3	Display design .....	120
15.3.1	Requirements .....	120
15.3.2	Methods of test and required results .....	120
15.4	Transceiver design .....	120
15.4.1	General .....	120
15.4.2	Sector blanking .....	121
15.5	Antenna design .....	121
15.5.1	Requirements .....	121
15.5.2	Methods of test and required results .....	121
15.6	Inter-switched and multiple radars .....	122
15.6.1	General .....	122
15.6.2	System safeguards .....	122
15.6.3	Combining radar .....	122
15.6.4	Multiple radar system status .....	123
15.7	Multiple operational displays .....	123
15.7.1	Additional information and conformity .....	123
15.7.2	Requirements .....	123
15.7.3	Methods of test and required results .....	124
15.8	Safety – antenna and radiation .....	124
15.8.1	General .....	124
15.8.2	Antenna radiation and rotation .....	124
15.8.3	Microwave radiation levels .....	124
16	Alerts and failures .....	125
16.1	General .....	125
16.1.1	Priority of alerts .....	125
16.1.2	Alerts and indications .....	125
16.1.3	Alarm contact outputs .....	125
16.1.4	Alert management interface .....	125
16.1.5	Unacknowledged warnings .....	126
16.1.6	Unacknowledged alarms .....	127
16.1.7	Remote acknowledgement and silencing of alerts .....	127
16.1.8	Picture freeze .....	128
16.1.9	Sensor failure alert .....	128
16.2	Backup and fallback arrangements .....	128
16.2.1	Requirements .....	128
16.2.2	Failure of heading information (azimuth stabilisation) .....	128
16.2.3	Failure of speed through the water information .....	129
16.2.4	Failure of course and speed over ground information .....	129
16.2.5	Failure of position input information .....	129
16.2.6	Failure of radar video input information .....	130
16.2.7	Failure of AIS input information .....	130

16.2.8	Failure of an integrated or networked system.....	130
17	Environmental testing.....	130
17.1	General.....	130
17.2	Testing to IEC 60945.....	131
17.2.1	Requirements.....	131
17.2.2	Methods of test and required results.....	131
17.3	Additional environmental tests.....	131
17.3.1	General.....	131
17.3.2	Antenna shock test.....	132
18	Equipment familiarisation and documentation.....	132
18.1	Familiarisation simulator.....	132
18.1.1	General.....	132
18.1.2	Requirements.....	132
18.1.3	Methods of test and required results.....	132
18.2	Instructions and documentation.....	133
18.2.1	General.....	133
18.2.2	Documentation.....	133
18.2.3	Operating instructions.....	133
18.3	Radar system installation.....	134
18.3.1	Requirements.....	134
18.3.2	Methods of test and required results.....	134
18.4	Maintenance information for equipment up date.....	135
18.4.1	Requirements.....	135
18.4.2	Methods of test and required results.....	135
Annex A (informative)	Guidelines for radar functionality on navigation displays.....	136
Annex B (normative)	Unwanted emissions of radar systems.....	137
Annex C (informative)	Radar target size (RCS) and detection range calculations.....	142
Annex D (informative)	Factors that influence target detection.....	146
Annex E (normative)	Sensor errors.....	155
Annex F (informative)	Target scenario simulator/reported target simulator.....	157
Annex G (informative)	Tracked and reported target states.....	158
Annex H (normative)	IEC 61162 sentence formats.....	159
Annex I (normative)	Radar control function/indication grouping.....	168
Annex J (informative)	Interference to shipborne radar from emissions in adjacent frequency bands.....	172
Bibliography.....		175
Figure 1 -	Reduction of range to first detection due to rain at S-band.....	45
Figure 2 -	Reduction of range to first detection due to rain at X-band.....	45
Figure 3 -	TT scenario 1.....	82
Figure 4 -	TT scenario 2.....	83
Figure 5 -	TT scenario 3.....	84
Figure 6 -	TT scenario 4.....	85
Figure 7 -	TT scenario 5.....	86
Figure B.1 -	B <sub>40</sub> falls within the allocated band.....	140
Figure B.2 -	B <sub>40</sub> falls outside the allocated band.....	141

Figure C.1 – Enhancement by reflection (dB) over free-space (9,41 GHz).....	145
Figure C.2 – Enhancement by reflection (dB) over free-space (3,05 GHz).....	145
Figure D.1 – Effect of sea spikes on target detection .....	148
Figure D.2 – Multi-path plots for S-band.....	150
Figure D.3 – Multi-path plot for X-band .....	150
Figure G.1 – Tracked target states.....	158
Figure G.2 – AIS target state .....	158
Table 1 – Performance requirements for categories of ship/craft for SOLAS V .....	29
Table 2 – Range of first detection in clutter-free conditions .....	42
Table 3 – X-band pass/fail assessment criteria .....	48
Table 4 – S-band pass/fail assessment criteria .....	48
Table 5 – Pass/fail assessment.....	49
Table 6 – Douglas sea state parameters .....	49
Table 7 – Main horizontal beam pattern .....	51
Table 8 – Effective side-lobes .....	52
Table 9 – Features and colours to be used for radar maps.....	66
Table 10 – Tracked target capacity (subset of Table 1) .....	77
Table 11 – Typical tracked target accuracy (95 % probability figures) .....	80
Table 12 – TT scenario 1, with sensor errors applied .....	81
Table 13 – TT scenario 1, times of measurement task .....	81
Table 14 – TT scenario 1, accuracies after 1 min and 3 min (all $\pm$ values).....	82
Table 15 – TT scenario 2, own ship turning through $\pm 180^\circ$ .....	83
Table 16 – TT scenario 3, initial target data .....	84
Table 17 – TT scenario 4, initial target data for fast targets (standard speed ships) .....	84
Table 18 – TT scenario 4, initial target data for fast targets (HSC) .....	85
Table 19 – TT scenario 5: initial target data for standard craft.....	86
Table 20 – TT scenario 5: initial target data for collision scenario for HSC .....	86
Table 21 – Measurement points and results at 3 min and 6 min for HSC .....	87
Table 22 – Measurement points and results at 11 min and 14 min for HSC .....	87
Table 23 – Measurement points and results at 3 min and 6 min for standard craft.....	87
Table 24 – Measurement points and results at 11 min and 14 min for standard craft.....	88
Table 25 – Measurement of tracked target accuracy .....	88
Table 26 – AIS display capacity (subset of Table 1) .....	91
Table 27 – AIS reporting rates .....	98
Table 28 – Association scenario 1, initial TT and AIS target position and data .....	100
Table 29 – Association scenario 1, AIS target data for diverging and converging tracks.....	101
Table 30 – Association scenario 2, initial TT and AIS target position and data .....	101
Table 31 – Association scenario 2, AIS target data for changing speed.....	102
Table 32 – Association scenario 3, TT and AIS target start position and data .....	102
Table 33 – Association scenario 4, initial TT and AIS target position and data .....	103
Table 34 – Association scenario 4, TT and AIS target with the same course and speed.....	103
Table 35 – Control settings configured in response to 'Default' selection .....	115

Table 36 – Antenna shock test severity (half sine pulse) .....	132
Table B.1 – Measurement frequency ranges .....	138
Table D.1 – Spread of RCS values for typical ships .....	147
Table D.2 – S-band performance predictions for ranges of 0,2, 0,4, 0,7 NM.....	149
Table D.3 – X-band performance predictions for ranges of 0,2, 0,7 NM.....	149
Table D.4 – Parameters for attenuation in uniform rain conditions.....	151
Table D.5 – Typical values for attenuation and backscatter in uniform rain conditions.....	151
Table D.6 – Additional radar system parameters (X/S-band) .....	151
Table D.7 – Target size, height and RCS values .....	152
Table D.8 – S-band radar parameters (LP) .....	153
Table D.9 – X-band radar parameters (LP) .....	154
Table H.1 – Mandatory IEC 61162-1 sentences .....	159
Table H.2 – Optional IEC 61162-3 messages.....	160
Table H.3 – Description of terms.....	161
Table H.4 – Header format.....	162
Table H.5 – Package data format.....	164
Table I.1 – Top-level grouping of data and control functions for radar applications.....	168
Table I.2 – Icons for common function controls .....	169

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS –

#### **Shipborne radar – Performance requirements, methods of testing and required test results**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62388 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

The main changes with respect to the previous edition are:

- in 6.2 (Transmission and interference) reference is now made to a revised Annex B (Unwanted emissions) where the mask has been tightened from 20 dB/decade to 30 dB/decade in line with ITU requirements and a new informative Annex J has been added concerning interference from emissions in adjacent frequency bands;
- Clause 7 (Display presentation) has been simplified (and the previous Annexes J and K deleted) with reference made instead to IEC 62288 with associated changes throughout the standard;
- in 9.9.2 (PI lines and positioning) the requirements for parallel index lines have been revised;
- in 10.4.4 (Display orientation) a new mode of display orientation “head-up stabilised” has been added;
- in 11.5 (Automatic identification system) new requirements and tests have been added for types of AIS targets, AIS repeater stations and filtering of AIS targets;
- in Clause 12 (Chart radar) a new subclause 12.3 has been added for ECDIS backup requirements;
- in Clause 13 (Ergonomic criteria) a new subclause 13.5 has been added giving requirements for default control settings;
- 14.3 (Output interfacing) has been revised together with the associated Annex H to update the requirements particularly with regard to interfaces to the VDR;
- Clause 16 (Alerts and failures) has been revised to update the requirements to align with bridge alert management and new requirements added for an alert management interface with associated changes throughout the standard;
- in Clause 18 (Equipment familiarisation and documentation) a new subclause 18.3 has been added for maintenance information and equipment update.

This bilingual version (2017-06) corresponds to the monolingual English version, published in 2013-06.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/696/FDIS	80/705/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

All the text in this standard with wording identical to that in IMO resolutions is printed in italics. Reference to MSC.192(79) is by the relevant requirement clause as indicated in brackets, for example (MSC.192/4.2.3). Some clauses from Resolution MSC.192(79) may be split and the requirements in this case are addressed separately.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of February 2014 have been included in this copy.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS –

### Shipborne radar – Performance requirements, methods of testing and required test results

#### 1 Scope

This International Standard specifies the minimum operational and performance requirements, methods of testing and required test results conforming to performance standards not inferior to those adopted by the IMO in Resolution MSC.192(79).

*(MSC.192/2) The radar installation, in addition to meeting the general requirements as set out in resolution A.694(17) and the related standard IEC 60945, should comply with the performance standards of MSC.192(79). When a requirement of this standard is different from IEC 60945, the requirement in this standard takes precedence.*

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61162 (all parts), *Maritime navigation and radiocommunication equipment and systems – Digital interfaces*

IEC 61174, *Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information systems (ECDIS) – Operational and performance requirements, methods of testing and required test results*

IEC 61924-2:2012, *Maritime navigation and radiocommunication equipment and systems – Part 2 Modular Structure for INS – Operational and performance requirements, methods of testing and required test results*

IEC 61996-1:2012, *Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR) – Part 1: Voyage data recorder (VDR) - Performance requirements – Methods of testing and required test results*

IEC 62288, *Maritime navigation and radiocommunication equipment and systems – Presentation of navigation-related information on shipborne navigational displays – General requirements, methods of testing and required results*

ITU-R Recommendation M.628, *Technical characteristics for search and rescue radar transponders*

ITU-R Recommendation M.824, *Technical parameters of radar beacons (racons)*

ITU-R Recommendation M.1176, *Technical parameters of radar target enhancers*