

INTERNATIONAL STANDARD



**Service diagnostic interface for consumer electronics products and networks –
Implementation for ECHONET**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

INTERNATIONAL STANDARD



**Service diagnostic interface for consumer electronics products and networks –
Implementation for ECHONET**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.99; 35.110

ISBN 978-2-8322-9678-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	33
INTRODUCTION.....	35
1 Scope.....	36
2 Normative references	36
3 Terms, definitions and abbreviated terms	36
3.1 Terms and definitions.....	36
3.2 Abbreviated terms.....	37
4 Different types of service diagnostics	38
4.1 Stand-alone products.....	38
4.2 Facilities or household appliances network	38
4.3 Remote diagnosis	38
5 SDI requirements.....	38
5.1 General.....	38
5.2 Hardware	38
5.2.1 Tester hardware	38
5.2.2 Facilities or household appliances network	38
5.2.3 DUT hardware	38
5.3 Software	39
5.3.1 General	39
5.3.2 Tester software.....	39
5.3.3 DUT software requirements for the SDI	39
6 Tester software requirements	39
6.1 Reading the property diagnostic unit.....	39
6.2 General information (product identification).....	40
6.3 Diagnosis information	40
7 Control protocol 1st	40
7.1 General.....	40
7.2 Frame format	40
7.2.1 General	40
7.2.2 ECHONET headers (EHD).....	41
7.2.3 Source/Destination ECHONET address (SEA/DEA)	43
7.2.4 ECHONET byte counter (EBC).....	44
7.2.5 ECHONET data (EDATA).....	44
7.2.6 Object message header (OHD)	44
7.2.7 ECHONET objects (EOJ)	45
7.2.8 ECHONET property (EPC).....	46
7.2.9 ECHONET service (ESV).....	47
7.2.10 ECHONET property value data (EDT)	62
7.2.11 Compound ECHONET Service (CpESV)	62
7.2.12 Processing target property counter (OPC)	68
7.2.13 Property data counter (PDC).....	69
8 Control protocol 2nd	69
8.1 General.....	69
8.2 Frame format	69
8.2.1 General	69
8.2.2 ECHONET Lite Header (ELHD).....	70

8.2.3	Transaction ID (TID)	71
8.2.4	ECHONET Lite Data (ELDATA)	71
8.2.5	ECHONET Objects (EOJ)	71
8.2.6	ECHONET Lite Service (ELSV).....	72
8.2.7	ECHONET property (EPC).....	80
8.2.8	ECHONET Lite Property data counter (ELPDC)	81
9	ECHONET objects: detailed specifications.....	82
9.1	Basic concept	82
9.2	ECHONET properties: basic specifications.....	83
9.2.1	General	83
9.2.2	ECHONET property value data types	83
9.2.3	Property value range	83
9.2.4	Required class properties	84
9.2.5	Array	84
9.3	Device object super class specifications	85
9.3.1	General	85
9.3.2	Overview of device object super class specifications	85
9.3.3	Operation status property	89
9.3.4	Installation location property	89
9.3.5	Standard version information property	91
9.3.6	Identification number property	91
9.3.7	Measured instantaneous power consumption property	92
9.3.8	Measured cumulative energy consumption property.....	92
9.3.9	Manufacturer's fault code property	92
9.3.10	Current limit setting property.....	93
9.3.11	Fault status property.....	93
9.3.12	Fault description property	93
9.3.13	Manufacturer code property	95
9.3.14	Business facility code property	95
9.3.15	Product code property	96
9.3.16	Production number property.....	96
9.3.17	Production date property	96
9.3.18	Power-saving operation setting property	96
9.3.19	Remote control setting property	96
9.3.20	Current time setting property	98
9.3.21	Current date setting property	98
9.3.22	Power limit setting property	98
9.3.23	Cumulative operating time property	98
9.3.24	Property map property	99
9.4	Temperature sensor class specifications	100
9.4.1	General	100
9.4.2	Operation status property	100
9.4.3	Measured temperature value property.....	100
9.5	Humidity sensor class specifications	100
9.5.1	General	100
9.5.2	Operation status property	101
9.5.3	Measured value of relative humidity property	101
9.6	Illuminance sensor class specifications	101
9.6.1	General	101

9.6.2	Operation status property	101
9.6.3	Measured illuminance value 1 property	101
9.6.4	Measured illuminance value 2 property	102
9.7	Human detection sensor class specifications	102
9.7.1	General	102
9.7.2	Operation status property	102
9.7.3	Detection threshold level property	102
9.7.4	Human detection status property	102
9.8	Electric energy sensor class specifications	103
9.8.1	General	103
9.8.2	Operation status property	104
9.8.3	Cumulative amounts of electric energy property	104
9.8.4	Small-capacity sensor instantaneous electric power property	104
9.8.5	Medium-capacity sensor instantaneous electric power property	104
9.8.6	Large-capacity sensor instantaneous electric power property	104
9.8.7	Cumulative amounts of electric energy measurement log property	104
9.8.8	Effective voltage value property	104
9.9	Open/close sensor class specifications	105
9.9.1	General	105
9.9.2	Operation status property	105
9.9.3	Degree-of-opening detection status 1 property	105
9.9.4	Detection threshold level property	106
9.9.5	Degree-of-opening detection status 2 property	106
9.10	Current sensor class specifications	106
9.10.1	General	106
9.10.2	Operation status property	106
9.10.3	Measured current value 1 property	107
9.10.4	Rated voltage property to be measured property	107
9.10.5	Measured current value 2 property	107
9.11	Air speed sensor class specifications	107
9.11.1	General	107
9.11.2	Operation status property	107
9.11.3	Measured value of air speed property	108
9.11.4	Air flow direction property	108
9.12	Water flow rate sensor class specifications	108
9.12.1	General	108
9.12.2	Operation status property	108
9.12.3	Cumulative flow rate property	108
9.12.4	Flow rate property	109
9.13	Rain sensor class specifications	109
9.13.1	General	109
9.13.2	Operation status property	109
9.13.3	Detection threshold level property	109
9.13.4	Rain detection status property	109
9.14	Home air conditioner class specifications	110
9.14.1	General	110
9.14.2	Operation status property	119
9.14.3	Power-saving operation setting property	120
9.14.4	Operation mode setting property	120

9.14.5	Automatic temperature control setting property	120
9.14.6	Normal/high-speed/silent operation setting property	120
9.14.7	Set temperature value property	120
9.14.8	Set value of relative humidity in dehumidifying mode property	121
9.14.9	Set temperature value in cooling mode property	121
9.14.10	Set temperature value in heating mode property	121
9.14.11	Set temperature value in dehumidifying mode property	121
9.14.12	Rated power consumption property	122
9.14.13	Measured value of current consumption property	122
9.14.14	Measured value of room relative humidity property	122
9.14.15	Measured value of room temperature property	122
9.14.16	Set temperature value of user remote control property	122
9.14.17	Measured cooled air temperature property	123
9.14.18	Measured outdoor air temperature property	123
9.14.19	Relative temperature setting property	123
9.14.20	Air flow rate setting property	123
9.14.21	Automatic control of air flow direction setting property	123
9.14.22	Automatic swing of air flow setting property	124
9.14.23	Air flow direction (vertical) setting property	124
9.14.24	Air flow direction (horizontal) setting property	124
9.14.25	Special state property	125
9.14.26	Non-priority state property	126
9.14.27	Ventilation function setting property	126
9.14.28	Humidifier function setting property	126
9.14.29	Ventilation air flow rate setting property	126
9.14.30	Degree of humidification setting property	127
9.14.31	Mounted air cleaning method property	127
9.14.32	Air purifier function setting property	127
9.14.33	Mounted air refresh method property	128
9.14.34	Air refresher function setting property	129
9.14.35	Mounted self-cleaning method property	129
9.14.36	Self-cleaning function setting property	130
9.14.37	Special function setting property	131
9.14.38	Operation status of components property	131
9.14.39	Thermostat setting override function property	132
9.14.40	Air purification mode setting property	132
9.14.41	Buzzer property	132
9.14.42	ON timer-based reservation setting property	132
9.14.43	ON timer setting (time) property	133
9.14.44	ON timer setting (relative time)	133
9.14.45	OFF timer-based reservation setting property	133
9.14.46	OFF timer setting (time) property	133
9.14.47	OFF timer setting (relative time) property	133
9.15	Ventilation fan class specifications	134
9.15.1	General	134
9.15.2	Operation status property	134
9.15.3	Ventilation automatic setting property	134
9.15.4	Set value of ventilation air flow rate property	134
9.16	Air purifier class specifications	135

9.16.1	General	135
9.16.2	Operation status property	135
9.16.3	Filter change notice property	136
9.16.4	Air flow rate setting property	136
9.16.5	Smoke (cigarette) detection status property	136
9.16.6	Optical catalyst operation setting property	136
9.16.7	Air pollution detection status property	136
9.17	Humidifier class specifications	136
9.17.1	General	136
9.17.2	Operation status property	138
9.17.3	Humidifying setting 1 property	138
9.17.4	Humidifying setting 2 property	138
9.17.5	Measured value of relative humidity property	138
9.17.6	Reservation setting of OFF timer property	138
9.17.7	Relative time value set of OFF timer property	139
9.17.8	Ion emission setting property	139
9.17.9	Implemented ion emission method property	139
9.17.10	Special operation mode setting property	139
9.17.11	Water amount level property	139
9.18	Package-type commercial air conditioner (indoor unit) class specifications	140
9.18.1	General	140
9.18.2	Operation status property	141
9.18.3	Operation mode setting property	141
9.18.4	Temperature setting property	142
9.18.5	Measured indoor unit temperature property	142
9.18.6	Thermostat state property	142
9.18.7	Current function (automatic operation mode) property	142
9.18.8	Group information property	142
9.18.9	Power consumption range for indoor units property	143
9.19	Package-type commercial air conditioner (outdoor unit) class specifications	143
9.19.1	General	143
9.19.2	Operation status property	144
9.19.3	Rated power consumption of outdoor unit property	144
9.19.4	Measured outdoor unit temperature property	144
9.19.5	Special state property	145
9.19.6	Group information property	145
9.19.7	Measured power consumption of outdoor unit property	145
9.19.8	Possible power savings for outdoor units property	145
9.19.9	Settings restricting power consumption of outdoor units property	145
9.19.10	Minimum power consumption for restricted outdoor unit property	146
9.20	Electric storage heater class specifications	146
9.20.1	General	146
9.20.2	Operation status property	149
9.20.3	Temperature setting property	149
9.20.4	Rated power consumption property	149
9.20.5	Measured indoor temperature property	149
9.20.6	Measured outdoor temperature property	150
9.20.7	Air flow rate setting property	150
9.20.8	Fan operation status property	150

9.20.9	Heat storage operation status property	150
9.20.10	Heat storage temperature setting property	150
9.20.11	Measured stored heat temperature property	150
9.20.12	Daytime heat storage setting property	151
9.20.13	Daytime heat storage ability property	151
9.20.14	Midnight power duration setting property	151
9.20.15	Midnight power start time setting property	151
9.20.16	Radiation method property	151
9.20.17	Child lock setting property	151
9.20.18	Fan timer 1 setting property	151
9.20.19	Fan timer 1 ON time setting property	152
9.20.20	Fan timer 1 OFF time setting property	152
9.20.21	Fan timer 2 setting property	152
9.20.22	Fan timer 2 ON time setting property	152
9.20.23	Fan timer 2 OFF time setting property	152
9.21	Gas heat pump-type commercial air conditioner (indoor unit) class specifications	152
9.21.1	General	152
9.21.2	Operation status property	154
9.21.3	Operation mode setting property	154
9.21.4	Temperature setting value property	154
9.21.5	Measured temperature value of indoor unit property	154
9.21.6	Thermo status property	154
9.21.7	Operation mode status during automatic operation property	154
9.21.8	Group information property	155
9.21.9	Power consumption range for indoor units property	155
9.22	Gas heat pump-type commercial air conditioner (outdoor unit) class specifications	155
9.22.1	General	155
9.22.2	Operation status (inherited from the super class property) property	157
9.22.3	Measured temperature value of outdoor unit property	157
9.22.4	Measured cumulative gas consumption property	157
9.22.5	Group information property	157
9.22.6	Time to operation factor setting property	157
9.22.7	Allowable operation factor property	158
9.23	Range hood class specifications	158
9.23.1	General	158
9.23.2	Operation status property	161
9.23.3	Range hood automatic setting property	161
9.23.4	Ventilation air flow rate setting property	161
9.23.5	Lighting operation setting property	161
9.23.6	Light source colour setting property	161
9.23.7	Brightness level setting property	161
9.23.8	Lighting mode setting property	162
9.23.9	When in coloured lighting mode RGB setting property	162
9.23.10	Measured value of indoor temperature property	162
9.23.11	Measured value of outdoor temperature property	162
9.23.12	Measured value of supply air temperature property	162
9.23.13	Measured value of cooking temperature property	163

9.23.14	Measured value of indoor relative humidity property	163
9.23.15	Measured value of outdoor air humidity property	163
9.23.16	Human detection threshold level setting property	163
9.23.17	Human detection status property	163
9.23.18	Measured value of CO ₂ concentration property	163
9.23.19	Gas detection threshold level setting property	163
9.23.20	Gas detection status property	164
9.23.21	Error detection mode property	164
9.24	Electrically operated shade class specifications	164
9.24.1	General	164
9.24.2	Operation status property	167
9.24.3	Fault description property	167
9.24.4	Timer operation setting property	167
9.24.5	Wind detection status property	167
9.24.6	Sunlight detection status property	167
9.24.7	Opening (extension) speed setting property	167
9.24.8	Closing (retraction) speed setting property	167
9.24.9	Operation time property	168
9.24.10	Automatic operation setting property	168
9.24.11	Open/close (extension/retraction) operation setting property	168
9.24.12	Degree-of-opening property	168
9.24.13	Shade angle setting property	168
9.24.14	Open/close (extension/retraction) speed property	168
9.24.15	Electric lock setting property	168
9.24.16	Remote operation setting status property	169
9.24.17	Selective opening (extension) operation setting property	169
9.24.18	Open/closed (extended/retracted) status property	169
9.24.19	One-time opening (extension) speed setting property	169
9.24.20	One-time closing (retraction) speed setting property	169
9.25	Electrically operated rain sliding door/shutter class specifications	169
9.25.1	General	169
9.25.2	Operation status property	172
9.25.3	Fault description property	172
9.25.4	Timer operation setting property	172
9.25.5	Opening speed setting property	172
9.25.6	Closing speed setting property	172
9.25.7	Operation time setting property	172
9.25.8	Open/close operation setting property	172
9.25.9	Degree-of-opening setting property	172
9.25.10	Blind angle setting property	173
9.25.11	Opening/closing speed setting property	173
9.25.12	Electric lock setting property	173
9.25.13	Remote operation setting status property	173
9.25.14	Selective degree-of-opening setting property	173
9.25.15	Open/closed status property	173
9.25.16	Slit degree-of-opening property	173
9.25.17	One-time opening speed setting property	174
9.25.18	One-time closing speed setting property	174
9.26	Electric water heater class specifications	174

9.26.1	General	174
9.26.2	Operation status property	181
9.26.3	Automatic water heating setting property	181
9.26.4	Automatic water temperature control setting property	181
9.26.5	Water heater status property	182
9.26.6	Water heating temperature setting property	182
9.26.7	Manual water heating stop days setting property	182
9.26.8	Relative time setting value for manual water heating OFF property	182
9.26.9	Tank operation mode setting property	182
9.26.10	Daytime reheating permission setting property	182
9.26.11	Measured temperature of water in water heater property	182
9.26.12	Alarm status property	182
9.26.13	Hot water supply status property	183
9.26.14	Relative time setting for keeping bath temperature property	183
9.26.15	Temperature of supplied water setting property	183
9.26.16	Bath water temperature setting property	183
9.26.17	Hot water volume setting property	184
9.26.18	Measured amount of water remaining in tank property	184
9.26.19	Tank capacity property	184
9.26.20	Automatic bath water heating mode setting property	184
9.26.21	Manual bath reheating operation setting property	184
9.26.22	Manual bath hot water addition function setting property	184
9.26.23	Manual lukewarm water temperature lowering function setting property	184
9.26.24	Bath water volume setting 1 property	185
9.26.25	Bath water volume setting 2 property	185
9.26.26	Bathroom priority setting property	185
9.26.27	Bath operation status monitor property	185
9.26.28	Bath water volume setting 3 property	185
9.26.29	Bath water volume setting 4 property	185
9.26.30	Bath water volume setting 4 – Maximum settable level property	186
9.26.31	Sound volume setting property	186
9.26.32	Mute setting property	186
9.26.33	Remaining hot water volume property	186
9.26.34	Surplus electric energy prediction value property	186
9.26.35	Rated power consumption of HP unit in wintertime property	187
9.26.36	Rated power consumption of HP unit in in-between seasons property	187
9.26.37	Rated power consumption of HP unit in summertime property	187
9.26.38	ON timer reservation setting property	187
9.26.39	ON timer setting property	187
9.26.40	Participation in energy shift property	187
9.26.41	Standard time to start heating property	188
9.26.42	Number of energy shifts property	189
9.26.43	Daytime heating shift time 1 property (D1 of Figure 63 and D1 of Figure 64)	189
9.26.44	Expected electric energy at daytime heating shift time 1 property (C1 of Figure 63 and C1 of Figure 64)	189
9.26.45	Consumption of electric energy per hour 1 property	190
9.26.46	Daytime heating shift time 2 property (D2 of Figure 63 and D2 of Figure 64)	190

9.26.47	Expected electric energy at daytime heating shift time 2 property (C2 of Figure 64).....	191
9.26.48	Consumption of electric energy per hour 2 property	191
9.27	Electric toilet seat class (warm-water washing toilet seat, heating toilet seat, etc.) specifications	193
9.27.1	General	193
9.27.2	Operation status property	195
9.27.3	Temperature level of toilet seat property	195
9.27.4	Heater setting of toilet seat property	195
9.27.5	Temporal halt setting of toilet seat heating property.....	195
9.27.6	Temporal halt start time of toilet seat heating property.....	195
9.27.7	Temporal halt time duration of toilet seat heating property.....	195
9.27.8	Temperature level setting of room heating property	196
9.27.9	Room heating setting property	196
9.27.10	Room heating status property	196
9.27.11	Start time of room heating property.....	196
9.27.12	Duration time of room heating property	196
9.27.13	Special operation mode setting property	196
9.27.14	Human detection status property	196
9.27.15	Seating detection status property.....	196
9.28	Electric lock class specifications	197
9.28.1	General	197
9.28.2	Operation status property	198
9.28.3	Lock setting 1 property	198
9.28.4	Lock setting 2 property	198
9.28.5	Lock status of door guard property	198
9.28.6	Door open/closed status property	198
9.28.7	Occupant/non-occupant status property.....	198
9.28.8	Alarm status property	198
9.28.9	Automatic lock mode setting property	198
9.28.10	Battery level property.....	199
9.29	Instantaneous water heater class specifications.....	199
9.29.1	General	199
9.29.2	Operation status property	202
9.29.3	Water heating status property.....	202
9.29.4	Set value of hot water temperature property	202
9.29.5	Hot water warmer setting property	202
9.29.6	Duration of automatic operation setting property.....	202
9.29.7	Remaining automatic operation time property	203
9.29.8	Set value of bath temperature property	203
9.29.9	Bath water heater status property	203
9.29.10	Bath automatic mode setting property.....	203
9.29.11	Bath additional boil-up operation setting property	203
9.29.12	Bath hot water adding operation setting property	204
9.29.13	Bath water temperature lowering operation setting property.....	204
9.29.14	Bath hot water volume setting 1 property	204
9.29.15	Bath hot water volume setting 2 property	204
9.29.16	Bath hot water volume setting 3 property	204
9.29.17	Bath hot water volume setting 4 property	204

9.29.18	Bath hot water volume setting 4 – Maximum settable level property	205
9.29.19	Bathroom priority setting property	205
9.29.20	Shower hot water supply status property	205
9.29.21	Kitchen hot water heating status property	205
9.29.22	Hot water warmer ON timer reservation setting property	205
9.29.23	Bath operation status monitor property	205
9.29.24	Set value of hot water warmer ON timer time property	205
9.29.25	ON timer reservation setting property	206
9.29.26	Set value of ON timer time property	206
9.29.27	Set value of ON timer relative time property	206
9.29.28	Sound volume setting property	206
9.29.29	Mute setting property	206
9.30	Bathroom heater and dryer class specifications	207
9.30.1	General	207
9.30.2	Operation status property	211
9.30.3	Operation setting property	211
9.30.4	Ventilation operation setting property	212
9.30.5	Bathroom pre-warmer operation setting property	212
9.30.6	Bathroom heater operation setting property	212
9.30.7	Bathroom dryer operation setting property	213
9.30.8	Cool air circulation operation setting property	213
9.30.9	Mist sauna operation setting property	214
9.30.10	Water mist operation settings property	214
9.30.11	Measured relative bathroom humidity property	214
9.30.12	Measured bathroom temperature property	215
9.30.13	Human body detection status property	215
9.30.14	Filter cleaning reminder sign setting property	215
9.30.15	Ventilation air flow rate setting property	215
9.30.16	ON timer-based reservation setting 1 property	215
9.30.17	ON timer-based reservation setting 2 property	216
9.30.18	ON timer setting (time) property	216
9.30.19	ON timer setting (relative time) property	216
9.30.20	OFF timer-based reservation setting property	216
9.30.21	OFF timer setting (time) property	217
9.30.22	OFF timer setting (relative time) property	217
9.31	Household solar power generation class specifications	217
9.31.1	General	217
9.31.2	Operation status property	224
9.31.3	Identification number property	224
9.31.4	Current time setting property	224
9.31.5	Current date setting property	225
9.31.6	Output power control setting 1 property	225
9.31.7	Output power control setting 2 property	225
9.31.8	Function to control purchase of excess electricity setting property	225
9.31.9	Output power controlling schedule property	225
9.31.10	Next access date and time property	226
9.31.11	Type for function to control purchase of excess electricity property	226
9.31.12	Output power change time setting value property	226
9.31.13	Upper limit clip setting value property	226

9.31.14	Operation power factor setting value property	226
9.31.15	FIT contract type property	226
9.31.16	Self-consumption type property	226
9.31.17	Capacity approved by equipment property	227
9.31.18	Conversion coefficient property	227
9.31.19	System interconnection status property	227
9.31.20	Output power restraint status property	227
9.31.21	Measured instantaneous amount of electricity generated property	228
9.31.22	Measured cumulative amount of electricity generated property	228
9.31.23	Resetting cumulative amount of electric energy generated property	228
9.31.24	Measured cumulative amount of electric energy sold property	228
9.31.25	Resetting cumulative amount of electric energy sold property	228
9.31.26	Power generation output limit setting 1 property	228
9.31.27	Power generation output limit setting 2 property	228
9.31.28	Limit setting for the amount of electricity sold property	228
9.31.29	Rated power generation output (system interconnected) property	228
9.31.30	Rated power generation output (independent) property	229
9.32	Floor heater class specifications	229
9.32.1	General	229
9.32.2	Operation status property	231
9.32.3	Measured instantaneous power consumption property	231
9.32.4	Measured cumulative energy consumption property	231
9.32.5	Temperature setting 1 property	232
9.32.6	Temperature setting 2 property	232
9.32.7	Temperature setting 2 – Maximum settable level property	232
9.32.8	Measured room temperature property	232
9.32.9	Measured floor temperature property	233
9.32.10	Zone change setting property	233
9.32.11	Special operation setting property	233
9.32.12	Daily timer setting property	233
9.32.13	Daily timer setting 1 property / Daily timer setting 2 property	233
9.32.14	Rated power consumption property	234
9.32.15	Power consumption measurement method property	235
9.32.16	ON timer reservation setting property	235
9.32.17	Time set by ON timer property	235
9.32.18	Relative ON timer setting property	235
9.32.19	OFF timer reservation setting property	235
9.32.20	Time set by OFF timer property	236
9.32.21	Relative OFF timer setting property	236
9.33	Fuel cell class specifications	236
9.33.1	General	236
9.33.2	Operation status property	238
9.33.3	Measured temperature of water in water heater property	238
9.33.4	Rated power generation output property	239
9.33.5	Heating value of hot water storage tank property	239
9.33.6	Measured instantaneous power generation output property	239
9.33.7	Measured cumulative energy generation output property	239
9.33.8	Cumulative energy generation output reset setting property	239
9.33.9	Measured instantaneous gas consumption property	239

9.33.10	Measured cumulative gas consumption property	239
9.33.11	Cumulative gas consumption reset setting property	239
9.33.12	Power generation setting property	239
9.33.13	Power generation status property	240
9.33.14	Measured in-house instantaneous power consumption property	240
9.33.15	Measured in-house cumulative energy consumption property	240
9.33.16	In-house cumulative energy consumption reset property	240
9.33.17	System interconnection status property	240
9.33.18	Power generation request time setting property	240
9.33.19	Designated power generation status property	241
9.33.20	Measured remaining hot water amount property	241
9.33.21	Tank capacity property	241
9.34	Storage battery class specifications	241
9.34.1	General	241
9.34.2	Operation status property	252
9.34.3	Identification number property	252
9.34.4	Current time setting property	252
9.34.5	Current date setting property	252
9.34.6	AC effective capacity (charging) property	253
9.34.7	AC effective capacity (discharging) property	253
9.34.8	AC chargeable capacity property	253
9.34.9	AC dischargeable capacity property	253
9.34.10	AC chargeable electric energy property	253
9.34.11	AC dischargeable electric energy property	253
9.34.12	AC charge upper limit setting property	254
9.34.13	AC discharge lower limit setting property	254
9.34.14	AC cumulative charging electric energy property	254
9.34.15	AC cumulative discharging electric energy property	254
9.34.16	AC charge amount target value property	254
9.34.17	AC discharge amount target value property	255
9.34.18	Charging method property	255
9.34.19	Discharging method property	256
9.34.20	Minimum/maximum charging electric power property	258
9.34.21	Minimum/maximum discharging electric power property	258
9.34.22	Minimum/maximum charging current property	258
9.34.23	Minimum/maximum discharging current property	258
9.34.24	Re-interconnection permission setting property	258
9.34.25	Operation permission setting property	259
9.34.26	Independent operation permission setting property	259
9.34.27	Working operation status property	259
9.34.28	AC rated electric energy property	259
9.34.29	Rated electric energy property	259
9.34.30	Rated capacity property	259
9.34.31	Rated voltage property	259
9.34.32	Measured instantaneous charging/discharging electric power property	259
9.34.33	Measured instantaneous charging/discharging current property	260
9.34.34	Measured instantaneous charging/discharging voltage property	260
9.34.35	Measured cumulative discharging electric energy property	260
9.34.36	Measured cumulative discharging electric energy resetting property	260

9.34.37	Measured cumulative charging electric energy property.....	260
9.34.38	Measured cumulative charging electric energy reset setting property.....	260
9.34.39	Operation mode setting property.....	260
9.34.40	System interconnection status property	261
9.34.41	Minimum/maximum charging electric power (independent) property.....	261
9.34.42	Minimum/maximum discharging electric power (independent) property	261
9.34.43	Minimum/maximum charging current (independent) property	261
9.34.44	Minimum/maximum discharging current (independent) property	261
9.34.45	Charging/discharging amount setting 1 property	262
9.34.46	Charging/discharging amount setting 2 property	262
9.34.47	Remaining stored electricity 1 property	262
9.34.48	Remaining stored electricity 2 property	262
9.34.49	Remaining stored electricity 3 property	262
9.34.50	Battery state of health property.....	262
9.34.51	Battery type property	263
9.34.52	Charging amount setting 1 property	263
9.34.53	Discharging amount setting 1 property.....	263
9.34.54	Charging amount setting 2 property	263
9.34.55	Discharging amount setting 2 property.....	263
9.34.56	Charging electric power setting property.....	263
9.34.57	Discharging electric power setting property.....	263
9.34.58	Charging current setting property.....	264
9.34.59	Discharging current setting property	264
9.34.60	Rated voltage (independent) property.....	264
9.35	Electric vehicle charger/discharger class specifications	264
9.35.1	General	264
9.35.2	Operation status property	275
9.35.3	Dischargeable capacity of vehicle mounted battery 1 property	276
9.35.4	Dischargeable capacity of vehicle mounted battery 2 property	276
9.35.5	Remaining dischargeable capacity of vehicle mounted battery 1 property	276
9.35.6	Remaining dischargeable capacity of vehicle mounted battery 2 property	276
9.35.7	Remaining dischargeable capacity of vehicle mounted battery 3 property	276
9.35.8	Rated charge capacity property	276
9.35.9	Rated discharge capacity property.....	276
9.35.10	Vehicle connection and chargeable/dischargeable status property.....	277
9.35.11	Minimum/maximum charging electric power property	277
9.35.12	Minimum/maximum discharging electric power property.....	277
9.35.13	Minimum/maximum charging current property	278
9.35.14	Minimum/maximum discharging current property	278
9.35.15	Charger/discharger type property.....	278
9.35.16	Vehicle connection confirmation property.....	279
9.35.17	Used capacity of vehicle mounted battery 1 (total battery capacity) property	279
9.35.18	Used capacity of vehicle mounted battery 2 property	279
9.35.19	Rated voltage property	280
9.35.20	Measured instantaneous charging/discharging electric power	280
9.35.21	Measured instantaneous charging/discharging current property.....	280

9.35.22	Measured instantaneous charging/discharging voltage property	280
9.35.23	Measured cumulative amount of discharging electric energy property	280
9.35.24	Cumulative amount of discharging electric energy reset setting	280
9.35.25	Measured cumulative amount of charging electric energy property	280
9.35.26	Cumulative amount of charging electric energy reset setting property	280
9.35.27	Operation mode setting property	281
9.35.28	System interconnection status property	282
9.35.29	Charging method property	282
9.35.30	Discharging method property	283
9.35.31	Purchasing electric power setting property	284
9.35.32	Re-interconnection permission setting property	285
9.35.33	Charging/discharging electric power setting property	285
9.35.34	Working operation status property	286
9.35.35	Remaining stored electricity of vehicle mounted battery 1 property	286
9.35.36	Remaining stored electricity of vehicle mounted battery 2 property	286
9.35.37	Remaining stored electricity of vehicle mounted battery 3 (charging rate) property	286
9.35.38	Charging amount setting 1 property	287
9.35.39	Charging amount setting 2 property	287
9.35.40	Charging electric power setting property	287
9.35.41	Discharging electric power setting property	287
9.35.42	Charging current setting property	287
9.35.43	Discharging current setting property	287
9.35.44	Rated voltage (independent status) property	287
9.35.45	Chargeable capacity of vehicle mounted battery property	288
9.35.46	Remaining chargeable capacity of vehicle mounted battery property	288
9.35.47	Vehicle ID property	288
9.35.48	Discharging amount setting property	288
9.35.49	Maintenance status property	289
9.36	Engine cogeneration class specifications	289
9.36.1	General	289
9.36.2	Operation status property	291
9.36.3	Measured hot water temperature of water heater property	291
9.36.4	Rated power generation output property	291
9.36.5	Heating value of hot water storage tank property	291
9.36.6	Measured instantaneous power generation output property	292
9.36.7	Measured cumulative energy generation output property	292
9.36.8	Cumulative energy generation output reset setting property	292
9.36.9	Measured instantaneous gas consumption property	292
9.36.10	Measured cumulative gas consumption property	292
9.36.11	Cumulative gas consumption reset setting property	292
9.36.12	Power generation setting property	292
9.36.13	Power generation status property	292
9.36.14	Measured in-house instantaneous power consumption property	292
9.36.15	Measured in-house cumulative energy consumption property	293
9.36.16	In-house cumulative energy consumption reset property	293
9.36.17	System interconnection status property	293
9.36.18	Measured remaining hot water amount property	293
9.36.19	Tank capacity property	293

9.37	Water flowmeter class specifications.....	293
9.37.1	General	293
9.37.2	Operation status property	295
9.37.3	Water flowmeter classification property.....	295
9.37.4	Owner classification property.....	296
9.37.5	Measured cumulative amount of flowing water property	296
9.37.6	Unit for measured cumulative amounts of flowing water property	296
9.37.7	Historical data of measured cumulative amounts of flowing water property	296
9.37.8	Detection of abnormal value in metering data property	296
9.37.9	Security data information property	297
9.37.10	ID number setting property	297
9.37.11	Verification expiration information property	297
9.37.12	Historical data of measured cumulative amounts of flowing water 2 property	297
9.38	Power distribution board metering class specifications.....	297
9.38.1	General	297
9.38.2	Operation status property	317
9.38.3	Measured cumulative amount of electric energy (normal and reverse directions) property.....	317
9.38.4	Unit for cumulative amounts of electric energy property.....	318
9.38.5	Historical data of measured cumulative amounts of electric energy (normal and reverse directions) property	318
9.38.6	Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved (normal and reverse directions) property.....	318
9.38.7	Measured instantaneous electric power property	319
9.38.8	Measured instantaneous currents property	319
9.38.9	Measured instantaneous voltages property.....	319
9.38.10	Measurement channels 1 to 32 property	319
9.38.11	Master rated capacity property	320
9.38.12	Number of measurement channels (simplex) property.....	320
9.38.13	Channel range specification for cumulative amount of electric energy consumption measurement (simplex) property	320
9.38.14	Measured cumulative amount of electric energy consumption list (simplex) property.....	320
9.38.15	Channel range specification for instantaneous current measurement (simplex) property.....	321
9.38.16	Measured instantaneous current list (simplex) property	321
9.38.17	Channel range specification for instantaneous power consumption measurement (simplex) property.....	322
9.38.18	Measured instantaneous power consumption list (simplex) property	322
9.38.19	Number of measurement channels (duplex) property	322
9.38.20	Channel range specification for cumulative amount of electric energy consumption measurement (duplex) property.....	323
9.38.21	Measured cumulative amount of electric energy consumption list (duplex) property	323
9.38.22	Channel range specification for instantaneous current measurement (duplex) property	323
9.38.23	Measured instantaneous current list (duplex) property	324
9.38.24	Channel range specification for instantaneous power consumption measurement (duplex) property	324

9.38.25	Measured instantaneous power consumption list (duplex) property	325
9.39	Low-voltage smart electric meter class specifications	325
9.39.1	General	325
9.39.2	Operation status property	332
9.39.3	Coefficient property	332
9.39.4	Number of effective digits for cumulative amounts of electric energy property	332
9.39.5	Measured cumulative amount of electric energy (normal direction) property	333
9.39.6	Unit for measured cumulative amounts of electric energy (normal and reverse directions) property	333
9.39.7	Historical data of measured cumulative amounts of electric energy 1 (normal direction) property	333
9.39.8	Measured cumulative amounts of electric energy (reverse direction) property	334
9.39.9	Historical data of measured cumulative amounts of electric energy 1 (reverse direction) property	334
9.39.10	Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved 1 property	335
9.39.11	Measured instantaneous electric power property	335
9.39.12	Measured instantaneous currents property	335
9.39.13	Cumulative amounts of electric energy measured at fixed time (normal direction) property	335
9.39.14	Cumulative amounts of electric energy measured at fixed time (reverse direction) property	336
9.39.15	Historical data of measured cumulative amounts of electric energy 2 (normal and reverse directions) property	337
9.39.16	Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved 2 property	337
9.40	Smart gas meter class specifications	338
9.40.1	General	338
9.40.2	Operation status property	342
9.40.3	Gas meter classification setting property	342
9.40.4	Owner classification setting property	342
9.40.5	Measured cumulative gas consumption property	343
9.40.6	Unit for measured cumulative gas consumption property	343
9.40.7	Historical data of measured cumulative gas consumption property	344
9.40.8	Day setting for which the historical data of measured cumulative gas consumption shall be retrieved property	344
9.40.9	Detection of abnormal value in metering data property	344
9.40.10	Security data information property	344
9.40.11	Valve closure by the Centre property	345
9.40.12	Permission from the Centre to reopen the valve closed by the Centre property	345
9.40.13	Emergency closure of shutoff valve property	345
9.40.14	Shutoff valve status property	345
9.40.15	Historical data of shutoff reasons property	345
9.40.16	ID number setting property	345
9.40.17	Verification expiration setting property	345
9.40.18	Measured cumulative gas consumption information with date and time property	345
9.40.19	Historical information of cumulative gas consumption property	346

9.41	High-voltage smart electric energy meter class specifications	347
9.41.1	General	347
9.41.2	Operation status property	357
9.41.3	Coefficient property	357
9.41.4	Multiplying factor for coefficient property	357
9.41.5	Fixed date property.....	357
9.41.6	Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved property	357
9.41.7	Measured cumulative amount of active electric energy property.....	358
9.41.8	Cumulative amounts of active electric energy at fixed time property	358
9.41.9	Measurement data of cumulative amount of active electric energy for power factor measurement	359
9.41.10	Number of effective digits for cumulative amount of active electric energy property	359
9.41.11	Unit for cumulative amounts of active electric energy property.....	360
9.41.12	Historical data of measured cumulative amount of active electric energy property	360
9.41.13	Monthly maximum electric power demand property.....	360
9.41.14	Cumulative maximum electric power demand property.....	361
9.41.15	Electric power demand at fixed time (30-min average electric power) property	362
9.41.16	Number of effective digits of electric power demand property	362
9.41.17	Unit of electric power demand property.....	362
9.41.18	Historical data of measured electric power demand property	363
9.41.19	Unit of cumulative maximum electric power demand property	363
9.41.20	Measurement data of reactive electric energy consumption (lag) for power factor measurement property.....	364
9.41.21	Measurement data of cumulative amount of reactive electric energy consumption (lag) at fixed time for power factor measurement property.....	364
9.41.22	Number of effective digits for measurement data of cumulative amount of reactive electric energy consumption (lag) for power factor measurement property.....	365
9.41.23	Unit of measurement data of cumulative amount of reactive electric energy consumption (lag) property.....	365
9.41.24	Historical data of measurement data of cumulative amount of reactive electric energy consumption (lag) for power factor measurement property	366
9.42	Kerosene meter class specifications	366
9.42.1	General	366
9.42.2	Operation status property	367
9.42.3	Measured cumulative amount of kerosene consumption property.....	367
9.42.4	History of measured cumulative amounts of kerosene consumption property	367
9.43	Smart kerosene meter class specifications.....	367
9.43.1	General	367
9.43.2	Operation status property	371
9.43.3	Owner category setting property	371
9.43.4	Measured cumulative kerosene consumption property	371
9.43.5	Units for measured cumulative kerosene consumption property	372
9.43.6	Historical information of cumulative kerosene consumption property.....	372
9.43.7	Collection date setting for history of cumulative kerosene consumption property	372

9.43.8	Meter reading data abnormality detection status property	373
9.43.9	Security data information property	373
9.43.10	Residual volume control warning level property	373
9.43.11	Residual volume control warning level 1 property	373
9.43.12	Residual volume control warning level 2 property	373
9.43.13	Residual volume control warning level 3 property	373
9.43.14	Slight leak timer value (kerosene flow rate continuation) property	374
9.43.15	ID number setting property	374
9.43.16	Verification expiration setting property	374
9.43.17	Measured cumulative kerosene consumption information with date and time property	374
9.43.18	Historical information of cumulative kerosene consumption property	374
9.44	Smart electric energy meter for sub-metering class specifications	375
9.44.1	General	375
9.44.2	Operation status property	383
9.44.3	Current time setting property	383
9.44.4	Current date setting property	383
9.44.5	Electric power coefficient property	383
9.44.6	Unit for measured cumulative amount of electric energy (normal and reverse directions) property	383
9.44.7	Number of effective digits for cumulative amount of electric energy property	383
9.44.8	Electric current coefficient property	383
9.44.9	Voltage coefficient property	384
9.44.10	Day on which the historical data of measured cumulative amount of electric energy is to be retrieved property	384
9.44.11	Measured cumulative amount of electric energy (normal direction) property	384
9.44.12	Historical data of measured cumulative amount of electric energy (normal direction) property	384
9.44.13	Measured cumulative amount of electric energy (reverse direction) property	385
9.44.14	Historical data of measured cumulative amount of electric energy (reverse direction) property	385
9.44.15	Measured instantaneous electric power property	386
9.44.16	Measured instantaneous currents property	386
9.44.17	Measured instantaneous voltages property	386
9.44.18	Cumulative amount of electric energy measured at a fixed time (normal direction) property	387
9.44.19	Cumulative amount of electric energy measured at a fixed time (reverse direction) property	387
9.45	Distributed generator's electric energy meter class specifications	388
9.45.1	General	388
9.45.2	Operation status property	399
9.45.3	Current date setting property	400
9.45.4	Device type property	400
9.45.5	Device ID property	400
9.45.6	Tolerance property	400
9.45.7	Number of days to retain historical data of measured cumulative amount of electric energy property	400
9.45.8	Unit for cumulative amount of electric energy property	400

9.45.9	Day on which the historical data of measured cumulative amount of electric energy is to be retrieved property	400
9.45.10	Identification number of device to be metered property	401
9.45.11	Current hour, minute, and second setting property	401
9.45.12	Time synchronization status property	401
9.45.13	Measured cumulative amount of electric energy (AC input) property	401
9.45.14	Historical data of measured cumulative amount of electric energy (AC input) property	402
9.45.15	Measured cumulative amount of electric energy (AC output) property	402
9.45.16	Historical data of measured cumulative amount of electric energy (AC output) property	402
9.45.17	Measured cumulative amount of electric energy (independent output) property	402
9.45.18	Historical data of measured cumulative amount of electric energy (independent output) property	403
9.45.19	Cumulative amount of electric energy measured at fixed time (AC input) property	403
9.45.20	Cumulative amount of electric energy measured at fixed time (AC output) property	404
9.45.21	Cumulative amount of electric energy measured at fixed time (independent output) property	404
9.45.22	Measured instantaneous electric power (AC input/output) property	404
9.45.23	Measured instantaneous electric power (independent output) property	404
9.46	General light class specifications	405
9.46.1	General	405
9.46.2	Operation status property	408
9.46.3	Illuminance level property	408
9.46.4	Light colour setting property	408
9.46.5	Illuminance level step setting property	409
9.46.6	Light colour step setting property	409
9.46.7	Maximum specifiable values property	410
9.46.8	Maximum value of settable level for night lighting property	410
9.46.9	Lighting mode setting property	410
9.46.10	Illuminance level setting for main lighting property	410
9.46.11	Illuminance level step setting for main lighting property	411
9.46.12	Illuminance level setting for night lighting property	411
9.46.13	Illuminance level step setting for night lighting property	411
9.46.14	Light colour setting for main lighting property	412
9.46.15	Light colour level step setting for main lighting property	412
9.46.16	Light colour setting for night lighting property	412
9.46.17	Light colour level step setting for night lighting property	413
9.46.18	Lighting mode status in automatic mode property	413
9.46.19	RGB setting for colour lighting property	413
9.46.20	ON timer reservation setting property	413
9.46.21	ON timer setting property	413
9.46.22	OFF timer reservation setting property	414
9.46.23	OFF timer setting property	414
9.47	Mono functional lighting class specifications	414
9.47.1	General	414
9.47.2	Operation status property	414
9.47.3	Illuminance level setting property	414

9.48	Lighting for solid light-emitting source class specifications	415
9.48.1	General	415
9.48.2	Operation status property	416
9.48.3	Number of light sources property	416
9.48.4	List of the light source operation status property	416
9.48.5	List of the light source optical output setting values property	417
9.48.6	List of light source colour temperature setting values property	418
9.48.7	ON timer reservation setting property	418
9.48.8	ON timer setting property	419
9.48.9	OFF timer reservation setting property	419
9.48.10	OFF timer setting property	419
9.49	Electric vehicle charger class specifications	419
9.49.1	General	419
9.49.2	Operation status property	424
9.49.3	Rated charge capacity property	424
9.49.4	Vehicle connection and chargeable status property	424
9.49.5	Minimum/maximum charging electric power property	424
9.49.6	Minimum/maximum charging current property	424
9.49.7	Charger type property	425
9.49.8	Vehicle connection confirmation property	425
9.49.9	Used capacity of vehicle-mounted battery 1 property	426
9.49.10	Rated voltage property	426
9.49.11	Measured instantaneous charging electric power property	426
9.49.12	Measured cumulative amount of charging electric energy property	426
9.49.13	Cumulative amount of charging electric energy reset setting property	426
9.49.14	Operating mode setting property	426
9.49.15	Remaining stored electricity of vehicle-mounted battery 1 property	426
9.49.16	Remaining stored electricity of vehicle-mounted battery 3 property	426
9.49.17	Charging electric power setting property	427
9.49.18	Charging current setting property	427
9.49.19	Chargeable capacity of vehicle mounted battery property	427
9.49.20	Remaining chargeable capacity of vehicle mounted battery property	427
9.49.21	Vehicle ID property	427
9.49.22	Charging amount setting property	428
9.50	Household small wind turbine power generation class specifications	428
9.50.1	General	428
9.50.2	Operation status property	430
9.50.3	System interconnection status property	430
9.50.4	Measured instantaneous amount of electricity generated property	430
9.50.5	Measured cumulative amount of electricity generated property	430
9.50.6	Resetting cumulative amount of electricity generated property	430
9.50.7	Measured cumulative amount of electricity sold property	430
9.50.8	Resetting cumulative amount of electricity sold property	430
9.50.9	Power generation output limit setting 1 property	431
9.50.10	Power generation output limit setting 2 property	431
9.50.11	Limit setting for the amount of electricity sold property	431
9.50.12	Rated power property	431
9.50.13	Measured wind speed property	431
9.50.14	Rated wind speed property	431

9.50.15	Cut-in wind speed property	431
9.50.16	Cut-out wind speed property	431
9.50.17	Extreme wind speed property	432
9.50.18	Braking status property	432
9.51	Lighting system class specifications	432
9.51.1	General	432
9.51.2	Operation status property	433
9.51.3	Illuminance level setting property	434
9.51.4	Scene control setting property	434
9.51.5	Number that can assign scene control setting property	434
9.52	Extended lighting system class specifications	434
9.52.1	General	434
9.52.2	Operation status property	436
9.52.3	Illuminance level setting property	436
9.52.4	Scene control setting property	436
9.52.5	Number that can assign scene control setting property	437
9.52.6	Power consumption rate list property	437
9.52.7	Power consumption when fully lit property	437
9.52.8	Possible power savings property	437
9.52.9	Power consumption limit setting property	437
9.52.10	Automatic operation controlling setting property	438
9.52.11	Fading control change time setting property	439
9.53	Multiple input PCS class specifications	439
9.53.1	General	439
9.53.2	Operation status property	441
9.53.3	Identification number property	441
9.53.4	Current time setting property	442
9.53.5	Current date setting property	442
9.53.6	System interconnection status property	442
9.53.7	Measured cumulative amount of electric energy (normal direction) property	442
9.53.8	Measured cumulative amount of electric energy (reverse direction) property	442
9.53.9	Measured instantaneous electric power property	442
9.53.10	List of connected devices property	442
9.54	Hybrid water heater class specifications	443
9.54.1	General	443
9.54.2	Operation status property	445
9.54.3	Automatic water heating setting property	446
9.54.4	Water heating status property	446
9.54.5	Heater status property	446
9.54.6	Hot water supply mode setting for auxiliary heat source machine property	446
9.54.7	Heater mode setting for auxiliary heat source machine property	446
9.54.8	Linkage mode setting for solar power generation property	446
9.54.9	Solar power generations utilization time property	446
9.54.10	Hot water supply status property	447
9.54.11	Measured amount of hot water remaining in tank property	447
9.54.12	Tank capacity property	447
9.55	Refrigerator class specifications	448

9.55.1	General	448
9.55.2	Operation status property	453
9.55.3	Door open/close status property	453
9.55.4	Door open warning property.....	454
9.55.5	Refrigerator compartment door status.....	454
9.55.6	Freezer compartment door status property	454
9.55.7	Ice compartment door status property.....	454
9.55.8	Vegetable compartment door status property.....	454
9.55.9	Multi-refrigerating mode compartment door status property	454
9.55.10	Maximum allowable temperature setting level property	454
9.55.11	Refrigerator compartment temperature setting property	455
9.55.12	Freezer compartment temperature setting property.....	455
9.55.13	Ice compartment temperature setting property	455
9.55.14	Vegetable compartment temperature setting property	455
9.55.15	Multi-refrigerating mode compartment temperature setting property.....	455
9.55.16	Refrigerator compartment temperature level setting property	456
9.55.17	Freezer compartment temperature level setting property	456
9.55.18	Ice compartment temperature level setting property.....	456
9.55.19	Vegetable compartment temperature level setting property.....	456
9.55.20	Multi-refrigerating mode compartment temperature level setting property	457
9.55.21	Measured refrigerator compartment temperature property	457
9.55.22	Measured freezer compartment temperature property.....	457
9.55.23	Measured ice compartment temperature property	457
9.55.24	Measured vegetable compartment temperature property.....	457
9.55.25	Measured multi-refrigerating mode compartment temperature property.....	457
9.55.26	Compressor rotation speed property	458
9.55.27	Measured electric current consumption property	458
9.55.28	Rated power consumption property.....	458
9.55.29	Quick freeze function setting property.....	458
9.55.30	Quick refrigeration function setting property.....	458
9.55.31	Icemaker setting property	459
9.55.32	Icemaker operation status property.....	459
9.55.33	Icemaker tank status property.....	459
9.55.34	Refrigerator compartment humidification function setting property	459
9.55.35	Vegetable compartment humidification function setting property	459
9.55.36	Deodorization function setting property.....	459
9.56	Microwave oven class specifications	459
9.56.1	General	459
9.56.2	Operation status property	466
9.56.3	Door open/close status property	466
9.56.4	Heating status property.....	466
9.56.5	Heating setting property.....	467
9.56.6	Heating mode setting property	467
9.56.7	Automatic heating setting property.....	468
9.56.8	Automatic heating level setting property	468
9.56.9	Automatic heating menu setting property	469
9.56.10	Oven mode setting property.....	470
9.56.11	Oven preheating setting property	470
9.56.12	Fermenting mode setting property	470

9.56.13	Chamber temperature setting property.....	471
9.56.14	Food temperature setting property	471
9.56.15	Heating time setting property	471
9.56.16	Remaining heating time setting property	472
9.56.17	Microwave heating power setting property	472
9.56.18	Prompt message setting property	472
9.56.19	Accessories to combination microwave oven setting property	473
9.56.20	Display character string setting property	475
9.56.21	Two-stage microwave heating setting (duration) property	475
9.56.22	Two-stage microwave heating setting (heating power) property	475
9.57	Washer and dryer class specifications	476
9.57.1	General	476
9.57.2	Operation status property	489
9.57.3	Door/cover open/close status property.....	489
9.57.4	Washer and dryer setting property	489
9.57.5	Washer and dryer cycle setting 1 property	489
9.57.6	Washer and dryer cycle setting 2 property	492
9.57.7	Drying cycle setting property	494
9.57.8	Washer and dryer cycle option list 1 property	495
9.57.9	Washer and dryer cycle option list 2 property	495
9.57.10	Washer and dryer cycle option list 3 property	495
9.57.11	Water flow rate setting property	496
9.57.12	Rotation speed for spin drying setting property	496
9.57.13	Degree of drying setting property	497
9.57.14	Remaining washing time property	497
9.57.15	Remaining drying time	497
9.57.16	Elapsed time on the ON timer property	497
9.57.17	Pre-soaking time setting property	497
9.57.18	Current stage of washer and dryer cycle property	498
9.57.19	Water volume setting 1 property	499
9.57.20	Water volume setting 2 property	500
9.57.21	Washing time setting property.....	500
9.57.22	Number of times of rinsing property	501
9.57.23	Rinsing process setting property.....	501
9.57.24	Spin drying time setting property	501
9.57.25	Drying time setting property	502
9.57.26	Warm water setting property	502
9.57.27	Bathtub water recycle setting property	502
9.57.28	Wrinkling minimization setting property.....	503
9.57.29	Time remaining to complete washer and dryer cycle property	503
9.57.30	Door/cover lock setting property	503
9.57.31	Washer and dryer cycle property	503
9.57.32	ON timer reservation setting property	505
9.57.33	ON timer setting property.....	505
9.57.34	Relative time-based ON timer setting.....	505
9.58	Clothes dryer class specifications	505
9.58.1	General	505
9.58.2	Operation status property	506
9.58.3	Door/cover open/close status property.....	506

9.58.4	Drying setting property	507
9.58.5	Drying status property	507
9.58.6	Remaining drying time property	507
9.58.7	ON timer reservation setting property	507
9.58.8	ON timer setting property.....	507
9.58.9	Relative time-based ON timer setting property	507
9.59	Cooking heater class specifications	507
9.59.1	General	507
9.59.2	Operation status property	510
9.59.3	Heating status property.....	510
9.59.4	Heating setting property.....	511
9.59.5	All stop setting property	511
9.59.6	Heating power setting property	512
9.59.7	Heating temperature setting property	512
9.59.8	Heating modes of stoves setting property	512
9.59.9	Relative time settings of OFF timers property	513
9.59.10	Child lock setting property	513
9.59.11	Radiant heater lock setting property	513
9.60	Commercial showcase class specifications	514
9.60.1	General	514
9.60.2	Operation status property	516
9.60.3	Operation mode setting property.....	516
9.60.4	Measured value of discharge temperature property.....	516
9.60.5	Internal lighting operation status property	517
9.60.6	External lighting operation status property	517
9.60.7	Compressor operation status property	517
9.60.8	Measured value of internal temperature property	517
9.60.9	Freezing capability value property	517
9.60.10	Defrosting heater power consumption property	517
9.60.11	Fan motor power consumption property	517
9.60.12	Heater mode property	517
9.60.13	Group information property	517
9.60.14	Showcase type information property	518
9.60.15	Door type information property	518
9.60.16	Showcase configuration information property.....	518
9.60.17	Type of lighting inside the showcase property	518
9.60.18	Type of lighting outside the case property.....	518
9.60.19	Illuminance level setting of lighting inside the showcase property	518
9.60.20	Illuminance level setting of lighting outside the case property	518
9.60.21	Temperature setting of inside the case property	518
9.60.22	Showcase shape information property	518
9.60.23	Temperature range information for inside the case property	518
9.61	Commercial showcase outdoor unit class specifications.....	519
9.61.1	General	519
9.61.2	Operation status property	519
9.61.3	Exceptional status property	519
9.61.4	Operation mode setting property.....	520
9.61.5	Measured value of outdoor air temperature property.....	520
9.61.6	Compressor operation status property	520

9.61.7	Group information property	520
9.62	Dishwasher and dryer class specifications	520
9.62.1	General	520
9.62.2	Operation status property	532
9.62.3	ON timer reservation setting property	532
9.62.4	ON timer setting property.....	532
9.62.5	Relative time-based ON timer setting property	532
9.62.6	Door/cover open/close setting property	532
9.62.7	Door/cover lock setting property	532
9.62.8	Operation status setting property	532
9.62.9	Dish-washing method setting property	533
9.62.10	Drying method setting property	533
9.62.11	Storing method setting property	534
9.62.12	Dish-washing method setting acceptable information property	534
9.62.13	Drying method setting acceptable information property	535
9.62.14	Storing method setting acceptable information property	535
9.62.15	Prewashing time setting property	535
9.62.16	Highest water temperature setting for prewashing property.....	536
9.62.17	Washing time setting property.....	536
9.62.18	Highest water temperature setting for washing property.....	536
9.62.19	Number of times of rinsing setting property	537
9.62.20	Rinsing mode setting property	537
9.62.21	Highest water temperature setting for hot water rinsing property.....	537
9.62.22	Dish-washing water volume setting property	538
9.62.23	Dish-washing water pressure setting property	538
9.62.24	Dish-washing level setting property	538
9.62.25	Drying time setting property	539
9.62.26	Highest air temperature setting for hot air drying property.....	539
9.62.27	Drying air flow rate setting property	539
9.62.28	Drying level setting property	540
9.62.29	Storing time setting property	540
9.62.30	Operation setting information property	541
9.62.31	Operation transition status property	542
9.62.32	Remaining time on the ON timer property	544
9.62.33	Remaining time of prewashing property	544
9.62.34	Remaining time of washing property	544
9.62.35	Remaining time of rinsing property	545
9.62.36	Remaining time of dish-washing property.....	545
9.62.37	Remaining drying time property	545
9.62.38	Remaining time of dish-washing and drying property	545
9.62.39	Storing elapsed time property	545
9.62.40	Used water volume property	545
9.63	Switch class specifications.....	545
9.63.1	General	545
9.63.2	Operation status property	546
9.63.3	Connected device property	546
9.64	Controller class specifications.....	546
9.64.1	General	546
9.64.2	Operation status property	548

9.64.3	Controller ID property	548
9.64.4	Number of devices controlled property	549
9.64.5	Index property	549
9.64.6	Device ID property	549
9.64.7	Device type property	549
9.64.8	Name property	549
9.64.9	Connection status property	550
9.64.10	Business code of the device to be controlled property	550
9.64.11	Product code of the device to be controlled property	550
9.64.12	Manufacture date of the device to be controlled property	550
9.64.13	Registered information renewal date of the device to be controlled property	551
9.64.14	Registered information renewal version information of the device to be controlled property	551
9.64.15	Place to install device to be controlled property	551
9.64.16	Fault status of device to be controlled property	551
9.64.17	Address of installation location property	551
9.64.18	Set property map for device to be controlled property	551
9.64.19	Get property map for device to be controlled property	551
10	Property map description format	552
	Bibliography	553
	Figure 1 – ECHONET frame for plain data format	41
	Figure 2 – EHD detailed specifications	42
	Figure 3 – Configuration of SEA and DEA when an individual address is specified	43
	Figure 4 – Broadcast target stipulation code	43
	Figure 5 – Node group stipulation bit specifications	44
	Figure 6 – OHD detailed specifications	45
	Figure 7 – EOJ detailed specifications	45
	Figure 8 – EPC detailed specifications	47
	Figure 9 – ESV detailed specifications	47
	Figure 10 – EDATA configuration in property value write service	52
	Figure 11 – EDATA configuration in property value read service	52
	Figure 12 – EDATA configuration in property value notification service	53
	Figure 13 – EDATA configuration in property value element-stipulated write service	54
	Figure 14 – EDATA configuration in property value element-stipulated read service	55
	Figure 15 – EDATA configuration in property value element-stipulated notification service	56
	Figure 16 – EDATA configuration in property value element-stipulated addition	57
	Figure 17 – EDATA configuration in property value element-stipulated deletion	58
	Figure 18 – EDATA configuration in property value element-stipulated existence confirmation	59
	Figure 19 – EDATA configuration in property value element addition	60
	Figure 20 – EDATA configuration in property value notification (response required)	60
	Figure 21 – EDATA configuration in property value element-stipulated notification (response required)	61
	Figure 22 – CpESV configuration	62

Figure 23 – Relationship between write request (requiring no response) and write "process-not-possible" response	65
Figure 24 – Relationship between write request (requiring a response), write "accepted" response, and write "process-not-possible" response	66
Figure 25 – Relationship between read request (requiring a response), read "accepted" response, and read "process-not-possible" response	67
Figure 26 – Notification message format	68
Figure 27 – Relationship between property value notification (requiring a response) and property value notification response	68
Figure 28 – Processing target property counter for three requests	69
Figure 29 – Property data counter	69
Figure 30 – ECHONET Lite frame format	70
Figure 31 – Detailed specifications of ELHD1	70
Figure 32 – Detailed specifications of ELHD2	71
Figure 33 – Detailed specifications of EOJ code	71
Figure 34 – ELSV code detailed specifications	72
Figure 35 – ELDATA configuration for property value write service (no response required)	75
Figure 36 – ELDATA configuration for property value write service (response required)	76
Figure 37 – ELDATA configuration for property value read service	77
Figure 38 – ELDATA configuration for property value write and read service	78
Figure 39 – ELDATA configuration for property value notification service	79
Figure 40 – ELDATA configuration for property value notification (response required) service	80
Figure 41 – EPC detailed specifications	81
Figure 42 – ECHONET Lite Property data counter	82
Figure 43 – Example of array elements	84
Figure 44 – Example of property value element deletion	85
Figure 45 – Example of property value element addition	85
Figure 46 – Data structure of "identification number" property	92
Figure 47 – Data structure of "manufacturer's fault code" property	92
Figure 48 – Configuration without "control server"	97
Figure 49 – Configuration with "control server"	97
Figure 50 – Air flow direction (vertical) setting	124
Figure 51 – Air flow direction (horizontal) setting	125
Figure 52 – Mounted air cleaning method	127
Figure 53 – Air purifier function setting	128
Figure 54 – Air refresh method	128
Figure 55 – Air refresher function setting	129
Figure 56 – Self-cleaning method	130
Figure 57 – Self-cleaning function setting	130
Figure 58 – Implemented ion emission method	139
Figure 59 – Implemented special operation modes	139
Figure 60 – Power restriction control of commercial-use package air conditioner (example)	146

Figure 61 – Value of alarm status	183
Figure 62 – Period that writing request is unacceptable	188
Figure 63 – Time to start accumulating hot water shift (daytime single shift)	192
Figure 64 – Time to start accumulating hot water shift (daytime double shift)	193
Figure 65 – An example of household solar power generation configuration.....	223
Figure 66 – Function to control purchase of excess electricity	224
Figure 67 – An example of capacity approved by equipment	227
Figure 68 – Daily timer setting	234
Figure 69 – Example of the battery configuration	242
Figure 70 – Image of various properties related to electric energy handled in this class	242
Figure 71 – Overview of charging methods	256
Figure 72 – Overview of discharging methods for storage battery if reverse power flow is not allowed.....	257
Figure 73 – Overview of discharging methods for storage battery if reverse power flow is allowed	257
Figure 74 – Relationship between the properties related to electric energy handled in this class	265
Figure 75 – Operation concept of Charging/Discharging (0x46).....	281
Figure 76 – Relationship between properties (transition).....	283
Figure 77 – Relationship between properties (no transition).....	283
Figure 78 – Operation overview of discharging on designated purchasing electric power	285
Figure 79 – Operation overview of charging on designated purchasing electric power.....	285
Figure 80 – Data structure of Vehicle ID in electric vehicle charger/discharger class.....	288
Figure 81 – Current direction in power distribution board	317
Figure 82 – A concept of the distributed generator's electric energy meter class.....	397
Figure 83 – Measuring points in the distributed generator's electric energy meter class	398
Figure 84 – Node configuration examples	399
Figure 85 – Actual implementation cases from the solid light-emitting source class	416
Figure 86 – Relationship between the properties related to electric energy handled in this class	423
Figure 87 – Data structure of vehicle ID in electric vehicle charger class	427
Figure 88 – Relationship between the properties related to household small wind turbine power generation class	432
Figure 89 – A configuration of lighting system.....	433
Figure 90 – A configuration of extended lighting system.....	436
Figure 91 – Explanation for power consumptions	438
Figure 92 – An example of multiple input PCS configuration	441
Figure 93 – Example of a device that operates a heat pump only when supplying hot water	445
Figure 94 – Example of a device that operates a heat pump when supplying hot water and heating.....	445
Figure 95 – Stove	511
Table 1 – Bit pattern for hop count	42
Table 2 – DEA (broadcast-stipulated) address configuration	43

Table 3 – List of class group codes	46
Table 4 – List of ESV codes for requests	49
Table 5 – List of ESV codes for response/notification.....	50
Table 6 – List of ESV codes for "response-not-possible" responses	51
Table 7 – List of CpESV codes for request/notification	64
Table 8 – List of CpESV codes for "accepted" response	64
Table 9 – List of CpESV codes for "process-not-possible" response	64
Table 10 – List of class group codes	72
Table 11 – List of service codes for request.....	74
Table 12 – List of ELSV codes for response/notification.....	74
Table 13 – List of ELSV codes for "response not possible"	75
Table 14 – EPC code allocation table	81
Table 15 – Data types, data sizes, and overflow/underflow codes	84
Table 16 – List of device object super class configuration properties	86
Table 17 – Installation location (space) types and the bit values assigned to them.....	91
Table 18 – Fault-content property value assignments	95
Table 19 – List of temperature sensor properties	100
Table 20 – List of humidity sensor properties	100
Table 21 – List of illuminance sensor properties.....	101
Table 22 – List of human detection sensor properties	102
Table 23 – List of electric energy sensor properties	103
Table 24 – List of open/close sensor properties	105
Table 25 – List of current sensor properties	106
Table 26 – List of air speed sensor properties.....	107
Table 27 – List of water flow rate sensor properties	108
Table 28 – List of rain sensor properties	109
Table 29 – List of home air conditioner properties	110
Table 30 – Air flow direction (horizontal) setting.....	125
Table 31 – List of ventilation fan properties.....	134
Table 32 – List of air purifier properties.....	135
Table 33 – List of humidifier properties	137
Table 34 – List of package-type commercial air conditioner (indoor unit) properties	140
Table 35 – List of package-type commercial air conditioner (outdoor unit) properties	143
Table 36 – List of electric storage heater properties.....	147
Table 37 – List of gas heat pump-type commercial air conditioner (indoor unit) properties	153
Table 38 – List of gas heat pump-type commercial air conditioner (outdoor unit) properties	155
Table 39 – List of range hood properties	158
Table 40 – Range hood-specific errors of EPC = 0x88 "fault status".....	164
Table 41 – List of electrically operated shade properties.....	165
Table 42 – List of electrically operated rain sliding door/shutter properties.....	170
Table 43 – List of electric water heater properties	174

Table 44 – Property change according to both heating automatic setting property and energy shift participation status property.....	188
Table 45 – List of electric toilet seat (warm-water washing toilet seat, heating toilet seat, etc.) properties.....	194
Table 46 – List of electric lock properties.....	197
Table 47 – List of household instantaneous water heater properties.....	199
Table 48 – List of bathroom heater and dryer properties.....	207
Table 49 – List of household solar power generation properties.....	218
Table 50 – List of floor heater properties.....	229
Table 51 – List of fuel cell properties.....	236
Table 52 – List of storage battery properties.....	243
Table 53 – List of electric vehicle charger/discharger properties.....	266
Table 54 – List of engine cogeneration properties.....	289
Table 55 – List of water flowmeter properties.....	294
Table 56 – List of power distribution board metering properties.....	297
Table 57 – List of low-voltage smart electric meter properties.....	326
Table 58 – List of smart gas meter properties.....	338
Table 59 – Security data information property.....	344
Table 60 – Historical data of measured cumulative gas consumption (example) corresponding to the transition of cumulative gas consumption.....	346
Table 61 – List of high-voltage smart electric energy meter properties.....	347
Table 62 – List of kerosene meter properties.....	367
Table 63 – List of smart kerosene meter properties.....	368
Table 64 – bit assignment for security data.....	373
Table 65 – Historical data example of measured cumulative kerosene consumption corresponding to the transition of cumulative kerosene consumption.....	375
Table 66 – List of smart electric energy meter for sub-metering properties.....	376
Table 67 – List of distributed generator's electric energy meter properties.....	388
Table 68 – List of general light properties.....	405
Table 69 – List of mono functional lighting properties.....	414
Table 70 – List of lighting for solid light-emitting source properties.....	415
Table 71 – Examples of the list of the light source operation status when operating Get.....	417
Table 72 – Examples of the list of the light source operation status when operating Set.....	417
Table 73 – Examples of the list of the light source optical output setting values when operating Get.....	417
Table 74 – Examples of the list of the light source optical output setting values when operating Set.....	418
Table 75 – Examples of the list of light source colour temperature setting values when operating Get.....	418
Table 76 – Examples of the list of light source colour temperature setting values when operating Set.....	418
Table 77 – List of electric vehicle charger properties.....	419
Table 78 – List of household small wind turbine power generation properties.....	428
Table 79 – List of lighting system properties.....	433
Table 80 – List of extended lighting system properties.....	434
Table 81 – An example of scene number set.....	437

Table 82 – List of multiple input PCS properties.....	439
Table 83 – List of hybrid water heater properties	443
Table 84 – List of operations for linkage modes and utilization time	447
Table 85 – List of refrigerator properties	448
Table 86 – List of microwave oven properties	460
Table 87 – Heating status property	467
Table 88 – Automatic heating setting property	468
Table 89 – Automatic heating cycle codes	469
Table 90 – Prompt message codes	473
Table 91 – 2 bytes bitmap definition for each accessory	474
Table 92 – List of washer and dryer properties.....	476
Table 93 – washer and dryer setting property	489
Table 94 – Washer and dryer cycle option list 1 property	495
Table 95 – Washer and dryer cycle option list 2 property	495
Table 96 – Washer and dryer cycle option list 3 property	496
Table 97 – Current stage of washer and dryer cycle property	499
Table 98 – List of clothes dryer properties	506
Table 99 – List of cooking heater properties.....	508
Table 100 – List of commercial showcase properties	514
Table 101 – List of commercial showcase outdoor unit properties	519
Table 102 – List of dishwasher and dryer properties	520
Table 103 – Bitmap definition for dish-washing method setting acceptable information	535
Table 104 – Bitmap definition for drying method setting acceptable information	535
Table 105 – Bitmap definition for storing method setting acceptable information	535
Table 106 – Bitmap definition for each rinsing mode	537
Table 107 – Operation setting information arrangement	542
Table 108 – Pattern of property values	543
Table 109 – Relationship with operation status setting (EPC = 0xB2).....	544
Table 110 – List of switch properties	546
Table 111 – List of controller properties	546
Table 112 – Property map description format.....	552

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SERVICE DIAGNOSTIC INTERFACE FOR CONSUMER
ELECTRONICS PRODUCTS AND NETWORKS –
IMPLEMENTATION FOR ECHONET**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62394 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2022. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) updates of the device object super class specifications for the property configurations shared by all device objects;
- b) modification and addition of the property configurations defined by each object;
- c) addition of new device objects and their property configurations;
- d) updates to Bibliography.

The text of this International Standard is based on the following documents:

Draft	Report on voting
100/4072/CDV	100/4157/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Consumer products are often repaired by service workshops, which service a wide range of products developed by different manufacturers.

For highly complex products, fault diagnosis becomes increasingly difficult and time consuming.

To facilitate diagnosis, manufacturers often develop built-in diagnostic software that communicates with an external diagnostic unit through a service diagnostic interface (SDI).

To avoid the need for a service workshop to purchase several different diagnostic units from different manufacturers for different products, a standardized SDI is proposed for use by all manufacturers of any products requiring a diagnostic interface. The result will be that only one SDI is needed in the service workshops.

The SDI should be suitable for diagnosis in a facilities or household appliances network in which different products from different manufacturers are connected together. The interface should also allow for future developments.

The standard SDI should:

- be usable in future products,
- be easily connectable to a product or a network,
- be inexpensive,
- not limit product design.

SERVICE DIAGNOSTIC INTERFACE FOR CONSUMER ELECTRONICS PRODUCTS AND NETWORKS – IMPLEMENTATION FOR ECHONET

1 Scope

This International Standard specifies requirements for service diagnostic software to be implemented in products that incorporate a digital interface. It does not specify requirements for carrying out remote diagnosis or for manufacturer-dependent software.

The Service Diagnostic Interface (SDI) requires an external controller (exclusive or general-purpose/PC) into which service diagnostic software can be loaded. Parts of the controller software are standardized while other parts are proprietary to the manufacturers.

To reach a common approach in servicing all products from all manufacturers, it is necessary to standardize specific items to be tested in products and certain aspects of controllers' diagnostic software.

The SDI is based upon ECHONET specification version 2.11, ECHONET Lite specification version 1.13, and APPENDIX Detailed Requirements for ECHONET Device objects Release Q rev. 1, because this interface will be used in future products. The use of this connection and existing communication protocols enable implementation in products at a low cost, with maximum flexibility and efficiency.

The SDI consists of

- specific hardware and software requirements of the device under test (DUT);
- specific requirements of the controller:
 - the service software;
 - an ECHONET interface;
- the connection between the controller and the DUT.

This document provides the minimal requirements necessary to carry out computerized diagnosis. It covers the standardized software of the controller as well as the standardized software and provisions in the DUT.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>