

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Railway applications – Current collection systems – Technical criteria for the interaction between pantograph and overhead contactline (to achieve free access)

Applications ferroviaires – Systèmes de captage de courant – Critères techniques d'interaction entre le pantographe et la ligne aérienne de contact (réalisation du libre accès)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Railway applications – Current collection systems – Technical criteria for the interaction between pantograph and overhead contactline (to achieve free access)

Applications ferroviaires – Systèmes de captage de courant – Critères techniques d'interaction entre le pantographe et la ligne aérienne de contact (réalisation du libre accès)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 45.060.01

ISBN 978-2-8322-4602-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Symbols and abbreviated terms.....	10
5 Geometry	11
5.1 General.....	11
5.2 Overhead contact line characteristics.....	11
5.2.1 General	11
5.2.2 Gauges.....	11
5.2.3 Contact wire height.....	12
5.2.4 Contact wire gradient.....	12
5.2.5 Lateral deviation.....	12
5.2.6 Contact wire uplift.....	13
5.2.7 Neutral sections.....	13
5.2.8 Change over area between pantograph profiles	13
5.3 Pantograph characteristics.....	14
5.3.1 General	14
5.3.2 Assessment of the pantograph profile.....	14
5.3.3 Conducting range	17
6 Material interfaces	17
6.1 General.....	17
6.2 Contact wire.....	17
6.3 Contact strips	17
7 Interaction performance.....	18
7.1 General.....	18
7.2 Current capacity	18
7.3 Dynamic behaviour and quality of current collection.....	19
8 Operational requirements	22
8.1 Additional characteristics for automatic dropping device	22
8.2 Minimum spacing between two operating pantographs.....	22
Annex A (normative) Special requirements	23
A.1 Neutral sections.....	23
A.1.1 Principle of neutral section	23
A.1.2 Long neutral section	23
A.1.3 Short neutral section.....	24
A.1.4 Split neutral section	24
A.1.5 Arrangement of pantograph on trains.....	24
A.2 Profiles for interoperable pantograph head	26
A.2.1 Pantograph head with length of 1 600 mm.....	26
A.2.2 Pantograph head with length of 1 950 mm	27
A.3 Additional tests for DC systems	27
A.3.1 Current at standstill	27
A.3.2 Testing conditions	27
A.3.3 Testing procedure.....	28
A.4 Visualisation of mean contact forces	28

A.5	Other limitations (national annex for China)	29
A.6	National annex for Japan	30
A.6.1	General	30
A.6.2	Maximum lateral deviation	30
A.6.3	Dynamic behaviour and quality of current collection (<i>AQ</i> , <i>CQ</i>)	30
Annex B (informative)	Special national conditions	33
B.1	General.....	33
B.2	National characteristics	33
B.3	General characteristics of pantograph head	42
Annex C (informative)	Normally used materials for contact strips	52
Bibliography	53
Figure 1	– General detail of pantograph with independently suspended collector head	16
Figure 2	– Transition point – 1 600 mm and 1 950 mm pantograph head.....	17
Figure A.1	– Principle of neutral section.....	23
Figure A.2	– Long neutral section	23
Figure A.3	– Short neutral section.....	24
Figure A.4	– Split neutral section	24
Figure A.5	– Arrangement of pantograph on trains	25
Figure A.6	– Profile of pantograph head with length of 1 600 mm.....	26
Figure A.7	– Profile of pantograph head with length of 1 950 mm.....	27
Figure A.8	– Visualisation of contact forces AC.....	28
Figure A.9	– Visualisation of contact forces DC 1,5 kV.....	29
Figure A.10	– Visualisation of contact forces DC 3,0 kV.....	29
Figure B.1	– Pantograph head with length of 1 450 mm	42
Figure B.2	– Pantograph head with length of 1 950 mm (Type 1)	42
Figure B.3	– Pantograph head with length of 1 600 mm (GB, CTRL)	43
Figure B.4	– Pantograph head with length of 1 950 mm (Type 2)	43
Figure B.5	– Pantograph head with length of 1 800 mm (NO, SE)	44
Figure B.6	– Pantograph head with length of 1 600 mm (GB)	45
Figure B.7	– Pantograph head with length of 1 950 mm (PL).....	46
Figure B.8	– Pantograph head with length of 1 760 mm (BE)	46
Figure B.9	– Pantograph head with length of 1 950 mm (Type 1 in CN).....	47
Figure B.10	– Pantograph head with length of 1 950 mm (Type 2 in CN).....	47
Figure B.11	– Pantograph head with length of 1 600 mm (CN)	47
Figure B.12	– Pantograph head with length of 1 550 mm (Type 1 in CN).....	48
Figure B.13	– Pantograph head with length of 1 550 mm (Type 2 in CN).....	48
Figure B.14	– Pantograph head with length of 1 550 mm (Type 3 in CN).....	49
Figure B.15	– Pantograph head with length of 1 700 mm (CN)	49
Figure B.16	– Pantograph head with length of 1 880 mm (JP type1)	50
Figure B.17	– Pantograph head with length of 1 880 mm (JP type2)	50
Figure B.18	– Pantograph head with length of 2 000 mm (RF)	51
Table 1	– Range of nominal contact wire height for AC and DC systems.....	12

Table 2 – Maximum lateral deviation.....	13
Table 3 – Pantograph characteristics for AC and DC systems.....	14
Table 4 – Static contact forces.....	19
Table 5 – Maximum current at standstill.....	19
Table 6 – Limits for interaction performance (contact force).....	21
Table 7 – Values for interaction performance (arcs).....	22
Table 8 – Minimum distances of operating pantographs.....	22
Table A.1 – Values for interaction performance (arcs).....	30
Table A.2 – Maximum lateral deviation.....	30
Table A.3 – Values for interaction performance (arcs and current loss).....	32
Table B.1 – Overhead contact line characteristics for AC systems.....	34
Table B.2 – Overhead contact line characteristics for DC systems.....	35
Table B.3 – Rolling stock characteristics for AC systems.....	36
Table B.4 – Rolling stock characteristics for AC systems.....	37
Table B.5 – Rolling stock characteristics for DC systems.....	38
Table B.6 – Rolling stock characteristics for DC systems.....	39
Table B.7 – Interaction performance for AC systems.....	40
Table B.8 – Interaction performance for AC systems.....	41
Table B.9 – Interaction performance for DC systems.....	41
Table C.1 – Contact strip material normally used.....	52

Currently in preview, click buy full version

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RAILWAY APPLICATIONS – CURRENT COLLECTION SYSTEMS –
TECHNICAL CRITERIA FOR THE INTERACTION BETWEEN PANTOGRAPH
AND OVERHEAD CONTACTLINE (TO ACHIEVE FREE ACCESS)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62486 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the upper line properties for both AC and DC power systems as well as the current collector characteristics have been clarified;
- b) the requirements for pantograph with individually spring parts of the pantograph head were taken;
- c) the lateral deviation of the contact wire is made to EN 15273;
- d) in Annex A have been added to specific conditions of CN and JP;

- e) in Annex B, special national conditions have been supplemented by the data of additional IEC members.

The text of this standard is based on the following documents:

FDIS	Report on voting
9/2277/FDIS	9/2298/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This international standard is derived from the European standard EN 50367 that was referred to the IEC by CENELEC.

The reader's attention is drawn to the fact that Annexes B and C list all of the "in-some-country" clauses on differing practices of a less permanent nature relating to the subject of this standard.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

RAILWAY APPLICATIONS – CURRENT COLLECTION SYSTEMS – TECHNICAL CRITERIA FOR THE INTERACTION BETWEEN PANTOGRAPH AND OVERHEAD CONTACTLINE (TO ACHIEVE FREE ACCESS)

1 Scope

This document specifies requirements for the interaction between pantographs and overhead contact lines, to achieve interoperability.

NOTE These requirements are defined for a limited number of pantograph types, referred to as 'interoperable pantograph', together with the geometry and characteristics of compatible overhead contact lines.

This document describes parameters and values for all planned lines and future lines.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-811:1991, *International Electrotechnical Vocabulary – Chapter 811: Electric traction*

IEC 60494-1:2013, *Railway applications – Rolling stock – Pantographs – Characteristics and tests – Part 1: Pantographs for main line vehicles*

IEC 60913:2013, *Railway applications – Fixed installations – Electric traction overhead contact lines*

IEC 62313:2009, *Railway applications – Power supply and rolling stock – Technical criteria for the coordination between power supply (substation) and rolling stock*

IEC 62499:2008, *Railway applications – Current collection systems – Pantographs, testing methods for carbon contact strips*

IEC 62846:2016, *Railway applications – Current collection systems – Requirements for and validation of measurements of the dynamic interaction between pantograph and overhead contact line*

IEC 62917, *Railway applications – Fixed installations – Electric traction – Copper and copper alloy grooved contact wires*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-811:1991 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>